```
0.25
6.626 \times 10^{-34}
6.626 \times 10^{-34}
6.626 \cdot 10^{-34}
6.626\times\pi^{-34}
3\pm2i
2\times3\times5
9.990 \pm 0.009
9.990(9)
10, 20, 30 and 40
      Trabajando angulos
      60^{\circ}
60°5′3″
60^{\circ}3''
60^{\circ}5'
      Trabajando unidades
      {
m m\,s^{-1}}
\rm m\,s^{-1}
\tfrac{m}{s}
      A
K
\operatorname{cd}
mol
Bq
Å
{\rm eV}
m_{\rm e}
^{\circ}\mathrm{C}
kgm
      \operatorname{Multiplos}
      \mu m
nC
MPa

\stackrel{\mathrm{cm}}{\not o}

      Trabajando cantdades mas unidades
      2.50\,\mathrm{pF}~(12.35\pm0.52)\,\mathrm{kg}
2\,\mathrm{m}\times5\,\mathrm{m}\times10\,\mathrm{m}
(2 \times 3 \times 4) \,\mathrm{m}^3 \,2 \,\mathrm{m} \times 3 \,\mathrm{m} \times 4 \,\mathrm{m} \times 5 \,\mathrm{m}
```

Trabajando con physics

$$\left(\frac{x}{2}\right)(10+x)$$

$$\left(\frac{x}{2}\right)(10+x)$$

$$\left(\frac{x}{2}\right)$$

$$\left[x+1\right]$$

$$\left[\frac{x+1}{x}\right]$$

$$\left[x+1\right]$$

$$\begin{bmatrix} A, B \\ \{A, B\} \\ \begin{bmatrix} A, B \end{bmatrix}$$

||a||

Notación vectorial ${\bf A}~{\bf A}~\vec{{\bf A}}~\vec{{\bf A}}$

$$\begin{array}{ccc}
\mathbf{A} & \mathbf{A} & \mathbf{\bar{A}} & \mathbf{\bar{A}} \\
\hat{\mathbf{x}} & \hat{\mathbf{p}} \\
\hat{\rho} \cdot \hat{\varphi} \\
\hat{\rho} \times \hat{\varphi}
\end{array}$$

$$\begin{array}{c}
\rho \cdot \varphi \\
\hat{\rho} \times \hat{\varphi}
\end{array}$$

$$\begin{array}{c} \vec{\nabla}\Psi \\ \vec{\nabla}\cdot\vec{\mathbf{E}} \\ \vec{\nabla}\times\mathbf{B}_{\rho}^{\mathbf{2}} \\ \nabla^{2}\mathbf{E}\,\sin^{m}(x) \end{array}$$

$$\frac{\partial f}{\partial x}$$

$$\frac{\partial^n f}{\partial x^n}$$

$$\frac{\partial^2 f}{\partial x^2}$$

|a|

$$|\Psi\rangle$$
 $\langle\Psi|$ $\langle\Psi|\Psi\rangle$ $\langle\Psi|A|\Psi\rangle$