PARTIE2

```
* mabranche
  main
On branch mabranche
Your branch is up to date with 'origin/mabranche'.

nothing to commit, working tree clean
Thomas
thomas@edu.fr
```

PARTIE 3

```
9a7c599 (HEAD -> mabranche, origin/mabranche) TD done
5207db8 (origin/main, origin/HEAD, main) first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
```

Partie 4

git status
git status --short
git diff

```
On branch mabranche
Your branch is up to date with 'origin/mabranche'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
 M src/main.py
diff --git a/src/main.py b/src/main.py
index e200c0b..d6abcd8 100644
--- a/src/main.py
+++ b/src/main.py
@@ -75,4 +75,5 @@ def main():


 if __name__ == "__main__":
-    main()
\ No newline at end of file
+    main()
+# MarketPulse : compare une action (AAPL) avec son indice de référence (S&P 500)
```

PARTIE 5

```
On branch mabranche
Your branch is up to date with 'origin/mabranche'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/main.py

diff --git a/src/main.py b/src/main.py
index e200c0b..d6abcd8 100644
--- a/src/main.py
+++ b/src/main.py
@@ -75,4 +75,5 @@ def main():


 if __name__ == "__main__":
-    main()
\ No newline at end of file
+    main()
+# MarketPulse : compare une action (AAPL) avec son indice de référence (S&P 500)
```

Avec git add src/main.py j'ai sélectionné ma modification pour le prochain commit : le fichier est maintenant en vert , git diff n'affiche plus rien car il ne montre que les changements non sélectionnés alors que git diff —staged montre les changements qui seront enregistrés dans le commit.

PARTIE 6

```
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
[mabranche d16c451] docs: add MarketPulse description comment in main.py
 1 file changed, 2 insertions(+), 1 deletion(-)
```

PARTIE 7

```
On branch mabranche
Your branch is ahead of 'origin/mabranche' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
d16c451 (HEAD -> mabranche) docs: add MarketPulse description comment in main.py
9a7c599 (origin/mabranche) TD done
5207db8 (origin/main, origin/HEAD, main) first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
commit d16c451908c776e29230af8e634714d310a31f4b (HEAD -> mabranche)
Author: Thomas <thomas@edu.fr>
Date:   Fri Nov 13 16:33:24 2026 +0100

    docs: add MarketPulse description comment in main.py

diff --git a/src/main.py b/src/main.py
index e200c0b..d6abcd8 100644
--- a/src/main.py
+++ b/src/main.py
@@ -75,4 +75,5 @@ def main():


 if __name__ == "__main__":
-    main()
\ No newline at end of file
+    main()
+# MarketPulse : compare une action (AAPL) avec son indice de référence (S&P 500)
```

Partie 8

Un bon commit est petit, cohérent, compréhensible et explicable. Mon commit `d16c451` ne modifie qu'un seul fichier, pour une seule raison, et son message décrit précisément le changement. Je peux donc expliquer ce que j'ai changé et pourquoi.

Partie 9

Le td03 s'arrete à l'historique local , mon commit existe sur mon ordinateur mais n'a pas été envoyé sur GitHub , c'est ce qu'indique le 'your branch is ahead……. '

PARTIE 10

```
On branch mabranche
Your branch is ahead of 'origin/mabranche' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
d16c451 (HEAD -> mabranche) docs: add MarketPulse description comment in main.py
9a7c599 (origin/mabranche) TD done
5207db8 (origin/main, origin/HEAD, main) first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL – Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 – S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
```

TD4

PARTIE 0

```
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
Updating 5207db8..d16c451
Fast-forward
 Compte_rendu_TD01_TD02_MarketPulse.pdf | 776 ++++++
```

PARTIE 5

```
no changes added to commit (use "git add" and/or "git commit -a")
diff --git a/src/main.py b/src/main.py
index d6abcd8..3dac379 100644
--- a/src/main.py
+++ b/src/main.py
@@ -36,6 +36,14 @@ def get_last_close(prices):
     return float(last_row["close"])


+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+
+
 def display_market_summary(asset, prices, show_currency=True):
     first_close = get_first_close(prices)
     last_close = get_last_close(prices)
@@ -47,6 +55,8 @@ def display_market_summary(asset, prices, show_currency=True):

     print(f"{asset['ticker']} - {asset['name']}")
     print(f"Observations : {len(prices)}")
+    print(f"First date   : {get_first_date(prices)}")
+    print(f"Last date    : {get_last_date(prices)}")
     print(f"First close  : {first_close:.2f}{suffix}")
     print(f"Last close   : {last_close:.2f}{suffix}")
```

```
diff --git a/src/main.py b/src/main.py
index d6abcd8..3dac379 100644
--- a/src/main.py
+++ b/src/main.py
@@ -36,6 +36,14 @@ def get_last_close(prices):
     return float(last_row["close"])


+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+
+
 def display_market_summary(asset, prices, show_currency=True):
     first_close = get_first_close(prices)
     last_close = get_last_close(prices)
@@ -47,6 +55,8 @@ def display_market_summary(asset, prices, show_currency=True):

     print(f"{asset['ticker']} - {asset['name']}")
     print(f"Observations : {len(prices)}")
+    print(f"First date   : {get_first_date(prices)}")
+    print(f"Last date    : {get_last_date(prices)}")
     print(f"First close  : {first_close:.2f}{suffix}")
     print(f"Last close   : {last_close:.2f}{suffix}")

[feature/display-observation-dates 8ffa324] feat: display first and last observation dates
 1 file changed, 10 insertions(+)
On branch feature/display-observation-dates
nothing to commit, working tree clean
8ffa324 (HEAD -> feature/display-observation-dates) feat: display first and last observation dates
d16c451 (main, mabranche) docs: add MarketPulse description comment in main.py
9a7c599 (origin/mabranche) TD done
5207db8 (origin/main, origin/HEAD) first td session
ba5c9f4 Update Readme
```

PARTIE 6

```
* 8ffa324 (HEAD -> feature/display-observation-dates) feat: display first and last observation dates
* d16c451 (main, mabranche) docs: add MarketPulse description comment in main.py
* 9a7c599 (origin/mabranche) TD done
* 5207db8 (origin/main, origin/HEAD) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
diff --git a/src/main.py b/src/main.py
index d6abcd8..3dac379 100644
--- a/src/main.py
+++ b/src/main.py
@@ -36,6 +36,14 @@ def get_last_close(prices):
     return float(last_row["close"])


+def get_first_date(prices):
+    return prices[0]["date"]
+
+
+def get_last_date(prices):
+    return prices[-1]["date"]
+
+
 def display_market_summary(asset, prices, show_currency=True):
     first_close = get_first_close(prices)
     last_close = get_last_close(prices)
@@ -47,6 +55,8 @@ def display_market_summary(asset, prices, show_currency=True):

     print(f"{asset['ticker']} - {asset['name']}")
     print(f"Observations : {len(prices)}")
+    print(f"First date   : {get_first_date(prices)}")
+    print(f"Last date    : {get_last_date(prices)}")
     print(f"First close  : {first_close:.2f}{suffix}")
     print(f"Last close   : {last_close:.2f}{suffix}")
```

PARTIE 7

```
git branch
git merge feature/display-observation-dates
git log --oneline --graph --decorate --all
python src/main.py
Already on 'main'
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)
  feature/display-observation-dates
  mabranche
* main
Already up to date.
* 8ffa324 (HEAD -> main, feature/display-observation-dates) feat: display first and last observation dates
* d16c451 (mabranche) docs: add MarketPulse description comment in main.py
* 9a7c599 (origin/mabranche) TD done
* 5207db8 (origin/main, origin/HEAD) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First date   : 2026-09-01
Last date    : 2026-09-30
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First date   : 2026-09-01
Last date    : 2026-09-30
First close  : 6600.00
Last close   : 6742.00
```

Le merge avait déjà été fait au premier lancement, d'où "Already up to date".

PARTIE 8

```
  feature/display-observation-dates
  mabranche
* main
  feature/display-observation-dates
  mabranche
* main
* 8ffa324 (HEAD -> main, feature/display-observation-dates) feat: display first and last observation dates
* d16c451 (mabranche) docs: add MarketPulse description comment in main.py
* 9a7c599 (origin/mabranche) TD done
* 5207db8 (origin/main, origin/HEAD) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
```

SUPPRESSION

```
Deleted branch feature/display-observation-dates (was 8ffa324).
  mabranche
* main
* 8ffa324 (HEAD -> main) feat: display first and last observation dates
* d16c451 (mabranche) docs: add MarketPulse description comment in main.py
* 9a7c599 (origin/mabranche) TD done
* 5207db8 (origin/main, origin/HEAD) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
```

PARTIE 9

Un conflit de merge arrive quand deux branches modifient la même ligne d'un même fichier de façon différente. Git ne peut pas choisir seul quelle version garder, donc il s'arrête et demande une décision humaine.Git affiche les deux versions dans le fichier : d'abord <<<<<<< HEAD suivi de la version de la branche actuelle, puis =======, puis la version de l'autre branche suivie de >>>>>>> nom-de-la-branche.Pour le résoudre, on lit les deux versions, on garde le bon contenu, on supprime les marques <<<<<<<, ======= et >>>>>>>, puis on fait git add et on termine le merge avec git commit.Un conflit n'est pas une erreur de Git : il signale simplement qu'un humain doit choisir.

PARTIE 10

```
On branch main
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
* 8ffa324 (HEAD -> main) feat: display first and last observation dates
* d16c451 (mabranche) docs: add MarketPulse description comment in main.py
* 9a7c599 (origin/mabranche) TD done
* 5207db8 (origin/main, origin/HEAD) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First date   : 2026-09-01
Last date    : 2026-09-30
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First date   : 2026-09-01
Last date    : 2026-09-30
First close  : 6600.00
Last close   : 6742.00
```