OpenGeoProver Output for conjecture "geothm_zadatak"

Wu's method used

October 1, 2016

1 Invoking the theorem prover

The used proving method is Wu's method. The input system is:

```
= -x_3 + x_1
      = -x_3 + x_2
      = x_4 + x_1 -
           -x_4 + x_2
      = -x_8 + x_5
           -x_8 + x_6
 p_6
      = x_9 + x_5 -
      = -x_9 + x_6
      = x_7 -
 p_9
      = 3x_{10} - 2x_5 - x_1
      = 3x_{11} - 2x_6 - x_2
      = 3x_{12} - 2x_7
p_{13}
      = x_{13} + x_{10}
      = x_{14} + x_{11}
p_{15}
           x_{15} + x_{12}
           x_{16} + x_{10} -
p_{16}
           x_{17} + x_{11}
           x_{18} + x_{12}
p_{18}
p_{19}
           x_{19}
           x_{20}
p_{20}
p_{21}
           x_{21} -
      = x_{22} + x_{21}
p_{22}
      = -x_{26}x_{13} + x_{23}
p_{23}
p_{24}
           -x_{26}x_{14} + x_{24}
      = -x_{26}x_{15} + x_{25}
p_{25}
```

$$\begin{array}{rcl} p_{26} & = & x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22} \\ p_{27} & = & -x_{30}x_{16} + x_{27} - \\ p_{28} & = & -x_{30}x_{17} + x_{28} \\ p_{29} & = & -x_{30}x_{18} + x_{29} \\ p_{30} & = & x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22} \end{array}$$

1.1 Triangulation, step 1

Choosing variable: Trying the variable with index 30.

Variable x_{30} selected: The number of polynomials with this variable, with indexes from 1 to 30, is 3.

Minimal degrees: 3 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{30} from all other polynomials by reducing them with polynomial p_{27} from previous step.

$$\begin{array}{rclrcl} p_1 & = & -x_3 + x_1 \\ p_2 & = & -x_3 + x_2 \\ p_3 & = & x_4 + x_1 - \\ p_4 & = & -x_4 + x_2 \\ p_5 & = & -x_8 + x_5 \\ p_6 & = & -x_8 + x_6 \\ p_7 & = & x_9 + x_5 - \\ p_8 & = & -x_9 + x_6 \\ p_9 & = & x_7 - \\ p_{10} & = & 3x_{10} - 2x_5 - x_1 \\ p_{11} & = & 3x_{11} - 2x_6 - x_2 \\ p_{12} & = & 3x_{12} - 2x_7 \\ p_{13} & = & x_{13} + x_{10} \\ p_{14} & = & x_{14} + x_{11} \\ p_{15} & = & x_{15} + x_{12} \\ p_{16} & = & x_{16} + x_{10} - \\ p_{17} & = & x_{17} + x_{11} \\ p_{18} & = & x_{18} + x_{12} \\ p_{19} & = & x_{19} \\ p_{20} & = & x_{20} \\ p_{21} & = & x_{21} - \\ p_{22} & = & x_{22} + x_{21} \\ p_{23} & = & -x_{26}x_{13} + x_{23} \\ p_{24} & = & -x_{26}x_{14} + x_{24} \end{array}$$

$$\begin{array}{rcl} p_{25} & = & -x_{26}x_{15} + x_{25} \\ p_{26} & = & x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22} \\ p_{27} & = & x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22} \\ p_{28} & = & -x_{28}x_{16} + x_{27}x_{17} - x_{17} \\ p_{29} & = & -x_{29}x_{16} + x_{27}x_{18} - x_{18} \\ p_{30} & = & -x_{30}x_{16} + x_{27} - \end{array}$$

1.2 Triangulation, step 2

Choosing variable: Trying the variable with index 29.

Variable x_{29} selected: The number of polynomials with this variable, with indexes from 1 to 29, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{29} from all other polynomials by reducing them with polynomial p_{27} from previous step.

$$\begin{array}{rclrcl} p_1 & = & -x_3 + x_1 \\ p_2 & = & -x_3 + x_2 \\ p_3 & = & x_4 + x_1 - \\ p_4 & = & -x_4 + x_2 \\ p_5 & = & -x_8 + x_5 \\ p_6 & = & -x_8 + x_6 \\ p_7 & = & x_9 + x_5 - \\ p_8 & = & -x_9 + x_6 \\ p_9 & = & x_7 - \\ p_{10} & = & 3x_{10} - 2x_5 - x_1 \\ p_{11} & = & 3x_{11} - 2x_6 - x_2 \\ p_{12} & = & 3x_{12} - 2x_7 \\ p_{13} & = & x_{13} + x_{10} \\ p_{14} & = & x_{14} + x_{11} \\ p_{15} & = & x_{15} + x_{12} \\ p_{16} & = & x_{16} + x_{10} - \\ p_{17} & = & x_{17} + x_{11} \\ p_{18} & = & x_{18} + x_{12} \\ p_{19} & = & x_{20} \\ p_{21} & = & x_{21} - \\ p_{22} & = & x_{22} + x_{21} \\ p_{23} & = & -x_{26}x_{13} + x_{23} \end{array}$$

```
\begin{array}{rcl} p_{24} & = & -x_{26}x_{14} + x_{24} \\ p_{25} & = & -x_{26}x_{15} + x_{25} \\ p_{26} & = & x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22} \\ p_{27} & = & -x_{28}x_{16} + x_{27}x_{17} - x_{17} \\ p_{28} & = & x_{28}x_{20}x_{16} + x_{27}x_{21}x_{18} + x_{27}x_{19}x_{16} + x_{22}x_{16} - x_{21}x_{18} \\ p_{29} & = & x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22} \\ p_{30} & = & -x_{30}x_{16} + x_{27} - \end{array}
```

1.3 Triangulation, step 3

Choosing variable: Trying the variable with index 28.

Variable x_{28} selected: The number of polynomials with this variable, with indexes from 1 to 28, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{28} from all other polynomials by reducing them with polynomial p_{27} from previous step.

$$\begin{array}{rclrcl} p_1 & = & -x_3 + x_1 \\ p_2 & = & -x_3 + x_2 \\ p_3 & = & x_4 + x_1 - \\ p_4 & = & -x_4 + x_2 \\ p_5 & = & -x_8 + x_5 \\ p_6 & = & -x_8 + x_6 \\ p_7 & = & x_9 + x_5 - \\ p_8 & = & -x_9 + x_6 \\ p_9 & = & x_7 - \\ p_{10} & = & 3x_{10} - 2x_5 - x_1 \\ p_{11} & = & 3x_{11} - 2x_6 - x_2 \\ p_{12} & = & 3x_{12} - 2x_7 \\ p_{13} & = & x_{13} + x_{10} \\ p_{14} & = & x_{14} + x_{11} \\ p_{15} & = & x_{15} + x_{12} \\ p_{16} & = & x_{16} + x_{10} - \\ p_{17} & = & x_{17} + x_{11} \\ p_{18} & = & x_{18} + x_{12} \\ p_{19} & = & x_{19} \\ p_{20} & = & x_{20} \\ p_{21} & = & x_{21} - \\ p_{22} & = & x_{22} + x_{21} \end{array}$$

```
p_{23}
       = -x_{26}x_{13} + x_{23}
       = -x_{26}x_{14} + x_{24}
p_{24}
       = -x_{26}x_{15} + x_{25}
p_{25}
       = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{26}
            -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
              x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
       = -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
       = x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
              -x_{30}x_{16} + x_{27} -
p_{30}
```

1.4 Triangulation, step 4

Choosing variable: Trying the variable with index 27.

Variable x_{27} selected: The number of polynomials with this variable, with indexes from 1 to 27, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{27} . No reduction needed.

The triangular system has not been changed.

1.5 Triangulation, step 5

Choosing variable: Trying the variable with index 26.

Variable x_{26} selected: The number of polynomials with this variable, with indexes from 1 to 26, is 3.

Minimal degrees: 3 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{26} from all other polynomials by reducing them with polynomial p_{23} from previous step.

$$\begin{array}{rcl} p_1 & = & -x_3 + x_1 \\ p_2 & = & -x_3 + x_2 \\ p_3 & = & x_4 + x_1 - \\ p_4 & = & -x_4 + x_2 \\ p_5 & = & -x_8 + x_5 \\ p_6 & = & -x_8 + x_6 \\ p_7 & = & x_9 + x_5 - \\ p_8 & = & -x_9 + x_6 \\ p_9 & = & x_7 - \\ p_{10} & = & 3x_{10} - 2x_5 - x_1 \\ p_{11} & = & 3x_{11} - 2x_6 - x_2 \end{array}$$

```
p_{12} = 3x_{12} - 2x_7
              x_{13} + x_{10}
p_{13}
              x_{14} + x_{11}
       =
p_{14}
p_{15}
             x_{15} + x_{12}
              x_{16} + x_{10} -
p_{16}
              x_{17} + x_{11}
p_{17}
       =
             x_{18} + x_{12}
p_{18}
p_{19}
       =
              x_{19}
        =
              x_{20}
p_{20}
        = x_{21} -
p_{21}
        = x_{22} + x_{21}
p_{22}
        = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{23}
        = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
        = -x_{25}x_{13} + x_{23}x_{15}
p_{25}
             -x_{26}x_{13} + x_{23}
p_{26}
        = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
              x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
             -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
       = x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
p_{29}
       = -x_{30}x_{16} + x_{27} -
```

1.6 Triangulation, step 6

Choosing variable: Trying the variable with index 25.

Variable x_{25} selected: The number of polynomials with this variable, with indexes from 1 to 25, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{25} from all other polynomials by reducing them with polynomial p_{23} from previous step.

$$\begin{array}{rcl} p_1 & = & -x_3 + x_1 \\ p_2 & = & -x_3 + x_2 \\ p_3 & = & x_4 + x_1 - \\ p_4 & = & -x_4 + x_2 \\ p_5 & = & -x_8 + x_5 \\ p_6 & = & -x_8 + x_6 \\ p_7 & = & x_9 + x_5 - \\ p_8 & = & -x_9 + x_6 \\ p_9 & = & x_7 - \end{array}$$

```
p_{10} = 3x_{10} - 2x_5 - x_1
       = 3x_{11} - 2x_6 - x_2
p_{11}
p_{12} = 3x_{12} - 2x_7
       = x_{13} + x_{10}
p_{13}
             x_{14} + x_{11}
p_{14}
             x_{15} + x_{12}
       =
p_{15}
       = x_{16} + x_{10} -
p_{16}
p_{17}
       =
             x_{17} + x_{11}
             x_{18} + x_{12}
       =
p_{18}
       =
             x_{19}
p_{19}
       =
             x_{20}
p_{20}
       =
             x_{21} - 
p_{21}
       = x_{22} + x_{21}
p_{22}
       = -x_{24}x_{13} + x_{23}x_{14}
p_{23}
       = x_{24}x_{20}x_{13} + x_{23}x_{21}x_{15} + x_{23}x_{19}x_{13} + x_{22}x_{13}
p_{24}
       = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
       = -x_{26}x_{13} + x_{23}
p_{26}
       = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
             x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
       = -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
             x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
p_{29}
p_{30}
            -x_{30}x_{16} + x_{27} -
```

1.7 Triangulation, step 7

Choosing variable: Trying the variable with index 24.

Variable x_{24} selected: The number of polynomials with this variable, with indexes from 1 to 24, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{24} from all other polynomials by reducing them with polynomial p_{23} from previous step.

$$\begin{array}{rcl} p_1 & = & -x_3 + x_1 \\ p_2 & = & -x_3 + x_2 \\ p_3 & = & x_4 + x_1 - \\ p_4 & = & -x_4 + x_2 \\ p_5 & = & -x_8 + x_5 \\ p_6 & = & -x_8 + x_6 \\ p_7 & = & x_9 + x_5 - \end{array}$$

```
= -x_9 + x_6
       = x_7 -
 p_9
       = 3x_{10} - 2x_5 - x_1
p_{10}
       = 3x_{11} - 2x_6 - x_2
p_{11}
      = 3x_{12} - 2x_7
p_{12}
       = x_{13} + x_{10}
p_{13}
       = x_{14} + x_{11}
p_{14}
      = x_{15} + x_{12}
p_{15}
       = x_{16} + x_{10} -
p_{16}
       = x_{17} + x_{11}
p_{17}
       = x_{18} + x_{12}
p_{18}
       =
             x_{19}
p_{19}
       = x_{20}
p_{20}
       = x_{21} -
p_{21}
p_{22}
      = x_{22} + x_{21}
       = -x_{23}x_{21}x_{15}x_{13} - x_{23}x_{20}x_{14}x_{13} - x_{23}x_{19}x_{13}^2 - x_{22}x_{13}^2
p_{23}
       = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
       = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
       = -x_{26}x_{13} + x_{23}
p_{26}
       = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
             x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
      = -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
      = x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
           -x_{30}x_{16} + x_{27} -
p_{30}
```

1.8 Triangulation, step 8

Choosing variable: Trying the variable with index 23.

Variable x_{23} selected: The number of polynomials with this variable, with indexes from 1 to 23, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{23} . No reduction needed.

The triangular system has not been changed.

1.9 Triangulation, step 9

Choosing variable: Trying the variable with index 22.

Variable x_{22} selected: The number of polynomials with this variable, with indexes from 1 to 22, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{22} . No reduction needed.

The triangular system has not been changed.

1.10 Triangulation, step 10

Choosing variable: Trying the variable with index 21.

Variable x_{21} selected: The number of polynomials with this variable, with indexes from 1 to 21, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{21} . No reduction needed.

The triangular system has not been changed.

1.11 Triangulation, step 11

Choosing variable: Trying the variable with index 20.

Variable x_{20} selected: The number of polynomials with this variable, with indexes from 1 to 20, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{20} . No reduction needed.

The triangular system has not been changed.

1.12 Triangulation, step 12

Choosing variable: Trying the variable with index 19.

Variable x_{19} selected: The number of polynomials with this variable, with indexes from 1 to 19, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{19} . No reduction needed.

The triangular system has not been changed.

1.13 Triangulation, step 13

Choosing variable: Trying the variable with index 18.

Variable x_{18} selected: The number of polynomials with this variable, with indexes from 1 to 18, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{18} . No reduction needed.

The triangular system has not been changed.

1.14 Triangulation, step 14

Choosing variable: Trying the variable with index 17.

Variable x_{17} selected: The number of polynomials with this variable, with indexes from 1 to 17, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{17} . No reduction needed.

The triangular system has not been changed.

1.15 Triangulation, step 15

Choosing variable: Trying the variable with index 16.

Variable x_{16} selected: The number of polynomials with this variable, with indexes from 1 to 16, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{16} . No reduction needed.

The triangular system has not been changed.

1.16 Triangulation, step 16

Choosing variable: Trying the variable with index 15.

Variable x_{15} selected: The number of polynomials with this variable, with indexes from 1 to 15, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{15} . No reduction needed.

The triangular system has not been changed.

1.17 Triangulation, step 17

Choosing variable: Trying the variable with index 14.

Variable x_{14} selected: The number of polynomials with this variable, with indexes from 1 to 14, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{14} . No reduction needed.

The triangular system has not been changed.

1.18 Triangulation, step 18

Choosing variable: Trying the variable with index 13.

Variable x_{13} selected: The number of polynomials with this variable, with indexes from 1 to 13, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{13} . No reduction needed.

The triangular system has not been changed.

1.19 Triangulation, step 19

Choosing variable: Trying the variable with index 12.

Variable x_{12} selected: The number of polynomials with this variable, with indexes from 1 to 12, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{12} . No reduction needed.

The triangular system has not been changed.

1.20 Triangulation, step 20

Choosing variable: Trying the variable with index 11.

Variable x_{11} selected: The number of polynomials with this variable, with indexes from 1 to 11, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{11} . No reduction needed.

The triangular system has not been changed.

1.21 Triangulation, step 21

Choosing variable: Trying the variable with index 10.

Variable x_{10} selected: The number of polynomials with this variable, with indexes from 1 to 10, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{10} . No reduction needed.

The triangular system has not been changed.

1.22 Triangulation, step 22

Choosing variable: Trying the variable with index 9.

Variable x_9 selected: The number of polynomials with this variable, with indexes from 1 to 9, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_9 from all other polynomials by reducing them with polynomial p_7 from previous step.

```
p_1 = -x_3 + x_1
      = -x_3 + x_2
      = x_4 + x_1 -
      = -x_4 + x_2
 p_4
      = -x_8 + x_5
 p_5
      = -x_8 + x_6
 p_6
       = x_7 -
      = x_6 + x_5 -
 p_8
      = x_9 + x_5 -
 p_9
      = 3x_{10} - 2x_5 - x_1
p_{10}
      = 3x_{11} - 2x_6 - x_2
p_{11}
p_{12} = 3x_{12} - 2x_7
      = x_{13} + x_{10}
p_{13}
      = x_{14} + x_{11}
p_{14}
p_{15} = x_{15} + x_{12}
       = x_{16} + x_{10} -
p_{16}
      = x_{17} + x_{11}
p_{17}
      = x_{18} + x_{12}
p_{18}
p_{19}
       =
            x_{19}
            x_{20}
p_{20}
      = x_{21} -
p_{21}
           x_{22} + x_{21}
p_{22}
           -x_{23}x_{21}x_{15}x_{13} - x_{23}x_{20}x_{14}x_{13} - x_{23}x_{19}x_{13}^2 - x_{22}x_{13}^2
p_{23}
      = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
       = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
       = -x_{26}x_{13} + x_{23}
p_{26}
      = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
            x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
p_{28}
           -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{29}
     = x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
```

```
p_{30} = -x_{30}x_{16} + x_{27} -
```

1.23 Triangulation, step 23

Choosing variable: Trying the variable with index 8.

Variable x_8 selected: The number of polynomials with this variable, with indexes from 1 to 8, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_8 from all other polynomials by reducing them with polynomial p_5 from previous step.

```
p_1 = -x_3 + x_1
      = -x_3 + x_2
      = x_4 + x_1 -
 p_3
            -x_4 + x_2
 p_4
       =
           x_7 -
           x_6 + x_5 -
 p_6
      = -x_6 + x_5
 p_7
      = -x_8 + x_5
      = x_9 + x_5 -
 p_9
     = 3x_{10} - 2x_5 - x_1
p_{10}
       = 3x_{11} - 2x_6 - x_2
p_{11}
      = 3x_{12} - 2x_7
p_{12}
p_{13} = x_{13} + x_{10}
       = x_{14} + x_{11}
p_{14}
      = x_{15} + x_{12}
p_{15}
      = x_{16} + x_{10} -
p_{16}
            x_{17} + x_{11}
p_{17}
       =
            x_{18} + x_{12}
p_{18}
p_{19}
      =
            x_{19}
p_{20}
       =
            x_{20}
            x_{21} - 
p_{21}
      = x_{22} + x_{21}
p_{22}
            -x_{23}x_{21}x_{15}x_{13} - x_{23}x_{20}x_{14}x_{13} - x_{23}x_{19}x_{13}^2 - x_{22}x_{13}^2
p_{23}
       = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
      = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
       = -x_{26}x_{13} + x_{23}
p_{26}
            -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
            x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
```

$$\begin{array}{rcl} p_{28} & = & -x_{28}x_{16} + x_{27}x_{17} - x_{17} \\ p_{29} & = & x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22} \\ p_{30} & = & -x_{30}x_{16} + x_{27} - \end{array}$$

1.24 Triangulation, step 24

Choosing variable: Trying the variable with index 7.

Variable x_7 **selected:** The number of polynomials with this variable, with indexes from 1 to 7, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_5 . No reduction needed.

The triangular system has not been changed.

1.25 Triangulation, step 25

Choosing variable: Trying the variable with index 6.

Variable x_6 selected: The number of polynomials with this variable, with indexes from 1 to 6, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_6 from all other polynomials by reducing them with polynomial p_5 from previous step.

$$\begin{array}{rcl} p_1 & = & -x_3 + x_1 \\ p_2 & = & -x_3 + x_2 \\ p_3 & = & x_4 + x_1 - \\ p_4 & = & -x_4 + x_2 \\ p_5 & = & 2x_5 - \\ p_6 & = & x_6 + x_5 - \\ p_7 & = & x_7 - \\ p_8 & = & -x_8 + x_5 \\ p_9 & = & x_9 + x_5 - \\ p_{10} & = & 3x_{10} - 2x_5 - x_1 \\ p_{11} & = & 3x_{11} - 2x_6 - x_2 \\ p_{12} & = & 3x_{12} - 2x_7 \\ p_{13} & = & x_{13} + x_{10} \\ p_{14} & = & x_{14} + x_{11} \\ p_{15} & = & x_{16} + x_{10} - \\ p_{17} & = & x_{17} + x_{11} \end{array}$$

```
p_{18}
            x_{18} + x_{12}
              x_{19}
p_{19}
p_{20}
        =
              x_{20}
p_{21}
            x_{21} -
        = x_{22} + x_{21}
p_{22}
       = -x_{23}x_{21}x_{15}x_{13} - x_{23}x_{20}x_{14}x_{13} - x_{23}x_{19}x_{13}^2 - x_{22}x_{13}^2
p_{23}
        = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
       = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
       = -x_{26}x_{13} + x_{23}
p_{26}
        = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
              x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
       = -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
       = x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
       = -x_{30}x_{16} + x_{27} -
```

1.26 Triangulation, step 26

Choosing variable: Trying the variable with index 5.

Variable x_5 selected: The number of polynomials with this variable, with indexes from 1 to 5, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_5 . No reduction needed.

The triangular system has not been changed.

1.27 Triangulation, step 27

Choosing variable: Trying the variable with index 4.

Variable x_4 selected: The number of polynomials with this variable, with indexes from 1 to 4, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_4 from all other polynomials by reducing them with polynomial p_3 from previous step.

$$p_{1} = -x_{3} + x_{1}$$

$$p_{2} = -x_{3} + x_{2}$$

$$p_{3} = x_{2} + x_{1} - x_{2}$$

$$p_{4} = x_{4} + x_{1} - x_{2}$$

$$p_{5} = 2x_{5} - x_{6}$$

$$p_{6} = x_{6} + x_{5} - x_{5}$$

```
= x_7 -
       = -x_8 + x_5
 p_8
       = x_9 + x_5 -
 p_9
       = 3x_{10} - 2x_5 - x_1
       = 3x_{11} - 2x_6 - x_2
p_{11}
       = 3x_{12} - 2x_7
p_{12}
      = x_{13} + x_{10}
p_{13}
      = x_{14} + x_{11}
p_{14}
      = x_{15} + x_{12}
p_{15}
       = x_{16} + x_{10} -
p_{16}
       = x_{17} + x_{11}
p_{17}
             x_{18} + x_{12}
      =
p_{18}
       =
             x_{19}
p_{19}
       =
p_{20}
       = x_{21} -
p_{21}
       = x_{22} + x_{21}
p_{22}
       = -x_{23}x_{21}x_{15}x_{13} - x_{23}x_{20}x_{14}x_{13} - x_{23}x_{19}x_{13}^2 - x_{22}x_{13}^2
p_{23}
       = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
       = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
       = -x_{26}x_{13} + x_{23}
p_{26}
       = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
             x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
       = -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
             x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
p_{29}
       = -x_{30}x_{16} + x_{27} -
p_{30}
```

1.28 Triangulation, step 28

Choosing variable: Trying the variable with index 3.

Variable x_3 selected: The number of polynomials with this variable, with indexes from 1 to 3, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_3 from all other polynomials by reducing them with polynomial p_1 from previous step.

$$p_1 = x_2 + x_1 - p_2 = -x_2 + x_1$$

$$p_3 = -x_3 + x_1$$

$$p_4 = x_4 + x_1 - p_3$$

```
= 2x_5 -
             x_6 + x_5 -
 p_6
       = x_7 -
 p_7
       = -x_8 + x_5
      = x_9 + x_5 -
 p_9
       = 3x_{10} - 2x_5 - x_1
p_{10}
       = 3x_{11} - 2x_6 - x_2
p_{11}
      = 3x_{12} - 2x_7
p_{12}
      = x_{13} + x_{10}
p_{13}
       = x_{14} + x_{11}
p_{14}
      = x_{15} + x_{12}
p_{15}
       = x_{16} + x_{10} -
p_{16}
       = x_{17} + x_{11}
p_{17}
       = x_{18} + x_{12}
p_{18}
p_{19}
       =
             x_{19}
       =
            x_{20}
p_{20}
             x_{21} -
p_{21}
       = x_{22} + x_{21}
p_{22}
       = -x_{23}x_{21}x_{15}x_{13} - x_{23}x_{20}x_{14}x_{13} - x_{23}x_{19}x_{13}^2 - x_{22}x_{13}^2
p_{23}
       = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
       = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
       = -x_{26}x_{13} + x_{23}
p_{26}
       = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
             x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
      = -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
      = x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
       = -x_{30}x_{16} + x_{27} -
p_{30}
```

1.29 Triangulation, step 29

Choosing variable: Trying the variable with index 2.

Variable x_2 selected: The number of polynomials with this variable, with indexes from 1 to 2, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_2 from all other polynomials by reducing them with polynomial p_1 from previous step.

$$p_1 = 2x_1 - p_2 = x_2 + x_1 - p_2$$

```
-x_3 + x_1
       = x_4 + x_1 -
             2x_5 -
 p_5
       = x_6 + x_5 -
       = x_7 -
 p_7
       = -x_8 + x_5
 p_8
      = x_9 + x_5 -
 p_9
      = 3x_{10} - 2x_5 - x_1
p_{10}
      = 3x_{11} - 2x_6 - x_2
p_{11}
      = 3x_{12} - 2x_7
p_{12}
      = x_{13} + x_{10}
p_{13}
      = x_{14} + x_{11}
p_{14}
      = x_{15} + x_{12}
p_{15}
      = x_{16} + x_{10} -
p_{16}
      = x_{17} + x_{11}
p_{17}
      = x_{18} + x_{12}
p_{18}
p_{19}
             x_{19}
       =
             x_{20}
p_{20}
       = x_{21} -
p_{21}
      = x_{22} + x_{21}
p_{22}
      = -x_{23}x_{21}x_{15}x_{13} - x_{23}x_{20}x_{14}x_{13} - x_{23}x_{19}x_{13}^2 - x_{22}x_{13}^2
p_{23}
       = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
      = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
      = -x_{26}x_{13} + x_{23}
p_{26}
       = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
p_{27}
             x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
      = -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
      = x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
p_{29}
      = -x_{30}x_{16} + x_{27} -
```

1.30 Triangulation, step 30

Choosing variable: Trying the variable with index 1.

Variable x_1 selected: The number of polynomials with this variable, with indexes from 1 to 1, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_1 . No reduction needed.

The triangular system has not been changed.

The triangular system is:

```
p_1 = 2x_1 -
 p_2 = x_2 + x_1 -
          -x_3 + x_1
      = x_4 + x_1 -
 p_4
      = 2x_5 -
 p_5
      = x_6 + x_5 -
 p_6
      = x_7 -
 p_7
      = -x_8 + x_5
      = x_9 + x_5 -
 p_9
      = 3x_{10} - 2x_5 - x_1
p_{10}
p_{11} = 3x_{11} - 2x_6 - x_2
p_{12} = 3x_{12} - 2x_7
p_{13} = x_{13} + x_{10}
p_{14} = x_{14} + x_{11}
p_{15} = x_{15} + x_{12}
p_{16} = x_{16} + x_{10} -
p_{17} = x_{17} + x_{11}
            x_{18} + x_{12}
p_{18}
p_{19}
      = x_{19}
     = x_{20}
p_{20}
      = x_{21} -
p_{21}
     = x_{22} + x_{21}
p_{22}
     = -x_{23}x_{21}x_{15}x_{13} - x_{23}x_{20}x_{14}x_{13} - x_{23}x_{19}x_{13}^2 - x_{22}x_{13}^2
p_{23}
      = -x_{24}x_{13} + x_{23}x_{14}
p_{24}
     = x_{25}x_{21} + x_{24}x_{20} + x_{23}x_{19} + x_{22}
p_{25}
     = -x_{26}x_{13} + x_{23}
p_{26}
       = -x_{27}x_{21}x_{18}x_{16} - x_{27}x_{20}x_{17}x_{16} - x_{27}x_{19}x_{16}^2 - x_{22}x_{16}^2 +
            x_{21}x_{18}x_{16} + x_{20}x_{17}x_{16}
     = -x_{28}x_{16} + x_{27}x_{17} - x_{17}
p_{28}
     = x_{29}x_{21} + x_{28}x_{20} + x_{27}x_{19} + x_{22}
      = -x_{30}x_{16} + x_{27} -
p_{30}
```

2 Final Remainder

2.1 Final remainder for conjecture geothm_zadatak

Calculating final remainder of the conclusion:

$$g = x_7 -$$

with respect to the triangular system.

1. Pseudo remainder with p_{30} over variable x_{30} :

$$g = x_7 -$$

2. Pseudo remainder with p_{29} over variable x_{29} :

$$g = x_7 -$$

3. Pseudo remainder with p_{28} over variable x_{28} :

$$g = x_7 -$$

4. Pseudo remainder with p_{27} over variable x_{27} :

$$g = x_7 -$$

5. Pseudo remainder with p_{26} over variable x_{26} :

$$g = x_7 -$$

6. Pseudo remainder with p_{25} over variable x_{25} :

$$g = x_7 -$$

7. Pseudo remainder with p_{24} over variable x_{24} :

$$g = x_7 -$$

8. Pseudo remainder with p_{23} over variable x_{23} :

$$g = x_7 -$$

9. Pseudo remainder with p_{22} over variable x_{22} :

$$g = x_7 -$$

10. Pseudo remainder with p_{21} over variable x_{21} :

$$g = x_7 -$$

11. Pseudo remainder with p_{20} over variable x_{20} :

$$g = x_7 -$$

12. Pseudo remainder with p_{19} over variable x_{19} :

$$g = x_7 -$$

13. Pseudo remainder with p_{18} over variable x_{18} :

$$g = x_7 -$$

14. Pseudo remainder with p_{17} over variable x_{17} :

$$g = x_7 -$$

15. Pseudo remainder with p_{16} over variable x_{16} :

$$g = x_7 -$$

16. Pseudo remainder with p_{15} over variable x_{15} :

$$g = x_7 -$$

17. Pseudo remainder with p_{14} over variable x_{14} :

$$g = x_7 -$$

18. Pseudo remainder with p_{13} over variable x_{13} :

$$g = x_7 -$$

19. Pseudo remainder with p_{12} over variable x_{12} :

$$g = x_7 -$$

20	Pseudo	remainder	with n	11 OVER	variable	r
40.	r seudo	remainder	with p	11 Over	variable	x_{11} .

$$g = x_7 -$$

21. Pseudo remainder with p_{10} over variable x_{10} :

$$g = x_7 -$$

22. Pseudo remainder with p_9 over variable x_9 :

$$g = x_7 -$$

23. Pseudo remainder with p_8 over variable x_8 :

$$g = x_7 -$$

24. Pseudo remainder with p_7 over variable x_7 :

$$g = 0$$

25. Pseudo remainder with p_6 over variable x_6 :

$$g = 0$$

26. Pseudo remainder with p_5 over variable x_5 :

$$g = 0$$

27. Pseudo remainder with p_4 over variable x_4 :

$$g = 0$$

28. Pseudo remainder with p_3 over variable x_3 :

$$g = 0$$

29. Pseudo remainder with p_2 over variable x_2 :

$$g = 0$$

30. Pseudo remainder with p_1 over variable x_1 :

$$g = 0$$

3 Prover results

Status: Theorem has been proved.

Space Complexity: The biggest polynomial obtained during prover execution

contains 6 terms.

Time Complexity: Time spent by the prover is 0.144 seconds.

4 NDG Conditions

NDG Conditions in readable form

• Failed to translate NDG Conditions to readable form