OpenGeoProver Output for conjecture "geothm_zadatak"

Wu's method used

October 1, 2016

1 Invoking the theorem prover

The used proving method is Wu's method.

The input system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 2x_4 - \\
p_4 &= 2x_5 - x_1 - \\
p_5 &= 2x_6 - x_2 \\
p_6 &= 2x_7 - x_3 \\
p_7 &= x_{11}x_2 + x_9 - x_2 \\
p_8 &= x_{11}x_3 + x_{10} - x_3 \\
p_9 &= -x_{12}x_5 + x_8 \\
p_{10} &= -x_{12}x_6 + x_9 \\
p_{11} &= -x_{12}x_7 + x_{10} \\
p_{12} &= 2x_{13} - 2 \\
p_{13} &= 2x_{14} - \\
p_{14} &= -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2 \\
p_{15} &= x_{18}x_3 + x_{17} - x_3 \\
p_{16} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{17} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{18} &= -x_{19}x_7 + x_{17}
\end{aligned}
$$

1.1 Triangulation, step 1

Choosing variable: Trying the variable with index 18.

Variable x_{18} selected: The number of polynomials with this variable, with indexes from 1 to 18, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{18} from all other polynomials by reducing them with polynomial p_{14} from previous step.

Finished a triangulation step, the current system is:

$$
\begin{array}{rcl}
p_1 &=& 2x_1 - \\
p_2 &=& 2x_2 - \\
p_3 &=& 2x_4 - \\
p_4 &=& 2x_5 - x_1 - \\
p_5 &=& 2x_6 - x_2 \\
p_6 &=& 2x_7 - x_3 \\
p_7 &=& x_{11}x_2 + x_9 - x_2 \\
p_8 &=& x_{11}x_3 + x_{10} - x_3 \\
p_9 &=& -x_{12}x_5 + x_8 \\
p_{10} &=& -x_{12}x_6 + x_9 \\
p_{11} &=& -x_{12}x_7 + x_{10} \\
p_{12} &=& 2x_{13} - 2 \\
p_{13} &=& 2x_{14} - \\
p_{14} &=& -x_{19}x_5 + x_{19} + x_{15} - \\
p_{15} &=& -x_{19}x_6 + x_{19} + x_{16} - \\
p_{16} &=& -x_{19}x_7 + x_{17} \\
p_{17} &=& -x_{17}x_{14} + x_{17}x_2 - x_{16}x_3 + x_{14}x_3 \\
p_{18} &=& -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{array}
$$

1.2 Triangulation, step 2

Choosing variable: Trying the variable with index 17.

Variable x_{17} selected: The number of polynomials with this variable, with indexes from 1 to 17, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{17} from all other polynomials by reducing them with polynomial p_{16} from previous step.

Finished a triangulation step, the current system is:

$$
\begin{array}{rcl}
p_1 &=& 2x_1 - \\
p_2 &=& 2x_2 - \\
p_3 &=& 2x_4 - \\
p_4 &=& 2x_5 - x_1 - \\
p_5 &=& 2x_6 - x_2 \\
p_6 &=& 2x_7 - x_3
\end{array}
$$

$$
\begin{aligned}
p_7 &= x_{11}x_2 + x_9 - x_2 \\
p_8 &= x_{11}x_3 + x_{10} - x_3 \\
p_9 &= -x_{12}x_5 + x_8 \\
p_{10} &= -x_{12}x_6 + x_9 \\
p_{11} &= -x_{12}x_7 + x_{10} \\
p_{12} &= 2x_{13} - 2 \\
p_{13} &= 2x_{14} - \\
p_{14} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{15} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{16} &= -x_{19}x_{14}x_7 + x_{19}x_7x_2 - x_{16}x_3 + x_{14}x_3 \\
p_{17} &= -x_{19}x_7 + x_{17} \\
p_{18} &= -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{aligned}
$$

1.3 Triangulation, step 3

Choosing variable: Trying the variable with index 16.

Variable x_{16} selected: The number of polynomials with this variable, with indexes from 1 to 16, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{16} from all other polynomials by reducing them with polynomial p_{15} from previous step.

Finished a triangulation step, the current system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 2x_4 - \\
p_4 &= 2x_5 - x_1 - \\
p_5 &= 2x_6 - x_2 \\
p_6 &= 2x_7 - x_3 \\
p_7 &= x_{11}x_2 + x_9 - x_2 \\
p_8 &= x_{11}x_3 + x_{10} - x_3 \\
p_9 &= -x_{12}x_5 + x_8 \\
p_{10} &= -x_{12}x_6 + x_9 \\
p_{11} &= -x_{12}x_7 + x_{10} \\
p_{12} &= 2x_{13} - 2 \\
p_{13} &= 2x_{14} - \\
p_{14} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{15} &= -x_{19}x_{14}x_7 + x_{19}x_7x_2 - x_{19}x_6x_3 + x_{19}x_3 + x_{14}x_3 - x_3 \\
p_{16} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} &= -x_{19}x_7 + x_{17}
\end{aligned}
$$

$$p_{18} \quad = \quad -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2$$

1.4 Triangulation, step 4

Choosing variable: Trying the variable with index 15.

Variable x_{15} selected: The number of polynomials with this variable, with indexes from 1 to 15, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{14}. No reduction needed.

The triangular system has not been changed.

1.5 Triangulation, step 5

Choosing variable: Trying the variable with index 14.

Variable x_{14} selected: The number of polynomials with this variable, with indexes from 1 to 14, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{14} from all other polynomials by reducing them with polynomial p_{13} from previous step.

Finished a triangulation step, the current system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 2x_4 - \\
p_4 &= 2x_5 - x_1 - \\
p_5 &= 2x_6 - x_2 \\
p_6 &= 2x_7 - x_3 \\
p_7 &= x_{11}x_2 + x_9 - x_2 \\
p_8 &= x_{11}x_3 + x_{10} - x_3 \\
p_9 &= -x_{12}x_5 + x_8 \\
p_{10} &= -x_{12}x_6 + x_9 \\
p_{11} &= -x_{12}x_7 + x_{10} \\
p_{12} &= 2x_{13} - 2 \\
p_{13} &= 2x_{19}x_7x_2 - x_{19}x_7 - 2x_{19}x_6x_3 + 2x_{19}x_3 - x_3 \\
p_{14} &= 2x_{14} - \\
p_{15} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{16} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} &= -x_{19}x_7 + x_{17} \\
p_{18} &= -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{aligned}
$$

1.6 Triangulation, step 6

Choosing variable: Trying the variable with index 13.

Variable x_{13} selected: The number of polynomials with this variable, with indexes from 1 to 13, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_{12}. No reduction needed.

The triangular system has not been changed.

1.7 Triangulation, step 7

Choosing variable: Trying the variable with index 12.

Variable x_{12} selected: The number of polynomials with this variable, with indexes from 1 to 12, is 3.

Minimal degrees: 3 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{12} from all other polynomials by reducing them with polynomial p_9 from previous step.

Finished a triangulation step, the current system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 2x_4 - \\
p_4 &= 2x_5 - x_1 - \\
p_5 &= 2x_6 - x_2 \\
p_6 &= 2x_7 - x_3 \\
p_7 &= x_{11}x_2 + x_9 - x_2 \\
p_8 &= x_{11}x_3 + x_{10} - x_3 \\
p_9 &= 2x_{19}x_7x_2 - x_{19}x_7 - 2x_{19}x_6x_3 + 2x_{19}x_3 - x_3 \\
p_{10} &= -x_9x_5 + x_8x_6 \\
p_{11} &= -x_{10}x_5 + x_8x_7 \\
p_{12} &= -x_{12}x_5 + x_8 \\
p_{13} &= 2x_{13} - 2 \\
p_{14} &= 2x_{14} - \\
p_{15} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{16} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} &= -x_{19}x_7 + x_{17} \\
p_{18} &= -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{aligned}
$$

1.8 Triangulation, step 8

Choosing variable: Trying the variable with index 11.

Variable x_{11} selected: The number of polynomials with this variable, with indexes from 1 to 11, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{11} from all other polynomials by reducing them with polynomial p_7 from previous step.

Finished a triangulation step, the current system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 2x_4 - \\
p_4 &= 2x_5 - x_1 - \\
p_5 &= 2x_6 - x_2 \\
p_6 &= 2x_7 - x_3 \\
p_7 &= 2x_{19}x_7x_2 - x_{19}x_7 - 2x_{19}x_6x_3 + 2x_{19}x_3 - x_3 \\
p_8 &= -x_9x_5 + x_8x_6 \\
p_9 &= -x_{10}x_5 + x_8x_7 \\
p_{10} &= x_{10}x_2 - x_9x_3 \\
p_{11} &= x_{11}x_2 + x_9 - x_2 \\
p_{12} &= -x_{12}x_5 + x_8 \\
p_{13} &= 2x_{13} - 2 \\
p_{14} &= 2x_{14} - \\
p_{15} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{16} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} &= -x_{19}x_7 + x_{17} \\
p_{18} &= -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{aligned}
$$

1.9 Triangulation, step 9

Choosing variable: Trying the variable with index 10.

Variable x_{10} selected: The number of polynomials with this variable, with indexes from 1 to 10, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_{10} from all other polynomials by reducing them with polynomial p_9 from previous step.

Finished a triangulation step, the current system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 2x_4 - \\
p_4 &= 2x_5 - x_1 - \\
p_5 &= 2x_6 - x_2 \\
p_6 &= 2x_7 - x_3 \\
p_7 &= 2x_{19}x_7x_2 - x_{19}x_7 - 2x_{19}x_6x_3 + 2x_{19}x_3 - x_3 \\
p_8 &= -x_9x_5 + x_8x_6 \\
p_9 &= x_9x_5x_3 - x_8x_7x_2 \\
p_{10} &= -x_{10}x_5 + x_8x_7 \\
p_{11} &= x_{11}x_2 + x_9 - x_2 \\
p_{12} &= -x_{12}x_5 + x_8 \\
p_{13} &= 2x_{13} - 2 \\
p_{14} &= 2x_{14} - \\
p_{15} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{16} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} &= -x_{19}x_7 + x_{17} \\
p_{18} &= -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{aligned}
$$

1.10   Triangulation, step 10

Choosing variable: Trying the variable with index 9.

Variable x_9 selected: The number of polynomials with this variable, with indexes from 1 to 9, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_9 from all other polynomials by reducing them with polynomial p_8 from previous step.

Finished a triangulation step, the current system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 2x_4 - \\
p_4 &= 2x_5 - x_1 - \\
p_5 &= 2x_6 - x_2 \\
p_6 &= 2x_7 - x_3 \\
p_7 &= 2x_{19}x_7x_2 - x_{19}x_7 - 2x_{19}x_6x_3 + 2x_{19}x_3 - x_3 \\
p_8 &= x_8x_7x_5x_2 - x_8x_6x_5x_3 \\
p_9 &= -x_9x_5 + x_8x_6
\end{aligned}
$$

$$
\begin{aligned}
p_{10} &= -x_{10}x_5 + x_8x_7 \\
p_{11} &= x_{11}x_2 + x_9 - x_2 \\
p_{12} &= -x_{12}x_5 + x_8 \\
p_{13} &= 2x_{13} - 2 \\
p_{14} &= 2x_{14} - \\
p_{15} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{16} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} &= -x_{19}x_7 + x_{17} \\
p_{18} &= -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{aligned}
$$

1.11 Triangulation, step 11

Choosing variable: Trying the variable with index 8.

Variable x_8 selected: The number of polynomials with this variable, with indexes from 1 to 8, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_8. No reduction needed.

The triangular system has not been changed.

1.12 Triangulation, step 12

Choosing variable: Trying the variable with index 7.

Variable x_7 selected: The number of polynomials with this variable, with indexes from 1 to 7, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_7 from all other polynomials by reducing them with polynomial p_6 from previous step.

Finished a triangulation step, the current system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 2x_4 - \\
p_4 &= 2x_5 - x_1 - \\
p_5 &= 2x_6 - x_2 \\
p_6 &= -4x_{19}x_6x_3 + 2x_{19}x_3x_2 + 3x_{19}x_3 - 2x_3 \\
p_7 &= 2x_7 - x_3 \\
p_8 &= x_8x_7x_5x_2 - x_8x_6x_5x_3 \\
p_9 &= -x_9x_5 + x_8x_6 \\
p_{10} &= -x_{10}x_5 + x_8x_7 \\
p_{11} &= x_{11}x_2 + x_9 - x_2
\end{aligned}
$$

$$
\begin{array}{rcl}
p_{12} & = & -x_{12}x_5 + x_8 \\
p_{13} & = & 2x_{13} - 2 \\
p_{14} & = & 2x_{14} - \\
p_{15} & = & -x_{19}x_5 + x_{19} + x_{15} - \\
p_{16} & = & -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} & = & -x_{19}x_7 + x_{17} \\
p_{18} & = & -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{array}
$$

1.13 Triangulation, step 13

Choosing variable: Trying the variable with index 6.

Variable x_6 selected: The number of polynomials with this variable, with indexes from 1 to 6, is 2.

Minimal degrees: 2 polynomial(s) with degree 1.

Polynomial with linear degree: Removing variable x_6 from all other polynomials by reducing them with polynomial p_5 from previous step.

Finished a triangulation step, the current system is:

$$
\begin{array}{rcl}
p_1 & = & 2x_1 - \\
p_2 & = & 2x_2 - \\
p_3 & = & 2x_4 - \\
p_4 & = & 2x_5 - x_1 - \\
p_5 & = & 6x_{19}x_3 - 4x_3 \\
p_6 & = & 2x_6 - x_2 \\
p_7 & = & 2x_7 - x_3 \\
p_8 & = & x_8x_7x_5x_2 - x_8x_6x_5x_3 \\
p_9 & = & -x_9x_5 + x_8x_6 \\
p_{10} & = & -x_{10}x_5 + x_8x_7 \\
p_{11} & = & x_{11}x_2 + x_9 - x_2 \\
p_{12} & = & -x_{12}x_5 + x_8 \\
p_{13} & = & 2x_{13} - 2 \\
p_{14} & = & 2x_{14} - \\
p_{15} & = & -x_{19}x_5 + x_{19} + x_{15} - \\
p_{16} & = & -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} & = & -x_{19}x_7 + x_{17} \\
p_{18} & = & -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{array}
$$

1.14 Triangulation, step 14

Choosing variable: Trying the variable with index 5.

Variable x_5 selected: The number of polynomials with this variable, with indexes from 1 to 5, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_4. No reduction needed.

  The triangular system has not been changed.

1.15   Triangulation, step 15

Choosing variable: Trying the variable with index 4.

Variable x_4 selected: The number of polynomials with this variable, with indexes from 1 to 4, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_3. No reduction needed.

  The triangular system has not been changed.

1.16   Triangulation, step 16

Choosing variable: Trying the variable with index 3.

Variable x_3 selected: The number of polynomials with this variable, with indexes from 1 to 3, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_3. No reduction needed.

  The triangular system has not been changed.

1.17   Triangulation, step 17

Choosing variable: Trying the variable with index 2.

Variable x_2 selected: The number of polynomials with this variable, with indexes from 1 to 2, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_2. No reduction needed.

  The triangular system has not been changed.

1.18   Triangulation, step 18

Choosing variable: Trying the variable with index 1.

Variable x_1 selected: The number of polynomials with this variable, with indexes from 1 to 1, is 1.

Single polynomial with chosen variable: Chosen polynomial is p_1. No reduction needed.

  The triangular system has not been changed.

The triangular system is:

$$
\begin{aligned}
p_1 &= 2x_1 - \\
p_2 &= 2x_2 - \\
p_3 &= 6x_{19}x_3 - 4x_3 \\
p_4 &= 2x_4 - \\
p_5 &= 2x_5 - x_1 - \\
p_6 &= 2x_6 - x_2 \\
p_7 &= 2x_7 - x_3 \\
p_8 &= x_8x_7x_5x_2 - x_8x_6x_5x_3 \\
p_9 &= -x_9x_5 + x_8x_6 \\
p_{10} &= -x_{10}x_5 + x_8x_7 \\
p_{11} &= x_{11}x_2 + x_9 - x_2 \\
p_{12} &= -x_{12}x_5 + x_8 \\
p_{13} &= 2x_{13} - 2 \\
p_{14} &= 2x_{14} - \\
p_{15} &= -x_{19}x_5 + x_{19} + x_{15} - \\
p_{16} &= -x_{19}x_6 + x_{19} + x_{16} - \\
p_{17} &= -x_{19}x_7 + x_{17} \\
p_{18} &= -x_{18}x_{14} + x_{18}x_2 + x_{16} - x_2
\end{aligned}
$$

2 Final Remainder

2.1 Final remainder for conjecture geothm_zadatak

Calculating final remainder of the conclusion:

$$
\begin{aligned}
g &= 4x_{17}^2 - 8x_{17}x_{10} + 4x_{16}^2 - 8x_{16}x_9 + 4x_{15}^2 - 8x_{15}x_8 + 4x_{10}^2 + \\
&\quad 4x_9^2 + 4x_8^2 -
\end{aligned}
$$

with respect to the triangular system.

1. Pseudo remainder with p_{18} over variable x_{18}:

$$
\begin{aligned}
g &= 4x_{17}^2 - 8x_{17}x_{10} + 4x_{16}^2 - 8x_{16}x_9 + 4x_{15}^2 - 8x_{15}x_8 + 4x_{10}^2 + \\
&\quad 4x_9^2 + 4x_8^2 -
\end{aligned}
$$

2. Pseudo remainder with p_{17} over variable x_{17}:

$$
\begin{aligned}
g &= 4x_{19}^2x_7^2 - 8x_{19}x_{10}x_7 + 4x_{16}^2 - 8x_{16}x_9 + 4x_{15}^2 - 8x_{15}x_8 + \\
&\quad 4x_{10}^2 + 4x_9^2 + 4x_8^2 -
\end{aligned}
$$

3. Pseudo remainder with p_{16} over variable x_{16}:

$$
\begin{aligned}
g \quad = \quad & 4x_{19}^2x_7^2 + 4x_{19}^2x_6^2 - 8x_{19}^2x_6 + 4x_{19}^2 - 8x_{19}x_{10}x_7 \\
& -8x_{19}x_9x_6 + 8x_{19}x_9 + 8x_{19}x_6 - 8x_{19} + 4x_{15}^2 - 8x_{15}x_8 + 4x_{10}^2 + \\
& 4x_9^2 - 8x_9 + 4x_8^2 + 3
\end{aligned}
$$

4. Pseudo remainder with p_{15} over variable x_{15}:

$$
\begin{aligned}
g \quad = \quad & 4x_{19}^2x_7^2 + 4x_{19}^2x_6^2 - 8x_{19}^2x_6 + 4x_{19}^2x_5^2 \\
& -8x_{19}^2x_5 + 8x_{19}^2 - 8x_{19}x_{10}x_7 - 8x_{19}x_9x_6 + 8x_{19}x_9 \\
& -8x_{19}x_8x_5 + 8x_{19}x_8 + 8x_{19}x_6 + 8x_{19}x_5 - 16x_{19} + 4x_{10}^2 + 4x_9^2 \\
& -8x_9 + 4x_8^2 - 8x_8 + 7
\end{aligned}
$$

5. Pseudo remainder with p_{14} over variable x_{14}:

$$
\begin{aligned}
g \quad = \quad & 4x_{19}^2x_7^2 + 4x_{19}^2x_6^2 - 8x_{19}^2x_6 + 4x_{19}^2x_5^2 \\
& -8x_{19}^2x_5 + 8x_{19}^2 - 8x_{19}x_{10}x_7 - 8x_{19}x_9x_6 + 8x_{19}x_9 \\
& -8x_{19}x_8x_5 + 8x_{19}x_8 + 8x_{19}x_6 + 8x_{19}x_5 - 16x_{19} + 4x_{10}^2 + 4x_9^2 \\
& -8x_9 + 4x_8^2 - 8x_8 + 7
\end{aligned}
$$

6. Pseudo remainder with p_{13} over variable x_{13}:

$$
\begin{aligned}
g \quad = \quad & 4x_{19}^2x_7^2 + 4x_{19}^2x_6^2 - 8x_{19}^2x_6 + 4x_{19}^2x_5^2 \\
& -8x_{19}^2x_5 + 8x_{19}^2 - 8x_{19}x_{10}x_7 - 8x_{19}x_9x_6 + 8x_{19}x_9 \\
& -8x_{19}x_8x_5 + 8x_{19}x_8 + 8x_{19}x_6 + 8x_{19}x_5 - 16x_{19} + 4x_{10}^2 + 4x_9^2 \\
& -8x_9 + 4x_8^2 - 8x_8 + 7
\end{aligned}
$$

7. Pseudo remainder with p_{12} over variable x_{12}:

$$
\begin{aligned}
g \quad = \quad & 4x_{19}^2x_7^2 + 4x_{19}^2x_6^2 - 8x_{19}^2x_6 + 4x_{19}^2x_5^2 \\
& -8x_{19}^2x_5 + 8x_{19}^2 - 8x_{19}x_{10}x_7 - 8x_{19}x_9x_6 + 8x_{19}x_9 \\
& -8x_{19}x_8x_5 + 8x_{19}x_8 + 8x_{19}x_6 + 8x_{19}x_5 - 16x_{19} + 4x_{10}^2 + 4x_9^2 \\
& -8x_9 + 4x_8^2 - 8x_8 + 7
\end{aligned}
$$

8. Pseudo remainder with p_{11} over variable x_{11}:

$$
\begin{aligned}
g \quad = \quad & 4x_{19}^2x_7^2 + 4x_{19}^2x_6^2 - 8x_{19}^2x_6 + 4x_{19}^2x_5^2 \\
& -8x_{19}^2x_5 + 8x_{19}^2 - 8x_{19}x_{10}x_7 - 8x_{19}x_9x_6 + 8x_{19}x_9 \\
& -8x_{19}x_8x_5 + 8x_{19}x_8 + 8x_{19}x_6 + 8x_{19}x_5 - 16x_{19} + 4x_{10}^2 + 4x_9^2 \\
& -8x_9 + 4x_8^2 - 8x_8 + 7
\end{aligned}
$$

9. Pseudo remainder with p_{10} over variable x_{10}:

$$
\begin{aligned}
g \;=\; & 4x_{19}^2 x_7^2 x_5^2 + 4x_{19}^2 x_6^2 x_5^2 - 8x_{19}^2 x_6 x_5^2 + \\
& 4x_{19}^2 x_5^4 - 8x_{19}^2 x_5^3 + 8x_{19}^2 x_5^2 - 8x_{19} x_9 x_6 x_5^2 + \\
& 8x_{19} x_9 x_5^2 - 8x_{19} x_8 x_7^2 x_5 - 8x_{19} x_8 x_5^3 + \\
& 8x_{19} x_8 x_5^2 + 8x_{19} x_6 x_5^2 + 8x_{19} x_5^3 - 16x_{19} x_5^2 + \\
& 4x_9^2 x_5^2 - 8x_9 x_5^2 + 4x_8^2 x_7^2 + 4x_8^2 x_5^2 - 8x_8 x_5^2 + \\
& 7x_5^2
\end{aligned}
$$

10. Pseudo remainder with p_9 over variable x_9:

$$
\begin{aligned}
g \;=\; & 4x_{19}^2 x_7^2 x_5^4 + 4x_{19}^2 x_6^2 x_5^4 - 8x_{19}^2 x_6 x_5^4 + \\
& 4x_{19}^2 x_5^6 - 8x_{19}^2 x_5^5 + 8x_{19}^2 x_5^4 \\
& -8x_{19} x_8 x_7^2 x_5^3 - 8x_{19} x_8 x_6^2 x_5^3 + 8x_{19} x_8 x_6 x_5^3 \\
& -8x_{19} x_8 x_5^5 + 8x_{19} x_8 x_5^4 + 8x_{19} x_6 x_5^4 + 8x_{19} x_5^5 \\
& -16x_{19} x_5^4 + 4x_8^2 x_7^2 x_5^2 + 4x_8^2 x_6^2 x_5^2 + \\
& 4x_8^2 x_5^4 - 8x_8 x_6 x_5^3 - 8x_8 x_5^4 + 7x_5^4
\end{aligned}
$$

11. Pseudo remainder with p_8 over variable x_8:

$$
\begin{aligned}
g \;=\; & 4x_{19}^2 x_7^4 x_5^6 x_2^2 - 8x_{19}^2 x_7^3 x_6 x_5^6 x_3 x_2 + \\
& 4x_{19}^2 x_7^2 x_6^2 x_5^6 x_3^2 + \\
& 4x_{19}^2 x_7^2 x_6^2 x_5^6 x_2^2 \\
& -8x_{19}^2 x_7^2 x_6 x_5^6 x_2^2 + 4x_{19}^2 x_7^2 x_5^8 x_2^2 \\
& -8x_{19}^2 x_7^2 x_5^7 x_2^2 + 8x_{19}^2 x_7^2 x_5^6 x_2^2 \\
& -8x_{19}^2 x_7 x_6^3 x_5^6 x_3 x_2 + 16x_{19}^2 x_7 x_6^2 x_5^6 x_3 x_2 \\
& -8x_{19}^2 x_7 x_6 x_5^8 x_3 x_2 + 16x_{19}^2 x_7 x_6 x_5^7 x_3 x_2 \\
& -16x_{19}^2 x_7 x_6 x_5^6 x_3 x_2 + 4x_{19}^2 x_6^4 x_5^6 x_3^2 \\
& -8x_{19}^2 x_6^3 x_5^6 x_3^2 + 4x_{19}^2 x_6^2 x_5^8 x_3^2 \\
& -8x_{19}^2 x_6^2 x_5^7 x_3^2 + 8x_{19}^2 x_6^2 x_5^6 x_3^2 + \\
& 8x_{19} x_7^2 x_6 x_5^6 x_2^2 + 8x_{19} x_7^2 x_5^7 x_2^2 \\
& -16x_{19} x_7^2 x_5^6 x_2^2 - 16x_{19} x_7 x_6^2 x_5^6 x_3 x_2 \\
& -16x_{19} x_7 x_6 x_5^7 x_3 x_2 + 32x_{19} x_7 x_6 x_5^6 x_3 x_2 + \\
& 8x_{19} x_6^3 x_5^6 x_3^2 + 8x_{19} x_6^2 x_5^7 x_3^2 \\
& -16x_{19} x_6^2 x_5^6 x_3^2 + 7x_7^2 x_5^6 x_2^2 \\
& -14x_7 x_6 x_5^6 x_3 x_2 + 7x_6^2 x_5^6 x_3^2
\end{aligned}
$$

12. Pseudo remainder with p_7 over variable x_7:

$$
\begin{aligned}
g \;=\; & 64x_{19}^2x_6^4x_5^6x_3^2 - 64x_{19}^2x_6^3x_5^6x_3^2x_2 \\
& -128x_{19}^2x_6^3x_5^6x_3^2 + 64x_{19}^2x_6^2x_5^8x_3^2 \\
& -128x_{19}^2x_6^2x_5^7x_3^2 + 16x_{19}^2x_6^2x_5^6x_3^4 + \\
& 16x_{19}^2x_6^2x_5^6x_3^2x_2^2 + \\
& 128x_{19}^2x_6^2x_5^6x_3^2x_2 + 128x_{19}^2x_6^2x_5^6x_3^2 \\
& -64x_{19}^2x_6x_5^8x_3^2x_2 + 128x_{19}^2x_6x_5^7x_3^2x_2 \\
& -16x_{19}^2x_6x_5^6x_3^4x_2 - 32x_{19}^2x_6x_5^6x_3^2x_2^2 \\
& -128x_{19}^2x_6x_5^6x_3^2x_2 + 16x_{19}^2x_5^8x_3^2x_2^2 \\
& -32x_{19}^2x_5^7x_3^2x_2^2 + 4x_{19}^2x_5^6x_3^4x_2^2 + \\
& 32x_{19}^2x_5^6x_3^2x_2^2 + 128x_{19}x_6^3x_5^6x_3^2 + \\
& 128x_{19}x_6^2x_5^7x_3^2 - 128x_{19}x_6^2x_5^6x_3^2x_2 \\
& -256x_{19}x_6^2x_5^6x_3^2 - 128x_{19}x_6x_5^7x_3^2x_2 + \\
& 32x_{19}x_6x_5^6x_3^2x_2^2 + 256x_{19}x_6x_5^6x_3^2x_2 + \\
& 32x_{19}x_5^7x_3^2x_2^2 - 64x_{19}x_5^6x_3^2x_2^2 + \\
& 112x_6^2x_5^6x_3^2 - 112x_6x_5^6x_3^2x_2 + \\
& 28x_5^6x_3^2x_2^2
\end{aligned}
$$

13. Pseudo remainder with p_6 over variable x_6:

$$ g \;=\; 0 $$

14. Pseudo remainder with p_5 over variable x_5:

$$ g \;=\; 0 $$

15. Pseudo remainder with p_4 over variable x_4:

$$ g \;=\; 0 $$

16. Pseudo remainder with p_3 over variable x_3:

$$ g \;=\; 0 $$

17. Pseudo remainder with p_2 over variable x_2:

$$ g \;=\; 0 $$

18. Pseudo remainder with p_1 over variable x_1:

$$ g \;=\; 0 $$

3   Prover results

Status: Theorem has been proved.

Space Complexity: The biggest polynomial obtained during prover execution contains 34 terms.

Time Complexity: Time spent by the prover is 0.11 seconds.

4   NDG Conditions

NDG Conditions in readable form

- Failed to translate NDG Conditions to readable form