

Secuencia de comandos utilizados para realizar la actividad:

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\Users\USUARIO> mkdir node-docker-app

Directorio: C:\Users\USUARIO

Mode                LastWriteTime         Length Name
----                -
d-----         16/09/2026   3:44 p. m.         node-docker-app

PS C:\Users\USUARIO> cd node-docker-app
PS C:\Users\USUARIO\node-docker-app> npm init -y
Wrote to C:\Users\USUARIO\node-docker-app\package.json:

{
  "name": "docker-app",
  "version": "1.0.0",
  "description": "",
  "main": "index.js",
  "scripts": {
    "test": "echo \"Error: no test specified\" && exit 1"
  },
  "keywords": [],
  "author": "",
  "license": "ISC",
  "type": "commonjs"
}
```

```
PS C:\Users\USUARIO\node-docker-app> ls
```

```
Directorio: C:\Users\USUARIO\node-docker-app
```

Mode	LastWriteTime	Length	Name
----	-----	-----	----
-a----	16/09/2026 3:45 p. m.	246	package.json

```
PS C:\Users\USUARIO\node-docker-app> new-item app.js
```

```
Directorio: C:\Users\USUARIO\node-docker-app
```

Mode	LastWriteTime	Length	Name
----	-----	-----	----
-a----	16/09/2026 3:50 p. m.	0	app.js

```
PS C:\Users\USUARIO\node-docker-app> npm install express
```

```
added 68 packages, and audited 69 packages in 4s
```

```
28 packages are looking for funding  
run 'npm fund' for details
```

```
found 0 vulnerabilities
```

```
PS C:\Users\USUARIO\node-docker-app> new-item Dockerfile
```

```
Directorio: C:\Users\USUARIO\node-docker-app
```

Mode	LastWriteTime	Length	Name
----	-----	-----	----
-a----	16/09/2026 3:59 p. m.	0	Dockerfile

```
PS C:\Users\USUARIO\node-docker-app> docker build -t node-docker-app .
[+] Building 0.2s (1/1) FINISHED          docker:desktop-linux
=> [internal] load build definition from Dockerfile          0.1s
=> => transferring dockerfile: 31B                          0.0s
ERROR: failed to build: failed to solve: the Dockerfile cannot be empty
```

What's next:

Debug this build failure with Gordon → `docker ai "help me fix this build failure"`

```
PS C:\Users\USUARIO\node-docker-app> sudo docker build -t node-docker-app
Sudo está deshabilitado en este equipo. Para habilitarlo, vaya a Página Configuración del desarrollador en la aplicación Configuración
```

```
PS C:\Users\USUARIO\node-docker-app> docker build -t node-docker-app .
[+] Building 0.1s (1/1) FINISHED          docker:desktop-linux
=> [internal] load build definition from Dockerfile          0.0s
=> => transferring dockerfile: 31B                          0.0s
ERROR: failed to build: failed to solve: the Dockerfile cannot be empty
```

What's next:

Debug this build failure with Gordon → `docker ai "help me fix this build failure"`


```

PS C:\Users\USUARIO\node-docker-app> docker build -t node-docker-app .
[+] Building 106.2s (11/11) FINISHED                                docker:desktop-linux
=> [internal] load build definition from Dockerfile                 0.0s
=> => transferring dockerfile: 169B                                0.0s
=> [internal] load metadata for docker.io/library/node:18-alpine    3.7s
=> [auth] library/node:pull token for registry-1.docker.io         0.0s
=> [internal] load .dockerignore                                    0.0s
=> => transferring context: 2B                                       0.0s
=> [1/5] FROM docker.io/library/node:18-alpine@sha256:8d6421d663b4c 95.8s
=> => resolve docker.io/library/node:18-alpine@sha256:8d6421d663b4c2 0.0s
=> => sha256:25ff2da83641908f65c3a74d80409d6b1b62ccfaab2 446B / 446B 0.3s
=> => sha256:1e5a4c89cee5c0826c540ab06d4b6b491c96ed 1.26MB / 1.26MB 21.3s
=> => sha256:dd71dde834b5c203d162902e6b8994cb2309 40.01MB / 40.01MB 93.4s
=> => sha256:f18232174bc91741fdf3da96d85011092101a0 3.64MB / 3.64MB 28.5s
=> => extracting sha256:f18232174bc91741fdf3da96d85011092101a032a93a 0.3s
=> => extracting sha256:dd71dde834b5c203d162902e6b8994cb2309ae049a0e 2.0s
=> => extracting sha256:1e5a4c89cee5c0826c540ab06d4b6b491c96eda01837 0.1s
=> => extracting sha256:25ff2da83641908f65c3a74d80409d6b1b62ccfaab22 0.0s
=> [internal] load build context                                    3.4s
=> => transferring context: 2.33MB                                   3.4s
=> [2/5] WORKDIR /app                                              0.2s
=> [3/5] COPY package*.json ./                                     0.1s
=> [4/5] RUN npm install                                           4.2s
=> [5/5] COPY . .                                                  0.3s
=> exporting to image                                              1.6s
=> => exporting layers                                              0.4s
=> => exporting manifest sha256:f54f178c2da153303fb5557e35b741495a58 0.0s
=> => exporting config sha256:639cee98194efa3fab5cd8667f2890a301220c 0.0s
=> => exporting attestation manifest sha256:e0f12888658d9068897bd38a 0.0s
=> => exporting manifest list sha256:0e6466309eb923d05c34def20eb8f9d 0.0s
=> => naming to docker.io/library/node-docker-app:latest          0.0s
=> => unpacking to docker.io/library/node-docker-app:latest       1.0s
PS C:\Users\USUARIO\node-docker-app> docker run -p 3000:3000 node-docker-app

Server running at http://localhost:3000

```

Docker desktop corriendo en mi pc



Navegador web mostrando "Hello, Word!"

