


# Environmental Biotechnology

PRINCIPLES AND APPLICATIONS



SECOND EDITION



**Mc  
Graw  
Hill**

Bruce E. Rittmann | Perry L. McCarty

# Environmental Biotechnology

### About the Authors

**Bruce E. Rittmann, Ph.D.**, is Regents' Professor of Environmental Engineering and Director of the Biodesign Swette Center for Environmental Biotechnology at Arizona State University. He is the recipient of the Clarke Prize for Outstanding Achievement in Water Science and Technology and the Stockholm Water Prize. Dr. Rittmann is a Distinguished Member of the American Society of Civil Engineers and a Member of the National Academy of Engineering.

**Perry L. McCarty, Sc.D.**, is Silas H. Palmer Professor of Civil Engineering Emeritus at Stanford University. He is the recipient of the Clarke Prize for Outstanding Achievement in Water Science and Technology, the Stockholm Water Prize, and the Tyler Environmental Prize. Dr. McCarty is a Distinguished Member of the American Society of Civil Engineers and a Member of the National Academy of Engineering and of the American Academy of Arts and Sciences.

### Cover Photo Credits

*Bottom left image:* Deer Island Waste Water Treatment Plant, used with permission from the Massachusetts Water Resources Authority.

*Bottom right image:* Fluorescent *in situ* hybridization (FISH) photomicrograph of a partial-nitrification-anammox granule, provided by Dr. Satoshi Okabe of Hokkaido University, Japan.

# Environmental Biotechnology

## Principles and Applications

Bruce E. Rittmann, Ph.D.

*Arizona State University  
Tempe, Arizona*

Perry L. McCarty, Sc.D.

*Stanford University  
Stanford, California*

**Second Edition**

**Mc  
Graw  
Hill**

New York Chicago San Francisco  
Athens London Madrid  
Mexico City Milan New Delhi  
Singapore Sydney Toronto

## Library of Congress Cataloging-in-Publication Data

Names: Rittmann, Bruce E., author. | McCarty, Perry L., author.  
Title: Environmental biotechnology : principles and applications / Bruce E. Rittmann,  
Perry L. McCarty.  
Description: Second edition. | New York : McGraw-Hill, [2020] | Includes bibliographical  
references and index.  
Identifiers: LCCN 2019055165 | ISBN 9781260441604 (hardcover ; alk. paper)  
| ISBN 9781260441611 (ebook)  
Subjects: MESH: Environmental Microbiology | Biodegradation, Environmental | Bioreactors  
| Biotechnology—methods | Environmental Health—methods.  
Classification: LCC RA566 | NLM WA 778 | DDC 613/.101579—dc23  
LC record available at <https://lcn.loc.gov/2019055165>

McGraw-Hill Education books are available at special quantity discounts to use as premiums  
and sales promotions or for use in corporate training programs. To contact a representative,  
please visit the Contact Us page at [www.mhprofessional.com](http://www.mhprofessional.com).

## Environmental Biotechnology: Principles and Applications, Second Edition

Copyright © 2020, 2001 by McGraw-Hill Education. All rights reserved. Printed in the United  
States of America. Except as permitted under the United States Copyright Act of 1976, no part  
of this publication may be reproduced or distributed in any form or by any means, or stored in  
a data base or retrieval system, without the prior written permission of the publisher.

1 2 3 4 5 6 7 8 9 CD 25 24 23 22 21 20

ISBN 978-1-260-44160-4

MHID 1-260-44160-1

This book is printed on acid-free paper.

### Sponsoring Editor

Summers Scholl

### Copy Editor

Mohammad Taiyab Khan, MPS Limited

### Editorial Supervisor

Stephen M. Smith

### Proofreader

A. Santhosh Kumar, MPS Limited

### Production Supervisor

Lynn M. Messina

### Art Director, Cover

Jeff Weeks

### Acquisitions Coordinator

Elizabeth M. Houde

### Composition

MPS Limited

### Project Manager

Ishan Chaudhary, MPS Limited

Information contained in this work has been obtained by McGraw-Hill Education from sources believed to be reliable. However,  
neither McGraw-Hill Education nor its authors guarantee the accuracy or completeness of any information published herein,  
and neither McGraw-Hill Education nor its authors shall be responsible for any errors, omissions, or damages arising out of  
use of this information. This work is published with the understanding that McGraw-Hill Education and its authors are sup-  
plying information but are not attempting to render engineering or other professional services. If such services are required, the  
assistance of an appropriate professional should be sought.

# Contents

Preface .....	xv
<b>1 Moving Toward Sustainability.....</b>	<b>1</b>
1.1 Water Uses and Resources.....	1
1.2 Wastewater's Resources.....	2
1.3 Climate Change .....	3
1.4 Sustainability.....	4
1.5 The Role of Environmental Biotechnology.....	5
1.6 Organization of the Book.....	6
1.7 References .....	6
<b>2 Basics of Microbiology.....</b>	<b>9</b>
2.1 The Microbial Cell.....	10
2.2 Microbial Classification .....	12
2.3 Prokaryotes .....	14
2.3.1 Bacterial and Archaeal Cell Structure and Function .....	15
2.3.2 Phylogenic Lineages of Bacteria .....	25
2.3.3 Phylogenic Lineages of Archaea.....	28
2.4 Eukarya .....	29
2.4.1 Fungi.....	30
2.4.2 Algae.....	33
2.4.3 Protozoa .....	38
2.4.4 Other Multicellular Microorganisms.....	41
2.5 Viruses .....	43
2.6 Infectious Disease .....	44
2.7 References .....	49
<b>3 Biochemistry, Metabolism, Genetics, and Information Flow.....</b>	<b>51</b>
3.1 Biochemistry .....	51
3.1.1 Enzymes.....	52
3.1.2 Enzyme Reactivity .....	55
3.1.3 Regulating Enzyme Activity.....	59
3.2 Energy Capture.....	59
3.2.1 Electron and Energy Carriers .....	59
3.2.2 Energy and Electron Investments.....	61
3.3 Metabolism .....	63
3.3.1 Catabolism .....	66
3.3.2 Anabolism .....	83
3.3.3 Metabolism and Trophic Groups .....	86
3.4 Genetics and Information Flow .....	87
3.4.1 Deoxyribonucleic Acid (DNA).....	89

3.4.2	The Chromosome . . . . .	93
3.4.3	Plasmids . . . . .	93
3.4.4	DNA Replication . . . . .	94
3.4.5	Ribonucleic Acid (RNA) . . . . .	94
3.4.6	Transcription . . . . .	95
3.4.7	Messenger RNA (mRNA) . . . . .	96
3.4.8	Transfer RNA (tRNA) . . . . .	96
3.4.9	Translation and the Ribosomal RNA (rRNA) . . . . .	97
3.4.10	Translation . . . . .	98
3.4.11	Regulation . . . . .	100
3.4.12	Phylogeny . . . . .	100
3.4.13	The Basics of Phylogenetic Classification . . . . .	102
3.5	References . . . . .	104
3.6	Bibliography . . . . .	105
3.7	Problems . . . . .	105
<b>4</b>	<b>Microbial Ecology . . . . .</b>	<b>109</b>
4.1	Selection . . . . .	110
4.2	Exchange of Materials . . . . .	112
4.2.1	Exchange of Substrates . . . . .	112
4.2.2	Exchange of Genetic Information . . . . .	116
4.2.3	Growth Factors . . . . .	117
4.2.4	Exchange of Chemical Signals . . . . .	117
4.3	Adaptation . . . . .	117
4.4	Tools to Study Microbial Ecology . . . . .	120
4.4.1	Traditional Enrichment Tools . . . . .	120
4.4.2	Molecular Targets . . . . .	122
4.4.3	Genomics Methods Based on the Ribosomal RNA . . . . .	123
4.4.4	Genomics Methods Based on the Ribosomal DNA . . . . .	126
4.4.5	Diversity Analysis of Genomics Results . . . . .	135
4.4.6	Functional Genomics Analysis . . . . .	136
4.4.7	Transcriptomics . . . . .	136
4.4.8	Proteomics . . . . .	137
4.4.9	Functional Prediction . . . . .	137
4.5	References . . . . .	138
4.6	Bibliography . . . . .	138
4.7	Problems . . . . .	139
<b>5</b>	<b>Stoichiometry and Energetics . . . . .</b>	<b>143</b>
5.1	An Example Stoichiometric Equation . . . . .	143
5.2	An Empirical Formula for Microbial Cells . . . . .	144
5.3	Formulations for Cells Containing Storage Products . . . . .	148
5.4	Substrate Partitioning and Cellular Yield . . . . .	148
5.5	Overall Reactions for Biological Growth . . . . .	150
5.6	Fermentation Reactions . . . . .	158
5.6.1	Simple Fermentation . . . . .	159
5.6.2	Mixed Fermentation . . . . .	159

5.7	Energetics of Bacterial Growth . . . . .	163
5.7.1	Free Energy of the Energy Reaction . . . . .	164
5.7.2	Microbial Yield Coefficient and Reaction Energetics . . . . .	167
5.7.3	Oxidized Nitrogen Sources . . . . .	173
5.8	References . . . . .	175
5.9	Problems . . . . .	176
<b>6</b>	<b>Microbial Kinetics . . . . .</b>	<b>181</b>
6.1	Basic Rate Expressions . . . . .	181
6.2	Estimating Parameter Values . . . . .	185
6.3	Basic Mass Balances . . . . .	191
6.4	Mass Balances on Inert Biomass and Volatile Suspended Solids . . . . .	197
6.5	Microbial Products . . . . .	201
6.6	Input of Active Biomass . . . . .	202
6.7	Nutrients and Electron Acceptors . . . . .	204
6.8	CSTR Summary Equations . . . . .	206
6.9	Hydrolysis of Particulate and Polymeric Substrates . . . . .	207
6.10	Inhibition . . . . .	210
6.11	Additional Rate Expressions . . . . .	215
6.12	References . . . . .	216
6.13	Problems . . . . .	217
<b>7</b>	<b>Biofilm Kinetics . . . . .</b>	<b>223</b>
7.1	Microbial Aggregation . . . . .	223
7.2	Why Do Biofilms Form? . . . . .	223
7.3	The Idealized Biofilm . . . . .	224
7.3.1	Substrate Phenomena . . . . .	226
7.3.2	Illustration for First-Order Kinetics . . . . .	227
7.3.3	General Solution When $S_w$ Is Known . . . . .	229
7.3.4	The Biofilm Mass Balance . . . . .	229
7.4	The Steady-State Biofilm . . . . .	230
7.5	The Steady-State-Biofilm Solution . . . . .	231
7.6	Estimating Parameter Values . . . . .	236
7.7	Average Biofilm SRT . . . . .	239
7.8	Completely Mixed Biofilm Reactor . . . . .	240
7.9	Inert Biomass, Nutrients, and Electron Acceptor . . . . .	243
7.10	Trends in CMBR Performance . . . . .	244
7.11	Normalized Surface Loading . . . . .	247
7.12	Nonsteady-State Biofilms . . . . .	253
7.13	Special-Case Biofilm Solutions . . . . .	259
7.13.1	Deep Biofilms . . . . .	260
7.13.2	Zero-Order Kinetics . . . . .	260
7.14	Numerical Modeling of Biofilms . . . . .	261
7.15	References . . . . .	264
7.16	Problems . . . . .	265
<b>8</b>	<b>Microbial Products . . . . .</b>	<b>273</b>
8.1	Extracellular Polymeric Substances . . . . .	273



8.2	Soluble Microbial Products . . . . .	275
8.3	Steady-State Model Including EPS and SMP . . . . .	276
8.4	Relating EPS and SMP to Aggregate Parameters. . . . .	278
8.5	Nutrient-Uptake and Acceptor-Utilization Rates . . . . .	278
8.6	Parameter Values . . . . .	279
8.7	Modeling EPS, SMP, and $X_{in}$ for a Biofilm Process . . . . .	283
8.8	Intracellular Storage Products (ISP). . . . .	285
8.9	References . . . . .	287
8.10	Problems. . . . .	288
<b>9</b>	<b>Reactor Characteristics and Kinetics . . . . .</b>	<b>291</b>
9.1	Reactor Types. . . . .	291
9.1.1	Suspended-Growth Reactors. . . . .	292
9.1.2	Biofilm Reactors . . . . .	295
9.1.3	Membrane Bioreactors (MBRs). . . . .	296
9.1.4	Biofilm Reactors with Active Substrata . . . . .	302
9.1.5	Reactor Arrangements . . . . .	302
9.2	Important Factors in the Engineering Design of Reactors . . . . .	303
9.2.1	Selecting an Appropriate SF for Design . . . . .	304
9.2.2	Effect of SF on System Efficiency for Simple Substrates. . . . .	306
9.2.3	Design When Biosolids Settling or Other Factors Are Critical. . . . .	307
9.3	Mass Balances . . . . .	308
9.3.1	Batch Reactor. . . . .	308
9.3.2	Continuous-Flow Stirred-Tank Reactor with Effluent Recycle . . . . .	311
9.3.3	Plug-Flow Reactor . . . . .	312
9.3.4	Plug-Flow Reactor with Effluent Recycle . . . . .	314
9.3.5	Plug-Flow Reactor with Settling and Cell Recycle. . . . .	316
9.4	Alternative Rate Models . . . . .	318
9.5	Linking Stoichiometric and Mass Balance Equations . . . . .	318
9.6	Reactors in Series . . . . .	322
9.7	References . . . . .	325
9.8	Bibliography . . . . .	326
9.9	Problems. . . . .	326
<b>10</b>	<b>Methanogenesis. . . . .</b>	<b>333</b>
10.1	Uses of Methanogenic Treatment. . . . .	335
10.2	Treating Dilute Wastewaters . . . . .	339
10.2.1	The UASB and AFMB. . . . .	339
10.2.2	Anaerobic Membrane Bioreactors . . . . .	341
10.3	Reactor Configurations . . . . .	344
10.4	Process Chemistry and Microbiology . . . . .	346
10.4.1	Process Microbiology . . . . .	347
10.4.2	Process Chemistry. . . . .	350
10.5	Process Kinetics. . . . .	368
10.5.1	Temperature Effects . . . . .	369
10.5.2	Reaction Kinetics for a CSTR. . . . .	371

10.5.3	Complex Substrates . . . . .	374
10.5.4	Process Optimization . . . . .	378
10.5.5	Reaction Kinetics for Biofilm Processes . . . . .	380
10.5.6	Kinetics with Hydrolysis as Limiting Factor . . . . .	381
10.6	Special Factors in the Design of Anaerobic Biosolids Digesters . . . . .	386
10.6.1	Loading Criteria . . . . .	386
10.6.2	Mixing . . . . .	387
10.6.3	Heating . . . . .	388
10.6.4	Gas Collection . . . . .	389
10.6.5	Performance . . . . .	389
10.7	Example Designs for Anaerobic Treatment of Dilute Wastewater . . . . .	389
10.8	References . . . . .	392
10.9	Problems . . . . .	394
<b>11</b>	<b>Aerobic Suspended-Growth Processes . . . . .</b>	<b>401</b>
11.1	Characteristics of Classical Activated Sludge . . . . .	402
11.1.1	The Basic Activated Sludge Configuration . . . . .	402
11.1.2	Microbial Ecology . . . . .	403
11.1.3	Oxygen and Nutrient Requirements . . . . .	405
11.1.4	Impacts of SRT . . . . .	406
11.2	Process Configurations . . . . .	407
11.2.1	Physical Configurations . . . . .	408
11.2.2	Oxygen-Supply Modifications . . . . .	413
11.2.3	Loading Modifications . . . . .	415
11.3	Design and Operating Criteria . . . . .	417
11.3.1	Historical Background . . . . .	417
11.3.2	Food-to-Microorganism Ratio . . . . .	418
11.3.3	Solids Retention Time . . . . .	419
11.3.4	Comparison of Loading Factors . . . . .	421
11.3.5	Mixed-Liquor Suspended Solids, the SVI, and the Recycle Ratio . . . . .	422
11.4	Aeration Systems . . . . .	425
11.4.1	Oxygen-Transfer and Mixing Rates . . . . .	425
11.4.2	Diffused Aeration Systems . . . . .	428
11.4.3	Mechanical Aeration Systems . . . . .	429
11.5	Bulking and Other Sludge-Settling Problems . . . . .	430
11.5.1	Bulking Sludge . . . . .	430
11.5.2	Foaming and Scum Control . . . . .	434
11.5.3	Rising Sludge . . . . .	434
11.5.4	Dispersed Growth and Pinpoint Floc . . . . .	435
11.5.5	Viscous Bulking . . . . .	435
11.5.6	Addition of Polymers . . . . .	435
11.6	Activated Sludge Design and Analysis . . . . .	436
11.7	Analysis and Design of Settlers . . . . .	443
11.7.1	Activated Sludge Properties . . . . .	444
11.7.2	Settler Components . . . . .	445

11.7.3	Loading Criteria . . . . .	449
11.7.4	Basics of Flux Theory . . . . .	451
11.7.5	State-Point Analysis . . . . .	457
11.7.6	Connecting the Settler and Aeration Tank . . . . .	462
11.7.7	Limitations of State-Point Analysis . . . . .	463
11.8	Membrane Bioreactors (MBRs) . . . . .	463
11.9	Integrated Fixed-Film Activated Sludge . . . . .	464
11.10	References . . . . .	465
11.11	Bibliography . . . . .	467
11.12	Problems . . . . .	467
<b>12</b>	<b>Aerobic Biofilm Processes . . . . .</b>	<b>475</b>
12.1	Biofilm Process Considerations . . . . .	476
12.2	Trickling Filters and Biological Towers . . . . .	478
12.3	Rotating Biological Contactors . . . . .	487
12.4	Granular-Media Filters . . . . .	490
12.5	Fluidized-Bed and Circulating-Bed Biofilm Reactors . . . . .	491
12.6	Hybrid Biofilm/Suspended-Growth Processes . . . . .	497
12.7	Aerobic Granular-Sludge Processes . . . . .	497
12.8	References . . . . .	498
12.9	Problems . . . . .	499
<b>13</b>	<b>Nitrogen Transformation and Recovery . . . . .</b>	<b>501</b>
13.1	Nitrogen Forms, Effects, and Transformations . . . . .	502
13.2	Nitrogen's Transformation Reactions . . . . .	503
13.3	Nitrification . . . . .	509
13.3.1	Biochemistry, Physiology, and Kinetics of Nitrifying Bacteria . . . . .	510
13.3.2	Common Process Considerations . . . . .	514
13.3.3	Activated Sludge Nitrification: Single-Stage versus Separate-Stage . . . . .	514
13.3.4	Biofilm Nitrification . . . . .	522
13.3.5	Hybrid Processes . . . . .	525
13.3.6	The Role of the Input $BOD_L/TKN$ Ratio . . . . .	527
13.4	Denitrification . . . . .	527
13.4.1	Physiology of Denitrifying Bacteria . . . . .	528
13.4.2	Denitrification Systems . . . . .	530
13.4.3	Comparing the Nitrogen-Removal Systems . . . . .	533
13.5	Range of Nitrification and Denitrification Systems . . . . .	537
13.5.1	Biofilm Reactors . . . . .	538
13.5.2	The Barnard Process for Nitrogen Removal . . . . .	540
13.5.3	Sequencing Batch Reactor . . . . .	541
13.5.4	Side-Stream Anammox Treatment . . . . .	542
13.6	Nitrous Oxide Formation . . . . .	543
13.7	References . . . . .	545
13.8	Problems . . . . .	548

<b>14</b>	<b>Phosphorus Removal and Recovery</b> .....	<b>561</b>
14.1	Normal Phosphorus Uptake into Biomass .....	562
14.2	Precipitation by Metal-Salts Addition to a Biological Process ...	563
14.3	Enhanced Biological Phosphorus Removal .....	565
14.4	Phosphorus Recovery .....	570
14.4.1	Lack of P Removal Opens Up P Recovery .....	570
14.4.2	Wastewater as a Direct Source of Fertilizer P .....	571
14.4.3	Biomass as a Source of Slow-Release P .....	571
14.4.4	Selective Adsorption .....	571
14.4.5	Struvite Precipitation .....	572
14.5	References .....	572
14.6	Problems .....	574
<b>15</b>	<b>Biological Treatment of Drinking Water</b> .....	<b>577</b>
15.1	Why Biological Treatment of Drinking Water? .....	577
15.2	Aerobic Biofilm Processes to Eliminate Biological Instability ...	578
15.2.1	General Characteristics of Aerobic Biofilm Processes ...	578
15.2.2	Biodegradable Organic Matter (BOM) .....	579
15.2.3	Inorganic Instability .....	581
15.2.4	Hybrid Biofiltration .....	582
15.2.5	Biofilm Pretreatment .....	584
15.2.6	Slow Biofiltration .....	587
15.2.7	Release of Microorganisms .....	587
15.2.8	Biodegradation of Specific Organic Compounds .....	588
15.3	Anaerobic Biofilm Processes to Reduce Oxidized Contaminants	589
15.3.1	Oxidized Contaminants .....	589
15.3.2	General Characteristics of Biofilm Processes to Reduce Oxidized Contaminants .....	589
15.3.3	Autotrophic Processes .....	592
15.3.4	Heterotrophic Processes .....	595
15.4	References .....	597
15.5	Problems .....	600
<b>A</b>	<b>Free Energies of Formation for Various Chemical Species, 25°C</b> .....	<b>603</b>
	<b>Index</b> .....	<b>611</b>

The following electronic “bonus” Chapters B1 to B5 can be found at [www.mhprofessional.com/rittmann2e](http://www.mhprofessional.com/rittmann2e).

<b>B1</b>	<b>Lagoons and Wetlands</b> .....	<b>B1.1</b>
B1.1	Aerated Lagoons .....	B1.1
B1.2	Stabilization Lagoons .....	B1.5
B1.3	Types of Stabilization Lagoons .....	B1.6
B1.4	Aerobic Stabilization Lagoons .....	B1.6
B1.4.1	Basic Relationships .....	B1.7

B1.4.2	Solar Energy Input and Utilization Efficiency	B1.9
B1.4.3	BOD <sub>L</sub> Removal	B1.11
B1.4.4	Kinetics of Phototrophic Growth	B1.15
B1.5	Facultative Stabilization Lagoons	B1.16
B1.5.1	BOD <sub>5</sub> Surface-Loading Rates	B1.17
B1.5.2	First-Order Kinetics	B1.18
B1.6	Anaerobic Lagoons	B1.21
B1.7	Series Operation	B1.22
B1.8	Coliform Reduction	B1.23
B1.9	Details of Lagoon Design	B1.26
B1.10	Removing Suspended Solids from the Lagoon Effluent	B1.26
B1.11	Wetlands Treatment	B1.27
B1.12	References	B1.29
B1.13	Problems	B1.30
<b>B2</b>	<b>Microbiological Detoxification</b>	<b>B2.1</b>
B2.1	Factors Causing Molecular Recalcitrance	B2.3
B2.1.1	Molecular Structure	B2.3
B2.1.2	Environmental Conditions	B2.3
B2.1.3	Microorganism Presence	B2.6
B2.2	Classes of Synthetic Organic Chemicals	B2.6
B2.3	Energy Metabolism versus Co-metabolism	B2.10
B2.4	Electron Donor versus Electron Acceptor	B2.11
B2.5	Minimum Substrate Concentration ( $S_{min}$ )	B2.13
B2.6	Biodegradation of Important Classes of Environmental Contaminants	B2.15
B2.6.1	Hydrocarbons	B2.15
B2.6.2	BTEX	B2.17
B2.6.3	MTBE	B2.20
B2.6.4	Polycyclic Aromatic Hydrocarbons (PAHs)	B2.20
B2.6.5	Chlorinated Solvents and Other Halogenated Aliphatic Hydrocarbons	B2.22
B2.6.6	Chlorinated Aromatic Hydrocarbons	B2.30
B2.6.7	Pentachlorophenol	B2.32
B2.6.8	Dioxins	B2.33
B2.6.9	Energetics (Explosives)	B2.34
B2.6.10	Synthetic Detergents	B2.35
B2.6.11	Pesticides	B2.37
B2.6.12	1,4-Dioxane	B2.39
B2.6.13	Triclosan and Triclocarban	B2.39
B2.6.14	Perfluorinated Alkanoates	B2.40
B2.7	General Fate Modeling for Organic Chemicals	B2.41
B2.8	Inorganic Elements	B2.43
B2.9	<i>In Situ</i> Bioremediation	B2.46
B2.10	References	B2.48
B2.11	Problems	B2.54

<b>B3</b>	<b>Microbial Electrochemical Cells.....</b>	<b>B3.1</b>
B3.1	What Is a Microbial Electrochemical Cell? .....	B3.1
B3.2	Anode-Respiring Bacteria (ARB) and Extracellular Electron Transport (EET) .....	B3.5
B3.3	Biofilm-Anode Kinetics and Ecology .....	B3.7
B3.3.1	Nernst-Monod Kinetics .....	B3.7
B3.3.2	Multiple EET Pathways and $E_{KA}$ Values .....	B3.9
B3.3.3	Microbial Ecology of the Biofilm Anode .....	B3.10
B3.4	Proton Transport .....	B3.12
B3.5	Membranes .....	B3.13
B3.6	Cathode Reactions .....	B3.14
B3.6.1	Four-Electron Reduction of $O_2$ —The MFC .....	B3.15
B3.6.2	Two-Electron Reduction of $O_2$ —The MPPC .....	B3.15
B3.6.3	Two-Electron Reduction of $H_2O$ —The MEC .....	B3.16
B3.6.4	Reductions of $CO_2$ to Organic Products—The MESC .....	B3.16
B3.6.5	Reduction of Oxidized Contaminants .....	B3.17
B3.7	Energy Balance and Over-Potentials .....	B3.17
B3.7.1	Anode Over-Potential .....	B3.18
B3.7.2	Cathode Over-Potential .....	B3.18
B3.7.3	Ohmic Over-Potential .....	B3.19
B3.7.4	Concentration and pH Over-Potentials .....	B3.19
B3.7.5	Total Over-Potential, Net Output, and Applied Voltage .....	B3.20
B3.8	Performance Metrics .....	B3.21
B3.9	$MxC$ Designs .....	B3.24
B3.9.1	Bench Scale .....	B3.24
B3.9.2	Scaling Up .....	B3.25
B3.10	References .....	B3.27
B3.11	Problems .....	B3.28
<b>B4</b>	<b>Photosynthetic Biofactories.....</b>	<b>B4.1</b>
B4.1	Basics of Photosynthesis .....	B4.1
B4.1.1	Capturing and Utilizing Light Energy .....	B4.1
B4.1.2	$CO_2$ Fixation .....	B4.3
B4.1.3	Other Forms of Photosynthesis .....	B4.3
B4.2	Kinetic Principles .....	B4.3
B4.2.1	Light Limitation .....	B4.3
B4.2.2	$C_i$ Limitation .....	B4.6
B4.2.3	$P_i$ Limitation .....	B4.6
B4.2.4	$N_i$ Limitation and TAG Storage .....	B4.7
B4.2.5	Multiple Limiting Factors .....	B4.8
B4.2.6	Productivities and Nutrient Demands .....	B4.8
B4.3	Microalgae .....	B4.10
B4.3.1	Cyanobacteria versus Eukaryotic Algae.....	B4.10
B4.3.2	TAG versus DAG .....	B4.11

B4.3.3	TAG Storage and N Depletion	B4.13
B4.3.4	Genetic Modifications of Cyanobacteria	B4.13
B4.3.5	Coccolithophores	B4.13
B4.3.6	Other Microorganisms	B4.13
B4.3.7	Extremophiles	B4.15
B4.4	Reactor Systems	B4.16
B4.4.1	Open Raceways	B4.16
B4.4.2	Enclosed Photobioreactors	B4.17
B4.4.3	Productivities	B4.17
B4.5	Biomass Harvesting	B4.19
B4.6	Downstream Processing and the Biorefinery	B4.20
B4.6.1	Dewatering	B4.20
B4.6.2	Microbiological Conversion	B4.20
B4.6.3	Extraction	B4.22
B4.6.4	Transesterification	B4.22
B4.6.5	Hydrothermal Liquefaction	B4.22
B4.6.6	Nutrient Recovery	B4.22
B4.7	Wastewater Treatment	B4.23
B4.8	References	B4.25
B4.9	Problems	B4.28
<b>B5</b>	<b>Complex Systems</b>	<b>B5.1</b>
B5.1	Nonsteady-State Systems	B5.1
B5.1.1	Examples of Nonsteady-State Systems	B5.3
B5.2	Multispecies Systems	B5.18
B5.2.1	Basic Multispecies Model	B5.19
B5.2.2	Adding the Consumption of the Electron Acceptors	B5.21
B5.2.3	Production of $\text{NO}_3^-$ -N	B5.23
B5.2.4	Production and Consumption of SMP	B5.23
B5.2.5	Sequencing Batch Reactor	B5.26
B5.2.6	Multispecies Biofilms	B5.27
B5.2.7	Modeling Multispecies Biofilms	B5.30
B5.3	References	B5.33

---

# Preface

Environmental biotechnology utilizes microorganisms to improve the sustainability of human society. These improvements include preventing the discharge of pollutants to the environment, cleaning up contaminated environments, generating valuable resources for human society, and improving human health. Environmental biotechnology is essential to society and truly unique as a technical discipline.

Environmental biotechnology is historic and eminently modern. Microbiological treatment technologies developed at the beginning of the twentieth century, such as activated sludge and anaerobic digestion, remain mainstays today. At the same time, new technologies constantly are being introduced to address very contemporary problems, such as detoxification of hazardous chemicals and recovery of valuable resources. Important tools used to characterize and control processes in environmental biotechnology also span the decades. For example, traditional measures of biomass, such as volatile suspended solids, have not lost their relevance, even though tools from molecular biology allow us to explore the diversity of the microbial communities.

Processes in environmental biotechnology work according to well-established principles of microbiology and engineering, but application of those principles normally requires some degree of empiricism. Although not a substitute for principles, empiricism must be embraced, because the materials treated with environmental biotechnology are inherently complex and varying in time and space.

The principles of engineering lead to quantitative tools, while the principles of microbiology often are more observational. Quantification is essential if processes are to be reliable and cost-effective. However, the complexity of the microbial communities involved in environmental biotechnology often is beyond quantitative description; unquantifiable observations are of the utmost value, too.

In *Environmental Biotechnology: Principles and Applications*, we connect these different facets of environmental biotechnology. Our strategy is to develop the basic concepts and quantitative tools in the first nine chapters, which comprise the principles part of this second edition. We consistently call upon those principles as we describe the applications in Chapters 10 through 15, as well as in five “bonus” chapters available electronically. Our theme is that *all microbiological processes behave in ways that are understandable, predictable, and unified*. At the same time, each application has its own special features that must be understood. The special features do not overturn or sidestep the common principles. Instead, they complement the principles and are most profitably understood in the light of the principles.



This book is targeted for graduate-level courses in curricula that exploit microbiological processes for environmental quality control. The book also is appropriate as a text for upper-level undergraduate courses and as a comprehensive resource for those engaged in professional practice and research involving environmental biotechnology.

The material in this second edition of *Environmental Biotechnology* can be used in one or several courses. For students not already having a solid background in microbiology, Chapters 1 to 4 provide a foundation in taxonomy, metabolism, genetics, and ecology. These chapters address the microbiology concepts that are most essential for understanding the principles and the applications that follow. They can serve as the text for a first course in environmental microbiology, or they can be used as a resource for students who need to refresh their knowledge in preparation for a more process-oriented course, research, or practice.

Chapters 5 through 9 provide the quantitative core of the principles. Chapter 5 develops quantitative tools for describing the stoichiometry and energetics of microbial reactions: what and how much the microorganisms consume and produce. Stoichiometry is the most fundamental of the quantitative tools. Chapters 6 and 7 systematically develop quantitative tools for kinetics: how fast are materials consumed and produced. Chapter 6 is for suspended-growth processes, while Chapter 7 is for biofilm processes. Described in Chapter 8 are some of the products that microorganisms make that affect process performance and ways to quantify them. The understanding expands the systematic tools of Chapters 6 and 7. Reliability and cost-effectiveness depend on applying kinetics properly. Chapter 9 describes how principles of mass balance and kinetics are used to apply stoichiometry and kinetics to the range of reactors used in environmental practice.

Chapters 10 through 15 comprise the applications section of the second edition. Each chapter includes information on the stoichiometry and kinetics of the key microorganisms, as well as features that are not easily captured by stoichiometric or kinetic parameters. Each chapter explains how processes are configured to achieve treatment objectives and what are the quantitative criteria for a good design. The objective is to link principles to practice as directly as possible.

We have reorganized the applications part to emphasize our goal of using environmental biotechnology to improve the sustainability of human society. Most prominently, we have made the first chapter of the applications part about methanogenesis, since it is the primary means to convert organic pollutants into a valuable energy form, methane gas. Methanogenic treatment can turn wastewater treatment into a net generator of renewable energy, instead of a major energy consumer.

Chapters 11 and 12 delve into the wide range of aerobic treatment processes for treating wastewater to remove biochemical oxygen demand (BOD). These processes are used worldwide and must be understood deeply to ensure that they perform well. Chapters 13 and 14 address the transformations, removal, and/or recovery of nitrogen and phosphorus. Many new developments have occurred in these areas since the first edition of *Environmental Biotechnology* was published. We describe the new advancements in science and technology in the second edition, and we give special attention to recovering valuable resources in wastewater while reducing the energy required to do so, rather than just removing polluting materials from wastewater, as commonly done in the past. Chapter 15 describes the use of biofilm processes to prepare safe and palatable drinking water, a topic whose acceptance has increased greatly since the first edition was published.

Those who have purchased the print textbook from McGraw-Hill also will gain access to five electronic “bonus” chapters: Chapter B1, Lagoons and Wetlands; Chapter B2, Microbiological Detoxification; Chapter B3, Microbial Electrochemical Cells; Chapter B4, Photosynthetic Biofactories; and Chapter B5, Complex Systems. These chapters can be found at [www.mhprofessional.com/rittmann2e](http://www.mhprofessional.com/rittmann2e). They are being published electronically in order to lower the length and cost of the print book. That the bonus chapters are available only in electronic versions does not mean that they are of less importance. In fact, Chapters B2, B3, and B4 present information on some of the hottest new topics in environmental biotechnology. The bonus chapters are included in the ebook of this text.

One important feature of *Environmental Biotechnology* is that it contains many examples. These examples illustrate the step-by-step procedures for utilizing the tools needed to understand how microbial systems work or to design a treatment process. In most cases, learning by example is the most effective approach, and we give it strong emphasis.

The book also has extensive sets of problems at the ends of its chapters. The problems can be assigned as “homework,” used as supplemental examples in class, or examined as study tools.

In an effort to promote uniformity in notation, we have elected to adapt the “Recommended Notation for Use in the Description of Biological Wastewater Treatment Processes,” agreed upon internationally and as published in *Water Research* **16**, pp. 1501–1505 (1982). We hope this will encourage others to do the same, as this will facilitate much better communication among us.

We take this opportunity to thank our many wonderful students and colleagues, who have taught us new ideas, inspired us to look farther and deeper, and corrected our frequent errors. The numbers are too many to list by name, but you know who you are.

Finally, we thank Marylee and Martha for loving us, even when we became too preoccupied with the “book project.”

Bruce E. Rittmann  
Tempe, Arizona  
Perry L. McCarty  
Stanford, California



# **Environmental Biotechnology**



# CHAPTER 1

## Moving Toward Sustainability

In the 1970s, when the U.S. Environmental Protection Agency was first formed, the major environmental concern for water was pollution of rivers, streams, and lakes. Other major concerns were with air and land contamination. Since then, the world's population has more than doubled, and the availability of some of the world's natural resources (including water) to support human activities is shrinking toward unsustainable levels. Additionally, the release of greenhouse gases from the combustion of fossil fuels and from other sources has caused the Earth's temperature to rise, causing a host of significant and urgent environmental problems (IPCC, 2018; NAS, 2018; Reidmiller et al., 2018; U.S. EPA, 2018). Among the obvious are extraordinary storms and floods in some locations, greater droughts and extreme fires in others, melting of glaciers, a constant rise in sea levels, and the acidification of the oceans with an accompanying loss of sea life. These major problems, which have come to the fore relatively recently, require urgent attention and effective action. As environmental engineers and scientists, we must perform well our job of water-quality protection, but we must also address the growing need to preserve resources and reduce greenhouse gases as effectively as possible.

*Environmental biotechnology* is one of the powerful tools that we have for addressing the emerging and the long-standing challenges to sustainability. Environmental biotechnology can be defined as "managing microbial communities so that they provide services to society." The services include removing pollutants from water and other contaminated media, generating renewable resources, and improving human health. It is obvious that such services can address many of the pressing challenges facing human society. In Chapter 1, we begin by providing a framework for understanding the challenges that environmental engineers and scientists face, along with the opportunities for environmental biotechnology.

### 1.1 Water Uses and Resources

Beneficial uses of water require that the water have proper quality. Only a small portion of the total water available in the world has the quality suitable for most human needs, and difficulties are experienced in keeping the usable water free from contamination by human or industrial wastes. Environmental engineers have been given the responsibility to protect, store, and transport water; preserve its quality for aesthetic and environmental needs; and upgrade its quality for personal, agricultural, and industrial uses. These responsibilities present significant challenges.

## 2 Chapter One

Table 1.1 contains a summary of the global availability of water. Most of the world's water is contained in the ocean, where the salt content is about 3.4%, much too high for most human uses, including irrigation, drinking, and washing. The largest portion of freshwater, which makes up only 2.5% of the total, is locked in polar ice and glaciers. Liquid freshwater, the only water readily available with adequate quality to satisfy our greatest needs, represents less than 1% of the total water on Earth. In addition, most of this lies deep in the ground where it is difficult, if not impossible, to obtain.

While water is a renewable resource, our use of available freshwater is already high and growing so rapidly that it could exceed its rate of renewal in coming years. Solar radiation continually evaporates (mostly) seawater, leaving the salt and other chemicals behind. A portion of the resulting water vapor eventually condenses and falls on land as rain or snow to renew the supply of fresh and relatively clean water. It is the total rainfall of 119,000 km<sup>3</sup>/year, rather than the Earth's total freshwater reservoir, that actually represents the sustainable supply, since it is new water each year. However, not all rainfall can be used. About two-thirds (74,200 km<sup>3</sup>) evaporates before it can be captured; of the remainder that is stored or runs off the land (44,800 km<sup>3</sup>), only about one-half can practically be captured for use.

### 1.2 Wastewater's Resources

Water is by far our most widely used natural resource. On a mass basis, water is used by the world's population at a rate more than 100-fold greater than for all other natural resources combined. Not only do we use water for drinking and washing, but we use it for agriculture to grow crops we eat, to generate electrical power and other forms of energy that run our society, for industry to produce the goods we use, for a broad range of municipal and commercial purposes, and for ecosystem preservation. Furthermore, water is used to carry away some of our wastes.

After we have used and dirtied water, we have commonly thought of it as *wastewater*, a term that is used throughout this book. Sewage is a term used to describe

**TABLE 1.1** World Water Budget

Water Type and Location	Amount, km <sup>3</sup>	Percentage of World's Total Water
Total water	1,386,000,000	100.0
Salt water	1,350,000,000	97.5
Freshwater	34,600,000	2.5
Ice	23,800,000	1.7
Liquid	10,800,000	0.8
Groundwater*	10,400,000	0.75
Surface water	90,000	0.007
Water vapor (atmosphere)	13,000	0.001
Yearly rainfall on land	119,000	—

\*About one-half of the groundwater lies greater than 1.5 kilometers below the ground surface.

Source: Based upon information from Shiklomanov (1998).

wastewater coming directly from humans. Ironically, what we call wastewater is water that contains a wide range of resources, which we could term to be “used resources.” For this reason, what was once viewed as waste is now being looked at as a resource, one that must not be wasted, but cleansed, captured in useful form, and used once again. For example, Singapore no longer uses the term wastewater; instead, they call it “used water.” The needed degree of treatment for used water depends upon the purpose for which it is to be used. This is called “fit for use” treatment (Li et al., 2015).

Wastewaters contain important resources that can be captured and used to satisfy the basic needs of human society. The most important resource often is the water itself, once it has been cleaned to prevent harm to the consumer using fit-for-use treatment. Many wastewaters contain organic matter that contains energy, which, if captured, can be used to run our treatment systems and be sold on the market to generate income (Rittmann, 2013). Other commonly present resources are the fertilizing elements, nitrogen and phosphorus. Phosphorus is present in wastewater as simple phosphate or complex organic phosphate. If the simple phosphate is captured in a correct form, it can be removed, concentrated, and used once again as fertilizer (Rittmann et al., 2011). Nitrogen, generally in the form of ammonium or organic nitrogen in wastewater, also can be recovered and reused in agriculture. One key for reusing the phosphorus and nitrogen for agriculture is ensuring that treatment and recovery eliminate pathogens. A second key is that the recovered nutrient be in a form that can be available as a plant nutrient.

Important to realize is that, in order to feed the world’s growing population,  $N_2$  is now taken from the atmosphere and converted into ammonium for use as a crop fertilizer. The Haber–Bosch process, used for  $N_2$  fixation to ammonium, consumes about 7% of the world’s natural gas, one of the fossil fuels causing climate change (McCarty et al., 2011). The nitrogen in municipal wastewater comes from the food we eat, and the energy originally used to obtain that nitrogen from atmospheric  $N_2$  represents as much energy as we currently use to run an aerobic wastewater treatment system. However, traditional wastewater treatment for nitrogen removal generally converts the ammonium back into  $N_2$  gas. But instead of converting it back to  $N_2$ , we could reduce overall fossil fuel energy consumption if we recovered and used the ammonium directly as fertilizer.

A similar analysis can be made for phosphorus. Today, almost all phosphate is mined and used in agriculture. Most of that phosphate ends up in waterways due to run-off and wastewater discharges (Rittmann et al., 2011); this “lost phosphorus” spurs eutrophication and hypoxia. Traditional phosphate removal generates inorganic solids that are not usable in agriculture; that phosphate cannot be reused where it is needed. The greatest sustainability benefit comes from removing phosphate in a form that is readily useful in agriculture.

### 1.3 Climate Change

The processes used for transporting and cleaning water use energy, and this energy often comes from fossil-fuel combustion, thus adding to the rising problems from climate change. While the energy used for water represents only a modest fraction of the world’s total fossil fuel use, it is a fraction that environmental engineers and scientists can address by finding ways to lower the amount of energy used for water transportation and for water and wastewater treatment.



Fossil-fuel combustion is not the only water-related factor contributing to greenhouse gases. Some of the byproducts emanating from treatment processes are greenhouse gases. For example, methane gas ( $\text{CH}_4$ ) produced by anaerobic wastewater treatment is a good renewable energy resource that can help limit our use of fossil fuels; however, if  $\text{CH}_4$  is allowed to escape to the atmosphere, the impact on climate change is large because methane has a greenhouse-gas warming potential 25 to 30 times that of  $\text{CO}_2$  (U.S. EPA, 2018). Methane emissions from sewers and sanitary landfills, for which we are responsible, must also be reduced.

Another greenhouse gas that is produced through biological wastewater treatment is nitrous oxide ( $\text{N}_2\text{O}$ ), and it has a warming potential nearly 300 times greater than that of carbon dioxide. If just a small fraction of the nitrogen entering wastewater treatment facilities is converted to  $\text{N}_2\text{O}$  and escapes to the atmosphere, efforts to reduce fossil fuel use would be overshadowed by the impact of the formation and release of  $\text{N}_2\text{O}$ .

In 2016, the total human global emission of greenhouse gases was estimated to be 42 billion tons of  $\text{CO}_2$  equivalents (IPCC, 2018). The United States contributed 6.5 billion tons, or more than 15% of that (U.S. EPA, 2018). Of the U.S. contribution, 82% came from  $\text{CO}_2$  emissions. While worldwide  $\text{CH}_4$  and  $\text{N}_2\text{O}$  emissions are relatively small in mass terms compared with  $\text{CO}_2$ , their much larger global-warming potential means that their emissions in 2016 caused approximately 10% and 6%, respectively, of the overall climate-change impact.

The several human contributions of greenhouse gases are largely responsible for the Earth's temperature rise of about  $1^\circ\text{C}$  over the last 150 years, and the temperature will continue to rise if humans do not reduce their emissions of all the radiation-absorbing chemicals. The International Panel on Climate Change (IPCC, 2018) indicated that releases of fossil  $\text{CO}_2$  will need to go to net zero by 2055, along with net zeroing of non- $\text{CO}_2$  greenhouse gases by 2030, if global temperature is not to rise by more than  $2^\circ\text{C}$ . Keeping the temperature rise to less than  $2^\circ\text{C}$  will require that greenhouse gases be net removed from the atmosphere! All economic sectors—worldwide—will need to make reduction of greenhouse gases a top priority, and this will include sectors involving environmental engineering and science professionals.

## 1.4 Sustainability

Today, a biological process must reliably achieve its effluent standards in a cost-effective manner, and it also must advance our society's sustainability needs for the future. As stated in the Brundtland Report (Brundtland, 1987) for the World Commission on Environment and Development, sustainable development "meets the needs of the present without compromising the ability of future generations to meet their own needs." The concept of sustainability was posited even earlier—in the 1970 U.S. National Environmental Policy Act—as a means to "create and maintain conditions, under which humans and nature can exist in productive harmony, that permit fulfilling the social, economic, and other requirements of present and future generations."

In general, sustainability represents a goal of balancing efforts to meet human needs today without destroying the natural environment upon which future generations will depend. Today, the concept of sustainability involves at least three interdependent pillars: economic development, social development, and environmental protection. They constitute the "triple bottom line" that accounts for social, environmental, and financial benefits and costs.

**TABLE 1.2** The Three Pillars of Sustainability Together with Topics of Importance under Each as Defined by the U.S. Environmental Protection Agency

Environmental	Social	Economic
Ecosystem Services	Environmental Justice	Jobs
Green Engineering & Chemistry	Human Health	Incentives
Air Quality	Participation	Supply and Demand
Water Quality	Education	Natural Resource Accounting
Stressors	Resource Security	Costs
Resource Integrity	Sustainable Communities	Prices

To help advance sustainability goals, in 2015 the U.S. Environmental Protection Agency produced a Sustainability Primer that defines six broad topics atop each of the three pillars. The six topics for each pillar are listed in Table 1.2. For example, the environmental pillar includes *ecosystem services*, which emphasize efforts to protect, sustain, and restore the health of critical natural habitats and ecosystems. *Stressors*, including water pollutants and greenhouse gas emissions, are to be reduced. For *resource integrity*, waste generation is to be reduced to prevent accidental release and future cleanup liability. Within the social pillar, *environmental justice* calls for empowering communities overburdened by pollution to take action to improve their health and environment. *Resource security* means to protect, maintain, and restore access to basic resources. For the economic pillar, *supply and demand* uses accounting and market practices to promote environmental health and social prosperity, while *natural resource accounting* acts to improve understanding and accounting of ecosystem services using cost-benefit analysis. *Costs* is the example of striving to develop waste-free processes, thus minimizing the needs for regulation, treatment, and disposal costs, while *prices* refer to reducing risks for new technologies through demonstration and testing with community partners.

## 1.5 The Role of Environmental Biotechnology

Environmental biotechnology provides means to achieve many of the sustainability goals for water. Here are a few prominent examples:

- Anaerobic treatment can capture the energy value of organic matter found in many used waters. This can make the treatment process energy generating, which saves money for the operator and lowers society's use of fossil energy.
- Anaerobic treatment also converts nitrogen and phosphorus into inorganic forms (ammonium and phosphate) that can be recovered and used as feedstock for agricultural fertilizer.
- Anaerobic and aerobic treatment can detoxify harmful chemicals and make the water safe for various beneficial uses.

Although wastewater contains valuable resources, current treatment practices often discard them. Today, the choice of a biological treatment process must go beyond only meeting the immediate effluent standards. Instead, a well-chosen process should

accomplish the basic mission of good effluent quality in ways that help achieve the long-term sustainable needs of society by viewing used waters as holders of resources. Modifications to existing processes and the development of new processes should be channeled toward meeting the needs for a sustainable future, an urgent goal for all of human society.

## 1.6 Organization of the Book

Attaining all of the good sustainability outcomes requires a firm understanding of the science and engineering fundamentals underlying environmental biotechnologies. Applying this understanding to design and operate facilities for improving water quality treatment is the major emphasis in this book.

Consistent with its title, this book is organized into two parts. The first part, comprising Chapters 2 to 9, lays out the principles underlying all microbiological processes: e.g., biochemistry, ecology, stoichiometry, and kinetics. These principles represent the essential knowledge for understanding, designing, and operating any environmental biotechnology.

The second part, Chapters 10 to 15, applies those principles to a wide range of applications. Consistent with our focus on sustainability, Chapter 10 is on methanogenesis, in which the energy embodied in organic compounds in used waters is converted to methane gas, a valuable fuel. Unlike the fossil methane in natural gas, methane coming from a methanogenic process is renewable and carbon-neutral if captured and used. Chapters 11 to 15 address aerobic treatment and removal and recovery of nutrients, including traditional approaches for improving water quality and emerging approaches for recovering valuable resources.

Those who purchase the textbook from McGraw-Hill also will gain access, at [www.mhprofessional.com/rittmann2e](http://www.mhprofessional.com/rittmann2e), to five electronic “bonus” chapters: Lagoons and Wetlands, Microbiological Detoxification, Microbial Electrochemical Cells, Photosynthetic Biofactories, and Complex Systems. They are being made available in electronic versions in order to constrain the length and cost of the printed book.

## 1.7 References

- Brundtland, G. H. (1987). *Our Common Future*. New York: World Commission on Environment and Development.
- Inter-Governmental Panel on Climate Change (IPCC) (2018). *Global Warming of 1.5°C*. Switzerland: IPCC, p. 28.
- Li, W.-W.; H.-Q. Yu; and B. E. Rittmann (2015). “Reuse water pollutants.” *Nature*. **528**, pp. 29–31.
- McCarty, P. L.; J. Bae; and J. Kim (2011). “Domestic wastewater treatment as a net energy producer—can this be achieved?” *Environ. Sci. Technol.* **45**, pp. 7100–7106.
- NAS (2018). *Environmental Engineering for the 21st Century: Addressing Grand Challenges*. Washington, DC: National Academies Press, p. 120.
- Reidmiller, D. R.; C. W. Avery; D. Barrie; A. Dave; B. DeAngelo; M. Dzaugis; M. Kolian; K. Lewis; K. Reeves; and D. Winner (2018). *Overview: Impacts, Risks, and Adaptation in the United States: Fourth National Climate Assessment, Volume II*. Washington, DC: U.S. Government Publishing Office, pp. 33–71.

- Rittmann, B. E. (2013). "The energy issues in urban water management." In T. Larsen; K. Udert; and J. Liener, Eds. *Wastewater Management: Source Separation and Decentralisation*. London: IWA Publishing, chap. 2, pp. 13–28.
- Rittmann, B. E.; B. Mayer; P. Westerhoff; and M. Edwards (2011). "Capturing the lost phosphorus." *Chemosphere*. **84**, pp. 846–853.
- Shiklomanov, I. A. (1998). *World Water Resources: A New Appraisal and Assessment for the 21st Century*. Paris: United Nations Educational, Scientific and Cultural Organization.
- U.S. EPA (2018). *Inventory of U.S. Greenhouse Gas Emissions and Sinks*. Washington, DC: U.S. Environmental Protection Agency, p. 655.

