RECENT DIATOMS REPORTED from the CENTRAL UNITED STATES: REGISTER of TAXA and SYNONYMS

Report Number 77, State Biological Survey of Kansas 2045 Avenue A, Campus West, Lawrence, Kansas, 66044 USA

Mark E. Eberle

Department of Biological Sciences, Fort Hays State University

600 Park Street, Hays, Kansas 67601-4099 USA

Original printed version: 1997

Latest electronic version: 5 December 2008

Please send comments and literature citations for additions or taxonomic changes to meberle@fhsu.edu.

Internet homepage for this diatom list.

INTRODUCTION to the LIST of DIATOM TAXA

This list of diatom taxa summarizes information for over 1100 taxa and synonyms reported in published accounts of collections made in the central United States, principally within the states of Kansas, Nebraska, and Oklahoma, but also including adjacent areas in eastern Colorado and western Missouri. This summary expands an earlier annotated list of Kansas diatoms (Eberle 1982). My objective was to provide people working on diatom projects in this region with a base reference to help them assess the results of their research.

The literature on diatoms is scattered among many journals and government publications. Although a thorough effort was made to locate all relevant publications for this summary, some references possibly were missed. No records from Master's theses were incorporated into this list, and most were never published. References on fossil diatoms also were excluded, although a few have been published (e.g., Andrews 1970; Barbour 1896; Barbour 1910; Cragin 1891; Elmore 1898*a*, 1898*b*, 1914, 1917; Hanna 1932; Selva 1976, 1981).

I did not examine specimens, so taxa presented here are those reported in the literature or their possible synonyms. The synonyms were derived from publications listed in the Literature Cited file and the internet resources of the California Academy of Sciences Diatom Collection (http://research.calacademy.org/research/diatoms/names/about.html), the Checklist of Great Lakes Diatoms at the University of Michigan (http://www.umich.edu/~phytolab/GreatLakesDiatomHomePage/glspeciesok2.html), and the Integrated Taxonomic Information System (http://www.itis.gov/index.html), all accessed during the winter of 2008-2009.

Diatom systematics is an active field, with frequent reevaluations of taxa made every year. The uncertainties generated by the reevaluation of systematic relationships among diatom taxa and by the misapplication of scientific names in widely used diatom references

through the centuries probably have led researchers to misidentify many of the taxa listed here. Thus, to provide users of this list with the most complete information possible, all scientific names used in the publications cited in this summary are listed in this summary with the corresponding citations.

This list is subdivided into the groups of centric diatoms (Coscinodiscophyceae, pages 7-12) and pennate diatoms, with the latter group split into those pennate diatoms without a raphe (Fragilariophyceae, pages 13-20) and those with at least some raphe present (Bacillariophyceae, pages 21-76). Within these classes, the genera and species are listed alphabetically. Forms and varieties are listed alphabetically after the nominate variety. A question mark in front of the citation for a reference indicates that the author of the publication was not sure of his or her identification. In several of the references, authorities for scientific names were incorrect or missing, and some Latin names were spelled incorrectly; these were corrected in this summary. Researchers using this list should ultimately consult the original publications.

This index can be used in two ways. You can select the currently accepted name of a taxon to check for publications, organized by states, that included that name. Also listed are taxa that represent possible synonyms. In addition, you can start with the name of a taxon from one of the published references and find that name in the list. This will provide you with a recommended scientific name. Without checking voucher specimens, it is assumed that the author was referring to this taxon, but periodic updates to this list will be necessary. Taxa that presumably should be transferred to another genus or species, but for which I could locate no reference for the transfer, are followed by "comb. nov.?" (combinatio novum = new combination). The validity of these taxa remains to be ascertained, and this formal process is beyond the scope of this summary.

HISTORY of DIATOM RESEARCH in the CENTRAL UNITED STATES

Kansas

The earliest known account of a diatom taxon from Kansas is a note in the Bulletin of the Washburn College Laboratory of Natural History (Cragin 1886):

"Mr. J.D. McLaren, of Sumnerville, reports the diatom, *Meridiones radiales*, from Lawrence. It was found in spring water during recent biological studies at the State University."

This is all of the information contained in the note, and the taxon this name refers to is unknown. Three years later, the same journal included a list of 23 taxa from Reno County identified by Wolle (1889). The diatoms were collected from sand in a brook fed by a perennial spring at Arlington, adjacent to the North Fork of the Ninnescah River. The Reverend Wolle later included the "inland, salt marshes of Kansas" in the distribution of *Biddulphia laevis* Ehrenberg [= *Pleurosira laevis* (Ehrenberg) Compère] in his volume on the "Diatomaceae of North America" (Wolle 1894), as did Boyer (1901) in his summary of this group, although he listed it as a fossil.

Curtis (1901) made the first substantial contribution to the knowledge of the diatomaceous flora of Kansas. In 1899, he presented information on collections he made with Frank Patrick (father of Dr. Ruth Patrick) at Gage's Pond and Silver Lake in Shawnee County. He presented two papers in 1900 on diatomaceous material provided by S.G. Mead. The first was an account of taxa collected at Medora, Reno County. He did not indicate a collection locality, but Medora is adjacent to the Little Arkansas River. His second paper discussed the stomach contents, principally diatoms, taken from a "young perch" collected at Belvidere, Kiowa County. Again, he did not indicate the body of water from which the collection was made, but Belvidere is located adjacent to the Medicine Lodge River. His three accounts included a total of over 280 taxa.

In "The Diatoms (Bacillarioideae) of Nebraska", Elmore (1921) included 15 taxa from unspecified habitat(s) at Emporia, Lyon County. Six years later, Boyer (1927a, 1927b) published his "Synopsis of North American Diatomaceae," which included three taxa specifically from Kansas. Also within this period, McNaught (1918, 1920) listed 13 genera of diatoms in a survey of algae from 43 city reservoirs in Kansas. All but three of these lakes (Russell, Jewell City, and Medicine Lodge) are in the eastern one-third of the state. His second publication (McNaught 1920) included a key and line drawings designed to educate and aid sanitary engineers.

During the period between 1930 and 1960, there were no known published reports of non-fossil diatoms from Kansas. Jantzen (1960) reported genera of diatoms in a study of a small marsh in Stafford County. In nearby Barton County, McFarland et al. (1964) identified 13 taxa of diatoms in their algal survey of Cheyenne Bottoms Wildlife Refuge. The following year, Wujek (1965) published a list of what, at the time, were thought to be previously unreported diatoms from eastern Kansas; however, a number of these taxa apparently had been recorded in earlier publications (see Eberle 1982). Eleven taxa of diatoms were included in a publication by Branson (1966) from a limnological survey of the Spring River drainage in Crawford and Cherokee counties. Patrick and Reimer (1966, 1975) cited Kansas and the "Plains States" within the geographic distributions of several taxa in their monograph on "The Diatoms of the United States." Some of these records were based upon specimens used by Curtis (1901) and Elmore (1921) in their reports.

In a break from diatom publications that were simply lists of taxa, Youngsteadt (1972) studied the distribution of *Asterionella*, *Fragilaria*, and two other genera of algae with respect to parent soil materials in 22 lakes and ponds in southeastern Kansas.

The federal government conducted phycological research in Kansas during the 1960s and 1970s. Plankton samples were collected from the Arkansas, Kansas, and Missouri rivers in Kansas through the Water Pollution Surveillance System (WPSS 1961-1963, 1966; Williams and Scott 1962; Williams 1962, 1964, 1972). These efforts resulted in the compilation of a variety of data on biological and environmental parameters that were used, in part, to explore the use of the four most abundant species of diatoms to assess water quality. Powers (1969) also compiled a list of phytoplankton from the Kansas River. A decade later, reservoirs were the subject of a phytoplankton study conducted by the U.S. Environmental Protection Agency (Williams et al. 1979), which provided lists of taxa and

indices of species diversity, species abundance, trophic state, and organic pollution levels for 15 impoundments.

Reinke and others reported fieldwork conducted throughout Kansas by the Kansas Biological Survey in publications from 1979 through 1985 (Reinke 1979*a*, 1979*b*, 1981, 1982*a*, 1982*b*, 1984, 1985; Czarnecki and Reinke 1981, 1982; Wujek et al.1980). The Kansas Biological Survey (Lawrence, Kansas) collection included algal specimens from all 105 counties in the state. Czarnecki and Reinke (1981) also summarized some changes in nomenclature for previously reported taxa. However, because that reference did not contain any additional collection localities, it was not cited with those taxa in this summary. Research on the diatoms of central Kansas was conducted at Fort Hays State University in Hays, Kansas (Wenke and Eberle 1985, 1986; Harris and Eberle 2001).

Oklahoma

Research on the diatoms of Oklahoma begins with "Mikrogeologie" by Christian Gottfried Ehrenberg (1856), in which he identifies taxa of diatoms and other microspecimens collected for him by surgeons at military outposts in what was then referred to as the Indian Territory. The samples were taken from the (False) Washita River near Fort Washita and Fort Arbuckle in south-central Oklahoma (north of Ardmore) and from the Neosho River near Fort Gibson (just upstream from its confluence with the Arkansas River). Despite this auspicious beginning, the next publication on recent diatoms of the state was not published for nearly 90 years.

During the 1940s, three papers were published on the diatoms of Oklahoma. The first, by Sister Maloney (1944), included taxa collected from ponds, a stock tank, a stream, and three aquaria. Unfortunately, collection sites were not referenced in the list of species, which includes an interesting assemblage of taxa. The taxa she reported were not included in this summary, because the aquaria probably included taxa not likely to occur in the waters of this region. In a publication that emphasized algae other than diatoms, Leake (1945) listed 11 species of diatoms among the 208 taxa she identified from Crystal Lake near Norman. During 1945 and 1946, Wallen (1949) studied the relative abundance of algae (genera only) in a pond drained, dredged, and covered by "18 five-ton truckloads of sludge from the local sewage disposal plant" in 1943.

Soil algae and sampling methods were the topics considered in a project conducted by Willson and Forest (1957) in McClain and Cleveland counties. They recorded three taxa of diatoms from prairie and cropland sites. Schlichting and Gearheart (1966) reported 17 genera of diatoms in a study of the effects of sewage effluent upon periphyton in an Oklahoma impoundment.

As in Kansas, diatoms were collected during the 1960s through the Water Pollution Surveillance System from the Arkansas, Verdigris, and Red rivers in Oklahoma (WPSS 1961-1963, 1966; Williams and Scott 1962; Williams 1962, 1964, 1972). Hern et al. (1979) also compiled information on the plankton and trophic status of 15 reservoirs for the U.S. Environmental Protection Agency.

Several studies on diatoms in Oklahoma were conducted in the 1970s and 1980s. Wilhm and others at Oklahoma State University (Cooper and Wilhm 1975; Seyfer and

Wilhm 1977; Wilhm et al. 1978; Wilhm et al. 1977) published research on stream periphyton in the Arkansas River drainage. These publications provided extensive lists of phytoplankton, as well as information on species diversity, biomass, and chlorophyll *a*.

Kennedy and Pfiester (1984) and Pfiester et al. (1979) added to our knowledge of the diatoms in the North Canadian and Neosho (Grand) river drainages, respectively. Pfiester and Terry (1978) reported 24 diatom taxa from ponds in Cleveland County. Koch and Risser (1974) examined the algae (including 113 diatom taxa) growing on leaf detritus in a spring-fed limestone stream in Pontotoc County. Koch (1975) reported 68 taxa of diatoms, including several "salt-water" taxa, from southwestern Oklahoma. Troeger (1978, 1983) and Troeger and Menzel (1986) provided information on the diatoms of ponds, including lists of over 100 diatom taxa derived from thousands of counted frustules (Troeger 1978, 1983).

Nebraska

As in Oklahoma, the first published record of diatoms in Nebraska was compiled by Ehrenberg (1856) from samples taken from the Platte River near Fort Kearney on the Oregon Trail. Later, Schofield (1892) and Webber (1889, 1890) noted a few diatom taxa, but much of the work on the diatoms of this state was a result of the efforts made by Clarence Elmore. Elmore and others primarily examined fossil deposits (Barbour 1896; Barbour 1910; Elmore 1898a, 1898b, 1917), but in 1921, Elmore published "The Diatoms (Bacillarioideae) of Nebraska," which is still one of the few compilations of the diatoms from a large geographic area within the United States. It contains keys, line drawings, descriptions, and regional distributions for the taxa. Elmore also was credited with the identifications of diatoms in an algal survey of sandhill lakes in Cherry County published by Andersen and Walker (1920). Patrick and Reimer (1966, 1975) examined some of Elmore's material for their monograph, in which they cited "Nebraska" and the "Plains States" with their distributions.

The diatoms of Nebraska also were included in the two early works on the diatoms of the United States. Wolle (1894), as he did with Kansas, included Nebraska within the range of *Pleurosira laevis*, and Boyer (1927*a*, 1927*b*) included that species in his "Synopsis of North American Diatomaceae."

After the "Elmore era," publications on the living diatoms of Nebraska were generally lacking during the period 1930-1960, as was the case in Kansas and Oklahoma. In 1953, Neel discussed chemical and biological aspects of the North Platte River in Wyoming and Nebraska, but his references to diatoms were not clearly associated with specific localities. In the early 1960s, samples were obtained through the Water Pollution Surveillance System from stream sites on the Missouri, North Platte, and Platte rivers (WPSS 1961-1963, 1966; Williams and Scott 1962; Williams 1962, 1964, 1972). DeNoyelles (1967) compared the phytoplankton in a double-cell sewage lagoon, in which one pond was organically enriched. He recorded only one diatom taxon, the genus *Navicula*, among the algae in the ponds.

Much of the recent research conducted on diatoms in Nebraska dealt with diatoms in lakes rather than streams. McCarraher et al. (1975) summarized selected aspects of the

limnology of a chain of shallow lakes created during the construction of Interstate Highway 80 across Nebraska. They reported 18 genera of diatoms. The distribution of phytoplankton and trophic status of nine lakes in Nebraska were summarized for the U.S. Environmental Protection Agency by F.A. Morris et al. (1979).

The most recent publications on the diatoms of Nebraska have considered community structure and the role of diatom mucilage in benthic ecosystems (Hoagland et al. 1982; Roemer et al. 1984; Rosowski et al. 1986). From 11 to 69 taxa of diatoms were reported from each collection site in these studies conducted at Pawnee, Yankee Hill, and McConaughy reservoirs and the headwaters of the Middle Fork of Maple Creek, Stanton County, Nebraska.

Eastern Colorado

Biologists who have conducted phycological research in Colorado concentrated on the mountainous region in the central part of the state rather than the arid eastern plains. The first report from the plains of Colorado was by Cockerell (1888). He credited Wolle with the identification of three diatom species from near Mace's Hole in Pueblo County. Other than this early report, only the U.S. government has published any records of diatom taxa from the eastern portion of the state. The Water Pollution Surveillance System had a collection site on the South Platte River at Julesburg, Colorado (WPSS 1961-1963; Williams 1964, 1972), and M.K. Morris et al. (1979*b*) published results from the U.S. Environmental Protection Agency survey of the distribution of phytoplankton and trophic status of 13 reservoirs. Three of these reservoirs were on the eastern plains: Cucharas Reservoir, Huerfano County; Holbrook Lake, Otero County; and Lake Meredith, Crowley County.

Western Missouri

As in eastern Colorado, few studies conducted in western Missouri have included diatoms. Ehrenberg (1856) identified diatoms from Missouri, but these were collected near St. Louis. The first accounts of diatoms from the western part of the state were published through the Water Pollution Surveillance System, which had collection stations at St. Joseph and Missouri City on the Missouri River (WPSS 1961-1963, 1966; Williams and Scott 1962; Williams 1962, 1964, 1972). Morris et al. (1979a) included Pomme de Terre Reservoir in Polk and Hickory counties; Stockton Reservoir in Dade, Polk, and Cedar counties; and Thomas Hill Reservoir in Macon and Randolph counties in their survey of phytoplankton distribution and trophic status of six lakes for the U.S. Environmental Protection Agency. Pamperl (1980) conducted a taxonomic survey of the diatoms of the Lake of the Ozarks. She identified 157 taxa from both the planktonic and benthic communities.

CENTRIC DIATOMS - Coscinodiscophyceae

Names in *bold italic print* are current names for taxa reported from the central United States. Names in *standard italic print* are synonyms for the currently accepted names listed after them. References that reported a taxon or its synonyms are listed under the currently accepted name. The names of the states are abbreviated with their postal codes: CO = eastern Colorado, KS = Kansas, MO = western Missouri, NE = Nebraska, OK = Oklahoma.

```
► Acanthoceras zachariasii (Brun) Simons.
```

Reported as:

Attheya zachariasii Brun OK: Hern et al. (1979)

► Actinocyclus normanii f. subsalsa (Juhl.-Dannf.) Hust.

Reported as:

Coscinodiscus rothii var. subsalsa (Juhl.-Dannf.) Hust.

OK: Koch (1975)

- ► *Attheya zachariasii* Brun = *Acanthoceras zachariasii* (Brun) Simons.
- ► Aulacoseira ambigua (Grun.) Simons.

NE: Roemer et al. (1984)

Also reported as:

Melosira ambigua (Grun.) O. Müll.

KS: WPSS (1961-1963)

MO: WPSS (1961-1963)

NE: Hoagland et al. (1982), Williams (1962), WPSS (1961-1963, 1966)

OK: Hern et al. (1979), Pfiester et al. (1979), Wilhm et al. (1977), Williams (1962), WPSS (1961-1963, 1966)

Aulacoseira distans (Ehr.) Simons.

Reported as:

Gallionella distans Ehr.

NE: Ehrenberg (1856)

Gallionella laevis Ehr.

OK: Ehrenberg (1856)

Lysigonium distans (Ehr.) Kuntze

NE: Andersen and Walker (1920), Elmore (1921)

Melosira distans (Ehr.) Kütz.

KS: Powers (1969), Williams et al. (1979)

MO: M.K. Morris et al. (1979a)

NE: F.A. Morris et al. (1979)

OK: Hern et al. (1979), Pfiester et al. (1979), Wilhm et al. (1977), Wilhm et al. (1978)

Aulacoseira distans var. alpigena (Grun.) Simons.

Reported as:

Melosira distans. var. alpigena Grun.

KS: Powers (1969)

OK: Williams (1962), WPSS (1961-1963)

Aulacoseira distans f. lacustris (Grun.) Simons.

Reported as:

Melosira distans var. lirata f. lacustris (Grun.) Bethage

MO: Pamperl (1980)

Aulacoseira granulata (Ehr.) Simons.

Reported as:

Lysigonium granulatum (Ehr.) Kuntze

NE: Elmore (1921)

Melosira granulata (Ehr.) Ralfs

CO: WPSS (1961-1963)

KS: Branson (1966), Powers (1969), Reinke (1979a), Williams (1964, 1972), Williams et al. (1979), WPSS (1961-1963)

MO: M.K. Morris et al. (1979a), Pamperl (1980), Williams (1972), WPSS (1961-1963)

NE: Hoagland et al. (1982), F.A. Morris et al. (1979), Williams (1962, 1964, 1972), WPSS (1961-1963, 1966)

OK: Hern et al. (1979), Pfiester and Terry (1978), Pfiester et al. (1979), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962, 1964), WPSS (1961-1963, 1966)

Aulacoseira granulata var. angustissima (O. Müll.) Simons.

Reported as:

Melosira granulata var. angustissima O. Müll.

KS: Powers (1969), Williams et al. (1979), Wujek et al. (1980)

MO: M.K. Morris et al. (1979a), Pamperl (1980)

NE: F.A. Morris et al. (1979)

OK: Hern et al. (1979), Troeger (1983)

Aulacoseira granulata f. curvata (Hust.) Simons.

Reported as:

Melosira granulata var. angustissima f. curvata Grun.

MO: Pamperl (1980)

Aulacoseira granulata f. spiralis (Hust.) Czarn. & Reinke

KS: Czarnecki and Reinke (1982)

Also reported as:

Melosira granulata var. angustissima f. spiralis Hust.

KS: Williams et al. (1979)

OK: Hern et al. (1979)

Aulacoseira italica (Ehr.) Simons.

Reported as:

Melosira italica (Ehr.) Kütz.

KS: Williams (1962), Williams et al. (1979), WPSS (1966)

NE: F.A. Morris et al. (1979), WPSS (1961-1963)

OK: Hern et al. (1979), Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978)

Aulacoseira italica f. crenulata (Ehr.) Ross in Hartley

Reported as:

Gallionella crenata Ehr.

OK: Ehrenberg (1856)

Lysigonium crenulatum (Ehr.) Kuntze

NE: Andersen and Walker (1920), Elmore (1921)

Melosira crenulata (Ehr.) Kütz.

KS: Curtis (1901)

Aulacoseira italica var. tenuissima (Grun.) Simons.

Reported as:

Melosira italica var. tenuissima (Grun.) O. Müll.

KS: Williams et al. (1979)

► Biddulphia laevis Ehr. = Pleurosira laevis (Ehr.) Compère

► Chaetoceros muelleri Lemm.

KS: Harris and Eberle (2001), Reinke (1984, 1985)

► Coscinodiscus lacustris Grun. = Thalassiosira bramaputrae (Ehr.) Håk. & Locker

NE: Elmore (1921)

OK: Wilhm et al. (1977)

Coscinodiscus rothii (Ehr.) Grun.

KS: Wujek et al. (1980)

OK: Williams (1962), WPSS (1961-1963, 1966)

Coscinodiscus rothii var. subsalsa (Juhl.-Dannf.) Hust. = Actinocyclus normanii f. subsalsa (Juhl.-Dannf.) Hust.

► Cyclostephanos dubius (Fricke) Round

Reported as:

Stephanodiscus dubius (Fricke) Hust.

CO: M.K. Morris et al. (1979b)

KS: Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), Roemer et al. (1984), WPSS (1961-1963)

Cyclostephanos invisitatus (Hohn & Hellerm.) Ther., Stoerm., & Håk.

Reported as:

Stephanodiscus invisitatus (Fricke) Hust.

KS: Powers (1969), Williams et al. (1979)

NE: Roemer et al. (1984)

► Cyclotella antigua W. Sm.

NE: Elmore (1921) **OK**: Leake (1945)

Cyclotella atomus Hust.

CO: WPSS (1961-1963)

KS: Powers (1969), WPSS (1961-1963)

MO: WPSS (1961-1963)

NE: Roemer et al. (1984)

OK: Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), WPSS (1961-1963, 1966)

Cyclotella catenata (Brun) Bachm.

OK: Troeger and Menzel (1986)

Cyclotella comta (Ehr.) Kütz.

KS: Curtis (1901), Wujek et al. (1980)

NE: Elmore (1921)

OK: Pfiester et al. (1979)

Cyclotella distinguenda Hust.

Reported as:

Cyclotella operculata (Ag.) Kütz.

OK: Pfiester et al. (1979)

Cyclotella glomerata Bachm. = Discotella glomerata (Bachm.) Houk & Klee

Cyclotella krammeri Håk. [see Håkansson (1990), Teubner (1995)]

Reported as:

Cyclotella kuetzingiana Thw.

KS: Powers (1969)

OK: WPSS (1961-1963)

Cyclotella kuetzingiana var. planetophora Fricke

OK: Troeger (1978)

Cyclotella kuetzingiana var. radiosa Fricke

MO: Pamperl (1980)

Cyclotella kuetzingiana Thw. = *Cyclotella krammeri* Håk.

Cyclotella kuetzingiana var. planetophora Fricke = Cyclotella krammeri Håk. [see Håkansson (1990), Teubner (1995)]

Cyclotella kuetzingiana var. radiosa Fricke = Cyclotella krammeri Håk. [see Håkansson (1990), Teubner (1995)]

Cyclotella meneghiniana Kütz. = Stephanocyclus meneghiniana (Kütz.) Skab.

Cyclotella meneghiniana var. laevissima (van Goor) Hust. = Stephanocyclus laevissima (van Goor) comb. nov.?

Cyclotella michiganiana Skv.

KS: ?Williams et al. (1979)

Cyclotella nana Hust. = Thalassiosira pseudonana (Hust.) Hasle & Heimdal

Cyclotella operculata sensu (Ag.) Kütz. = Cyclotella distinguenda Hust. [see Håkansson (1989)]

Cyclotella pseudostelligera Hust. = Discostella pseudostelligera (Hust.) Houk & Klee

Cyclotella rotula Kütz. = *Stephanodiscus rotula* (Kütz.) Hendey

Cyclotella stelligera Cl. & Grun. = Discostella stelligera (Cl. & Grun.) Houk & Klee

Cyclotella stelligeroides Hust. = Discostella stelligeroides (Hust.) Houk & Klee

Cyclotella striata (Kütz.) Grun.

KS: McFarland et al. (1964)

OK: Koch (1975), Pfiester et al. (1979)

Cyclotella striata var. bipunctata Fricke

MO: Pamperl (1980)

► Discostella glomerata (Bachm.) Houk & Klee

Reported as:

Cyclotella glomerata Bachm.

KS: Powers (1969)

Discostella pseudostelligera (Hust.) Houk & Klee

Reported as:

Cyclotella pseudostelligera Hust.

KS: Powers (1969), WPSS (1961-1963)

MO: Pamperl (1980), WPSS (1961-1963)

NE: WPSS (1961-1963)

OK: WPSS (1961-1963)

Discostella stelligera (Cl. & Grun.) Houk & Klee

Reported as:

Cyclotella stelligera Cl. & Grun.

KS: Williams et al. (1979), Wujek et al. (1980)

MO: M.K. Morris et al. (1979a), Pamperl (1980)

NE: F.A. Morris et al. (1979)

OK: Hern et al. (1979), Pfiester and Terry (1978), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), WPSS (1961-1963)

Discostella stelligeroides (Hust.) Houk & Klee

Reported as:

Cyclotella stelligeroides Hust.

KS: Powers (1969)

► Gallionella crenata Ehr. = Aulacoseira italica f. crenulata (Ehr.) Ross in Hartley

Gallionella distans Ehr. = *Aulacoseira distans* (Ehr.) Simons.

Gallionella laevis Ehr. = Aulacoseira distans (Ehr.) Simons.

► Lysigonium crenulatum (Ehr.) Kuntze = Aulacoseira italica f. crenulata (Ehr.) Ross in Hartley

Lysigonium distans (Ehr.) Kuntze = Aulacoseira distans (Ehr.) Simons.

Lysigonium granulatum (Ehr.) Kuntze = Aulacoseira granulata (Ehr.) Simons

Lysigonium varians (Ag.) DeT. = *Melosira varians* Ag.

► Melosira ambigua (Grun.) O. Müll. = Aulacoseira ambigua (Grun.) Simons.

Melosira binderana Kütz. = Stephandiscus binderanus (Kütz.) Krieger?

OK: WPSS (1961-1963) [probably misidentified; this species was introduced into Great Lakes region]

Melosira crenulata (Ehr.) Kütz. = Aulacoseira italica f. crenulata (Ehr.) Ross in Hartley

Melosira distans (Ehr.) Kütz. = *Aulacoseira distans* (Ehr.) Simons.

Melosira distans var. alpigena Grun. = Aulacoseira distans var. alpigena (Grun.) Simons.

Melosira distans var. lirata f. lacustris (Grun.) Bethage = Aulacoseira distans f. lacustris (Grun.) Simons.

Melosira granulata (Ehr.) Ralfs = *Aulacoseira granulata* (Ehr.) Simons.

Melosira granulata var. angustissima O. Müll. = Aulacoseira granulata var. angustissima (O. Müll.) Simons.

Melosira granulata var. angustissima f. curvata Grun. = Aulacoseira granulata f. curvata (Hust.) Simons.

Melosira granulata var. *angustissima* f. *spiralis* Hust. = *Aulacoseira granulata* f. *spiralis* (Hust.) Czarn. & Reinke *Melosira italica* (Ehr.) Kütz. = *Aulacoseira italica* (Ehr.) Simons.

Melosira italica var. tenuissima (Grun.) O. Müll. = Aulacoseira italica var. tenuissima (Grun.) Simons.

Melosira undulata (Ehr.) Kütz.

OK: Wilhm et al. (1977)

Melosira varians Ag.

CO: Cockerell (1888)

KS: Curtis (1901), McFarland et al. (1964), Williams et al. (1979), Wujek et al. (1980)

MO: M.K. Morris et al. (1979a), Pamperl (1980)

NE: Andersen and Walker (1920), F.A. Morris et al. (1979), Webber (1889, 1890), Williams (1962), WPSS (1961-1963, 1966)

OK: Hern et al. (1979), Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Also reported as:

Lysigonium varians (Ag.) DeT.

NE: Andersen and Walker (1920), Elmore (1921)

► Pleurosira laevis (Ehr.) Compère

KS: Harris and Eberle (2001)

Also reported as:

Biddulphia laevis Ehr.

CO: WPSS (1961-1963)

KS: Boyer (1927*a*), Powers (1969), Reinke (1979*a*, 1982*b*), Wenke and Eberle (1986), Williams (1962), Wolle (1894), WPSS (1961-1963, 1966)

NE: Elmore (1921), Webber (1890), Wolle (1894)

OK: Koch (1975), Pfiester and Terry (1978), Wilhm et al. (1977)

► Rhizosolenia sp. = Urosolenia sp.? [Rhizosolenia (marine) is structurally distinct from Urosolenia (inland waters)] Rhizosolenia (Urosolenia?) minima Lev.

KS: Harris and Eberle (2001)

► Skeletonema potamos (Weber) Hasle

KS: Williams et al. (1979) MO: M.K. Morris et al. (1979*a*) OK: Hern et al. (1979)

► Stephanocyclus meneghiniana (Kütz.)

Reported as:

Cyclotella meneghiana Kütz.

CO: M.K. Morris et al. (1979b), WPSS (1961-1963)

KS: Curtis (1901), Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Williams (1962, 1964), Williams et al. (1979), WPSS (1961-1963, 1966), Wujek et al. (1980)

MO: M.K. Morris et al. (1979a), Pamperl (1980), Williams (1962), WPSS (1961-1963, 1966)

NE: Andersen and Walker (1920), Elmore (1921), Hoagland et al. (1982), F.A. Morris et al. (1979), Roemer et al. (1984), Williams (1962, 1964), Williams and Scott (1962), WPSS (1961-1963, 1966)

OK: Cooper and Wilhm (1975), Hern et al. (1979), Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Troeger and Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962, 1964, 1972), Williams and Scott (1962), WPSS (1961-1963, 1966)

Stephanocyclus laevissima (van Goor) comb. nov.?

Reported as:

Cyclotella meneghiana var. laevissima (van Goor) Hust.

OK: Troeger (1978)

► Stephanodiscus alpinus Hust.

KS: Powers (1969)

Stephanodiscus astraea?

This species was reported from KS, MO, NE, and OK. However, taxonomic uncertainties in this group make it impossible to know which taxa actually were collected without reexamining the specimens. See Round (1981). *Stephanodiscus dubius* (Fricke) Hust. = *Cyclostephanos dubius* (Fricke) Round

Stephanodiscus hantzschii Grun.

KS: Powers (1969), Williams (1962, 1964), Williams and Scott (1962), Williams et al. (1979), WPSS (1961-1963, 1966), Wujek (1965)

MO: Williams (1962, 1964, 1972), Williams and Scott (1962), WPSS (1961-1963, 1966)

NE: Hoagland et al. (1982), Roemer et al. (1984), Williams (1962, 1964), Williams and Scott (1962), WPSS (1961-1963, 1966)

OK: Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), Williams and Scott (1962), WPSS (1961-1963, 1966)

Stephanodiscus hantzschii f. tenuis (Hust.) Håk. & Stoerm.

Reported as:

Stephanodiscus tenuis Hust.

KS: Williams et al. (1979)

Stephanodiscus invisitatus Hohn & Hellerm. = Cyclostephanos invisitatus (Hohn & Hellerm.) Ther., Stoerm., & Håk.

Stephanodiscus minutula (Kütz.) Round

NE: Roemer et al. (1984)

Stephanodiscus niagarae Ehr.

KS: WPSS (1961-1963)

MO: M.K. Morris et al. (1979a), WPSS (1961-1963)

NE: Elmore (1921), F.A. Morris et al. (1979), Williams (1962), WPSS (1961-1963, 1966)

Stephanodiscus rotula (Kütz.) Hendev

Reported as:

Cyclotella rotula Kütz.

KS: Curtis (1901)

Stephanodiscus rotula var. minutula (Kütz.) Ross & Sims

NE: Hoagland et al. (1982)

Stephanodiscus tenuis Hust. = Stephanodiscus hantzschii f. tenuis (Hust.) Håk. & Stoerm.

► Stephanopyxis broschii Grun.

OK: Pfiester and Terry (1978)

► Thalassiosira bramaputrae (Ehr.) Håk. & Locker

Reported as:

Coscinodiscus lacustris Grun.

NE: Elmore (1921) **OK**: Wilhm et al. (1977)

Thalassiosira fluviatilis Hust. = Thalassiosira weisflogii (Grun.) Fryxell & Hasle

Thalassiosira pseudonana (Hust.) Hasle & Heimdal

Reported as:

Cyclotella nana Hust. KS: Powers (1969)

Thalassiosira weisflogii (Grun.) Fryxell & Hasle

Reported as:

Thalassiosira fluviatilis Hust. KS: Wujek et al. (1980) OK: Koch (1975)

► *Urosolenia* sp. [now includes "freshwater" species; structurally distinct marine species retained in *Rhizosolenia*] Reported as:

Rhizosolenia sp.

OK: Hern et al. (1979)

Also see Rhizosolenia (Urosolenia) minima Lev.

PENNATE DIATOMS (without raphes) - Fragilariophyceae

Names in *bold italic print* are current names for taxa reported from the central United States. Names in *standard italic print* are synonyms for the currently accepted names listed after them. References that reported a taxon or its synonyms are listed under the currently accepted name. The names of the states are abbreviated with their postal codes: CO = eastern Colorado, KS = Kansas, MO = western Missouri, NE = Nebraska, OK = Oklahoma.

► Asterionella formosa Hass.

KS: Powers (1969), Reinke (1979a), Williams et al. (1979), WPSS (1961-1963)

MO: M.K. Morris et al. (1979a), Pamperl (1980), Williams (1962), WPSS (1961-1963, 1966)

NE: Hoagland et al. (1982), F.A. Morris et al. (1979), Roemer et al. (1984), Williams (1962, 1964, 1972), WPSS (1961-1963, 1966)

OK: Hern et al. (1979), Pfiester et al. (1979), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Asterionella formosa var. gracillima (Hantz.) Grun.

KS: Williams et al. (1979)

► Catacombas gaillonii (Bory) Will. & Round

Reported as:

Synedra gaillonii (Bory) Ehr.

KS: Czarnecki and Reinke (1981)

OK: Kennedy and Pfiester (1984)

- ► Ceratoneis arcus (Ehr.) Kütz. = Hannaea arcus (Ehr.) Patr.
- ► Ctenophora pulchella (Ralfs ex Kütz.) Will. & Round

KS: Harris and Eberle (2001)

Also reported as:

Synedra pulchella Ralfs ex Kütz.

KS: Curtis (1901), Wenke and Eberle (1986)

NE: Elmore (1921), Hoagland et al. (1982)

Plains States: Patrick and Reimer (1966)

Synedra pulchella f. major Grun.

KS: Ĉurtis (1901)

Synedra pulchella var. smithii (Ralfs) Grun.

NE: Webber (1890) [and parenthetically as Synedra acicularis W. Sm.]

Ctenophora pulchella var. lacerata (Hust.) Bukht.

Reported as:

Synedra pulchella var. lacerata Hust.

NE: Hoagland et al. (1982), Patrick and Reimer (1966)

Ctenophora pulchella var. lanceolata (O'Meara) Bukht.

Reported as:

Synedra pulchella var. lanceolata O'Meara

KS: Czarnecki and Reinke (1981) [see Eberle (1982:131)]

NE: Patrick and Reimer (1966)

► Diatoma elongatum (Lyngb.) Ag. = Diatoma tenue var. elongatum Lyngb.

Diatoma hiemale (Roth) Heib.

KS: Reinke (1979a)

OK: Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Also reported as:

Odontidium hiemale (Roth) Kütz.

NE: Elmore (1921)

Diatoma tenue Ag.

KS: Curtis (1901), Patrick and Reimer (1966)

OK: Troeger (1983)

Diatoma tenue var. elongatum Lyngb.

CO: M.K. Morris et al. (1979b)

Plains States: Patrick and Reimer (1966)

Also reported as:

Diatoma elongatum (Lyngb.) Ag.

NE: F.A. Morris et al. (1979), Williams (1962), WPSS (1961-1963, 1966)

```
Diatoma vulgare Bory
```

CO: WPSS (1961-1963)

KS: Branson (1966), Harris and Eberle (2001), Powers (1969), Reinke (1979*a*, 1985), Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

MO: Pamperl (1980), WPSS (1961-1963)

NE: Hoagland et al. (1982), F.A. Morris et al. (1979), Roemer et al. (1984), Williams (1962, 1964, 1972), Williams and Scott (1962), WPSS (1961-1963, 1966)

OK: Hern et al. (1979), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Also reported as:

Odontidium vulgare (Bory) Elm.

NE: Elmore (1921)

Tetracyclus rupestris (Braun ex Rab.) Grun. [misidentification?]

NE: Elmore (1921)

Diatoma vulgare var. breve Grun.

Plains States: Patrick and Reimer (1966)

► Fragilaria brevistriata Grun. = Pseudostaurosira brevistriata (Grun.) Will. & Round

Fragilaria brevistriata var. inflata (Pant.) Hust. = Pseudostaurosira brevistriata var. inflata (Pant.) Edlund

Fragilaria capucina Desm.

KS: Williams (1962), WPSS (1961-1963, 1966), Wujek et al. (1980)

MO: Williams (1962), WPSS (1961-1963, 1966)

NE: Andersen and Walker (1920), Elmore (1921), F.A. Morris et al. (1979), Williams (1962), WPSS (1961-1963, 1966)

OK: Koch and Risser (1974), Pfiester et al. (1979), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Also reported as:

Fragilaria diophthalma (Ehr.) Ehr.

NE: Ehrenberg (1856)
OK: Ehrenberg (1856)
Fragilaria rhabdosoma Ehr.
NE: Ehrenberg (1856)

NE: Ehrenberg (1856) OK: Ehrenberg (1856)

Fragilaria capucina var. mesolepta Rab.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Koch and Risser (1974), Troeger and Menzel (1986)

Plains States: Patrick and Reimer (1966)

Fragilaria construens (Ehr.) Grun. = Staurosira construens Ehr.

Fragilaria construens var. binodis (Ehr.) Grun. = Staurosira construens var. binodis (Ehr.) Ham.

 $\textit{Fragilaria construens} \ \text{var. } \textit{venter} \ (\text{Ehr.}) \ \text{Grun.} = \textit{Staurosira construens} \ \text{var. } \textit{venter} \ (\text{Ehr.}) \ \text{Ham.}$

Fragilaria crotonensis Kitton

CO: M.K. Morris et al. (1979b)

KS: Williams (1962), Williams et al. (1979), WPSS (1961-1963, 1966), Wujek et al. (1980)

MO: M.K. Morris et al. (1979a), Pamperl (1980), Williams (1962), WPSS (1961-1963, 1966)

NE: F.A. Morris et al. (1979), Williams (1962, 1964), WPSS (1961-1963, 1966)

OK: Cooper and Wilhm (1975), Hern et al. (1979), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Also reported as:

Synedra crotonensis (Kitton) Cl. & Möll.

KS: Curtis (1901)

Fragilaria diophthalma (Ehr.) Ehr. = Fragilaria capucina Desm.

Fragilaria elliptica f. minor Grun. = Staurosira elliptica (Schum.) Will. & Round

Fragilaria harrisonii (W. Sm.) Grun. = Staurosirella leptostauron (Ehr.) Will. & Round

Fragilaria intermedia Grun.

KS: Curtis (1901), Powers (1969), Williams et al. (1979)

NE: ?F.A. Morris et al. (1979)

Fragilaria lapponica Grun. = Staurosirella lapponica (Grun.) Will. & Round

Fragilaria leptostauron (Ehr.) Hust. = Staurosirella leptostauron (Ehr.) Will. & Round

Fragilaria mutabilis (W. Sm.) Grun. = Staurosirella pinnata (Ehr.) Will. & Round [misidentified Punctastriata?]

Fragilaria pinnata Ehr. = Staurosirella pinnata (Ehr.) Will. & Round [misidentified Punctastriata?]

Fragilaria pinnata var. intercedens (Grun.) Hust. = Staurosirella pinnata var. intercedens (Grun.) Ham.

Fragilaria radians (Kütz.) Will. & Round

Reported as:

Synedra acus var. radians (Kütz.) Hust.

MO: Pamperl (1980)

Synedra radians Kütz.

MO: Pamperl (1980)

NE: Elmore (1921), Hoagland et al. (1982), Roemer et al. (1984)

OK: Pfiester et al. (1979), Troeger (1978)

Plains States: Patrick and Reimer (1966)

Fragilaria rhabdosoma Ehr. = Fragilaria capucina Ehr.

Fragilaria rostrata Ehr. = ?

OK: ?Ehrenberg (1856)

Fragilaria turgens Ehr. =?

KS: Curtis (1901)

Fragilaria vaucheriae (Kütz.) Peters.

KS: Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), Roemer et al. (1984), Rosowski et al. (1986)

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Also reported as:

Synedra vaucheriae (Kütz.) Kütz.

OK: Williams (1962), WPSS (1961-1963, 1966)

Fragilaria vaucheriae var. capitellata (Grun.) Patr.

Reported as:

Synedra vaucheriae var. capitellata (Grun.) Cl.

OK: Pfiester and Terry (1978)

Fragilaria virescens Ralfs = Fragilariforma virescens (Ralfs) Will. & Round

Fragilaria virescens var. mesolepta (Rab.) Schönf. = Fragilariforma virescens var. mesolepta (Rab.) And., Stoerm., & Kreis

► Fragilariforma virescens (Ralfs) Will. & Round

Reported as:

Fragilaria virescens Ralfs

KS: Wujek (1965)

NE: Elmore (1921)

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Fragilariforma virescens var. mesolepta (Rab.) And., Stoerm., & Kreis

Reported as:

Fragilaria virescens var. mesolepta (Rab.) Schönf.

KS: Wujek (1965)

► Hannaea arcus (Ehr.) Patr.

Plains States: Patrick and Reimer (1966)

Also reported as:

Ceratoneis arcus (Ehr.) Kütz. **KS**: WPSS (1961-1963)

► Martyana martyi (Herib.) Round = Staurosirella martyi (Hérib.) Morales

► Meridion circulare (Grev.) Ag.

KS: Curtis (1901), Powers (1969), Wenke and Eberle (1986), Wolle (1889)

NE: Elmore (1921), Rosowski et al. (1986), Webber (1890)

OK: Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Meridion circulare var. constrictum (Ralfs) V.H.

OK: Pfiester et al. (1979)

► Odontidium hiemale (Roth) Kütz. = Diatoma hiemale (Roth) Heib.

Odontidium vulgare (Bory) Elm. = *Diatoma vulgare* Bory

► Opephora martyi Hérib. = Staurosirella martyi (Hérib.) Morales

► Pseudostaurosira brevistriata (Grun.) Will. & Round

Reported as:

Fragilaria brevistriata Grun.

KS: Wenke and Eberle (1986), Wujek (1965)

Plains States: Patrick and Reimer (1966)

Pseudostaurosira brevistriata var. inflata (Pant.) Edlund

Reported as:

Fragilaria brevistriata var. inflata (Pant.) Hust.

KS: Wenke and Eberle (1986), Wujek et al. (1980)

NE: Hoagland et al. (1982), Patrick and Reimer (1966)

► Sceptroneis pacifica (Grun.) Elm. sensu Elmore (1921) = Staurosirella martyi (Hérib.) Morales

Sceptroneis fibula (Bréb.) Elm. = Peronia fibula (Bréb. ex Kütz.) Ross

► Staurosira construens Ehr.

NE: Ehrenberg (1856)

Also reported as:

Fragilaria construens (Ehr.) Grun.

CO: WPSS (1961-1963)

KS: Williams (1962, 1964), Williams and Scott (1962), WPSS (1961-1963, 1966)

MO: Pamperl (1980), Williams (1962, 1964), Williams and Scott (1962), WPSS (1961-1963, 1966)

NE: Andersen and Walker (1920), Elmore (1921), ?F.A. Morris et al. (1979), Williams (1964, 1972), WPSS (1961-1963)

OK: Wilhm et al. (1977), WPSS (1961-1963) Plains States: Patrick and Reimer (1966)

Staurosira construens var. binodis (Ehr.) Ham.

Reported as:

Fragilaria construens var. binodis (Ehr.) Grun.

KS: Wujek et al. (1980)

NE: Andersen and Walker (1920), Patrick and Reimer (1966)

Staurosira construens var. venter (Ehr.) Ham.

KS: Harris and Eberle (2001)

Also reported as:

Fragilaria construens var. venter (Ehr.) Grun.

KS: Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

Staurosira elliptica (Schum.) Will. & Round

Reported as:

Fragilaria elliptica f. minor Grun.

KS: Curtis (1901)

► Staurosirella dubia (Grun.) Morales

NE: Morales and Manoylov (2006)

Staurosirella lapponica (Grun.) Will. & Round

Reported as:

Fragilaria lapponica Grun.

OK: Patrick and Reimer (1966)

Staurosirella leptostauron (Ehr.) Will. & Round

NE: Morales and Manoylov (2006)

Also reported as:

Fragilaria harrisonii (W. Sm.) Grun.

NE: Elmore (1921), Webber (1889, 1890)

Fragilaria leptostauron (Ehr.) Hust.

NE: F.A. Morris et al. (1979)

OK: Koch and Risser (1974), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Staurosirella martyi (Hérib.) Morales

NE: Morales and Manoylov (2006)

Also reported as:

Martyana martyi (Herib.) Round

KS: Harris & Eberle (2001)

Opephora martvi Hérib.

KS: WPSS (1961-1963), Wujek et al. (1980)

MO: WPSS (1961-1963)

NE: WPSS (1961-1963)

OK: Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Sceptroneis pacifica (Grun.) Elm.

NE: Andersen and Walker (1920), Elmore (1921)

Staurosirella pinnata (Ehr.) Will. & Round [misidentified Punctastriata?]

Reported as:

Fragilaria mutabilis (W. Sm.) Grun.

KS: Curtis (1901)

NE: Andersen and Walker (1920), Elmore (1921)

Fragilaria pinnata Ehr.

KS: WPSS (1961-1963), Wujek (1965)

MO: Pamperl (1980), WPSS (1961-1963)

NE: Ehrenberg (1856), Roemer et al. (1984), WPSS (1961-1963)

OK: Ehrenberg (1856), Pfiester et al. (1979), Wilhm et al. (1977), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Staurosirella pinnata var. intercedens (Grun.) Ham.

Reported as:

Fragilaria pinnata var. intercedens Grun.

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Staurosirella subcapitata (Freng.) Morales

NE: Morales and Manoylov (2006)

► Striatella fenestrata (Lyngb.) Kuntze = Tabellaria fenestrata (Lyngb.) Kütz.

Striatella flocculosa (Roth) Kuntze = Tabellaria flocculosa (Roth) Kütz.

► Synedra acus Kütz.

KS: Curtis (1901), Williams et al. (1979), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), F.A. Morris et al. (1979), Roemer et al. (1984), Webber (1890)

OK: Hern et al. (1979), Pfiester et al. (1979), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Also reported as:

Synedra tenuissima Kütz.

NE: Elmore (1921)

Synedra acus var. angustissima (Grun.) V.H. = Synedra delicatissima var. angustissima Grun.

Synedra acus var. radians (Kütz.) Hust. = Fragilaria radians (Kütz.) Will. & Round

Synedra acuta Ehr.

OK: Ehrenberg (1856)

Synedra amphicephala Kütz.

NE: Elmore (1921)

Plains States: Patrick and Reimer (1966)

Synedra capitata Ehr.

KS: Czarnecki and Reinke (1981)

NE: Elmore (1921)

Plains States: Patrick and Reimer (1966)

Synedra crotonensis (Kitton) Cl. & Moll. = Fragilaria crotonensis Kitton

Synedra cyclopum Brutschy

OK: Kennedy and Pfiester (1984)

Synedra danica Kütz. = Synedra ulna var. danica (Kütz.) V.H.

Synedra delicatissima W. Sm.

KS: ?Harris and Eberle (2001), Wujek et al. (1980)

MO: M.K. Morris et al. (1979a), Pamperl (1980)

OK: Hern et al. (1979)

```
Synedra delicatissima var. angustissima Grun.
   MO: M.K. Morris et al. (1979a), Pamperl (1980)
   OK: Hern et al. (1979), Troeger and Menzel (1986)
   Plains States: Patrick and Reimer (1966)
   Also reported as:
       Synedra acus var. angustissima (Grun.) V.H.
           OK: Troeger (1978, 1983)
Synedra entomon Ehr. = Nitzschia entomon (Ehr.) Ralfs
Synedra familiaris Kütz. = Synedra rumpens var. familiaris (Kütz.) Hust.
Synedra fasciculata (Ag.) Kütz. = Tabularia fasciculata (Ag.) Will. & Round
Synedra fasciculata var. truncata (Grev.) Patr. = Tabularia fasciculata (Ag.) Will. & Round
Synedra filiformis var. exilis Cl.-Eul.
   NE: Roemer et al. (1984)
   OK: Troeger (1983)
Svnedra\ flexuosa = ?
   OK: Ehrenberg (1856)
Synedra gaillonii (Bory) Ehrenb. = Catacombas gaillonii (Bory) Will. & Round
Svnedra goulardi Bréb.
   KS: Wenke and Eberle (1985)
   MO: Pamperl (1980)
   OK: Pfiester et al. (1979)
Synedra incisa Bover
   NE: Patrick and Reimer (1966)
Synedra lanceolata Kütz. = Synedra ulna (Nitz.) Ehr.
Synedra minuscula Grun. [= Fragilaria minuscula (Grun.) Will. & Round?]
   KS: Williams et al. (1979)
   MO: Pamperl (1980)
   OK: Koch (1975), Pfiester et al. (1979)
Synedra nana Meist.
   OK: WPSS (1961-1963)
Synedra parasitica (W. Sm.) Hust.
   KS: Wujek et al. (1980)
   MO: Pamperl (1980)
   OK: Koch and Risser (1974)
   Plains States: Patrick and Reimer (1966)
Synedra parasitica var. subconstricta (Grun.) Hust.
   KS: Wujek et al. (1980)
   OK: Koch and Risser (1974)
Synedra pulchella Ralfs ex Kütz. = Ctenophora pulchella (Ralfs ex Kütz.) Will. & Round
Synedra pulchella f. major Grun. = Ctenophora pulchella (Ralfs ex Kütz.) Will. & Round
Synedra pulchella var. lacerata Hust. = Ctenophora pulchella var. lacerata (Hust.) Bukht.
Synedra pulchella var. lanceolata O'Meara = Ctenophora pulchella var. lanceolata (O'Meara) Bukht.
Synedra pulchella var. smithii (Ralfs) Grun. = Ctenophora pulchella (Ralfs ex Kütz.) Will. & Round
Synedra radians Kütz. = Fragilaria radians (Kütz.) Will. & Round
Synedra rumpens Kütz.
   KS: Williams et al. (1979)
   MO: Pamperl (1980)
   NE: Andersen and Walker (1920), F.A. Morris et al. (1979)
   OK: Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Wilhm et al. (1977), Wilhm et al. (1978)
   Plains States: Patrick and Reimer (1966)
Svnedra rumpens var. familiaris (Kütz.) Hust.
   KS: Wenke and Eberle (1985)
   MO: Pamperl (1980)
   OK: Troeger (1978)
   Plains States: Patrick and Reimer (1966)
   Also reported as:
       Synedra familiaris Kütz.
           KS: Curtis (1901)
           NE: Elmore (1921)
Synedra rumpens var. fragilarioides Grun.
   MO: Pamperl (1980)
   NE: Patrick and Reimer (1966)
```

OK: Troeger (1978)

Synedra rumpens var. meneghiniana Grun.

OK: Troeger (1978)

Synedra spectabilis Ehr. = Hantzschia spectabilis (Ehr.) Hust.

Synedra splendens Kütz. = *Synedra ulna* (Nitz.) Ehr.

Synedra superba Kütz.

KS: Curtis (1901)

Synedra tabulata (Ag.) Kütz. = Tabularia tabulata (Ag.) Snoeijs

Synedra tenera W. Sm.

OK: Troeger (1978, 1983)

Synedra tenuissima Kütz. = Synedra acus Kütz.

Synedra ulna (Nitz.) Ehr.

CO: Williams (1964), WPSS (1961-1963)

KS: Curtis (1901), Harris and Eberle (2001), McFarland et al. (1964), Powers (1969), Reinke (1985), Wenke and Eberle (1986), Williams (1962, 1964, 1972), Williams and Scott (1962), Williams et al. (1979), Wolle (1889), WPSS (1961-1963, 1966), Wujek et al. (1980)

MO: Pamperl (1980), Williams (1962), Williams (1964), WPSS (1961-1963), WPSS (1966)

NE: Andersen and Walker (1920), Elmore (1921), F.A. Morris et al. (1979), Roemer et al. (1984), Rosowski et al. (1986), Webber (1889, 1890), Williams (1964), WPSS (1961-1963)

OK: Cooper and Wilhm (1975), Ehrenberg (1856), Hern et al. (1979), Koch (1975), Koch and Risser (1974), Leake (1945), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Troeger and Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962, 1964, 1972), Willson and Forest (1957), WPSS (1961-1963, 1966)

Plains States: Patrick and Reimer (1966)

Also reported as:

Synedra lanceolata Kütz.

KS: Curtis (1901)

Synedra splendens Kütz.

KS: Branson (1966)

Synedra ulna var. splendens (Kütz.) V.H.

NE: Webber (1890)

Synedra ulna var. aequalis (Kütz.) Brun

OK: Pfiester et al. (1979)

Synedra ulna var. amphirhynchus (Ehr.) Grun.

OK: Pfiester et al. (1979)

Also reported as:

Synedra ulna var. vitrea (Bory ex Kütz.) V.H.

KS: Curtis (1901)

Synedra ulna var. chaseana Thomas

OK: Pfiester et al. (1979)

Synedra ulna var. contracta Østr.

OK: Pfiester et al. (1979)

Synedra ulna var. danica (Kütz.) V.H.

KS: Harris and Eberle (2001), Wujek (1965)

Plains States: Patrick and Reimer (1966)

Also reported as:

Synedra danica Kütz.

KS: Curtis (1901)

Synedra ulna var. longissima (W. Sm.) Brun

KS: Curtis (1901)

Plains States: Patrick and Reimer (1966)

Synedra ulna var. ramesi (Herib.) Hust.

MO: Pamperl (1980)

Plains States: Patrick and Reimer (1966)

Synedra ulna var. spathulifera Hust.

KS: Wujek et al. (1980)

Synedra ulna var. splendens (Kütz.) V.H. = Synedra ulna (Nitz.) Ehr.

Synedra ulna var. subaequalis (Grun.) V.H.

Plains States: Patrick and Reimer (1966)

Synedra ulna var. vitrea (Bory ex Kütz.) V.H. = Synedra ulna var. amphirhynchus (Ehr.) Grun.

Synedra vaucheriae (Kütz.) Kütz. = Fragilaria vaucheriae (Kütz.) Peters.

Synedra vaucheriae var. capitellata (Grun.) Cl. = Fragilaria vaucheriae var. capitellata (Grun.) Patr.

► Tabellaria fenestrata (Lyngb.) Kütz.

KS: Reinke (1982*a*)

OK: Hern et al. (1979), WPSS (1961-1963)

Also reported as:

Striatella fenestrata (Lyngb.) Kuntze

NE: Elmore (1921)

Tabellaria flocculosa (Roth) Kütz.

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Also reported as:

Striatella flocculosa (Roth) Kuntze

NE: Elmore (1921)

► Tabularia fasciculata (Ag.) Will. & Round

KS: Harris and Eberle (2001)

Also reported as:

Synedra fasciculata (Ag.) Kütz.

KS: Wenke and Eberle (1986), Wujek et al. (1980)

OK: Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977)

Plains States: Patrick and Reimer (1966)

Synedra fasciculata var. truncata (Grev.) Patr.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

Tabularia tabulata (Ag.) Snoeijs

KS: Harris and Eberle (2001)

Also reported as:

Synedra tabulata (Ag.) Kütz.

NE: Elmore (1921)

OK: Wilhm et al. (1977)

► Tetracyclus lacustris Ralfs

NE:Andersen and Walker (1920), Elmore (1921), Patrick and Reimer (1966)

Tetracyclus rupestris (Braun ex Rab.) Grun. = misidentified Diatoma vulgare Bory?

PENNATE DIATOMS (with raphes) - Bacillariophyceae

Names in *bold italic print* are current names for taxa reported from the central United States. Names in *standard italic print* are synonyms for the currently accepted names listed after them.

References that reported a taxon or its synonyms are listed under the currently accepted name. The names of the states are abbreviated with their postal codes: CO = eastern Colorado, KS = Kansas, MO = western Missouri, NE = Nebraska, OK = Oklahoma. ► Achnanthes affinis Grun. = Achnanthidium affine (Grun.) Czarn. Achnanthes biasolettiana Grun. = Achnanthidium biasolettianum (Grun.) Round & Bukht. Achnanthes breviceps var. intermedia (Kütz.) Cl. = Achnanthidium breviceps var. intermedium (Kütz.) Cl. Achnanthes chlidanos Hohn & Hellerm. MO: Pamperl (1980) Achnanthes clevei Grun. = Achnanthidium clevei (Grun.) Czarn. = Karayevia clevei (Grun.) Round & Bukht. Achnanthes coarctata (Bréb.) Grun. OK: Pfiester et al. (1979) Achnanthes deflexa Reim. = Achnanthidium deflexum (Reim.) Kingst. *Achnanthes exigua* Grun. = *Achnanthidium exiguum* (Grun.) Czarn. Achnanthes exigua var. constricta (Grun.) Hust. = Achnanthidium exiguum var. constrictum (Grun.) And., Stoerm., Achnanthes exiqua var. heterovalva Krasske = Achnanthidium exiguum var. heterovalvum (Krasske) Czarn. Achnanthes exilis Kütz. = Achnanthidium exilis (Kütz.) Round & Burkht. Achnanthes gibberula Grun. = Achnanthes thermalis (Rab.) Schönf. Achnanthes hauckiana Grun. = Planothidium haukianum (Grun.) Round & Burkht. Achnanthes hudsonis Grun. KS: Curtis (1901) Achnanthes hungarica (Grun.) Grun. = Lemnicola hungarica (Grun.) Round & Basson Achnanthes inflata (Kütz.) Grun. **OK**: Pfiester et al. (1979), Wilhm et al. (1977) Achnanthes lanceolata Bréb. ex Kütz. = Planothidium lanceolatum (Bréb.) Round & Bukht. Achnanthes lanceolata var. dubia Grun. = Planothidium dubium (Grun.) Round & Bukht. Achnanthes lanceolata var. haynaldii (Schaarsch.) Cl. = Planothidium haynaldii (Schaarsch.) Lange-Bert. Achnanthes lapponica var. ninckei (Guerm. & Mang.) Reim. = Eucocconeis lapponica var. ninckei (Guerm. & Mang.) Edlund Achnanthes linearis (W. Sm.) Grun. = Achnanthidium biasolettianum (Grun.) Round & Bukht. Achnanthes linearis f. curta H.L. Sm. = Achnanthidium biasolettianum (Grun.) Round & Bukht. Achnanthes microcephala (Kütz.) Grun. = Achnanthidium microcephalum Kütz. Achnanthes minutissima Kütz. = Achnanthidium minutissimum (Kütz.) Czarn. Achnanthes minutissima f. curta Grun. = Achnanthes minutissima Kütz. = Achnanthidium minutissimum (Kütz.) Czarn. Achnanthes pinnata Hust. OK: Koch and Risser (1974) Achnanthes thermalis (Rab.) Schönf. Reported as: Achnanthes gibberula Grun. OK: Pfiester et al. (1979) Achnanthes trinodis (W. Sm.) Grun. = Achnanthidium trinodis Arnott ex Ralfs ► Achnanthidium affine (Grun.) Czarn. Reported as: Achnanthes affinis Grun.

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

```
Achnanthidium biasolettianum (Grun.) Round & Bukht.
   Reported as:
       Achnanthes biasolettiana Grun.
           KS: Curtis (1901)
       Achnanthes linearis (W. Sm.) Grun. = Rossithidium linearis (W. Sm.) Round & Bukht.?
           MO: Pamperl (1980)
           NE: Elmore (1921)
           OK: Koch and Risser (1974), Pfiester et al. (1979), Troeger (1978, 1983), Troeger and Menzel (1986)
       Achnanthes linearis f. curta H.L. Sm.
           MO: Pamperl (1980)
           OK: Troeger (1978)
Achnanthidium breviceps var. intermedium (Kütz.) Cl.
    Reported as:
       Achnanthes breviceps var. intermedia (Kütz.) Cl.
           KS: Czarnecki and Reinke (1981)
Achnanthidium deflexum (Reim.) Kingst.
   Reported as:
       Achnanthes deflexa Reim.
           KS: Wenke and Eberle (1985)
           OK: Koch and Risser (1974), Patrick and Reimer (1966)
Achnanthidium exiguum (Grun.) Czarn.
   Reported as:
       Achnanthes exigua Grun.
           KS: Curtis (1901), Wujek (1965), Wujek et al. (1980)
           MO: Pamperl (1980)
           OK: Koch and Risser (1974), Pfiester et al. (1979), Troeger (1978, 1983)
           Plains States: Patrick and Reimer (1966)
       Stauroneis parvula Jan. sensu Elmore
           NE: Elmore (1921)
Achnanthidium exiguum var. constrictum (Grun.) And., Stoerm., & Kreis
    Reported as:
       Achnanthes exigua var. constricta (Grun.) Hust.
           KS: Wujek et al. (1980)
Achnanthidium exiguum var. heterovalvum (Krasske) Czarn.
    Reported as:
       Achnanthes exiqua var. heterovalva Krasske
           OK: Seyfer and Wilhm (1977)
           Plains States: Patrick and Reimer (1966)
Achnanthidium exilis (Kütz.) Round & Bukht.
    Reported as:
       Achnanthes exilis Kütz.
           KS: Curtis (1901)
Achnanthidium microcephalum Kütz.
   Reported as:
       Achnanthes microcephala (Kütz.) Grun.
           KS: Elmore (1921)
           MO: M.K. Morris et al. (1979a), Pamperl (1980)
           NE: Elmore (1921), Patrick and Reimer (1966)
           OK: Hern et al. (1979), Pfiester et al. (1979)
Achnanthidium minutissimum (Kütz.) Czarn.
   Reported as:
       Achnanthes minutissima Kütz.
           KS: Curtis (1901), Powers (1969), Williams (1962), WPSS (1961-1963, 1966), Wujek et al. (1980)
           MO: Pamperl (1980)
           NE: Hoagland et al. (1982), Roemer et al. (1984), Williams (1962), WPSS (1961-1963, 1966)
           OK: Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1977),
                Williams (1962), WPSS (1966)
           Plains States: Patrick and Reimer (1966)
       Achnanthes minutissima f. curta Grun.
           KS: Curtis (1901)
Achnanthidium trinodis Arnott ex Ralfs
   Reported as
       Achnanthes trinodis (W. Sm.) Grun.
```

KS: Curtis (1901)

```
► Amphicampa mirabilis Ehr. ex Ralfs
      NE: Patrick and Reimer (1966)
► Amphipleura pellucida (Kütz.) Kütz.
      KS: Curtis (1901), Wujek et al. (1980)
      MO: Pamperl (1980)
      NE: Hoagland et al. (1982)
      OK: Koch and Risser (1974), Seyfer and Wilhm (1977), Troeger (1978), Troeger and Menzel (1986), Wilhm et al. (1978)
      Plains States: Patrick and Reimer (1966)
► Amphiprora alata (Ehr.) Kütz. = Entomoneis alata (Ehr.) Ehr.
  Amphiprora conspicua Grev. = Entomoneis alata (Ehr.) Ehr.
  Amphiprora ornata Bail. = Entomoneis ornata (Bail.) Reim.
  Amphiprora paludosa W. Sm. = Entomoneis paludosa (W. Sm.) Reim.
  Amphiprora pulchra Bail. = Entomoneis pulchra (Bail.) Reim.
► Amphora acutiuscula Kütz.
      KS: Czarnecki and Reinke (1981), Harris and Eberle (2001)
      OK: Kennedy and Pfiester (1984)
  Amphora coffeiformis (Ag.) Kütz.
      KS: Czarnecki and Reinke (1981), Harris and Eberle (2001)
      NE: Patrick and Reimer (1975)
      OK: Kennedy and Pfiester (1984)
      Also reported as:
          Amphora salina W. Sm.
             NE: Elmore (1921), Schofield (1892), Webber (1890)
          Amphora salinarum W. Sm.
             OK: Koch (1975)
  Amphora commutata Grun. in Olive
      KS: Harris and Eberle (2001)
  Amphora copulata (Kütz.) Schoem. & Arch. = Amphora ovalis var. affinis (Kütz.) Schoem. & Arch.
  Amphora cymbifera Greg.
      KS: Curtis (1901)
  Amphora javanica A.S.
      KS: Czarnecki and Reinke (1981)
  Amphora\ lineata = Amphora?
      KS: Curtis (1901) [see Eberle (1981:18)]
  Amphora libyca Ehr. = Amphora ovalis var. affinis (Kütz.) V.H. ex DeT.
      [Considered a valid species by Krammer (1980), but included as synonym of A. copulata (Kütz.) Schoem. &
      Arch. by Schoeman and Archibald (1986)]
  Amphora montana Krasske
      KS: Powers (1969)
  Amphora normanii Rab.
      OK: Pfiester et al. (1979)
  Amphora ovalis (Kütz.) Kütz.
      KS: Curtis (1901), Elmore (1921), Harris and Eberle (2001), Wolle (1889), Wujek et al. (1980)
      NE: Andersen and Walker (1920), Elmore (1921), WPSS (1961-1963)
      OK: Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1977), Wilhm et
           al. (1978)
      Plains States: Patrick and Reimer (1975)
  Amphora ovalis var. affinis (Kütz.) V.H. ex DeT. [= Amphora copulata (Kütz.) Schoem. & Arch.]
      KS: Wenke and Eberle (1986), Wujek et al. (1980)
      OK: Troeger and Menzel (1986)
      Plains States: Patrick and Reimer (1975)
      Also reported as:
          Amphora copulata (Kütz.) Schoem. & Arch.
              KS: Harris and Eberle (2001)
          Amphora libyca Ehr.
             KS: Curtis (1901) [see Eberle (1981:17)]
             NE: Ehrenberg (1856)
```

OK: Ehrenberg (1856)

```
Amphora ovalis var. pediculus (Kütz.) V.H. ex DeT. sensu Patrick and Reimer (1975) [= A. copulata (Kütz.)
       Schoem. & Arch.]
      KS: Czarnecki and Reinke (1981)
      MO: Pamperl (1980)
      NE: Hoagland et al. (1982)
      OK: Koch and Risser (1974), Pfiester et al. (1979)
      Plains States: Patrick and Reimer (1975)
  Amphora perpusilla (Grun.) Grun. sensu Patrick and Reimer (1975)
      KS: Wujek et al. (1980)
      MO: Pamperl (1980)
      NE: Hoagland et al. (1982)
  Amphora salina W. Sm. = Amphora coffeiformis (Ag.) Kütz.
  Amphora salinarum W. Sm. = Amphora salina W. Sm.? [= Amphora coffeiformis (Ag.) Kütz.]
  Amphora submontana Hust. [= Amphora montana Krasske?]
      KS: Powers (1969)
      Plains States: Patrick and Reimer (1975)
  Amphora veneta Kütz.
      KS: Harris and Eberle (2001), Wujek et al. (1980)
      MO: Pamperl (1980)
      NE: Hoagland et al. (1982)
      OK: Pfiester et al. (1979), Troeger (1983)
      Plains States: Patrick and Reimer (1975)
► Aneumastus tuscula (Ehr.) D. Mann & Stickle
      Reported as:
          Navicula tuscula Ehr.
              KS: Curtis (1901)
              Plains States: Patrick and Reimer (1966)
► Anomoeoneis costata (Kütz.) Hust.
      KS: Harris and Eberle (2001)
      Plains States: Patrick and Reimer (1966)
  Anomoeoneis exilis (Kütz.) Cl. = Brachysira exilis (Kütz.) Round & Mann
  Anomoeoneis sphaerophora (Ehr.) Pfitz.
      KS: Harris and Eberle (2001), Wenke and Eberle (1986), Wujek et al. (1980)
      OK: Pfiester and Terry (1978), Pfiester et al. (1979)
      Plains States: Patrick and Reimer (1966)
      Also reported as:
          Navicula biceps Ehr.
              KS: Curtis (1901)
          Navicula sphaerophora Ehr.
              KS: Curtis (1901), Wolle (1889)
              NE: Andersen and Walker (1920), Elmore (1921), Webber (1890)
  Anomoeoneis sphaerophora var. sculpta O. Müll.
      NE: Patrick and Reimer (1966)
      Also reported as:
          Navicula rostrata Ehr.
              NE: Elmore (1921)
          Navicula sculpta Ehr.
              NE: Andersen and Walker (1920)
  Anomoeoneis vitrea (Grun.) Ross = Brachysira vitrea (Grun.) Ross
► Bacillaria paradoxa Gmel.
      KS: Harris and Eberle (2001), McFarland et al. (1964), Wenke and Eberle (1986)
      MO: WPSS (1961-1963)
      OK: Ehrenberg (1856), Koch (1975), Seyfer and Wilhm (1977), Troeger (1983)
      Also reported as:
          Homoeocladia paxillifer (O. Müll.) Elm.
              KS: Elmore (1921)
              NE: Elmore (1921)
          Nitzschia paradoxa (Gmel.) Grun.
              KS: Curtis (1901), Powers (1969)
              OK: Wilhm et al. (1977)
```

► Brachysira exilis (Kütz.) Round & Mann

Reported as:

Anomoeoneis exilis (Kütz.) Cl.

OK: Williams (1962), WPSS (1961-1963)

Brachysira serians (Bréb. ex Kütz.) Round & Mann

Reported as:

Navicula serians Bréb. ex Kütz.

NE: Elmore (1921), Webber (1890)

Brachysira vitrea (Grun.) Ross

Reported as:

Anomoeoneis vitrea (Grun.) Ross

KS: Wujek et al. (1980)

► Brebissonia vulgaris (Thw.) Kuntze = Frustulia vulgaris (Thw.) DeT.

► Caloneis amphisbaena (Bory) Cl.

CO: Williams (1964), Williams (1972), WPSS (1961-1963)

KS: Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Williams (1962), WPSS (1961-1963, 1966), Wujek et al. (1980)

NE: WPSS (1961-1963)

OK: Koch (1975), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula amphisbaena Bory

NE: Ehreneberg (1856), Elmore (1921)

OK: Ehreneberg (1856)

Caloneis amphisbaena var. subsalina (Donk.) Cl.

KS: Harris and Eberle (2001)

OK: Koch (1975)

Caloneis bacillaris var. thermalis (Grun.) A. Cl.

NE: Patrick and Reimer (1966)

Caloneis bacillum (Grun.) Cl.

KS: Powers (1969), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula fontinalis Grun.

KS: Curtis (1901)

Caloneis hebes (Ralfs) Patr.

KS: Patrick and Reimer (1966:589)

Also reported as:

Navicula obtusata W. Sm.?

KS: Curtis (1901)

Caloneis lewisii Patr.

KS: Harris and Eberle (2001), Wenke and Eberle (1986), Wujek et al. (1980)

NE: F.A. Morris et al. (1979)

OK: Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Also reported as:

Caloneis trinodis Lewis

KS: Wujek (1965)

Navicula trinodis (Lewis) Boyer

KS: Curtis (1901), Elmore (1921)

NE: Elmore (1921)

Caloneis lewisii var. inflata (Schul.) Patr.

OK: Pfiester and Terry (1978)

Caloneis limosa (Kütz.) Patr.

KS: Wenke and Eberle (1985, 1986)

OK: Pfiester et al. (1979), Troeger (1983)

Plains States: Patrick and Reimer (1966)

Also reported as:

Caloneis schumanniana (Grun.) Cl.

OK: Koch (1975), Troeger (1978)

Navicula limosa Kütz.

NE: Andersen and Walker (1920)

Navicula schumanniana Grun.

KS: Curtis (1901)

Caloneis linearis (Grun.) Boyer

Reported as:

Navicula linearis Grun.

KS: Curtis (1901)

Caloneis molaris (Grun.) Krammer

Reported as:

Pinnularia molaris (Grun.) Cl.

OK: Pfiester and Terry (1978)

Navicula macra Grun.

KS: Curtis (1901)

Caloneis oregonica (Ehr.) Patr.

KS: Wujek et al. (1980)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula liburnica Grun.

NE: Elmore (1921)

Caloneis permagna (J.W. Bail.) Cl.

KS: Czarnecki and Reinke (1981)

Caloneis schumanniana (Grun.) Cl. = Caloneis limosa (Kütz.) Patr.

Caloneis silicula var. truncatula (Grun.) Cl. = Caloneis ventricosa var. truncatula (Grun.) Meist.

Caloneis trinodis (Lewis) Boyer = Caloneis lewisii Patr.

Caloneis ventricosa (Ehr.) Meist.

KS: Wujek et al. (1980)

OK: Koch (1975), Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula leptogongyla Ehr.

KS: Curtis (1901)

Navicula silicula Ehr.

NE: Ehrenberg (1856), Elmore (1921)

OK: Ehrenberg (1856)

Navicula ventricosa Ehr.

NE: Elmore (1921)

Caloneis ventricosa var. alpina (Cl.) Patr.

OK: Troeger (1978)

Caloneis ventricosa var. minuta (Grun.) Patr.

KS: Harris and Eberle (2001), Patrick and Reimer (1966)

Also reported as:

Navicula ventricoa f. minuta Grun.

KS: Curtis (1901)

Caloneis ventricosa var. subundulata (Grun.) Patr.

KS: Wujek et al. (1980)

Caloneis ventricosa var. truncatula (Grun.) Meist.

OK: Koch and Risser (1974), Troeger (1983)

Also reported as:

Caloneis silicula var. truncatula (Grun.) Cl.

OK: Pfiester and Terry (1978)

► Campylodiscus clypeus Ehr.

KS: Czarnecki and Reinke (1981), Harris and Eberle (2001)

NE: Andersen and Walker (1920), Elmore (1921)

Campylodiscus noricus Ehr.

OK: Koch and Risser (1974)

Campylodiscus noricus var. hibernicus (Ehr.) Grun.

KS: Reinke (1979a)

► Cavinula cocconeiformis (Greg. ex Grun.) D. Mann & Stickle

Reported as:

Navicula cocconeiformis Greg. ex Grun.

NE: Elmore (1921), Patrick and Reimer (1966)

Cavinula jaerenfeltii (Hust.) D. Mann & Stickle

Reported as:

Navicula jaerenfeltii Hust.

OK: Pfiester et al. (1979)

Cavinula lacustris (Greg.) D. Mann & Stickle

Reported as:

Navicula lacustris Krasske

OK: Wilhm et al. (1978)

Cavinula variostriata (Krasske) D. Mann

Reported as:

Navicula variostriata Krasske

OK: Troeger (1983)

► Cocconeis diaphana W. Sm. = ?

KS: Wolle (1889) [see Eberle (1981:25)]

Cocconeis diminuta Pant. = Cocconeis neodiminuta Krasske

Cocconeis disculus (Schum.) Cl.

NE: Elmore (1921)

Cocconeis fluviatilis Wall.

OK: Kennedy and Pfiester (1984)

Cocconeis lineata Ehr. = Cocconeis placentula var. lineata (Ehr.) V.H.

Cocconeis mexicana Ehr.

OK: Ehrenberg (1856)

Cocconeis neodiminuta Krasske

Reported as:

Cocconeis diminuta Pant.

NE: Hoagland et al. (1982)

OK: Wilhm et al. (1978)

Cocconeis pediculus Ehr.

CO: Cockerell (1888)

KS: Curtis (1901), Wenke and Eberle (1986), ?Williams et al. (1979), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Elmore (1921), Webber (1889, 1890), WPSS (1961-1963)

OK: Pfiester et al. (1979), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Cocconeis placentula Ehr.

KS: Wujek (1965)

NE: Andersen and Walker (1920), ?Ehrenberg (1856), Elmore (1921), Hoagland et al. (1982), F.A. Morris et al. (1979), Williams (1962), WPSS (1961-1963, 1966)

OK: Koch and Risser (1974), Leake (1945), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Troeger and Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Cocconeis placentula var. euglypta (Ehr.) Cl.

KS: Harris and Eberle (2001), Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Troeger (1978)

Plains States: Patrick and Reimer (1966)

Cocconeis placentula var. lineata (Ehr.) V.H.

KS: Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Elmore (1921), Hoagland et al. (1982)

OK: Pfiester and Terry (1978), Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Also reported as:

Cocconeis lineata Ehr.

KS: ?Wolle (1889)

OK: Ehrenberg (1856)

Cocconeis rugosa Sov.

OK: Pfiester et al. (1979)

Cocconeis striata Ehr.

OK: Ehrenberg (1856)

► Cocconema australicum A.S. = Cymbella australica (A.S.) Cl.

Cocconema cistula (Ehr.) Ehr. = Cymbella cistula (Ehr.) Kirchn.

Cocconema cornutum Ehr. = Cymbella lanceolata var. cornuta (Ehr.) Grun.

Cocconema cymbiforme (Ag.) Cl. = Cymbella cymbiformis Ag.

Cocconema fusidium Ehr. = Cymbella affinis Kütz.

 $Cocconema\ helveticum = Cymbella?$

KS: Curtis (1901) [see Eberle (1981:37)]

Cocconema hungaricum = Cymbella?

KS: Curtis (1901) [see Eberle (1981:36-37)]

Cocconema lanceolatum (Ag.) Ehr. = Cymbella lanceolata (Ag.) Ag.

Cocconema lunula Ehr. = Encyonema minutum (Hilse ex Rab.) D. Mann

Cocconema mexicanum Ehr. = *Cymbella mexicana* (Ehr.) Cl.

► Craticula accomoda (Hust.) D. Mann

KS: Harris and Eberle (2001)

Also reported as:

Navicula accomoda Hust.

KS: Powers (1969), Wujek et al. (1980)

MO: Pamperl (1980)

OK: Pfiester et al. (1979), Troeger (1978, 1983)

Plains States: Patrick and Reimer (1966)

Craticula ambigua (Ehr.) D. Mann

Reported as:

Navicula ambigua Ehr.

KS: Curtis (1901)

NE: Andersen and Walker (1920), Elmore (1921)

Navicula cuspidata var. ambigua (Ehr.) Cl..

KS: McFarland et al. (1964), Powers (1969)

Craticula cuspidata (Kütz.) D. Mann

KS: Harris and Eberle (2001)

Also reported as:

Navicula cuspidata (Kütz.) Kütz.

CO: M.K. Morris et al. (1979b)

KS: Curtis (1901), McFarland et al. (1964), Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

MO: Pamperl (1980), Williams (1962), WPSS (1966)

NE: Andersen and Walker (1920)

OK: Hern et al. (1979), Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Troeger and Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Navicula cuspidata f. craticula (V.H.) Perag. & Hérib.

NE: Andersen and Walker (1920)

Navicula fulva Ehr.

NE: Elmore (1921)

OK: Ehrenberg (1856)

Craticula cuspidata var. major (Meist.) Czarn.

Reported as:

Navicula cuspidata var. major Meist.

KS: Wenke and Eberle (1985)

OK: Pfiester et al. (1979), Troeger (1978), Troeger and Menzel (1986)

Craticula guatemalensis (Cl. & Grev.) Lange-Bert.

Reported as:

Navicula guatemalensis Cl. & Grev.

NE: Elmore (1921), Patrick and Reimer (1966)

Craticula halophila (Grun.) D. Mann

KS: Harris and Eberle (2001)

Also reported as:

Navicula halophila Grun.

KS: Wujek et al. (1980)

NE: Hoagland et al. (1982)

OK: Troeger (1978), Wilhm et al. (1978)

Craticula halophila f. robusta (Hust.) Czarn.

Reported as:

Navicula halophila f. robusta Hust.

KS: Czarnecki and Reinke (1981)

Craticula halophila f. tenuirostris (Hust.) Czarn.

Reported as:

Navicula halophila f. tenuirostris Hust.

KS: Wujek et al. (1980)

OK: Troeger (1978)

Craticula molesta (Krasske) Lange-Bert.

Reported as:

Navicula molesta Krasske

MO: Pamperl (1980)

► Cylindrotheca gracilis (Bréb. ex Kütz.) Grun.

CO: ?M.K. Morris et al. (1979b)

KS: Czarnecki and Reinke (1981), Harris and Eberle (2001)

OK: Koch (1975)

► Cymatopleura apiculata W. Sm. = Cymatopleura solea var. apiculata (W. Sm.) Ralfs. [= C. librile (Ehr.) Pant.?]

Cymatopleura elliptica (Bréb.) W. Sm.

KS: Curtis (1901), Harris and Eberle (2001), Wenke and Eberle (1986), Wujek et al. (1980)

OK: Koch and Risser (1974), Seyfer and Wilhm (1977), Troeger (1978)

Also reported as:

Sphinctocystis elliptica (Bréb. ex Kütz.) Kuntze

KS: Elmore (1921)

NE: Elmore (1921)

Cymatopleura elliptica f. spiralis Boyer

NE: F.A. Morris et al. (1979)

Cymatopleura elliptica var. nobilis (Hantzsch) Hust.

OK: Troeger (1978)

Cymatopleura librile (Ehr.) Pant.

Reported as:

Sphinctocystis librilis (Ehr.) Hass.

KS: Elmore (1921)

NE: Elmore (1921)

Schoeman and Archibald (1976-1980) submerged the taxa listed below in this species:

Cymatopleura apiculata W. Sm.

Cymatopleura solea (Bréb.) W. Sm.

Cymatopleura solea var. regula (Ehr.) Grun.

Surirella regula Ehr.

Cymatopleura solea (Bréb.) W. Sm. [= *Cymatopleura librile* (Ehr.) Pant.?]

KS: Curtis (1901), Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

MO: M.K. Morris et al. (1979a)

NE: F.A. Morris et al. (1979), WPSS (1961-1963)

OK: Hern et al. (1979), Koch and Risser (1974), Pfiester et al. (1979), Troeger (1978), Wilhm et al. (1977)

$\textbf{\textit{Cymatopleura solea var. apiculata (W. Sm.) Ralfs.} \ [= \textit{Cymatopleura librile (Ehr.) Pant.?}]$

Reported as:

Cymatopleura apiculata (W. Sm.) Ralfs

KS: Curtis (1901)

Cymatopleura solea var. *regula* (Ehr.) Grun. [= *Cymatopleura librile* (Ehr.) Pant.?]

OK: Pfiester et al. (1979)

Also reported as:

Surirella regula Ehr.

OK: Ehrenberg (1856)

► Cymbella aequalis W. Sm.

NE: Elmore (1921)

Cymbella affinis Kütz.

KS: Curtis (1901), Wenke and Eberle (1986), Williams et al. (1979)

MO: Pamperl (1980)

NE: Elmore (1921), Hoagland et al. (1982), F.A. Morris et al. (1979), Roemer et al. (1984)

OK: Cooper and Wilhm (1975), Pfiester et al. (1979)

Plains States: Patrick and Reimer (1975)

Also reported as:

Cocconema fusidium Ehr.

OK: Ehrenberg (1856)

Cymbella parva W. Sm.

NE: Elmore (1921)

Cymbella amphicephala Naeg. ex Kütz.

KS: Curtis (1901), Wenke and Eberle (1986)

NE: Andersen and Walker (1920), Elmore (1921)

Plains States: Patrick and Reimer (1975)

Cymbella anglica Lagerst. = Cymbella naviculiformis Auersw. ex Heib.

Cymbella angustata (W. Sm.) Cl.

OK: Kennedy and Pfiester (1984)

Cymbella aspera (Ehr.) H. Perag.

KS: Wujek (1965), Wujek et al. (1980)

OK: Troeger (1978)

Plains States: Patrick and Reimer (1975)

Also reported as:

Cymbella gastroides Kütz.

KS: Curtis (1901), Wolle (1889)

NE: Andersen and Walker (1920), Elmore (1921), Webber (1889, 1890)

Cymbella australica (A.S.) Cl.

Reported as:

Cocconema australicum A.S.

KS: Curtis (1901)

Cymbella brehmii Hust. = Encyonema brehmii (Hust.) D. Mann

Cymbella cistula (Ehr.) Kirchn.

NE: Andersen and Walker (1920), Elmore (1921), Roemer et al. (1984)

Plains States: Patrick and Reimer (1975)

Also reported as:

Cocconema cistula (Ehr.) Ehr.

KS: Curtis (1901)

Cymbella cistula var. maculata (Kütz.) V.H.

OK: Koch and Risser (1974)

Cymbella cistula var. maculata (Kütz.) V.H. = Cymbella cistula (Ehr.) Kirchn.

Cymbella cuspidata Kütz.

NE: Andersen and Walker (1920), Elmore (1921)

Plains States: Patrick and Reimer (1975)

Cymbella cymbiformis Ag.

KS: Wujek et al. (1980)

NE: Andersen and Walker (1920), Elmore (1921), Webber (1890)

Plains States: Patrick and Reimer (1975)

Also reported as:

Cocconema cymbiformis (Ag.) Cl.

KS: Curtis (1901)

Cymbella cymbiformis var. nonpunctata Font.

KS: Wujek et al. (1980)

Cymbella delicatula Kütz.

MO: Pamperl (1980)

OK: Patrick and Reimer (1975)

Cymbella designata Krasske

Reported as:

Cymbella leptoceros (Ehr.) Kütz.

NE: Elmore (1921)

OK: Pfiester et al. (1979)

Cymbella ehrenbergii Kütz. = Cymbella inaequalis (Ehr.) Rab.

Cymbella gastroides Kütz. = Cymbella aspera (Ehr.) H. Perag.

```
KS: Wenke and Eberle (1986)
   OK: Troeger (1978)
Cymbella helvetica Kütz.
   KS: Curtis (1901)
   NE: Elmore (1921)
Cymbella hustedtii Krasske
   MO: Pamperl (1980)
Cymbella inaequalis (Ehr.) Rab.
   Plains States: Patrick and Reimer (1975)
   Also reported as:
       Cymbella ehrenbergii Kütz.
           NE: Andersen and Walker (1920), Elmore (1921)
       Pinnularia inaequalis Ehr.
           NE: Ehrenberg (1856)
           OK: Ehrenberg (1856)
Cymbella kamtschatica Grun. = Cymbella mexicana (Ehr.) Cl.
Cymbella laevis Naeg. ex Kütz.
   NE: Patrick and Reimer (1975), Roemer et al. (1984)
   OK: Kennedy and Pfiester (1984)
Cymbella lanceolata (Ag.) Ag.
   KS: Wujek et al. (1980)
   NE: Andersen and Walker (1920), Elmore (1921)
   Plains States: Patrick and Reimer (1975)
   Also reported as:
       Cocconema lanceolatum (Ag.) Ehr.
           KS: Curtis (1901)
           NE: Ehrenberg (1856)
           OK: Ehrenberg (1856)
Cymbella lanceolata var. cornuta (Ehr.) Grun.
   Reported as:
       Cocconema cornutum Ehr.
           OK: Ehrenberg (1856)
Cymbella lata Grun.
   NE: Roemer et al. (1984)
Cymbella leptoceros (Ehr.) Kütz. = Cymbella designata Krasske
Cymbella lunata W. Sm. = Encyonema lunatum (W. Sm.) V.H.
Cymbella mexicana (Ehr.) Cl.
   KS: Wujek et al. (1980)
   OK: Koch and Risser (1974)
   Plains States: Patrick and Reimer (1975)
   Also reported as:
       Cocconema mexicanum Ehr.
           KS: Curtis (1901)
           NE: Ehrenberg (1856)
           OK: Ehrenberg (1856)
       Cymbella kamtschatica Grun.
           KS: Curtis (1901)
Cymbella mexicana var. janischii (A.S.) Reim.
   KS: Wujek et al. (1980)
   OK: ?Patrick and Reimer (1975)
Cymbella microcephala Grun.
   KS: Wuiek et al. (1980)
   MO: Pamperl (1980)
   NE: Hoagland et al. (1982), Roemer et al. (1984)
   Plains States: Patrick and Reimer (1975)
   Also reported as:
       Cymbella minuscula Grun.
           KS: Curtis (1901) [see Patrick and Reimer (1975:34)]
Cymbella minuscula Grun. = Cymbella microcephala Grun.
Cymbella minuta Hilse ex Rab. = Encyonema minutum (Hilse ex Rab.) D. Mann
Cymbella minuta f. latens (Krasske) Reim. = Encyonema latens (Krasske) D. Mann
Cymbella minuta var. silesiaca (Bleisch ex Rab.) Reim. = Encyonema silesiacum (Bleisch ex Rab.) D. Mann
Cymbella muelleri Hust. = Encyonema muelleri (Hust.) D. Mann
```

Cymbella hauckii V.H.

Cymbella naviculiformis Auersw. ex Heib.

KS: Curtis (1901)

NE: Andersen and Walker (1920), Elmore (1921)

OK: Koch and Risser (1974)

Plains States: Patrick and Reimer (1975)

Also reported as:

Cymbella anglica Lagerst.

KS: Curtis (1901)

Cymbella parva W. Sm. = Cymbella affinis Kütz.

Cymbella prostrata (Berk.) Cl. = *Encyonema prostratum* (Berk.) Kütz.

Cymbella prostrata var. auerswaldii (Rab.) Reim. = Encyonema auerswaldii Rab.

Cymbella pusilla Grun.

KS: Curtis (1901), Harris and Eberle (2001)

NE: Elmore (1921), Hoagland et al. (1982)

OK: Troeger (1983)

Plains States: Patrick and Reimer (1975)

Cymbella rupicola Grun.

OK: Pfiester et al. (1979)

Cymbella ruttneri Hust.

NE: Roemer et al. (1984)

Cymbella sinuata Greg. = *Reimeria sinuata* (Greg.) Koc. & Stoerm.

Cymbella stomatophora Grun. = Cymbella tumida (Bréb. ex Kütz.) V.H.

Cymbella subaequalis Grun.

NE: Andersen and Walker (1920), Patrick and Reimer (1975)

Cymbella triangulum (Ehr.) Cl. = *Encyonema triangulum* (Ehr.) Kütz.

Cymbella tumida (Bréb. ex Kütz.) V.H.

KS: Harris and Eberle (2001), Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), F.A. Morris et al. (1979), Williams (1962), WPSS (1961-1963, 1966)

OK: Pfiester and Terry (1978), Pfiester et al. (1979), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Plains States: Patrick and Reimer (1975)

Also reported as:

Cymbella stomatophora Grun.

KS: Curtis (1901)

Cymbella tumidula Grun. ex A.S.

KS: Curtis (1901), Patrick and Reimer (1975)

MO: Pamperl (1980)

OK: Troeger (1978)

Cymbella turgida Greg. = Encyonema turgidum (Greg.) Grun. ex A.S.

Cymbella turgidula Grun.

KS: Curtis (1901), Wenke and Eberle (1985)

MO: Pamperl (1980)

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1975)

Cymbella ventricosa (Kütz.) Kütz. = Encyonema minutum (Hilse ex Rab.) D. Mann

► Cystopleura argus (Ehr.) Kuntze = Epithemia argus (Ehr.) Kütz.

Cystopleura gibba (Ehr.) DeT. = Rhopalodia gibba (Ehr.) O. Müll.

Cystopleura gibba var. ventricosa (Kütz.) DeT. = Rhopalodia gibba var. ventricosa (Kütz.) H. & M. Perag.

Cystopleura gibberula (Ehr.) Kuntze = *Rhopalodia gibberula* (Ehr.) O. Müll.

 $Cystopleura\ musculus\ (K\"{u}tz.)\ Kuntze = Rhopalodia\ musculus\ (K\"{u}tz.)\ O.\ M\"{u}ll.$

Cystopleura ocellata (Ehr.) Kuntze = Epithemia ocellata (Ehr.) Kütz.

Cystopleura sorex (Kütz.) Kuntze = *Epithemia sorex* Kütz.

Cystopleura turgida (Ehr.) Kuntze = Epithemia turgida (Ehr.) Kütz.

Cystopleura ventricosa (Kütz.) Elm. = Rhopalodia gibba var. ventricosa (Kütz.) H. & M. Perag.

Cystopleura zebra (Ehr.) Kuntze = *Epithemia adnata* (Kütz.) Bréb.

► Denticula elegans Kütz.

KS: Curtis (1901), Harris & Eberle (2001), Wujek et al. (1980)

NE: Andersen & Walker (1920), Elmore (1921), Roemer et al. (1984)

Plains States: Patrick & Reimer (1975)

Denticula elegans var. kittoniana (Grun.) DeT.

NE: Patrick & Reimer (1975)

Denticula frigida Kütz. = Denticula tenuis var. frigida (Kütz.) Grun.

 $Denticula\ splendens = ?$

KS: Curtis (1901) [see Eberle (1981:38)]

Denticula tenuis Kütz.

KS: Curtis (1901), Patrick & Reimer (1975)

OK: Kennedy & Pfiester (1984)

Denticula tenuis var. frigida (Kütz.) Grun.

Reported as:

Denticula frigida Kütz.

KS: Wujek (1965)

Denticula thermalis Kütz.

KS: Curtis (1901), Patrick & Reimer (1975)

OK: Wilhm et al. (1977), Willson & Forest (1957)

► Diadesmis confervacea Kütz.

Reported as:

Navicula confervacea (Kütz.) Grun.

KS: Wujek et al. (1980)

Diadesmis contenta (Grun.) D. Mann

Reported as:

Navicula contenta var. biceps (Arn.) V.H.

OK: Troeger (1983)

Diadesmis peregrina W. Sm.

Reported as:

Navicula confervacea var. hungarica Grun.

KS: Curtis (1901)

Navicula confervacea var. peregrina (W. Sm.) Grun.

KS: Curtis (1901), Patrick and Reimer (1966)

MO: Pamperl (1980)

OK: Troeger (1978, 1983), Troeger and Menzel (1986)

▶ Diploneis?

Reported as:

Navicula elliptica var. minuta Grun.

KS: Curtis (1901) [see Eberle (1982:42)]

Diploneis elliptica (Kütz.) Cl.

KS: Wujek et al. (1980)

NE: Elmore (1921)

OK: Koch & Risser (1974), Pfiester et al. (1979), Troeger (1983)

Plains States: Patrick & Reimer (1966)

Also reported as:

Navicula elliptica Kütz.

KS: Curtis (1901), Wolle (1889) [see Eberle (1982:41-42)]

NE: Andersen and Walker (1920)

Diploneis fusca var. hyperborea (Grun.) Hust.

KS: Wujek et al. (1980)

Diploneis interrupta (Kütz.) Cl.

KS: Harris & Eberle (2001)

Also reported as:

Navicula interrupta Kütz.

KS: Wolle (1889)

Diploneis marginestriata Hust.

KS: Wujek et al. (1980)

OK: Koch & Risser (1974), Pfiester et al. (1979)

Diploneis oblongella (Naeg. ex Kütz.) Ross

KS: Harris & Eberle (2001), Wenke & Eberle (1986)

NE: Roemer et al. (1984)

OK: Koch & Risser (1974)

Plains States: Patrick & Reimer (1966)

Also reported as:

Navicula elliptica var. oblongella (Naeg. ex Kütz.) Grun.

KS: Curtis (1901)

Diploneis oculata (Bréb.) Cl.

MO: Pamperl (1980)

OK: Koch & Risser (1974), Troeger (1978)

Also reported as:

Navicula oculata Bréb.

KS: Curtis (1901)

```
Diploneis pseudovalis Hust.
      KS: Wenke & Eberle (1985, 1986)
      NE: Hoagland et al. (1982), Patrick & Reimer (1966)
  Diploneis puella (Schum.) Cl.
      KS: Czarnecki & Reinke (1981)
      MO: Pamperl (1980)
      NE: Hoagland et al. (1982)
      OK: Koch & Risser (1974), Pfiester et al. (1979), Troeger (1978)
      Plains States: Patrick & Reimer (1966)
  Diploneis smithii (Bréb. ex W. Sm.) Cl.
      KS: WPSS (1961-1963)
      OK: Hern et al. (1979), Koch (1975), Seyfer & Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962, 1964, 1972),
           Williams & Scott (1962), WPSS (1961-1963, 1966)
      Plains States: Patrick & Reimer (1966)
      Also reported as:
          Navicula smithii Bréb. ex W. Sm.
              KS: ?Curtis (1901)
  Diploneis smithii f. elliptica? =?
      OK: Hern et al. (1979)
  Diploneis smithii var. pumila (Grun.) Hust.
      KS: Williams et al. (1979)
► Encyonema?
      Reported as:
          Gloeonema gracile Ehr.
              NE: Ehrenberg (1856)
  Encyonema auerswaldii Rab.
      Reported as:
          Cymbella prostrata var. auerswaldii (Rab.) Reim.
              KS: Wujek et al. (1980)
              MO: Pamperl (1980)
              NE: Hoagland et al. (1982)
  Encyonema brehmii (Hust.) D. Mann
      Reported as:
          Cymbella brehmii Hust.
              OK: Troeger (1978)
  Encyonema lunatum (W. Sm.) V.H.
      Reported as:
          Cymbella lunata W. Sm.
              KS: Wujek et al. (1980)
              MO: Pamperl (1980)
              OK: Pfiester et al. (1979)
  Encyonema lunula (Ehr.) Grun. = Encyonema minutum (Hilse ex Rab.) D. Mann
  Encyonema minutum (Hilse ex Rab.) D. Mann
      Reported as:
          Cocconema lunula Ehr.
              OK: Ehrenberg (1856)
          Cymbella minuta Hilse ex Rab.
              KS: Wujek et al. (1980)
              MO: Pamperl (1980)
              NE: Hoagland et al. (1982)
              OK: Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1983)
          Cymbella ventricosa (Kütz.) Kütz.
              KS: Powers (1969), WPSS (1961-1963)
              NE: WPSS (1961-1963)
              OK: Koch (1975), Koch and Risser (1974), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)
          Encyonema lunula (Ehr) Grun.
              KS: Curtis (1901)
          Encyonema ventricosum (Kütz.) Grun.
              KS: Curtis (1901)
              NE: Elmore (1921)
  Encyonema latens (Krasske) D. Mann.
      Reported as:
          Cymbella minuta f. latens (Krasske) Reim.
```

MO: Pamperl (1980)

```
Encyonema muelleri (Hust.) D. Mann
      Reported as:
          Cymbella muelleri Hust.
              MO: Pamperl (1980)
              OK: Pfiester et al. (1979)
  Encyonema prostratum (Berk.) Kütz.
      NE: Elmore (1921)
      Also reported as:
          Cymbella prostrata (Berk.) Cl.
              MO: Pamperl (1980)
              OK: Koch and Risser (1974), Pfiester et al. (1979)
              Plains States: Patrick and Reimer (1975)
          Gloeonema paradoxum Ehr.
              NE: Ehrenberg (1856)
              OK: ?Ehrenberg (1856)
  Encyonema silesiacum (Bleisch ex Rab.) D. Mann
      Reported as:
          Cymbella minuta var. silesiaca (Bleisch ex Rab.) Reim.
              KS: Wenke and Eberle (1985, 1986)
              NE: Hoagland et al. (1982), Roemer et al. (1984)
              OK: Pfiester et al. (1979)
              Plains States: Patrick and Reimer (1975)
  Encyonema triangulum (Ehr.) Kütz.
      KS: Curtis (1901), Harris & Eberle (2001)
      Also reported as:
          Cymbella triangulum (Ehr.) Cl.
              KS: Wenke and Eberle (1986), Wujek et al. (1980)
              NE: Hoagland et al. (1982)
              OK: Koch (1975), Pfiester et al. (1979), Troeger (1983)
              Plains States: Patrick and Reimer (1975)
  Encyonema turgidum (Greg.) Grun. ex A.S.
      KS: Curtis (1901), Elmore (1921)
      NE: Andersen & Walker (1920), Elmore (1921)
      Also reported as:
          Cymbella turgida Greg.
              NE: F.A. Morris et al. (1979)
              OK: Wilhm et al. (1977), Wilhm et al. (1978)
  Encyonema ventricosum (Kütz.) Grun. = Encyonema minutum (Hilse ex Rab.) D. Mann
► Entomoneis alata (Ehr.) Ehr.
      CO: M.K. Morris et al. (1979b)
      KS: Harris & Eberle (2001), Reinke (1985), Wenke & Eberle (1986), Williams et al. (1979)
      Plains States: ?Patrick & Reimer (1975)
      Also reported as:
          Amphiprora alata (Ehr.) Kütz.
              KS: McFarland et al. (1964), Powers (1969), Williams (1962), WPSS (1966)
              NE: Elmore (1921)
              OK: Koch (1975), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), WPSS (1966)
          Amphiprora conspicua Grev.
              KS: Curtis (1901) [see Patrick and Reimer (1975:6)]
          Navicula alata Ehr.
              OK: ?Ehreneberg (1856)
  Entomoneis ornata (Bail.) Reim.
      Plains States: Patrick & Reimer (1975)
      Also reported as:
          Amphiprora ornata Bail.
```

KS: Powers (1969) NE: Elmore (1921) OK: Troeger (1978)

35

```
Entomoneis paludosa (W. Sm.) Reim.
      KS: Harris & Eberle (2001), Reinke (1985), Wenke & Eberle (1986), Wujek et al. (1980)
      OK: Hern et al. (1979), Seyfer & Wilhm (1977)
      Plains States: Patrick & Reimer (1975)
      Also reported as:
          Amphiprora paludosa W. Sm.
              KS: Curtis (1901), Williams (1962, 1964), Williams and Scott (1962), WPSS (1961-1963, 1966)
              OK: Cooper and Wilhm (1975), Wilhm et al. (1977), Williams (1962, 1964), Williams and Scott (1962), WPSS (1961-1963, 1966)
  Entomoneis paludosa var. duplex (Donk.) Czarn. & Reinke
      KS: Czarnecki & Reinke (1981), Czarnecki & Reinke (1982a)
  Entomoneis pulchra (Bail.) Reim.
      Reported as:
          Amphiprora pulchra Bail.
              NE: Webber (1890)
   Entomoneis robusta (McCall) Reim.
      KS: Harris & Eberle (2001)
      OK: Kennedy & Pfiester (1984)
► Epithemia adnata (Kütz.) Bréb.
      OK: Troeger (1983)
      Plains States: Patrick & Reimer (1975)
      Also reported as:
          Cystopleura zebra (Ehr.) Kuntze
              NE: Andersen and Walker (1920), Elmore (1921)
          Epithemia zebra (Ehr.) Kütz.
              KS: Curtis (1901)
          Eunotia zebra Ehr.
              OK: Ehrenberg (1856)
  Epithemia adnata var. minor (Perag. & Herib.) Patr.
      KS: Czarnecki & Reinke (1981)
  Epithemia adnata var. porcellus (Kütz.) Patr.
      OK: Troeger & Menzel (1986)
      Also reported as:
          Epithemia zebra var. porcellus (Kütz.) Grun.
              OK: Pfiester & Terry (1978), Troeger (1978)
  Epithemia adnata var. proboscidea (Kütz.) Patr.
      OK: Pfiester et al. (1979)
  Epithemia adnata var. saxonica (Kütz.) Patr.
      Plains States: Patrick & Reimer (1975)
  Epithemia argus (Ehr.) Kütz.
      KS: Wolle (1889)
      NE: ?Webber (1890)
      Plains States: Patrick & Reimer (1975)
      Also reported as:
          Cystopleura argus (Ehr.) Kuntze
              NE: Elmore (1921)
  Epithemia argus var. alpestris Grun.
      KS: Czarnecki & Reinke (1981)
  Epithemia argus var. longicornis (Ehr.) Grun.
      KS: Harris & Eberle (2001)
  Epithemia gibba (Ehr.) Kütz. = Rhopalodia gibba (Ehr.) O. Müll.
   Epithemia gibba var. ventricosa (Kütz.) Grun. = Rhopalodia gibba var. ventricosa (Kütz.) H. & M. Perag.
  Epithemia gibberula (Ehr.) Kütz. = Rhopalodia gibberula (Ehr.) O. Müll.
  Epithemia ocellata (Ehr.) Kütz.
      Plains States: Patrick & Reimer (1975)
      Also reported as:
          Cystopleura ocellata (Ehr.) Kuntze
              NE: Andersen and Walker (1920), Elmore (1921)
  Epithemia sorex Kütz.
      KS: Curtis (1901), Wujek et al. (1980)
      OK: Koch & Risser (1974), Troeger & Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978)
      Plains States: Patrick & Reimer (1975)
      Also reported as:
          Cystopleura sorex (Kütz.) Kuntze
```

NE: Elmore (1921)

```
Epithemia turgida (Ehr.) Kütz.
      KS: Harris & Eberle (2001), Wolle (1889), Wujek et al. (1980)
      NE: Webber (1889, 1890)
      Plains States: Patrick & Reimer (1975)
      Also reported as:
          Cystopleura turgida (Ehr.) Kuntze
              NE: Andersen and Walker (1920), Elmore (1921)
              OK: Leake (1945)
          Eunotia faba Ehr.
              OK: Ehrenberg (1856)
          Eunotia turgida (Ehr.) Ehr.
              NE: Ehrenberg (1856)
  Epithemia turgida var. granulata (Ehr.) Grun.
      Plains States: Patrick & Reimer (1975)
      Also reported as:
          Eunotia granulata Ehr.
              NE: Ehrenberg (1856)
              OK: Ehrenberg (1856)
          Eunotia librile Ehr.
              NE: Ehrenberg (1856)
              OK: Ehrenberg (1856)
  Epithemia turgida var. zebrina (Ehr.) Rab.
      Reported as:
          Eunotia zebrina Ehr.
              NE: Ehrenberg (1856)
              OK: Ehrenberg (1856)
  Epithemia zebra (Ehr.) Kütz. = Epithemia adnata (Kütz.) Bréb.
  Epithemia zebra var. porcellus (Kütz.) Grun. = Epithemia adnata var. porcellus (Kütz.) Patr.
► Eucocconeis lapponica var. ninckei (Guerm. & Mang.) Edlund
      Reported as:
          Achnanthes lapponica var. ninckei (Guerm. & Mang.) Reim.
              MO: Pamperl (1980)
              OK: Pfiester et al. (1979)
► Eunotia amphioxys Ehr. = Hantzschia amphioxys (Ehr.) Grun.
  Eunotia arcus Ehr.
      KS: Wujek et al. (1980)
      NE: Elmore (1921)
      Plains States: Patrick & Reimer (1966)
  Eunotia curvata (Kütz.) Lagerst.
      KS: Wujek et al. (1980)
      MO: Pamperl (1980)
      NE: Rosowski et al. (1986)
      OK: Koch & Risser (1974), Pfiester et al. (1979), Seyfer & Wilhm (1977), Troeger (1978, 1983)
      Plains States: Patrick & Reimer (1966)
      Also reported as:
          Eunotia lunaris (Ehr.) Grun.
              KS: Curtis (1901)
              NE: Andersen & Walker (1920), Elmore (1921)
  Eunotia diodon Ehr.
      NE: Andersen & Walker (1920), Elmore (1921)
      Plains States: Patrick & Reimer (1966)
  Eunotia faba Ehr. = Epithemia turgida (Ehr.) Kütz.? [see VanLandingham (1967-1979:1517-1518)]
  Eunotia fallax A. Cl.
      OK: Troeger (1983)
  Eunotia formica Ehr.
      NE: Elmore (1921)
      OK: Troeger (1978)
      Plains States: Patrick & Reimer (1966)
  Eunotia gibba Ehr. = Rhopalodia gibba (Ehr.) O. Müll.
  Eunotia gibberula Ehr. = Rhopalodia gibberula (Ehr.) O. Müll.
  Eunotia glacialis Meist.
      Plains States: Patrick & Reimer (1966)
      Also reported as:
          Eunotia gracilis (Ehr.) Rab.
              KS: Curtis (1901)
```

Eunotia gracilis (Ehr.) Rab. = Eunotia glacialis Meist.

Eunotia granulata Ehr. = Epithemia turgida var. granulata (Ehr.) Brun

Eunotia incisa W. Sm. ex Greg.

OK: Troeger (1983)

Eunotia librile Ehr. = Epithemia turgida var. granulata (Ehr.) Brun

Eunotia lunaris (Ehr.) Grun. = Eunotia curvata (Kütz.) Lagerst.

Eunotia lunula Ehr. = Epithemia lunula (Ehr.) Ralfs? [see Patrick & Reimer (1966:221)]

KS: Curtis (1901)

Eunotia maior (W. Sm.) Rab. [also as E. major]

NE: Andersen & Walker (1920), Elmore (1921)

OK: Pfiester et al. (1979)

Plains States: Patrick & Reimer (1966)

Eunotia monodon Ehr.

KS: Wujek et al. (1980)

Eunotia naegelii Migula

OK: Pfiester et al. (1979)

Eunotia parallela Ehr.

KS: Wujek et al. (1980)

Eunotia paradoxa Ehr. =?

NE: Ehrenberg (1856)

Eunotia pectinalis (O. Müll.) Rab.

OK: Hern et al. (1979)

Eunotia pectinalis f. impressa (Ehr.) Hust.

Reported as:

Eunotia pectinalis var. minor f. impressa Ehr.

OK: Troeger (1978, 1983)

Eunotia pectinalis var. minor f. impressa Ehr. = Eunotia pectinalis f. impressa (Ehr.) Hust.

Eunotia pectinalis var. ventricosa Grun.

Plains States: Patrick & Reimer (1966)

Eunotia perpusilla Grun.

OK: Pfiester et al. (1979)

Eunotia septentrionalis Østr.

OK: Pfiester et al. (1979)

Eunotia sphaerula Ehr. = Rhopalodia gibberula var. sphaerula (Ehr.) O. Müll.

Eunotia turgida (Ehr.) Ehr. = *Epithemia turgida* (Ehr.) Kütz.

Eunotia valida Hust.

OK: Troeger (1978)

Eunotia zebra Ehr. = Epithemia adnata (Kütz.) Bréb.

Eunotia zebrina Ehr. = Epithemia turgida var. zebrina (Ehr.) Rab.

► Fallacia insociabilis (Krasske) D. Mann

Reported as:

Navicula insociabilis Krasske

MO: Pamperl (1980)

Fallacia pygmaea (Kütz.) Stickle & D. Mann

KS: Harris and Eberle (2001)

Also reported as:

Navicula pygmaea Kütz.

KS: Powers (1969), Wenke and Eberle (1986), Wujek et al. (1980)

NE: Elmore (1921)

OK: Hern et al. (1979), Koch (1975), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Fallacia subhamulata (Grun.) D. Mann

Reported as:

Navicula subhamulata Grun.

MO: Pamperl (1980)

Fallacia tenera (Hust.) D. Mann

Reported as:

Navicula tenera Hust.

KS: Wujek et al. (1980)

NE: Hoagland et al. (1982)

OK: Seyfer and Wilhm (1977), Troeger (1978)

► Frustulia interposita (Lewis) Cl.

OK: Wilhm et al. (1977)

Frustulia rhomboides (Ehr.) DeT.

KS: Branson (1966) **OK**: Pfiester et al. (1979)

Frustulia rhomboides var. amphipleuroides (Grun.) Cl.

KS: Wenke and Eberle (1985)

Frustulia rhomboides var. capitata (A. Mayer) Patr.

OK: Pfiester et al. (1979)

Frustulia rhomboides var. saxonica (Rab.) DeT.

Plains States: Patrick and Reimer (1966)

Frustulia vulgaris (Thw.) DeT.

KS: Wenke and Eberle (1985, 1986)

OK: Cooper and Wilhm (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1983), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Also reported as:

Brebissonia vulgaris (Thw.) Kuntze

NE: Andersen and Walker (1920), Elmore (1921)

Navicula rhomboides var. ? (Colletonema vulgare Thw.)

KS: Curtis (1901)

► Geissleria decussis (Østrup) Lange-Bert. & Metz.

Reported as:

Navicula decussis Østr.

KS: Wujek et al. (1980)

NE: Roemer et al. (1984)

OK: ?Koch (1975), Koch and Risser (1974), Pfiester et al. (1979)

Geissleria thingvallae (Østrup) Metz. & Lange-Bert.

Reported as:

Navicula latens Krasske

NE: ?F.A. Morris et al. (1979)

Geissleria schoenfeldii (Hust.) Lange-Bert. & Metz.

Reported as:

Navicula schoenfeldii Hust.

OK: Troeger (1978)

ightharpoonup Gloeonema gracile Ehr. = Encyonema?

Gloeonema paradoxum Ehr. = Encyonema prostratum (Berk.) Kütz.

► Gomphoneis eriense (Grun.) Skv. & Meyer

NE: Hoagland et al. (1982)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema eriense Grun.

NE: Elmore (1921)

Gomphoneis exigua (Kütz.) Medlin

Reported as:

Gomphonema exiguum Kütz.

NE: Elmore (1921)

Gomphoneis herculeana (Ehr.) Cl.

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema herculeanum Ehr.

NE: Andersen and Walker (1920), Ehrenberg (1856), Elmore (1921)

Gomphoneis herculeana var. robusta (Grun.) Cl.

NE: Hoagland et al. (1982), Roemer et al. (1984)

Gomphoneis olivacea (Hornemann) Dawson ex Ross & Sims

Reported as:

Gomphonema olivaceum (Lyngb.) Kütz.

KS: Curtis (1901), Elmore (1921), Harris and Eberle (2001), McFarland et al. (1964), Powers (1969), Wenke and Eberle (1986), Williams et al. (1979), WPSS (1961-1963), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Elmore (1921), Hoagland et al. (1982), F.A. Morris et al. (1979), Roemer et al. (1984), WPSS (1961-1963)

OK: Cooper and Wilhm (1975), Koch (1975), Leake (1945), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1983), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962, 1964), WPSS (1961-1963, 1966)

Plains States: Patrick and Reimer (1975)

Gomphoneis olivacea var. calcarea (Cleve) Poulin

Reported as:

Gomphonema olivaceum var. calcarea (Cl.) Cl.

KS: Harris and Eberle (2001)

OK: Troeger (1978)

► Gomphonema abbreviatum Ag.

KS: Curtis (1901)

MO: Pamperl (1980)

OK: Pfiester et al. (1979)

Gomphonema acuminatum Ehr.

KS: Wujek et al. (1980)

NE: Andersen and Walker (1920), Elmore (1921)

OK: Pfiester et al. (1979), Troeger (1983), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema acuminatum var. coronatum (Ehr.) Rab.

KS: Wujek (1965)

OK: Koch and Risser (1974)

Gomphonema acuminatum var. coronatum (Ehr.) Rab. = Gomphonema acuminatum Ehr.

Gomphonema affine Kütz.

KS: Curtis (1901), Harris and Eberle (2001), Powers (1969), Wujek et al. (1980)

NE: Hoagland et al. (1982)

OK: Pfiester et al. (1979), Troeger (1983), Troeger and Menzel (1986)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema affine f. major Grun.

KS: Curtis (1901)

Gomphonema affinis?

KS: Curtis (1901) [G. affine and G. affinis were listed separately in the same list by Curtis (1901:69)]

Gomphonema affine f. *major* Grun. = *Gomphonema affine* Kütz.

Gomphonema affine var. insigne (Greg.) Andr.

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema insigne Greg.

KS: Curtis (1901)

Gomphonema affinis? = Gomphonema affine Kütz.?

Gomphonema angustatum (Kütz.) Rab.

KS: Curtis (1901), Harris and Eberle (2001), Powers (1969), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Elmore (1921)

OK: Koch and Risser (1974), Pfiester et al. (1979), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1975)

Gomphonema angustatum var. intermedia Grun.

KS: Curtis (1901), Powers (1969)

MO: Pamperl (1980)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema angustatum var. obesa Lauby

KS: Powers (1969)

Gomphonema angustatum var. obesa Lauby = Gomphonema angustatum var. intermedia Grun.

Gomphonema angustatum var. obtusatum (Kütz.) Grun. KS: Patrick and Reimer (1975) Also reported as: Gomphonema obtusatum (Kütz.) Grun. **KS**: Curtis (1901) Gomphonema angustatum var. productum Grun. **KS**: Curtis (1901) **OK**: Troeger (1983) Plains States: Patrick and Reimer (1975) Gomphonema angustatum var. sarcophagus (Greg.) Grun. **OK**: Troeger (1983) Also reported as: Gomphonema sarcophagus Greg. KS: Curtis (1901) Gomphonema apicatum Ehr. **OK**: Troeger (1978) Gomphonema apuncta Wall. MO: Pamperl (1980) Gomphonema augar Ehr. **NE**: Elmore (1921) OK: Pfiester et al. (1979), Troeger (1978) Plains States: Patrick and Reimer (1975) *Gomphonema auritum* A. Braun = *Gomphonema gracile* Ehr. emend V.H. Gomphonema brasiliense Grun. Plains States: Patrick and Reimer (1975) Gomphonema capitatum Ehr. = Gomphonema truncatum var. capitatum (Ehr.) Patr. Gomphonema clavatum Ehr. = Gomphonema truncatum var. clavatum (Ehr.) comb. nov.? Gomphonema clevei Fricke **KS**: Powers (1969) MO: Pamperl (1980) NE: Patrick and Reimer (1975) OK: Pfiester et al. (1979) Gomphonema commutatum Grun. = Gomphonema subclavatum var. commutatum (Grun.) A. Mayer Gomphonema commutatum var. subramosum = Gomphonema subclavatum var.? KS: Curtis (1901) [unverified (Patrick and Reimer 1975:151)] Gomphonema consector Hohn & Hellerm. **KS**: Wujek et al. (1980) OK: Pfiester et al. (1979) Gomphonema constrictum Ehr. = Gomphonema truncatum Ehr. Gomphonema dichotomum Kütz. MO: Pamperl (1980) NE: Webber (1890) [also as Gomphonema gracile var. dichotomum] Plains States: Patrick and Reimer (1975) Also reported as: Gomphonema intricatum var. pumila Grun. **KS**: Curtis (1901) OK: Koch and Risser (1974) Gomphonema eriense Grun. = Gomphoneis eriense (Grun.) Skv. & Meyer Gomphonema exiguum Kütz. = Gomphoneis exigua (Kütz.) Medlin Gomphonema gracile Ehr. emend V.H. KS: Curtis (1901), Williams et al. (1979), Wujek et al. (1980) MO: Pamperl (1980) NE: Andersen and Walker (1920), Elmore (1921), Hoagland et al. (1982)

OK: Ehrenberg (1856), Pfiester and Terry (1978), Pfiester et al. (1979), Troeger (1978, 1983)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema auritum A. Braun

KS: Curtis (1901)

Gomphonema gracile f. parva Grun.

KS: Curtis (1901)

Gomphonema gracile var. naviculoides (W. Sm.) Grun.

KS: Powers (1969)

Gomphonema gracile f. parva Grun. = Gomphonema gracile Ehr. emend V.H. Gomphonema gracile var. lanceolata (Kütz.) Cl. = Gomphonema grunowii Patr.

Gomphonema gracile var. longicolle Ehr.

Reported as:

Gomphonema longicolle Ehr.

NE: Ehrenberg (1856)

Gomphonema gracile var. naviculoides (W. Sm.) Grun. = Gomphonema gracile Ehr. emend V.H.

Gomphonema grunowii Patr.

KS: Wujek et al. (1980) OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema gracile var. lanceolata (Kütz.) Cl.

OK: Koch and Risser (1974)

Gomphonema lanceolatum Ehr.

NE: Elmore (1921)

Gomphonema helveticum Brun

OK: Troeger (1978, 1983)

Gomphonema herculeanum Ehr. = *Gomphoneis herculeana* (Ehr.) Cl.

Gomphonema insigne Greg. = Gomphonema affine var. insigne (Greg.) Andr.

Gomphonema intricatum Kütz.

KS: Wuiek (1965)

NE: Elmore (1921), Hoagland et al. (1982), Roemer et al. (1984), Rosowski et al. (1986)

Plains States: Patrick and Reimer (1975)

Gomphonema intricatum var. pumila Grun. = Gomphonema dichotomum Kütz.

Gomphonema intricatum var. vibrio (Ehr.) Cl.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

Plains States: Patrick and Reimer (1975)

Gomphonema lagenula Kütz. = Gomphonema parvulum (Kütz.) Kütz.

Gomphonema lanceolatum Ehr. = Gomphonema grunowii Patr.

Gomphonema longiceps var. subclavatum Grun. = Gomphonema subclavatum (Grun.) Grun.

Gomphonema longiceps var. subclavatum f. gracilis Hust. = Gomphonema subclavatum (Grun.) Grun.

Gomphonema longicolle Ehr. = Gomphonema gracile var. longicolle Ehr.

Gomphonema mexicanum Grun. = Gomphonema subclavatum var. mexicanum (Grun.) Patr.

Gomphonema montanum Schum.

KS: Elmore (1921)

NE: Andersen and Walker (1920), Elmore (1921)

OK: Koch (1975)

Plains States: Patrick and Reimer (1975) [G. montanum sensu Elmore (from KS and NE) is not G. montanum Schum. (Patrick and Reimer 1975:122)]

Gomphonema montanum var. subclavatum Grun. = Gomphonema subclavatum (Grun.) Grun.

Gomphonema obtusatum (Kütz.) Grun. = Gomphonema angustatum var. obtusatum (Kütz.) Grun.

Gomphonema obtusum Ehr. = nom. nud.

NE: Ehrenberg (1856)

OK: Ehrenberg (1856)

Gomphonema olivaceum (Lyngb.) Kütz. = Gomphoneis olivacea (Hornemann) Dawson ex Ross & Sims

 $Gomphonema\ olivaceum\ var.\ calcarea\ (Cl.)\ Cl. = Gomphoneis\ olivacea\ var.\ calcarea\ (Cleve)\ Poulin$

Gomphonema olivaceum var. vulgaris = Gomphoneis?

KS: Curtis (1901) [misidentified (Patrick and Reimer 1975:152)]

Gomphonema parvulum (Kütz.) Kütz.

KS: Curtis (1901), Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Andersen and Walker (1920), Elmore (1921), Hoagland et al. (1982), Roemer et al. (1984), Rosowski et al. (1986)

OK: Hern et al. (1979), Koch (1975), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Troeger and Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema lagenula Kütz.

KS: Curtis (1901)

Gomphonema parvulum var. microceps (Kütz.) Cl.?

OK: Koch and Risser (1974)

Gomphonema parvulum var. subcapitata Grun.

KS: Curtis (1901)

Gomphonema parvulum var. microceps (Kütz.) Cl. = Gomphonema parvulum var. micropus Cl.? [latter name = Gomphonema parvulum (Kütz.) Kütz.]

Gomphonema parvulum var. subcapitata Grun. = Gomphonema parvulum (Kütz.) Kütz.

Gomphonema pseudotenellum Lange-Bert.

Also reported as:

Gomphonema tenellum Kütz.

MO: Pamperl (1980)

OK: Pfiester et al. (1979)

Gomphonema sarcophagus Greg. = Gomphonema anugustatum var. sarcophagus (Greg.) Grun.

Gomphonema semiapterum Grun.

KS: Patrick and Reimer (1975) [only as fossil (Hanna 1932)]

Gomphonema simus Hohn & Hellerm.

OK: Pfiester et al. (1979)

Gomphonema sphaerophorum Ehr.

KS: Wujek (1965)

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1975)

Gomphonema subclavatum (Grun.) Grun.

KS: Powers (1969), Wenke and Eberle (1986)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Pfiester et al. (1979), Seyfer and Wilhm (1977)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema longiceps var. subclavatum Grun.

OK: Koch and Risser (1974), Troeger (1978)

Gomphonema longiceps var. subclavatum f. gracilis (Kütz.) Cl.

OK: Pfiester and Terry (1978)

Gomphonema montanum var. subclavatum Grun.

KS: Curtis (1901)

OK: Koch and Risser (1974)

Gomphonema subclavatum var. commutatum (Grun.) A. Mayer

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema commutatum Grun.

KS: Curtis (1901)

Gomphonema subclavatum var. mexicanum (Grun.) Patr.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema mexicanum Grun.

KS: Curtis (1901)

Gomphonema subtile Ehr.

KS: Wujek (1965)

Gomphonema tenellum Kütz. = Gomphonema pseudotenellum Lange-Bert.

Gomphonema tergestinum (Grun.) Fricke

OK: Pfiester et al. (1979)

Gomphonema truncatum Ehr.

KS: Wenke and Eberle (1986), Wujek et al. (1980)

OK: Seyfer and Wilhm (1977)

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema constrictum Ehr.

KS: Curtis (1901), Wolle (1889)

NE: Andersen and Walker (1920), Elmore (1921), Webber (1889, 1890)

OK: Koch and Risser (1974), Leake (1945)

Gomphonema truncatum var. capitatum (Ehr.) Patr.

Plains States: Patrick and Reimer (1975)

Also reported as:

Gomphonema capitatum Ehr.

CO: Cockerell (1888)

KS: Curtis (1901)

NE: Webber (1890) [also as Gomphonema constrictum var. capitatum]

```
Gomphonema truncatum var. clavatum (Ehr.) comb. nov.?
```

Reported as *Gomphonema clavatum* Ehr., Patrick and Reimer (1975:151) equated this taxon with *Gomphonema constrictum* var. *clavatum* (Ehr.) Patr., but assigned *G. constrictum* Ehr. emend Kütz. to *G. truncatum* Ehr. (Patrick and Reimer 1975:119), which suggests the name given here.

Reported as:

Gomphonema clavatum Ehr.

KS: Curtis (1901)

NE: Webber (1889, 1890)

OK: Ehrenberg (1856)

Gomphonema validum Cl.

NE: Elmore (1921)

Gomphonema ventricosum Greg.

KS: Curtis (1901)

► Gyrosigma acuminatum (Kütz.) Rab.

KS: Harris and Eberle (2001), Reinke (1979a), Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Elmore (1921), Hoagland et al. (1982)

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Also reported as:

Gyrosigma kuetzingii (Grun.) Cl.

CO: WPSS (1961-1963)

KS: WPSS (1961-1963)

NE: Elmore (1921)

OK: WPSS (1961-1963)

Gyrosigma spencerii (Quek.) Griff. & Henfr.

KS: Elmore (1921), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Elmore (1921), Hoagland et al. (1982)

OK: Koch and Risser (1974), Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Pleurosigma gracilentum Rab.

KS: Curtis (1901)

Pleurosigma kuetzingii Grun.

KS: Curtis (1901)

Pleurosigma spencerii (Quek.) W. Sm.

KS: Curtis (1901)

Gyrosigma attenuatum (Kütz.) Rab.

NE: Elmore (1921)

Plains States: Patrick and Reimer (1966)

Gyrosigma attenuatum var. scalprum (Gaillon) Ralfs

Reported as:

Navicula scalprum Gaillon

OK: Ehrenberg (1856)

 $\textit{Gyrosigma delicatulum } (W. \ Sm.) \ Elm. = \textit{Pleurosigma delicatulum } W. \ Sm.$

Gyrosigma euhippus Sterr. & Ross

Reported as:

Pleurosigma hippocampus Ehr.

KS: ?Curtis (1901)

Gyrosigma eximium (Thw.) Boyer emend Sterr.

KS: ?Patrick and Reimer (1966)

OK: Pfiester et al. (1979)

Also reported as:

Pleurosigma eximium (Thw.) Cl. & Grun.

KS: Curtis (1901)

Gyrosigma fasciola (Ehr.) Griff. & Henfr.

KS: Powers (1969)

OK: ?Hern et al. (1979)

Gyrosigma kuetzingii (Grun.) Cl. = Gyrosigma acuminatum (Kütz.) Rab.

Gyrosigma macrum (W. Sm.) Griff. & Henfr.

CO: ?M.K. Morris et al. (1979b)

Gyrosigma obscurum (W. Sm.) Griff. & Henfr.

KS: Wenke and Eberle (1985)

```
Gyrosigma obtusatum (Sulliv. & Wormley) Boyer
      Reported as:
          Gyrosigma scalproides (Rab.) Cl.
              KS: Powers (1969)
              NE: Elmore (1921)
              Plains States: Patrick and Reimer (1966)
  Gyrosigma scalproides (Rab.) Cl. = Gyrosigma obtusatum (Sulliv. & Wormley) Boyer
  Gyrosigma sciotense (Sulliv. & Wormley) Cl.
      Plains States: ?Patrick and Reimer (1966)
      Also reported as:
          Pleurosigma sciotense Sulliv. & Wormley
              KS: Curtis (1901)
  Gyrosigma spencerii (Quek.) Griff. & Henfr. = Gyrosigma acuminatum (Kütz.) Rab.
  Gyrosigma spencerii var. curvula (Grun.) Reim.? [status needs to be reassessed (Sterrenburg 1995:476-477)]
      KS: Czarnecki and Reinke (1981), Wenke and Eberle (1986)
      OK: Koch (1975)
► Hantzschia amphioxys (Ehr.) Grun.
      CO: WPSS (1961-1963)
      KS: Harris and Eberle (2001), Wenke and Eberle (1986), Williams et al. (1979), WPSS (1961-1963)
      MO: M.K. Morris et al. (1979a)
      NE: WPSS (1961-1963)
      OK: Koch and Risser (1974), Pfiester et al. (1979), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)
      Also reported as:
          Eunotia amphioxys Ehr.
              NE: Ehrenberg (1856)
              OK: Ehrenberg (1856)
          Homoeocladia amphioxys (Ehr.) Kuntze
              NE: Andersen and Walker (1920), Elmore (1921)
          Nitzschia amphioxys (Ehr.) W. Sm.
              KS: Curtis (1901), Wolle (1889)
  Hantzschia amphioxys var. capitata O. Müll.
      KS: Wenke and Eberle (1986), Wujek et al. (1980)
      NE: F.A. Morris et al. (1979)
      OK: Troeger (1983)
  Hantzschia amphioxys f. vivax Grun.
      KS: Wenke and Eberle (1986)
      NE: Webber (1890) [and parenthetically as Nitzschia vivax Hantzsch]
      Also reported as:
          Nitzschia amphioxys var. vivax (Grun.)?
              KS: Curtis (1901)
  Hantzschia spectabilis (Ehr.) Hust.
      Reported as:
          Synedra spectabilis Ehr.
              NE: Ehrenberg (1856)
          Homoeocladia spectabilis (Ehr.) Kuntze
              NE: Elmore (1921)
          Nitzschia spectabilis (Ehr.) Ralfs
              KS: Curtis (1901) [see Eberle (1982:105)]
              NE: Andersen and Walker (1920)
  Hantzschia virgata (Roper) Grun.
      OK: Wilhm et al. (1977), Willson and Forest (1957)
      Also reported as:
          Homoeocladia virgata (Roper) Kuntze
              NE: Elmore (1921)
► Hippodonta capitata (Ehr.) Lange-Bert., Metz., & Witk.
      Reported as:
          Navicula capitata Ehr.
              NE: Hoagland et al. (1982)
              OK: Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1983), Wilhm et al. (1977), Wilhm et al.
              Plains States: Patrick and Reimer (1966)
```

Pinnularia capitata Ehr. **OK**: Ehrenberg (1856)

${\it Hippodonta\ hungarica\ (Grun.)\ Lange-Bert.,\ Metz.,\ \&\ Witk.}$

Reported as:

Navicula capitata var. hungarica (Grun.) Ross

KS: Harris and Eberle (2001), Wujek et al. (1980)

MO: Pamperl (1980) OK: Koch (1975)

Plains States: Patrick and Reimer (1966)

Navicula humilis Donk.

NE: Andersen and Walker (1920)

Navicula hungarica Grun.

KS: Powers (1969)

NE: Elmore (1921)

► Homoeocladia acicularis (Kütz.) Kuntze = Nitzschia acicularis (Kütz.) W. Sm.

Homoeocladia amphibia (Grun.) Kuntze = Nitzschia amphibia Grun.

Homoeocladia amphioxys (Ehr.) Kuntze = *Hantzschia amphioxys* (Ehr.) Grun.

Homoeocladia angustata (W. Sm.) Kuntze = Tryblionella angustata W. Sm.

Homoeocladia apiculata (Greg.) Kuntze = Tryblionella apiculata Greg.

Homoeocladia arcus (Buhln.) Kuntze = Nitzschia obtusa W. Sm.

Homoeocladia brebissonii (W. Sm.) Kuntze = Nitzschia brebissonii W. Sm.

Homoeocladia commutata (Grun.) Kuntze = Nitzschia commutata Grun.

Homoeocladia dissipata (Kütz.) Kuntze = *Nitzschia dissipata* (Kütz.) Grun.

Homoeocladia dubia (W. Sm.) Elm. = Nitzschia dubia W. Sm.

Homoeocladia fasciculata (Grun.) Kuntze = Nitzschia fasciculata (Grun.) Grun.

Homoeocladia filiformis W. Sm. = Nitzschia filiformis (W. Sm.) V.H.

Homoeocladia frustulum (Kütz.) Kuntze = Nitzschia frustulum (Kütz.) Grun.

Homoeocladia hungarica (Grun.) Kuntze = Tryblionella hungarica (Grun.) D. Mann

Homoeocladia intermedia (Hantz.) Kuntze = Nitzschia intermedia Hantz.

Homoeocladia lanceolata (W. Sm.) Kuntze = Nitzschia lanceolata W. Sm.

Homoeocladia linearis (W. Sm.) Kuntze = Nitzschia linearis W. Sm.

Homoeocladia obtusa (Lyngb.) Elm. = Nitzschia denticula Grun.

Homoeocladia palea (Kütz.) Kuntze = Nitzschia palea (Kütz.) W. Sm.

Homoeocladia paxillifer (O. Müll.) Elm. = Bacillaria paradoxa Gmelin

Homoeocladia punctata (W. Sm.) Kuntze = Tryblionella punctata W. Sm.

Homoeocladia sigma (Kütz.) Kuntze = Nitzschia sigma (Kütz.) W. Sm.

Homoeocladia sigmoidea (Nitz.) Elm. = Nitzschia sigmoidea (Nitz.) W. Sm.

Homoeocladia spectabilis (Ehr.) Kuntze = Hantzschia spectabilis (Ehr.) Hust.

Homoeocladia subtilis (Grun.) Kuntze = Nitzschia subtilis (?Kütz.) Grun.

Homoeocladia tryblionella (Hantz.) Kuntze = Tryblionella gracilis W. Sm.

Homoeocladia umbonata (Ehr.) Kuntze = Nitzschia umbonata (Ehr.) Lange-Bert.

Homoeocladia vermicularis (Kütz.) Kuntze = Nitzschia vermicularis (Kütz.) Hantz.

Homoeocladia virgata (Roper) Kuntze = Hantzschia virgata (Roper) Grun.

Homoeocladia vitrea (Norm.) Kuntze = *Nitzschia vitrea* Norm.

► Karayevia clevei (Grun.) Round & Bukht.

Reported as:

Achnanthes clevei Grun. MO: Pamperl (1980)

► Kobayasia subtilissima (Cl.) Lange-Bert.

Reported as:

Navicula subtilissima Cl.

OK: Koch and Risser (1974), Pfiester et al. (1979)

► Lemnicola hungarica (Grun.) Round & Basson Reported as:

Achnanthes hungarica (Grun.) Grun.

KS: Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980) NE: Elmore (1921)

Plains States: Patrick and Reimer (1966)

► Luticola cohnii (Hilse) D. Mann

Reported as:

Navicula mutica var. cohnii (Hilse) Grun.

KS: Powers (1969), Wujek et al. (1980)

NE: Hoagland et al. (1982)

OK: Pfiester et al. (1979), Troeger (1978)

Luticola goeppertiana (Bleisch ex Rab.) D. Mann

Reported as:

Navicula mutica var. goeppertiana (Bleisch ex Rab.) Grun.

KS: Curtis (1901)

Luticola mutica (Kütz.) D. Mann

Reported as:

Navicula mutica Kütz.

KS: Powers (1969)

NE: Elmore (1921)

OK: Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983)

Plains States: Patrick and Reimer (1966)

Stauroneis semen Ehr.

NE: ?Ehrenberg (1856)

Luticola stigma (Patr.) Johansen

Reported as:

Navicula mutica var. stigma Patr.

OK: Pfiester et al. (1979)

Luticola tropica (Hust.) comb. nov.?

Reported as:

Navicula mutica var. tropica Hust.

OK: Pfiester et al. (1979)

Luticola undulata (Hilse) D. Mann

Reported as:

Navicula mutica var. undulata (Hilse) Grun.

OK: Pfiester et al. (1979), Troeger (1983)

Luticola ventricosa (Kütz.) D. Mann

Reported as:

Navicula mutica var. ventricosa (Kütz.) Cl.

OK: Troeger (1978)

► Mastogloia braunii Grun.

KS: Harris and Eberle (2001)

Mastogloia dansei (Thw.) W. Sm.

KS: Harris and Eberle (2001)

Also reported as:

Mastogloia elliptica var. dansei (Thw.) Cl.

KS: Czarnecki and Reinke (1981), Wenke and Eberle (1986)

Mastogloia elliptica (Ag.) Cl.

NE: Elmore (1921)

OK: Kennedy and Pfiester (1984)

Mastogloia elliptica var. dansei (Thw.) Cl. = Mastogloia dansei Thw. [see Stoermer (1967)]

Mastogloia grevillei W. Sm.

NE: Elmore (1921), Patrick and Reimer (1966)

OK: Kennedy and Pfiester (1984)

Mastogloia pumila (Grun.) Cl.

KS: Harris and Eberle (2001), Wujek et al. (1980)

Mastogloia smithii Thw. ex W. Sm.

KS: Czarnecki and Reinke (1981)

Plains States: Patrick and Reimer (1966)

Mastogloia smithii var. amphicephala Grun.

KS: Patrick and Reimer (1966)

OK: Pfiester et al. (1979)

Mastogloia smithii var. lacustris Grun.

KS: Curtis (1901), Czarnecki and Reinke (1981), Patrick and Reimer (1966)

► Mayamaea atomus (Kütz.) Lange-Bertalot

Reported as:

Navicula atomus (Kütz.) Grun.

NE: Elmore (1921)

KS: Wujek et al. (1980)

OK: Pfiester et al. (1979), Troeger (1978)

Navicula caduca Hust.

KS: Powers (1969)

► Navicula accomoda Hust. = Craticula accomoda (Hust.) D. Mann

Navicula acrospheria (Bréb.) Kütz. = Pinnularia abaujensis (Pant.) Ross

Navicula affinis Ehr. = Neidium affine (Ehr.) Pfitz.

Navicula agma Hohn & Hellerm.

MO: Pamperl (1980)

Navicula aikenensis Patr.

OK: Pfiester et al. (1979)

Navicula alata Ehr. = *Entomoneis alata* (Ehr.) Ehr.

Navicula alternans Schum. = *Scoliopleura alternans* (Schum.) DeT.?

Navicula ambigua Ehr. = Craticula ambigua (Ehrenb.) D. Mann

Navicula ammophila var. flanatica (Grun.) Cl.

Reported as:

Navicula flanatica Grun.

KS: Curtis (1901)

Navicula amphibola Cl.

NE: Elmore (1921), Patrick and Reimer (1966)

OK: Kennedy and Pfiester (1984)

Navicula amphiceros Kütz. = Navicula rhynchotella Lange-Bert.

Navicula amphigomphus Ehr. = Neidium iridis var. amphigomphus (Ehr.) A. Mayer

Navicula amphilepta Ehr. nom. nud. = Neidium?

Navicula amphirhynchus Ehr. = Neidium affine var. amphirhynchus (Ehr.) Cl.

Navicula amphisbaena Bory = Caloneis amphisbaena (Bory) Cl.

Navicula ampliatum Ehr. = Neidium ampliatum (Ehr.) Kramm.

Navicula anglica Ralfs

NE: Andersen and Walker (1920), Elmore (1921)

OK: Pfiester et al. (1979)

Navicula anglica var. subsalsa (Grun.) Cl.

KS: Wujek et al. (1980)

OK: Pfiester et al. (1979), Troeger (1983)

Navicula angusta Grun.

OK: Seyfer and Wilhm (1977), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Navicula appendiculata (Ag.) Kütz. = Pinnularia appendiculata (Ag.) Cl.

Navicula arenaria Donk.

KS: Curtis (1901), Patrick and Reimer (1966)

Navicula arvensis Hust.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Kennedy and Pfiester (1984)

Navicula asellus Weigold ex Hust.

KS: Powers (1969)

Navicula atomoides Grun. = Navicula minima Grun.

Navicula atomus (Kütz.) Grun. = Mayamaea atomus (Kütz.) Lange-Bertalot

Navicula bacillariformis Grun. = Sellaphora laevissima (Kütz.) D. Mann

Navicula bacillum Ehr. = Sellaphora bacillum (Ehr.) D. Mann

Navicula bacillum f. minor Grun. = Sellaphora bacillum (Ehr.) D. Mann

Navicula bergenensis Hohn

OK: Troeger (1978)

Navicula bicapitata var. hybrida Grun. = Pinnularia microstauron (Ehr.) Cl.

Navicula bicephala Hust.

OK: Koch and Risser (1974)

Navicula biceps Ehr. = *Anomoeoneis sphaerophora* (Ehr.) Pfitz.

Navicula bisulcata Lagerst. = Neidium bisulcatum (Lagerst.) Cl.

Navicula biconica Patr.

KS: Wujek et al. (1980)

NE: Hoagland et al. (1982)

Navicula borealis (Ehr.) Kütz. = *Pinnularia borealis* Ehr.

Navicula braunii Grun. = Pinnularia braunii (Grun.) Cl.

Navicula brebissonii Kütz. = Pinnularia brebissonii (Kütz.) Rab.

Navicula caduca Hust. = Mayamaea atomus (Kütz.) Lange-Bertalot

Navicula canalis Patr.

KS: Powers (1969)

OK: Wilhm et al. (1977), Williams (1962), WPSS (1966)

Plains States: Patrick and Reimer (1966)

Navicula cancellata var. retusa (Bréb.) Cl.

Reported as:

Navicula retusa Bréb.

KS: Curtis (1901)

Navicula capitata Ehr. = Hippodonta capitata (Ehr.) Lange-Bert., Metz., & Witk.

Navicula capitata var. hungarica (Grun.) Ross = Hippodonta hungarica (Grun.) Lange-Bert., Metz., & Witk.

Navicula capitatoradiata Germain ex Gasse

Reported as:

Navicula salinarum var. intermedia (Grun.) Cl.

KS: Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

NE: Hoagland et al. (1982), Roemer et al. (1984)

OK: Koch and Risser (1974), Troeger (1978)

Plains States: Patrick and Reimer (1966)

Navicula cincta (Ehr.) Ralfs

KS: Boyer (1927b)

MO: Pamperl (1980)

NE: Elmore (1921)

Plains States: Patrick and Reimer (1966)

Navicula circumtexta Meist. ex Hust.

KS: Czarnecki and Reinke (1981), Harris and Eberle (2001)

Navicula citrus Krasske

OK: ?Hern et al. (1979)

Navicula cocconeiformis Greg. ex Grun. = Cavinula cocconeiformis (Greg. ex Grun.) D. Mann and Stickle

Navicula columnaris Ehr. = Neidium affine var. amphirhynchus (Ehr.) Cl.

Navicula commutata Grun. = Pinnularia?

Navicula confervacea (Kütz.) Grun. = Diadesmis confervacea Kütz.

Navicula confervacea var. hungarica Grun. = Diadesmis peregrina W. Sm.

Navicula confervacea var. peregrina (W. Sm.) Grun. = Diadesmis peregrina W. Sm.

Navicula conspicua A.S. = *Pinnularia conspicua* (A.S.) Cl.

Navicula contenta var. biceps (Arn.) V.H. = Diadesmis contenta (Grun.) D. Mann

Navicula crucicula (W. Sm.) Donk.

KS: Wujek et al. (1980)

NE: Elmore (1921), Patrick and Reimer (1966)

Navicula cryptocephala **Kütz.** [= *Navicula cryptocefalsa* Lange-Bert.?]

CO: WPSS (1961-1963)

KS: Curtis (1901), Powers (1969), Wenke and Eberle (1986), Williams (1962), ?Williams et al. (1979), WPSS (1961-1963, 1966), Wujek et al. (1980)

MO: Pamperl (1980), Williams (1962), WPSS (1961-1963), WPSS (1966)

NE: Elmore (1921), Hoagland et al. (1982), Roemer et al. (1984), Webber (1890), WPSS (1961-1963)

OK: Koch (1975), Koch and Risser (1974), Pflester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Wilhm et al. (1977), Williams (1964), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Navicula cryptocephala f. minuta Peters.

OK: Troeger (1983), Troeger and Menzel (1986)

Navicula cryptocephala var. exilis (Kütz.) Grun.

KS: Powers (1969)

Plains States: Patrick and Reimer (1966)

Navicula cryptocephala var. veneta (Kütz.) Rab.

KS: Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Andersen and Walker (1920)

OK: Koch (1975), Koch and Risser (1974), Troeger (1978, 1983)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula pumila Grun.

KS: Curtis (1901)

Navicula veneta Kütz.

KS: Curtis (1901)

Navicula cryptotenella Lange-Bert.

Reported as:

Navicula radiosa var. tenella (Bréb. ex Kütz.) Grun.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), Roemer et al. (1984)

Plains States: Patrick and Reimer (1966)

Navicula tenella Bréb. ex Kütz.

KS: Curtis (1901)

Navicula cuspidata (Kütz.) Kütz. = Craticula cuspidata (Kütz.) D. Mann

Navicula cuspidata f. craticula (V.H.) Perag. & Hérib. = Craticula cuspidata (Kütz.) D. Mann?

Navicula cuspidata var. ambigua (Ehr.) Cl. = Craticula ambigua (Kütz.) D. Mann

Navicula cuspidata var. major Meist. = Craticula cuspidata var. major (Meist.) Czarn.

Navicula cymbula Donk. = Navicula lanceolata var. cymbula (Donk.) Cl.

Navicula decurrens (Ehr.) Kütz. = *Pinnularia decurrens* Ehr.

Navicula decussis Østr. = Geissleria decussis (Østrup) Lange-Bert. & Metz.

Navicula demissa Hust.

MO: Pamperl (1980)

Navicula dicephala W. Sm = *Placoneis dicephala* (W. Sm.) Meresch.

Navicula dicephala f. minor Grun. = Placoneis dicephala f. minor (Grun.) Cox

Navicula digitoradiata (Greg.) Ralfs

NE: Elmore (1921)

Navicula dilatata Ehr. = *Neidium dilatatum* (Ehr.) Cl.

Navicula dilatata Ehr. sensu A.S. = Neidium iridis var. amphigomphus (Ehr.) A Mayer

 $Navicula\ dirhynchus = ?$

KS: Curtis (1901) [see Eberle (1982:88)]

Navicula divergens f. minor A.S. = Pinnularia microstauron (Ehr.) Cl.

Navicula dubia Ehr. = *Neidium dubium* (Ehr.) Cl.

Navicula elginensis (Greg.) Ralfs = Placoneis elginensis (Greg.) Cox

Navicula elginensis var. neglecta (Krasske) Patr. = Placoneis elginensis var. neglecta (Krasske) Kobayasi

Navicula elliptica Kütz. = Diploneis elliptica (Kütz.) Cl.

Navicula elliptica var. minuta Grun. = Diploneis?

Navicula elliptica var. oblongella (Naeg. ex Kütz.) Grun. = Diploneis oblongella (Naeg. ex Kütz.) Ross

Navicula elmorei Patr.

NE: Patrick and Reimer (1966)

OK: Troeger (1983)

Navicula excelsa Krasske

Reported as:

Navicula vaucheriae var. densistriata Lund

KS: Powers (1969)

Navicula exigua Greg. ex Grun. = Placoneis exigua (Greg. ex Grun.) Meresch.

Navicula exigua var. capitata Patr. = Placoneis exigua var. capitata (Patr.) comb. nov.?

Navicula exilissima Grun.

MO: Pamperl (1980)

Navicula falaisiensis Grun.

OK: Troeger (1983)

Navicula festiva Krasske

MO: Pamperl (1980)

OK: Koch and Risser (1974), Troeger (1983)

Navicula firma Kütz. = Neidium iridis (Ehr.) Cl.

Navicula firma var. subampliata = Neidium?

Navicula flanatica Grun. = Navicula ammophila var. flanatica (Grun.) Cl.

Navicula fontinalis Grun. = Caloneis bacillum (Grun.) Cl.

Navicula fulva Ehr. = Craticula cuspidata (Kütz.) D. Mann

Navicula gastrum (Ehr.) Kütz. = *Placoneis gastrum* (Ehr.) Meresch.

Navicula gibba Ehr. = Rhopalodia gibba (Ehr.) O. Müll.

Navicula gibba var. brevistriata V.H. = Pinnularia decurrens Ehr.?

Navicula gottlandica Grun.

KS: Czarnecki and Reinke (1981)

OK: Pfiester et al. (1979)

Navicula gracilis Ehr. = Navicula tripunctata (O. Müll.) Bory

Navicula gracilis var. schizonemoides V.H. = Navicula tripunctata var. schizonemoides (V.H.) Patr.

Navicula graciloides A. Maver

KS: Harris and Eberle (2001), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Pfiester et al. (1979)

Navicula gregaria Donk.

KS: Curtis (1901), Harris and Eberle (2001)

Plains States: Patrick and Reimer (1966)

Navicula grimmei Krasske

KS: Patrick and Reimer (1966)

Navicula guatemalensis Cl. & Grev. = Craticula guatemalensis (Cl. & Grev.) Lange-Bert.

Navicula gysingensis Foged

KS: Wujek et al. (1980)

OK: Kennedy and Pfiester (1984)

Navicula halophila (Grun.) Cl. = Craticula halophila (Grun.) D. Mann

Navicula halophila f. robusta Hust. = Craticula halophila f. robusta (Hust.) Czarn.

Navicula halophila f. tenuirostris Hust. = Craticula halophila f. tenuirostris (Hust.) Czarn.

Navicula hambergii Hust.

OK: Troeger (1983)

Navicula hemiptera Kütz. = Pinnularia acuminata W. Sm.?

Navicula heufleri Grun.

KS: Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

OK: Troeger (1978)

Plains States: Patrick and Reimer (1966)

Navicula heufleri var. leptocephala (Bréb. ex Grun.) Perag.

NE: Patrick and Reimer (1966)

OK: Troeger (1978)

Navicula hilseana (Jan.) Jan. = Pinnularia subcapitata Greg. [see Patrick and Reimer (1966:595-596)]

Navicula humilis Donk. = Hippodonta hungarica (Grun.) Lange-Bert., Metz., & Witk.

Navicula hungarica Grun. = Hippodonta hungarica (Grun.) Lange-Bert., Metz., & Witk.

Navicula hustedtii Krasske

OK: Troeger (1983)

Navicula ilopangoensis Hust.

OK: Koch (1975)

 $Navicula\ inflata = Navicula?$

KS: Curtis (1901) [see Eberle (1982:88)]

Navicula insociabilis Krasske = Fallacia insociabilis (Krasske) D. Mann

Navicula integra (W. Sm.) Ralfs = Prestauroneis integra (W. Sm.) Bruder

Navicula interrupta Kütz. = *Diploneis interrupta* (Kütz.) Cl.

Navicula interrupta (W. Sm.) A.S. = Pinnularia biceps Greg.

Navicula iridis Ehrenb. = *Neidium iridis* (Ehr.) Cl.

Navicula iridis var. amphigomphus Ehr. = Neidium iridis var. amphigomphus (Ehr.) A. Mayer

Navicula jaerenfeltii Hust. = Cavinula jaerenfeltii (Hust.) D. Mann & Stickle

Navicula lacustris Greg. = Cavinula lacustris (Greg.) D. Mann & Stickle

Navicula laevissima Kütz. = Sellaphora laevissima (Kütz.) D. Mann

Navicula lanceolata (Ag.) Kütz. [sensu Hustedt (1930) = Navicula pseudolanceolata Lange-Bert.?]

KS: Curtis (1901), Elmore (1921), Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Wujek et al. (1980)

NE: Andersen and Walker (1920), Elmore (1921), Hoagland et al. (1982), Rosowski et al. (1986), Webber (1890)

OK: Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Troeger (1978), Troeger and Menzel (1986)

Plains States: Patrick and Reimer (1966)

Navicula lanceolata var. cymbula (Donk.) Cl.

Reported as:

Navicula cymbula Donk.

KS: Curtis (1901)

Navicula lata (Bréb.) Kütz. = Pinnularia lata (Bréb.) Rab.

Navicula latens Krasske = *Geissleria thingvallae* (Østrup) Metz. & Lange-Bert.

Navicula legumen Ehr. = Pinnularia legumen (Ehr.) Ehr.

Navicula leptogongyla Ehr. = Caloneis ventricosa (Ehr.) Meist.

Navicula liburnica Grun. = *Caloneis oregonica* (Ehr.) Patr.

Navicula limosa Kütz. = Caloneis limosa (Kütz.) Patr.

Navicula linearis Grun. = *Caloneis linearis* (Grun.) Boyer

Navicula longa (Greg.) Ralfs

KS: Curtis (1901)

Navicula longirostris Hust.

MO: Pamperl (1980)

OK: Troeger (1978)

Navicula luzonensis Hust.

OK: Wilhm et al. (1977), Wilhm et al. (1978)

Navicula macra Grun. = *Caloneis molaris* (Grun.) Krammer

Navicula major (Kütz.) Kütz. = Pinnularia maior (Kütz.) Rab.

Navicula menisculus Schum.

KS: Powers (1969), Wujek (1965)

NE: Elmore (1921)

OK: Pfiester et al. (1979)

Navicula menisculus var. obtusa Hust.

KS: Powers (1969)

Navicula menisculus var. upsaliensis (Grun.) Grun.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), Patrick and Reimer (1966), Roemer et al. (1984)

OK: Troeger (1983)

Navicula mesolepta Ehr. = Pinnularia mesolepta (Ehr.) W. Sm.

Navicula mesostyla Ehr. = Pinnularia mesostyla (Ehr.) W. Sm.

Navicula minima Grun.

KS: Wenke and Eberle (1985)

MO: Pamperl (1980)

OK: Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula atomoides Grun.

NE: Elmore (1921)

Navicula miniscula Grun.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

OK: Pfiester et al. (1979), Troeger (1983)

Navicula minnewaukonensis Elm.

OK: Pfiester et al. (1979), Troeger (1978)

Navicula molesta Krasske = Craticula molesta (Krasske) Lange-Bert.

Navicula mucronata Elm. = Neidium dubium f. constrictum Hust.

Navicula muralis Grun.

OK: Pfiester et al. (1979)

Navicula mutica Kütz. = Luticola mutica (Kütz.) D. Mann

Navicula mutica var. cohnii (Hilse) Grun. = Luticola cohnii (Hilse) D. Mann

Navicula mutica var. goeppertiana (Bleisch ex Rab.) Grun. = Luticola goeppertiana (Bleisch ex Rab.) D. Mann

Navicula mutica var. stigma Patr. = Luticola stigma (Patr.) Johansen

Navicula mutica var. tropica Hust. = Luticola tropica (Hust.) comb. nov.?

Navicula mutica var. undulata (Hilse) Grun. = Luticola undulata (Hilse) D. Mann

Navicula mutica var. ventricosa (Kütz.) Cl. = Luticola ventricosa (Kütz.) D. Mann

Navicula nobilis (Ehr.) Kütz. = Pinnularia nobilis (Ehr.) Ehr.

Navicula nodosa Ehr. = Pinnularia nodosa (Ehr.) W. Sm.

Navicula notha Wall.

KS: Wujek et al. (1980)

OK: Koch (1975), Troeger (1983)

Navicula oblonga (Kütz.) Kütz.

KS: Curtis (1901)

NE: Andersen and Walker (1920), Elmore (1921)

Plains States: Patrick and Reimer (1966)

Navicula obtusa Ehr. = *Pinnularia appendiculata* (Ag.) Cl.

Navicula obtusata W. Sm. = ?*Caloneis hebes* (Ralfs) Patr.

Navicula oculata Bréb. = Diploneis oculata (Bréb.) Cl.

Navicula odiosa Wall.

OK: Pfiester et al. (1979)

Navicula palpebralis Bréb. ex W. Sm.

NE: Elmore (1921), Patrick and Reimer (1966)

Navicula parva (Ehr.) Elm. = Pinnularia stauroptera (Grun.) Rab.

Navicula paucivisitata Patr.

KS: Wujek et al. (1980)

OK: Troeger (1983)

Navicula pelliculosa (Bréb. ex Kütz.) Hilse

KS: Powers (1969)

OK: Koch and Risser (1974), Seyfer and Wilhm (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Navicula peregrina (Ehr.) Kütz.

KS: Curtis (1901), Harris and Eberle (2001), Wenke and Eberle (1986), Wujek et al. (1980)

NE: Elmore (1921)

OK: Kennedy and Pfiester (1984)

Plains States: Patrick and Reimer (1966)

Also reported as:

Pinnularia peregrina Ehr.

OK: Ehrenberg (1856)

Navicula phyllodes (Ehr.) Ehr. = *Stauroneis phyllodes* Ehr.

Navicula placentula (Ehr.) Kütz. = Placoneis placentula (Ehr.) Heinz.

Navicula placentula f. rostrata A. Mayer = Placoneis placentula var. rostrata (A. Mayer) And., Stoerm., & Kreis?

Navicula producta W. Sm. = Neidium productum (W. Sm.) Cl.

Navicula protracta Grun.

KS: Czarnecki and Reinke (1981)

OK: Troeger (1983)

Navicula pseudobacillum Grun. = Sellaphora bacillum (Ehr.) D. Mann

Navicula pseudoreinhardtii Patr.

OK: Pfiester et al. (1979)

Navicula pumila Grun. = Navicula cryptocephala var. veneta (Kütz.) Rab.

Navicula pupula Kütz. = Sellaphora pupula (Kütz.) Meresch.

Navicula pupula f. minutula Choln. = Sellaphora pupula f. minutula (Choln.) comb. nov.?

Navicula pupula var. capitata Skv. & Meyer = Sellaphora pupula var. capitata (Skv. & Meyer) Poulin

Navicula pupula var. elliptica Hust. = Sellaphora pupula var. elliptica (Hust.) Poulin

Navicula pupula var. mutata (Krasske) Hust. = Sellaphora mutata (Krasske) Lange-Bert.

Navicula pupula var. rectangularis (Greg.) Grun. = Sellaphora rectangularis (Greg.) Lange-Bert. & Metz.

Navicula pygmaea Kütz. = Fallacia pygmaea (Kütz.) Stickle & D. Mann

 $Navicula\ radians = ?$

KS: Curtis (1901) [see Eberle (1982:89)]

Navicula radiosa Kütz.

KS: Curtis (1901), Elmore (1921), Wujek et al. (1980)

NE: Andersen and Walker (1920), Elmore (1921), Hoagland et al. (1982), F.A. Morris et al. (1979)

OK: Pfiester et al. (1979), Troeger (1978, 1983), Troeger and Menzel (1986)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula radiosa var. acuta (W. Sm.) Grun.

KS: Curtis (1901)

Navicula radiosa var. acuta (W. Sm.) Grun. = Navicula radiosa Kütz.

Navicula radiosa var. parva Wall. = Navicula radiosafallax Lange-Bert.

Navicula radiosa var. tenella (Bréb. ex Kütz.) Grun. = Navicula cryptotenella Lange-Bert.

Navicula radiosafallax Lange-Bert.

Reported as:

Navicula radiosa var. parva Wall.

NE: Hoagland et al. (1982)

Navicula rangoonensis (Grun.) Elm. = Pinnularia abaujensis var. linearis (Hust.) Patr.

Navicula reinhardtii (Grun.) Grun.

NE: Elmore (1921)

Plains States: Patrick and Reimer (1966)

Navicula retusa Bréb. = Navicula cancellata var. retusa (Bréb.) Cl.

Navicula rhomboides var. ? (Colletonema vulgare Thw.) = Frustulia vulgaris (Thw.) DeT.

Navicula rhyncocephala Kütz.

KS: Branson (1966), Curtis (1901), Wujek (1965)

MO: Pamperl (1980)

NE: Elmore (1921), Hoagland et al. (1982)

OK: Koch and Risser (1974), Pfiester et al. (1979), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Navicula rhyncocephala var. amphiceros (Kütz.) Grun. = Navicula rhynchotella Lange-Bert.

Navicula rhyncocephala var. germainii (Wall.) Patr. = Navicula viridula var. germainii (Wall.) Lange-Bert. Navicula rhynchotella Lange-Bert.

Reported as:

Navicula rhyncocephala var. amphiceros (Kütz.) Grun.

KS: Patrick and Reimer (1966)

Navicula amphiceros Kütz.

KS: ?Curtis (1901)

Navicula rostellata Kütz. = Navicula viridula var. rostellata (?Kütz.) Cl.

Navicula rostrata Ehrenb. = Anomoeoneis sphaerophora var. sculpta O. Müll.

Navicula rupestris (Hantz.) A.S. = *Pinnularia rupestris* Hantz.

Navicula sabiniana Patr.

OK: Pfiester et al. (1979), Troeger (1978, 1983), Troeger and Menzel (1986)

Navicula salinarum Grun.

KS: Czarnecki and Reinke (1981)

MO: M.K. Morris et al. (1979a)

NE: Elmore (1921)

OK: Koch (1975), Koch and Risser (1974), Seyfer and Wilhm (1977), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Navicula salinarum var. intermedia (Grun.) Cl. = Navicula capitatoradiata Germain ex Gasse

Navicula santaecrucis Østr.

OK: Koch (1975)

Navicula scalprum Gaillon = *Gyrosigma attenuatum* var. *scalprum* (Gaillon) Ralfs

Navicula schoenfeldii Hust. = Geissleria schoenfeldii (Hust.) Lange-Bert. & Metzetlin

Navicula schroeteri var. escambia Patr.

NE: Hoagland et al. (1982)

Navicula schumanniana Grun. = Caloneis limosa (Kütz.) Patr.

Navicula sculpta Ehr. = Anomoeoneis sphaerophora var. sculpta O. Müll.

Navicula scutum Schum.

NE: Elmore (1921)

Navicula secreta Patr.

OK: Wilhm et al. (1977)

Navicula secreta var. apiculata Patr.

KS: ?Harris and Eberle (2001)

OK: Koch and Risser (1974)

Navicula secura Patr.

OK: Koch and Risser (1974)

Navicula semen Ehr. emend Donk.

Plains States: Patrick and Reimer (1966)

Navicula seminulum Grun. = Sellaphora seminulum (Grun.) D. Mann

Navicula seminulum var. hustedtii Patr. = Sellaphora seminulum var. hustedtii (Patr.) comb. nov.?

Navicula serians Bréb. ex Kütz. = Brachysira serians (Bréb. ex Kütz.) Round & Mann

Navicula sigma Ehr. = ?

OK: Ehrenberg (1856)

Navicula silicula Ehr. = *Caloneis ventricosa* (Ehr.) Meist.

Navicula simplex Krasske

NE: Hoagland et al. (1982)

Navicula smithii Bréb. ex W. Sm. = Diploneis smithii (Bréb. ex W. Sm.) Cl.

Navicula sphaerophora Ehr. = Anomoeoneis sphaerophora (Kütz.) Pfitz.

Navicula spicula (Hicke) Cl. = Stauroneis spicula (Hicke) Grun.

Navicula stauroneiformis Elm. = *Pinnularia aestuarii* Cl.

Navicula stauroparva Grun. = Pinnularia parvula (Ralfs) Cl.-Eul.

Navicula stauroptera Grun. = *Pinnularia stauroptera* (Grun.) Rab.

Navicula stauroptera var. parva Grun. = Pinnularia parvula (Ralfs) Cl.-Eul.

Navicula stomatophora Grun. = *Pinnularia stomatophora* (Grun.) Cl.

Navicula subcapitata (Greg.) Ralfs = Pinnularia subcapitata Greg.

Navicula subcapitata var. stauroneiformis V.H. = Pinnularia subcapitata Greg.

Navicula subfasciata Patr. [also as *N. subfasciculata*]

OK: Koch and Risser (1974), Troeger (1978, 1983)

Navicula subhamulata Grun. = Fallacia subhamulata (Grun.) D. Mann

Navicula subinflata Grun.

KS: Curtis (1901)

Navicula subtilissima Cl. = Kobayasia subtilissima (Cl.) Lange-Bert.

Navicula symmetrica Patr.

KS: Powers (1969)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Koch (1975), Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Navicula tabellaria Grun. = Pinnularia?

Navicula tantula Hust.

KS: Powers (1969)

Navicula tenella Bréb. ex Kütz. = Navicula cryptotenella Lange-Bert.

Navicula tenera Hust. = Fallacia tenera (Hust.) D. Mann

Navicula tenelloides Hust.

Plains States: Patrick and Reimer (1966)

Navicula texana Patr.

OK: Koch and Risser (1974)

Navicula thermes (Ehr.) A.S. = *Pinnularia termes* Ehr.

Navicula tridentula Krasske

OK: Troeger (1978)

Navicula trinodis Lewis = *Caloneis lewisii* Patr.

Navicula tripunctata (O. Müll.) Bory

KS: Wujek et al. (1980)

NE: Hoagland et al. (1982), Roemer et al. (1984), Williams (1962), WPSS (1966)

OK: Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula gracilis Ehr.

KS: Curtis (1901)

NE: Elmore (1921)

OK: Ehrenberg (1856), Leake (1945)

Navicula tripunctata var. schizonemoides (V.H.) Patr.

KS: Powers (1969)

MO: Pamperl (1980)

OK: Koch (1975)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula gracilis var. schizonemoides V.H.

KS: Powers (1969)

Navicula tuscula Ehr. = Aneumastus tuscula (Ehr.) D. Mann & Stickle

 $Navicula\ undulata=?$

KS: Curtis (1901) [see Eberle (1982:137)]

Navicula variostriata Krasske = Cavinula variostriata (Krasske) D. Mann

Navicula vaucheriae Peters.

KS: Powers (1969)

Navicula vaucheriae var. densistriata Lund = Navicula excelsa Krasske

Navicula veneta Kütz. = Navicula cryptocephala var. veneta (Kütz.) Rab.

Navicula ventricosa Ehr. = Caloneis ventricosa (Ehr.) Meist.

Navicula ventricosa f. minuta Grun. = Caloneis ventricosa var. minuta (Grun.) Patr.

Navicula viridis (Nitz.) Ehrenb. = Pinnularia viridis (Nitz.) Ehrenb.

Navicula viridis (Nitz.) Ehr. sensu A.S. = Pinnularia viridis var. minor Cl.

```
Navicula viridula (Kütz.) Kütz. emend V.H.
      CO: Williams (1964)
      KS: Wujek (1965)
      OK: Koch and Risser (1974), Pfiester et al. (1979), Troeger (1983), Wilhm et al. (1977)
      Plains States: Patrick and Reimer (1966)
      Also reported as:
          Navicula viridula f. minor
              KS: Curtis (1901) [see Eberle (1982:89)]
  Navicula viridula f. minor = Navicula viridula (Kütz.) Kütz. emend V.H.?
  Navicula viridula var. argunensis Skv.
      KS: Powers (1969)
  Navicula viridula var. avenacea (Bréb. ex Grun.) V.H.
      KS: Czarnecki and Reinke (1981), Wenke and Eberle (1986)
      NE: Patrick and Reimer (1966)
  Navicula viridula var. germainii (Wall.) Lange-Bert.
      Reported as:
          Navicula rhyncocephala var. germainii (Wall.) Patr.
              NE: Hoagland et al. (1982)
              OK: Troeger (1978)
  Navicula viridula var. linearis Hust.
      KS: Powers (1969)
      MO: Pamperl (1980)
      OK: Pfiester and Terry (1978)
      Plains States: Patrick and Reimer (1966)
  Navicula viridula var. rostellata (?Kütz.) Cl.
      KS: Wenke and Eberle (1985, 1986)
      NE: Patrick and Reimer (1966)
      OK: Troeger (1983)
      Plains States: Patrick and Reimer (1966)
      Also reported as:
          Navicula rostellata Kütz.
              KS: Curtis (1901)
  Navicula viridula var. rostrata Skv.
      KS: Powers (1969)
  Navicula vitabunda Hust. = Sellaphora vitabunda (Hust.) D. Mann
  Navicula vulpina Kütz.
      NE: Hoagland et al. (1982)
      OK: Pfiester et al. (1979)
► Neidium?
      Reported as:
          Navicula amphilepta Ehr. nom. nud. = Neidium?
              NE: Ehreneberg (1856)
              OK: Ehreneberg (1856)
          Navicula firma var. subampliata
              KS: Curtis (1901) [see Eberle (1982:93)]
  Neidium affine (Ehr.) Pfitz.
      KS: Harris and Eberle (2001)
      OK: Seyfer and Wilhm (1977)
      Plains States: Patrick and Reimer (1966)
      Also reported as:
          Navicula affinis Ehr.
              KS: Curtis (1901)
              NE: Ehrenberg (1856), Elmore (1921)
              OK: Ehreneberg (1856)
```

Pleurosiphonia affinis Ehr. NE: Ehrenberg (1856) OK: Ehrenberg (1856)

Neidium affine var. amphirhynchus (Ehr.) Cl.

OK: Troeger (1978, 1983)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula amphirhynchus Ehr.

KS: Curtis (1901)

OK: Ehreneberg (1856)

Navicula columnaris Ehr.

KS: Curtis (1901)

Neidium ampliatum (Ehr.) Kramm.

KS: Harris and Eberle (2001)

Also reported as:

Navicula ampliatum Ehr.

KS: Curtis (1901)

Neidium iridis var. ampliatum (Ehr.) Cl.

OK: Pfiester et al. (1979)

Neidium binode (Ehr.) Hust.

OK: Koch and Risser (1974)

Neidium bisulcatum (Lagerst.) Cl.

NE: Patrick and Reimer (1966)

OK: Kennedy and Pfiester (1984)

Also reported as:

Navicula bisulcata Lagerst.

NE: Elmore (1921)

Neidium bisulcatum var. baicalense (Skv. & Meyer) Reim.

OK: Troeger (1983)

Neidium dilatatum (Ehr.) Cl.

Reported as:

Navicula dilatata Ehr.

OK: ?Ehrenberg (1856)

Neidium dubium (Ehr.) Cl.

OK: Pfiester et al. (1979), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula dubia Ehr.

KS: Curtis (1901)

NE: Elmore (1921)

Neidium dubium f. constrictum Hust.

Reported as:

Navicula mucronata Elm.

NE: Elmore (1921)

Neidium hercynicum f. subrostratum Wall.

OK: Troeger (1983)

Neidium iridis (Ehr.) Cl.

KS: Wujek et al. (1980)

OK: Pfiester and Terry (1978), Pfiester et al. (1979), Troeger (1978)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula firma Kütz.

KS: Curtis (1901)

Navicula iridis Ehr.

NE: Andersen and Walker (1920), Elmore (1921)

Neidium iridis f. vernalis Reichelt

KS: Harris and Eberle (2001)

Neidium iridis var. amphigomphus (Ehr.) A. Mayer

OK: Pfiester and Terry (1978)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula amphigomphus Ehr.

KS: Wolle (1889)

NE: Elmore (1921)

Navicula dilatata Ehr. sensu A.S.

KS: Curtis (1901) [see Eberle (1982:92-93)]

Navicula iridis var. amphigomphus Ehr.

NE: Webber (1889, 1890)

Neidium iridis var. ampliatum (Ehr.) Cl. = Neidium ampliatum (Ehr.) Kramm.

Neidium productum (W. Sm.) Cl.

OK: Pfiester et al. (1979), Troeger (1978)

Also reported as:

Navicula producta W. Sm.

KS: Curtis (1901)

NE: Webber (1889)

▶ Nitzschia acicularis (Kütz.) W. Sm. [some records might be Nitzschia reversa W. Sm. (e.g., Elmore 1921:209, fig. 772)]

CO: WPSS (1961-1963)

KS: Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Williams (1962, 1972), Williams et al. (1979), WPSS (1961-1963, 1966), Wujek et al. (1980)

MO: Pamperl (1980), WPSS (1961-1963)

NE: Hoagland et al. (1982)

OK: Cooper and Wilhm (1975), Hern et al. (1979), Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), WPSS (1961-1963, 1966)

Also reported as:

Homoeocladia acicularis (Kütz.) Kuntze

KS: Elmore (1921)

NE: Elmore (1921)

Nitzschia actinastroides (Lemm.) van Goor = Nitzschia holsatica Hust.

Nitzschia acuta Cl. = Tryblionella acuta (Cl.) D. Mann

Nitzschia adapta Hust.

KS: Harris and Eberle (2001)

Nitzschia agnewii Choln.

KS: Harris and Eberle (2001)

Nitzschia amphibia Grun.

KS: Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), Roemer et al. (1984)

OK: Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Troeger and Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978)

Also reported as:

Homoeocladia amphibia (Grun.) Kuntze

NE: Andersen and Walker (1920), Elmore (1921)

Nitzschia amphioxys (Ehr.) W. Sm. = Hantzschia amphioxys (Ehr.) Grun.

Nitzschia amphioxys var. vivax (Grun.) ? = Hantzschia amphioxys var. vivax Grun.

Nitzschia angularis W. Sm.

OK: Kennedy and Pfiester (1984)

Nitzschia angustata (W. Sm.) Grun. = Tryblionella angustata W. Sm.

Nitzschia apiculata (Greg.) Grun. = Tryblionella apiculata Greg.

Nitzschia bacata Hust.

NE: Hoagland et al. (1982)

Nitzschia brebissonii W. Sm.

NE: Andersen and Walker (1920)

Also reported as:

Homoeocladia brebissonii (W. Sm.) Kuntze

NE: Andersen and Walker (1920), Elmore (1921)

Nitzschia brevissima Grun.

Reported as:

Nitzschia parvula Lewis [non Nitzschia parvula W. Sm.]

OK: Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1983), Wilhm et al. (1977), Wilhm et al. (1978)

Nitzschia caledonensis Schoem.

KS: Harris and Eberle (2001)

Nitzschia capitellata Hust.

KS: Powers (1969)

OK: ?Koch (1975), Pfiester et al. (1979), Troeger (1983)

Nitzschia clausii Hantz.

KS: Powers (1969), Wujek et al. (1980)

OK: Koch (1975), Pfiester et al. (1979)

Nitzschia closterium (Ehr.) W. Sm.

KS: Powers (1969)

Also reported as:

Nitzschia longissima f. parva Grun. [misidentification?]

KS: Reinke (1979a, 1985)

Nitzschia longissima var. reversa (W. Sm.) V.H. [misidentification?]

CO: Morris et al. (1979*b*)

KS: Williams et al. (1979)

OK: Hern et al. (1979)

Nitzschia reversa W. Sm.

KS: Harris and Eberle (2001), McFarland et al. (1964)

Nitzschia communis Rab.

KS: Curtis (1901), ?Harris and Eberle (2001)

NE: Roemer et al. (1984), Schofield (1892)

OK: Pfiester et al. (1979)

Nitzschia commutata Grun. [sensu Hustedt (1930) = Nitzschia commutatoides Lange-Bert. (Krammer and Lange-

Bertlot 1988:58)]

KS: Wenke and Eberle (1986), Wujek et al. (1980)

OK: Pfiester et al. (1979)

Reported as:

Homoeocladia commutata (Grun.) Kuntze

NE: Elmore (1921)

Nitzschia confinis Hust.

KS: Harris and Eberle (2001)

Nitzschia denticula Grun.

KS: Williams (1962), WPSS (1961-1963), Wujek et al. (1980)

OK: Koch (1975), Seyfer and Wilhm (1977)

Also reported as:

Homoeocladia obtusa (Grun.) Elm.

NE: Elmore (1921)

Nitzschia dissipata (Kütz.) Grun.

KS: Curtis (1901), ?Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), Roemer et al. (1984)

OK: Koch (1975), Koch and Risser (1974), Pflester et al. (1979), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), WPSS (1966)

Also reported as:

Homoeocladia dissipata (Kütz.) Kuntze

NE: Elmore (1921)

Nitzschia dubia W. Sm.

OK: Koch (1975)

Also reported as:

Homoeocladia dubia (W. Sm.) Elm.

NE: Elmore (1921)

Nitzschia elegans Hust.

NE: Hoagland et al. (1982)

Nitzschia elliptica Hust.

OK: Wilhm et al. (1977), Wilhm et al. (1978)

Nitzschia entomon (Ehr.) Ralfs

Reported as:

Synedra entomon Ehr.

OK: Ehrenberg (1856)

Nitzschia epiphytica O. Müll.

OK: Koch and Risser (1974)

Nitzschia fasciculata Grun.

KS: Powers (1969)

OK: Pfiester et al. (1979)

Also reported as:

Homoeocladia fasciculata (Grun.) Kuntze

NE: Elmore (1921)

Nitzschia filiformis (W. Sm.) V.H.

KS: Harris and Eberle (2001), Powers (1969), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982), F.A. Morris et al. (1979)

OK: Hern et al. (1979), Pflester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978)

Also reported as:

Homoeocladia filiformis W. Sm.

NE: Elmore (1921)

Nitzschia flexa Schum.

KS: Wujek et al. (1980)

Nitzschia fonticola Grun.

KS: Harris and Eberle (2001)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Troeger (1978, 1983)

Nitzschia frustulum (Kütz.) Grun.

KS: Curtis (1901), Harris and Eberle (2001), Powers (1969)

MO: Pamperl (1980)

NE: Roemer et al. (1984)

OK: Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Troeger (1978), Troeger (1983)

Also reported as:

Homoeocladia frustulum (Kütz.) Kuntze

NE: Elmore (1921)

Nitzschia frustulum var. perminuta Grun.

MO: Pamperl (1980)

Nitzschia frustulum var. perpusilla (Rab.) Grun.

KS: Wujek et al. (1980)

Nitzschia gandersheimiensis Krasske

KS: Harris and Eberle (2001)

Nitzschia geitleri Hust.

KS: ?Harris and Eberle (2001)

Nitzschia gracilis Hantz.

KS: Harris and Eberle (2001), Powers (1969)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Koch and Risser (1974), Pfiester et al. (1979), Troeger (1978, 1983)

Nitzschia hantzschiana Rab.

OK: Hern et al. (1979), Troeger (1978), Troeger (1983)

Nitzschia heufleriana Grun.

KS: Curtis (1901)

Nitzschia holsatica Hust.

KS: Powers (1969), Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

OK: Hern et al. (1979), Wilhm et al. (1977)

Also reported as:

Nitzschia actinastroides (Lemm.) van Goor

KS: Wenke and Eberle (1986) [as both names]

Nitzschia homburgiensis L.-Bert.

Reported as:

Nitzschia thermalis (Ehr.) Auersw. (see note with that species in this list)

Nitzschia thermalis var. minor Hilse

MO: Pamperl (1980)

OK: Pfiester et al. (1979)

Nitzschia hungarica Grun. = Tryblionella hungarica (Grun.) D. Mann

Nitzschia ignorata Krasske

MO: Pamperl (1980)

OK: Pfiester et al. (1979)

Nitzschia incurva var. lorenziana Ross

Reported as:

Nitzschia lorenziana Grun.

OK: Pfiester et al. (1979), Wilhm et al. (1978)

Nitzschia incurva var. subtilis (Grun.) Ross

Reported as:

Nitzschia lorenziana var. subtilis Grun.

OK: Troeger (1983)

Nitzschia intermedia Hantz.

Reported as:

Homoeocladia intermedia (Hantz.) Kuntze

NE: Elmore (1921)

Nitzschia invicta f. lanceolata Hust.

KS: Powers (1969)

Nitzschia kuetzingiana Hilse [sensu Hustedt (1930) = N. paleacea (Grun.) Grun. (Krammer and Lange-Bertlot

1988:114)

KS: Wujek et al. (1980)

OK: ?Koch (1975)

Also reported as:

Nitzschia palea var. kuetzingiana (Hilse) Grun.

KS: Powers (1969)

Nitzschia lanceolata W. Sm.

KS: Curtis (1901)

OK: Williams (1964)

Also reported as:

Homoeocladia lanceolata (W. Sm.) Kuntze

KS: Elmore (1921)

NE: Elmore (1921)

Nitzschia linearis W. Sm.

KS: Powers (1969), Wenke and Eberle (1986), Williams (1962, 1964), WPSS (1966), Wujek (1965)

MO: Williams (1962, 1964), Williams and Scott (1962), WPSS (1966)

NE: Hoagland et al. (1982), Rosowski et al. (1986), Williams (1962, 1964), WPSS (1966)

OK: Koch and Risser (1974), Seyfer and Wilhm (1977), Troeger (1983), Troeger and Menzel (1986), Wilhm et al. (1977), Williams (1962), WPSS (1966)

Also reported as:

Homoeocladia linearis (W. Sm.) Kuntze

NE: Elmore (1921)

Nitzschia linearis var. tenuis (W. Sm.) Grun.

KS: Wenke and Eberle (1985, 1986)

Nitzschia longissima f. parva Grun. = *Nitzschia closterium* (Ehr.) W. Sm.

Nitzschia longissima var. reversa (W. Sm.) V.H. = Nitzschia closterium (Ehr.) W. Sm.

Nitzschia lorenziana Grun. = Nitzschia incurva var. lorenziana Ross

Nitzschia lorenziana var. subtilis Grun. = Nitzschia incurva var. subtilis (Grun.) Ross

Nitzschia microcephala Grun.

KS: Harris and Eberle (2001), Wujek et al. (1980)

MO: Pamperl (1980)

OK: Koch and Risser (1974)

Nitzschia obtusa W. Sm.

KS: Czarnecki and Reinke (1981)

MO: Pamperl (1980)

OK: Pfiester et al. (1979)

Also reported as:

Homoeocladia arcus (Buhln.) Kuntze

NE: Elmore (1921)

Nitzschia obtusa var. scapelliformis Grun.

KS: Czarnecki and Reinke (1981)

OK: Koch (1975), Seyfer and Wilhm (1977)

Nitzschia palea (Kütz.) W. Sm.

KS: Curtis (1901), Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Williams (1962), Williams and Scott (1962), Wujek et al. (1980)

MO: Pamperl (1980), Williams (1962)

NE: Hoagland et al. (1982), F.A. Morris et al. (1979), Roemer et al. (1984), Williams (1962)

OK: Cooper and Wilhm (1975), Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1983), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), Williams and Scott (1962)

Also reported as:

Homoeocladia palea (Kütz.) Kuntze

NE: Andersen and Walker (1920), Elmore (1921)

Nitzschia palea var. debilis (Kütz.) Grun.

NE: Hoagland et al. (1982)

Nitzschia palea var. kuetzingiana (Hilse) Grun. = Nitzschia kuetzingiana Hilse

Nitzschia paleacea (Grun.) Grun.

KS: Harris and Eberle (2001)

OK: Koch and Risser (1974)

Nitzschia paradoxa (Gmelin) Grun. = Bacillaria paradoxa Gmelin

Nitzschia parvula Lewis (non Nitzshchia parvula W. Sm.) = Nitzschia brevissima Grun.

Nitzschia pseudoamphioxys Hust.

KS: Powers (1969)

Nitzschia rautenbachiae Choln.

KS: Harris and Eberle (2001)

Nitzschia recta Hantz. ex Rab.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

Nitzschia reversa W. Sm. = Nitzschia closterium (Ehr.) W. Sm.

Nitzschia romana Grun.

KS: Powers (1969)

MO: Pamperl (1980)

OK: Pfiester et al. (1979), Troeger (1978)

Nitzschia sigma (Kütz.) W. Sm.

KS: Curtis (1901), Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Wujek et al. (1980)

OK: Koch (1975), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978)

Also reported as:

Homoeocladia sigma (Kütz.) Kuntze

NE: Elmore (1921)

OK: Leake (1945)

Nitzschia sigmoidea (Nitzsch) W. Sm.

KS: Curtis (1901), ?Harris and Eberle (2001), Williams et al. (1979), Wujek et al. (1980)

NE: F.A. Morris et al. (1979), Webber (1890)

OK: Koch and Risser (1974), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978)

Also reported as:

Homoeocladia sigmoidea (Kütz.) Kuntze

KS: Curtis (1901)

NE: Elmore (1921)

Nitzschia sinuata var. tabellaria (Grun.) Grun.

KS: Wujek (1965), Wujek et al. (1980)

MO: Pamperl (1980)

Nitzschia spectabilis (Ehr.) Ralfs = Hantzschia spectabilis (Ehr.) Hust.

Nitzschia spiculoides Hust.

KS: Harris and Eberle (2001)

Nitzschia stagnorum (Rab.) Grun.

KS: Curtis (1901), Powers (1969)

OK: Pfiester and Terry (1978), Pfiester et al. (1979)

Nitzschia subcapitellata Hust.

KS: Powers (1969)

NE: Rosowski et al. (1986)

Nitzschia sublinearis Hust.

KS: Wenke and Eberle (1985)

MO: Pamperl (1980)

OK: Koch and Risser (1974), Troeger (1978, 1983)

Nitzschia subrostrata Hust.

MO: Pamperl (1980)

Nitzschia subtilis Grun.

KS: Reinke (1982*a*)

OK: Kennedy and Pfiester (1984)

Also reported as:

Homoeocladia subtilis (Grun.) Kuntze

NE: Elmore (1921)

Nitzschia subtilioides Hust.

NE: Hoagland et al. (1982)

Nitzschia subvitrea Hust.

KS: Harris and Eberle (2001)

Nitzschia suchlandti Hust.

NE: ?Hoagland et al. (1982)

Nitzschia tarda Hust.

KS: Powers (1969)

```
Nitzschia thermalis (Ehr.) Auersw. [= N. umbonata (Ehr.) Lange-Bert. or N. homburgiensis Lange-Bert. (Krammer
       and Lange-Bertlot 1988:64-65)]
      KS: Wujek et al. (1980)
      OK: Pfiester et al. (1979)
  Nitzschia thermalis var. minor Hilse = Nitzschia homburgiensis Lange-Bert.
  Nitzschia tropica Hust.
      NE: Hoagland et al. (1982), Roemer et al. (1984)
  Nitzschia tryblionella Hantz. = Tryblionella gracilis W. Sm.
  Nitzschia tryblionella f. densus striatae? = Tryblionella gracilis W. Sm.?
  Nitzschia tryblionella f. minor? = Tryblionella gracilis W. Sm.?
  Nitzschia tryblionella var. debilis (Arn.) A. Mayer = Tryblionella debilis Arn.
  Nitzschia tryblionella var. levidensis (W. Sm.) Grun. = Tryblionella levidensis W. Sm.
  Nitzschia tryblionella var. victoriae (Grun.) Grun. = Tryblionella victoriae Grun.
  Nitzschia umblicata Hust. = Tryblionella umblicata (Hust.) D. Mann
  Nitzschia umbonata (Ehr.) Lange-Bert.
      Reported as:
          Homoeocladia umbonata (Ehr.) Kuntze
              NE: Elmore (1921)
          Nitzschia thermalis (Ehr.) Auersw. (see note with that species in this list)
  Nitzschia valdestriata Aleem & Hust.
      KS: Powers (1969)
  Nitzschia vermicularis (Kütz.) Hantz.
      KS: Harris and Eberle (2001), Wenke and Eberle (1986), Williams et al. (1979)
      OK: Hern et al. (1979), Kennedy and Pfiester (1984)
      Also reported as:
          Homoeocladia vermicularis (Kütz.) Kuntze
              KS: Elmore (1921)
             NE: Elmore (1921)
  Nitzschia vitrea Norm.
      Reported as:
          Homoeocladia vitrea (Norm.) Kuntze
             NE: Elmore (1921)
  Nitzschia vitrea var. salinarum Grun.
      KS: Czarnecki and Reinke (1981), Harris and Eberle (2001)
  Nitzschia vitrea var. scaphiformis Wisl. & Poretz.
      KS: ?Harris and Eberle (2001)
► Peronia fibula (Bréb. ex Kütz.) Ross
      NE: Patrick and Reimer (1966)
      Also reported as:
          Sceptroneis fibula (Bréb.) Elm. (listed with Fragilariophyceae)
             NE: Andersen and Walker (1920), Elmore (1921)
► Pinnularia?
      Reported as:
          Navicula commutata Grun.
              KS: Curtis (1901) [see Patrick and Reimer (1966:612)]
          Navicula tabellaria Grun.
              KS: Curtis (1901) [see Eberle (1982:116) and Patrick and Reimer (1966:613 and 626)]
  Pinnularia abaujensis (Pant.) Ross
      OK: Pfiester et al. (1979), Troeger (1983)
      Plains States: Patrick and Reimer (1966)
      Also reported as:
          Navicula acrospheria (Bréb.) Kütz.
             KS: Curtis (1901)
             NE: Elmore (1921)
  Pinnularia abaujensis var. linearis (Hust.) Patr.
      NE: Patrick and Reimer (1966)
```

Pinnularia abaujensis var. rostrata (Patr.) Patr.

Navicula rangoonensis (Grun.) Elm.

OK: Pfiester et al. (1979)

NE: Elmore (1921)

Also reported as:

Pinnularia abaujensis var. subundulata (A. Mayer ex Hust.) Patr.

OK: Troeger (1983)

Pinnularia acrosphaeria W. Sm.

KS: Wujek et al. (1980) MO: Pamperl (1980)

OK: Pfiester et al. (1979), Troeger (1983)

Plains States: Patrick and Reimer (1966)

Pinnularia acuminata W. Sm.

KS: ?Patrick and Reimer (1966)

OK: Pfiester et al. (1979)

Also reported as:

Navicula hemiptera Kütz. ?

KS: Curtis (1901) [see Eberle (1982:114) and Patrick and Reimer (1966:621)]

Pinnularia aestuarii Cl.

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula stauroneiformis Elm.

KS: Curtis (1901) **NE**: Elmore (1921)

Pinnularia amphioxys Ehr.

NE: Ehrenberg (1856) OK: Ehrenberg (1856)

Pinnularia appendiculata (Ag.) Cl.

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula appendiculata (Ag.) Kütz.

NE: Andersen and Walker (1920), Elmore (1921)

Navicula obtusa Ehr.
OK: Ehrenberg (1856)

Pinnularia biceps Greg.

KS: Wujek et al. (1980)

OK: Pfiester et al. (1979), Troeger (1978, 1983)

Also reported as:

Navicula interrupta (W. Sm.) A.S.

KS: Curtis (1901) [see Eberle (1982:106)]

Pinnularia biceps f. petersenii Ross

OK: Pfiester et al. (1979)

Pinnularia borealis Ehr.

OK: Ehrenberg (1856), Pfiester and Terry (1978), Pfiester et al. (1979), Troeger (1978, 1983)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula borealis (Ehr.) Kütz.

KS: Curtis (1901) **NE**: Elmore (1921)

Pinnularia boyeri Patr.

Plains States: Patrick and Reimer (1966)

Pinnularia braunii (Grun.) Cl.

KS: Powers (1969)

NE: Patrick and Reimer (1966)

OK: Seyfer and Wilhm (1977), Wilhm et al. (1978)

Also reported as:

Navicula braunii Grun.

NE: Elmore (1921)

Pinnularia braunii var. amphicephala (A. Mayer) Hust.

KS: Wujek et al. (1980) OK: Troeger (1978, 1983)

Pinnularia brebissonii (Kütz.) Rab.

KS: Harris and Eberle (2001)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula brebissonii Kütz.

KS: Curtis (1901)

NE: Andersen and Walker (1920), Elmore (1921), Webber (1890)

Pinnularia microstauron var. brebissonii (Kütz.) Hust.

OK: Pfiester and Terry (1978)

Pinnularia brebissonii var. diminuta (Grun.) Cl.

KS: Harris and Eberle (2001)

Pinnularia brevicostata Cl.

OK: Troeger (1983)

Pinnularia capitata Ehr. = Hippodonta capitata (Ehr.) Lange-Bert., Metz., & Witk.

Pinnularia conspicua (A.S.) Cl.

Reported as:

Navicula conspicua A.S. KS: Curtis (1901)

Pinnularia decurrens Ehr.

NE: Ehrenberg (1856)

Also reported as:

Navicula decurrens (Ehr.) Kütz.

KS: Curtis (1901) **NE**: Elmore (1921)

Navicula gibba var. brevistriata V.H.?

NE: Andersen and Walker (1920) [Elmore (1921) equated this species with P. decurrens Ehr. and P. gibba Ehr.]

Pinnularia divergens W. Sm.

Plains States: Patrick and Reimer (1966)

Pinnularia formica (Ehr.) Patr.

OK: Pfiester et al. (1979)

Pinnularia gibba var. brevistriata (V.H.) A. Mayer

OK: Pfiester and Terry (1978)

Pinnularia gibba var. mesogongyla (Ehr.) Hust. = Pinnularia mesogongyla Ehr.

Pinnularia hilseana Jan. = Pinnularia subcapitata Greg. [see Patrick and Reimer 1966:595-596]

Pinnularia inaequalis Ehr. = *Cymbella inaequalis* (Ehr.) Rab.

Pinnularia isostauron (Ehr.) Cl.

Reported as:

Stauroptera isostauron Ehr.

OK: Ehrenberg (1856)

Pinnularia lata (Bréb.) Rab.

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula lata (Bréb.) Kütz.

NE: Elmore (1921)

Pinnularia latevittata var. domingensis Cl.

OK: Troeger (1978)

Pinnularia legumen (Ehr.) Ehr.

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula legumen Ehr. NE: Elmore (1921)

Pinnularia macilenta (Ehr.) Ehr.

OK: Ehrenberg (1856)

Pinnularia maior (Kütz.) Rab. [also as P. major]

KS: Wujek (1965)

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula major (Kütz.) Kütz.

KS: Curtis (1901), Wolle (1889)

NE: Andersen and Walker (1920), Elmore (1921), Webber (1889, 1890)

Pinnularia maior var. transversa (A.S.) Cl.

OK: Troeger (1978)

Pinnularia mesogongyla Ehr.

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Also reported as:

Pinnularia gibba var. mesogongyla (Ehr.) Hust.

OK: Pfiester et al. (1979), Troeger (1978)

Pinnularia mesolepta (Ehr.) W. Sm.

OK: Troeger (1978)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula mesolepta Ehr.

KS: Curtis (1901) [see Eberle (1982:115)]

NE: Andersen and Walker (1920), Elmore (1921)

Pinnularia mesostyla (Ehr.) W. Sm.

Reported as:

Navicula mesostyla Ehr.

KS: Curtis (1901)

Pinnularia microstauron (Ehr.) Cl.

KS: Powers (1969)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula bicapitata var. hybrida Grun.

KS: Curtis (1901)

Navicula divergens f. minor A.S.

KS: Curtis (1901)

Stauroptera microstauron Ehr.

NE: Ehrenberg (1856)

Pinnularia microstauron f. biundulata (O. Müll.) Hust.

OK: Pfiester and Terry (1978)

Pinnularia microstauron var. brebissonii (Kütz.) Hust. = Pinnularia brebissonii (Kütz.) Rab.

Pinnularia molaris (Grun.) Cl. = Caloneis molaris (Grun.) Krammer

Pinnularia mormonorum (Grun.) Patr.

OK: Pfiester et al. (1979)

Pinnularia nobilis (Ehr.) Ehr.

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula nobilis Ehr.

NE: Elmore (1921)

Pinnularia nodosa (Ehr.) W. Sm.

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula nodosa Ehr.

NE: Elmore (1921)

Pinnularia obscura Krasske

OK: Pfiester et al. (1979), Troeger (1978, 1983)

Plains States: Patrick and Reimer (1966)

Pinnularia parvula (Ralfs) Cl.-Euler

Reported as:

Navicula gibba var. brevistriata V.H.

NE: Andersen and Walker (1920)

Navicula stauroparva Grun.

KS: Curtis (1901)

Navicula stauroptera var. parva Grun.

KS: Curtis (1901)

Pinnularia peregrina Ehr. = Navicula peregrina (Ehr.) Kütz.

Pinnularia rupestris Hantz.

KS: ?Patrick and Reimer (1966)

Also reported as:

Navicula rupestris (Hantz.) A.S.

KS: Curtis (1901)

Pinnularia sirokiana Ehr. = ? [invalid]

OK: Ehrenberg (1856)

Pinnularia socialis (T.C. Palm.) Hust.

KS: Wujek et al. (1980)

Pinnularia stauroptera (Grun.) Rab.

Reported as:

Navicula parva (Ehr.) Elm.

NE: Elmore (1921)

Navicula stauroptera Grun.

KS: Curtis (1901)

NE: Andersen and Walker (1920)

Pinnularia stomatophora (Grun.) Cl.

KS: Wujek et al. (1980)

Plains States: ?Patrick and Reimer (1966)

Also reported as:

Navicula stomatophora Grun.

KS: Curtis (1901)

Pinnularia subcapitata Greg.

OK: Troeger (1978)

Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula hilseana (Jan.) Jan.

NE: Andersen and Walker (1920) [see Patrick and Reimer (1966:595-596)]

Navicula subcapitata (Greg.) Ralfs

NE: Andersen and Walker (1920), Elmore (1921)

Navicula subcapitata var. stauroneiformis V.H.

KS: Curtis (1901)

Pinnularia hilseana Jan.

NE: ?Patrick and Reimer (1966)

OK: Pfiester et al. (1979)

Pinnularia subcapitata var. paucistriata (Grun.) Cl.

OK: Troeger (1983)

Pinnularia substomatophora Hust.

OK: Pfiester et al. (1979)

Pinnularia termes Ehr.

OK: Ehrenberg (1856)

Also reported as:

Navicula thermes (Ehr.) A.S.

NE: Elmore (1921)

Pinnularia termitina (Ehr.) Patr.

OK: Troeger (1983)

Pinnularia viridis (Nitz.) Ehr.

KS: Harris and Eberle (2001), McFarland et al. (1964)

NE: Ehrenberg (1856)

OK: Ehrenberg (1856), Troeger (1978, 1983) Plains States: Patrick and Reimer (1966)

Also reported as:

Navicula viridis (Nitz.) Ehr.

KS: Wolle (1889)

NE: Andersen and Walker (1920), Elmore (1921), Webber (1890)

Pinnularia viridis var. commutata (Grun.) Cl.

Plains States: Patrick and Reimer (1966)

Pinnularia viridis var. minor Cl.

KS: Wenke and Eberle (1985)

Also reported as:

Navicula viridis (Nitz.) Ehr. sensu A.S.

KS: Curtis (1901) [see Eberle (1982:112-113)]

► Placoneis dicephala (W. Sm.) Meresch.

Reported as:

Navicula dicephala W. Sm.

KS: Curtis (1901), Wujek (1965)

NE: Andersen and Walker (1920), Elmore (1921)

Placoneis dicephala f. minor (Grun.) Cox

Reported as:

Navicula dicephala f. minor Grun.

KS: Curtis (1901)

Placoneis elginensis (Greg.) Cox

KS: Harris and Eberle (2001)

Also reported as:

Navicula elginensis (Greg.) Ralfs

KS: Wujek et al. (1980)

OK: Koch and Risser (1974), Troeger (1978, 1983), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

Placoneis elginensis var. neglecta (Krasske) Kobayasi

Reported as:

Navicula elginensis var. neglecta Krasske

OK: Pfiester et al. (1979)

Placoneis exigua (Greg. ex Grun.) Meresch.

Reported as:

Navicula exigua Greg. ex Grun.

OK: Koch and Risser (1974), Wilhm et al. (1977), Wilhm et al. (1978)

Placoneis exigua var. capitata (Patr.) comb. nov.?

Reported as:

Navicula exigua var. capitata Patr.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

Plains States: Patrick and Reimer (1966)

Placoneis gastrum (Ehr.) Meresch.

Reported as:

Navicula gastrum (Ehr.) Kütz.

NE: Andersen and Walker (1920), Elmore (1921)

Plains States: Patrick and Reimer (1966)

Placoneis placentula (Ehr.) Heinz.

Reported as:

Navicula placentula (Ehr.) Kütz.

NE: Elmore (1921)

OK: Pfiester et al. (1979)

Plains States: Patrick and Reimer (1966)

Placoneis placentula var. rostrata (A. Mayer) And., Stoerm., & Kreis

Reported as:

Navicula placentula f. rostrata A. Mayer?

OK: Koch and Risser (1974)

► Plagiotropis arizonica Czarn. & Blinn

KS: Czarnecki and Reinke (1981), Harris and Eberle (2001)

Plagiotropis lepidoptera (Greg.) Reim.

Reported as:

Tropidoneis lepidoptera (Greg.) Cl.

OK: Koch (1975)

Plagiotropis lepidoptera var. proboscidea (Cl.) Reim.

KS: Harris and Eberle (2001), Wenke and Eberle (1986)

Also reported as:

Tropidoneis lepidoptera (Greg.) Cl.

KS: Reinke (1979a) [Reinke (1979b) placed the taxon he identified with this variety rather than the nominate variety.]

► Planothidium dubium (Grun.) Round & Burkht.

Reported as:

Achnanthes lanceolata var. dubium Grun.

KS: Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Pfiester et al. (1979), Troeger (1983)

Plains States: Patrick and Reimer (1966)

Planothidium haukianum (Grun.) Round & Burkht.

Reported as:

Achnanthes haukiana Grun.

KS: Czarnecki and Reinke (1981)

MO: Pamperl (1980)

OK: Koch (1975), Pfiester et al. (1979), Seyfer and Wilhm (1977)

Planothidium haynaldii (Schaarsch.) Lange-Bert.

Reported as:

Achnanthes lanceolata var. haynaldii (Istv.-Schaarsch) Cl.

KS: Patrick and Reimer (1966)

Planothidium lanceolatum (Bréb.) Round & Burkht.

Reported as:

Achnanthes lanceolata Grun.

CO: WPSS (1961-1963)

KS: Curtis (1901), Powers (1969), Wenke and Eberle (1986), Wujek et al. (1980)

MO: Pamperl (1980)

NE: Andersen and Walker (1920), Elmore (1921), Rosowski et al. (1986)

OK: Hern et al. (1979), Koch and Risser (1974), Seyfer and Wilhm (1977), Troeger (1978, 1983), Troeger and Menzel (1986), Wilhm et al. (1977)

Plains States: Patrick and Reimer (1966)

▶ Pleurosigma delicatulum W. Sm.

CO: WPSS (1961-1963)

KS: Curtis (1901), McFarland et al. (1964), Reinke (1985), Wenke and Eberle (1986), Williams (1962, 1964), WPSS (1961-1963, 1966), Wujek et al. (1980)

NE: Williams (1962), WPSS (1961-1963, 1966)

OK: Cooper and Wilhm (1975), Hern et al. (1979), Koch (1975), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

Also reported as:

Gyrosigma delicatulum (W. Sm.) Elm.

NE: Elmore (1921)

Pleurosigma elongatum W. Sm.

KS: Czarnecki and Reinke (1981), Wenke and Eberle (1986)

Pleurosigma eximium (Thw.) Cl. & Grun. = Gyrosigma eximium (Thw.) Boyer emend Sterr.

Pleurosigma gracilentum Rab. = Gyrosigma acuminatum (Kütz.) Rab.

Pleurosigma hippocampus Ehr. = Gyrosigma euhippus Sterr. & Ross

Pleurosigma intermedium W. Sm.

NE: Webber (1889, 1890)

Pleurosigma kuetzingii Grun. = Gyrosigma acuminatum (Kütz.) Rab.

Pleurosigma sciotensis Sulliv. & Wormley = Gyrosigma sciotense (Sulliv. & Wormley) Cl.

Pleurosigma spencerii (Quek.) W. Sm. = Gyrosigma acuminatum (Kütz.) Rab.

Pleurosigma strigosum W. Sm.

OK: Kennedy and Pfiester (1984)

► Pleurosiphonia affinis Ehr. = Neidium affine (Ehr.) Pfitz.

► Prestaurosira integra (W. Sm.) Bruder

Reported as:

Navicula integra (W. Sm.) Ralfs

KS: Harris and Eberle (2001), Wujek et al. (1980)

NE: Elmore (1921), Patrick and Reimer (1966)

OK: Kennedy and Pfiester (1984)

► Reimeria sinuata (Greg.) Koc. & Stoerm.

Reported as:

Cymbella sinuata Greg.

KS: Wenke and Eberle (1986), Wujek et al. (1980)

OK: Kennedy and Pfiester (1984)

Plains States: Patrick and Reimer (1975)

► *Rhaphoneis rostrata* Ehr. = ? [invalid name]

OK: ?Ehrenberg (1856)

► Rhoicosphenia curvata (Kütz.) Grun. ex Rab.

KS: Reinke (1979a), Wenke and Eberle (1986), Wujek et al. (1980)

NE: Andersen and Walker (1920), Elmore (1921), Hoagland et al. (1982)

OK: Hern et al. (1979), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1978), WPSS (1961-1963)

Plains States: Patrick and Reimer (1966)

```
► Rhopalodia gibba (Ehr.) O. Müll.
      KS: Harris and Eberle (2001), Reinke (1979a, 1981, 1985), Williams (1962), WPSS (1961-1963, 1966), Wujek (1965), Wujek et al. (1980)
      MO: Pamperl (1980), Williams (1962), WPSS (1961-1963, 1966)
      NE: Hoagland et al. (1982), F.A. Morris et al. (1979), WPSS (1961-1963)
      OK: Pfiester and Terry (1978), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Troeger and Menzel (1986), Wilhm
           et al. (1978)
      Plains States: Patrick and Reimer (1975)
      Also reported as:
          Cystopleura gibba (Ehr.) DeT.
              NE: Andersen and Walker (1920), Elmore (1921)
              OK: Leake (1945)
          Epithemia gibba (Ehr.) Kütz.
              KS: Curtis (1901), Wolle (1889)
              NE: Webber (1889, 1890)
          Eunotia gibba Ehr.
              NE: Ehrenberg (1856)
              OK: Ehrenberg (1856)
          Navicula gibba Ehr.
              KS: Curtis (1901), Wolle (1889)
  Rhopalodia gibba var. ventricosa (Kütz.) H. & M. Perag. [= R. gibba var. gibba (Ehr.) O. Müll. (Krammer and
       Lange-Bertalot 1988:159)]
      KS: Wenke and Eberle (1986)
      OK: Troeger (1983)
      Plains States: Patrick and Reimer (1975)
      Also reported as:
          Cystopleura gibba var. ventricosa (Kütz.) DeT.
              NE: Andersen and Walker (1920)
          Cystopleura ventricosa (Kütz.) Elm.
              NE: Elmore (1921)
              OK: Leake (1945)
          Epithemia gibba var. ventricosa (Kütz.) Grun.
              KS: Curtis (1901)
  Rhopalodia gibberula (Ehr.) O. Müll.
      KS: Harris and Eberle (2001), Wenke and Eberle (1985)
      OK: Koch (1975), Koch and Risser (1974), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978)
      Plains States: Patrick and Reimer (1975)
      Also reported as:
          Cystopleura gibberula (Ehr.) Kuntze
              NE: Elmore (1921)
          Epithemia gibberula (Ehr.) Kütz.
              KS: Curtis (1901)
          Eunotia gibberula Ehr.
              NE: Ehrenberg (1856)
              OK: Ehrenberg (1856)
  Rhopalodia gibberula var. sphaerula (Ehr.) O. Müll.
      Reported as:
          Eunotia sphaerula Ehr.
              NE: Ehrenberg (1856)
              OK: Ehrenberg (1856)
  Rhopalodia gibberula var. vanheurckii O. Müll.
      KS: Czarnecki and Reinke (1981)
      OK: Pfiester et al. (1979)
  Rhopalodia musculus (Kütz.) O. Müll.
      KS: Harris and Eberle (2001), Wenke and Eberle (1986)
      NE: Patrick and Reimer (1975)
      Also reported as:
          Cystopleura musculus (Kütz.) Kuntze
              NE: Elmore (1921)
  Rhopalodia parallela (Grun.) O. Müll. [= R. gibba var. parallela (Grun.) H. & M. Perag. (Krammer and Lange-
       Bertalot 1988:159)]
      KS: Czarnecki and Reinke (1981)
      NE: Patrick and Reimer (1975)
      OK: Kennedy and Pfiester (1984)
```

► Scoliopleura alternans (Schum.) DeT.?

Reported as:

Navicula alternans Schum.

KS: Curtis (1901) [see Patrick and Reimer (1966:644)]

Scoliopleura peisonis Grun.

KS: Harris and Eberle (2001)

► Sellaphora bacillum (Ehr.) D. Mann

Reported as:

Navicula bacillum Ehr.

KS: Curtis (1901)

Plains States: Patrick and Reimer (1966)

Navicula bacillum f. minor Grun.

KS: Curtis (1901)

Navicula pseudobacillum Grun.

KS: Curtis (1901)

Sellaphora laevissima (Kütz.) D. Mann

Reported as:

Navicula bacilliformis Grun.

KS: Curtis (1901)

NE: Andersen and Walker (1920), Elmore (1921)

Navicula laevissima Kütz.

KS: Wujek et al. (1980)

OK: Seyfer and Wilhm (1977)

Plains States: Patrick and Reimer (1966)

Sellaphora mutata (Krasske) Lange-Bert.

Reported as:

Navicula pupula var. mutata (Krasske) Hust.

MO: Pamperl (1980)

Sellaphora pupula (Kütz.) Meresch.

KS: Harris and Eberle (2001)

Also reported as:

Navicula pupula Kütz.

KS: Boyer (1927b), ?Curtis (1901), Powers (1969)

MO: Pamperl (1980)

NE: Andersen and Walker (1920), Elmore (1921), Hoagland et al. (1982), Roemer et al. (1984)

OK: Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Troeger and Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Sellaphora pupula f. minutula (Choln.) comb. nov.?

Reported as:

Navicula pupula f. minutula Choln.

KS: Powers (1969)

Sellaphora pupula var. capitata (Skv. & Meyer) Poulin

Reported as:

Navicula pupula var. capitata Skv. & Meyer

KS: Wenke and Eberle (1986), Wujek et al. (1980)

OK: Koch and Risser (1974), Troeger (1983)

Plains States: Patrick and Reimer (1966)

Sellaphora pupula var. elliptica (Hust.) Poulin

Reported as:

Navicula pupula var. elliptica Hust.

MO: Pamperl (1980)

NE: Patrick and Reimer (1966)

OK: Troeger (1978)

Sellaphora rectangularis (Greg.) Lange-Bert. & Metz.

KS: Harris and Eberle (2001)

Also reported as:

Navicula pupula var. rectangularis (Greg.) Grun.

KS: Wujek et al. (1980)

MO: Pamperl (1980)

NE: Patrick and Reimer (1966)

OK: Koch and Risser (1974), Troeger (1978)

Sellaphora seminulum (Grun.) D. Mann

Reported as:

Navicula seminulum Grun.

OK: Wilhm et al. (1978)

Sellaphora seminulum var. hustedtii (Patr.) comb. nov.?

Reported as:

Navicula seminulum var. hustedtii Patr. **OK**: Pfiester et al. (1979), Troeger (1978)

Sellaphora vitabunda (Hust.) D. Mann

Reported as:

Navicula vitabunda Hust.

OK: Troeger (1978)

► Sphinctocystis elliptica (Bréb. ex Kütz.) Kuntze = Cymatopleura elliptica (Bréb.) W. Sm.

Sphinctocystis librilis (Ehr.) Hass. = Cymatopleura solea (Bréb.) W. Sm.

► Stauroneis acuta W. Sm.

KS: Branson (1966)

NE: Andersen and Walker (1920), Elmore (1921)

Plains States: Patrick and Reimer (1966)

Stauroneis anceps Ehr.

KS: Curtis (1901), Wolle (1889), Wujek et al. (1980)

NE: Andersen and Walker (1920), Elmore (1921), Webber (1890)

OK: Pfiester et al. (1979), Troeger (1978, 1983), Wilhm et al. (1978)

Plains States: Patrick and Reimer (1966)

Also reported as:

Stauroneis anceps var. amphicephala (Kütz.) V.H.

NE: Andersen and Walker (1920)

Stauroneis anceps f. gracilis Rab.

OK: Troeger (1978)

Plains States: Patrick and Reimer (1966)

Stauroneis anceps f. linearis (Ehr.) Hust.

Plains States: Patrick and Reimer (1966)

Stauroneis anceps var. amphicephala (Kütz.) V.H. = Stauroneis anceps Ehr.

Stauroneis anceps var. americana Reim.

KS: Wujek et al. (1980)

Stauroneis ignorata Hust.

NE: Patrick and Reimer (1966)

OK: Troeger (1983)

Stauroneis kriegeri Patr.

OK: Troeger (1983)

Stauroneis legumen (Ehr.) Kütz.

NE: Elmore (1921)

Stauroneis linearis Ehr. = Stauroneis smithii Grun.

Stauroneis nana Hust.

OK: Troeger (1983)

Stauroneis nobilis Schum.

OK: Pfiester et al. (1979)

Stauroneis nobilis var. baconiana (Stodd.) Reim.

OK: Pfiester et al. (1979), Troeger (1978)

Stauroneis palustris Hust.

NE: Hoagland et al. (1982)

Stauroneis parvula Jan. sensu Elmore = Achnanthidium exiguum (Grun.) Czarn. [see Patrick and Reimer (1966:257)]

Stauroneis phoenicenteron (Nitz.) Ehr.

KS: Curtis (1901), Wenke and Eberle (1986), Wolle (1889), Wujek (1965)

NE: Andersen and Walker (1920), Elmore (1921)

OK: Koch and Risser (1974), Troeger (1978)

Plains States: Patrick and Reimer (1966)

Stauroneis phoenicenteron f. gracilis (Ehr.) Hust.

KS: Czarnecki and Reinke (1981)

OK: Troeger (1978)

Stauroneis phyllodes Ehr.

Reported as:

Navicula phyllodes (Ehr.) Ehr.

OK: Ehrenberg (1856)

Stauroneis producta Grun.

KS: Wolle (1889)

Stauroneis semen Ehr. = Luticola mutica (Kütz.) D. Mann

Stauroneis smithii Grun.

KS: Wujek (1965)

NE: Andersen and Walker (1920)

OK: Koch and Risser (1974), Troeger (1983)

Plains States: Patrick and Reimer (1966)

Also reported as:

Stauroneis linearis Ehr. [sensu W. Sm.; Stauroneis linearis Ehr. = Stauroneis anceps f. linearis (Ehr.) Hust.] NE: Elmore (1921)

Stauroneis spicula (Hicke) Grun.

KS: Czarnecki and Reinke (1981), Wenke and Eberle (1986)

Also reported as:

Navicula spicula (Hicke) Cl.

KS: Czarnecki and Reinke (1981) [as both names], Wenke and Eberle (1986) [as both names]

OK: Koch (1975)

Stauroneis tenuissima [non Hustedt 1937] = ?

NE: Andersen and Walker (1920)

Stauroneis wislouchii Poret. & Anis. = Staurophora wislouchii (Poret. & Anis.) D. Mann

► Staurophora wislouchii (Poret. & Anis.) D. Mann

Reported as:

Stauroneis wislouchii Poret. & Anis.

KS: Czarnecki and Reinke (1981)

► Stauroptera isostauron Ehr. = Pinnularia isostauron (Ehr.) Cl.

Stauroptera microstauron Ehr. = *Pinnularia microstauron* (Ehr.) Cl.

► Stenopterobia curvula (W. Sm.) Kramm.

Reported as:

Surirella intermedia Lewis

KS: Curtis (1901)

► Surirella amphioxys W. Sm.

Reported as:

Surirella moelleriana Grun. ex Möll.

KS: Curtis (1901)

Surirella angusta Kütz. [also as S. angustata]

KS: Harris and Eberle (2001), Powers (1969), Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

MO: M.K. Morris et al. (1979a), Pamperl (1980)

NE: F.A. Morris et al. (1979)

OK: Cooper and Wilhm (1975), Hern et al. (1979), Seyfer and Wilhm (1977), Troeger (1983), Wilhm et al. (1977), Wilhm et al. (1978)

Surirella apiculata W. Sm.

KS: Curtis (1901)

Surirella bifrons Ehr.

NE: ?Ehrenberg (1856)

OK: Ehrenberg (1856)

Surirella biseriata Bréb.

NE: Elmore (1921)

Surirella brebissonii Kramm. & Lange-Bert.

Reported as:

Surirella ovalis var. ovata (Kütz.) V.H.

NE: Andersen and Walker (1920), Webber (1890)

Surirella ovata Kütz.

CO: WPSS (1961-1963)

KS: Curtis (1901), Wenke and Eberle (1986), Williams (1962), Williams et al. (1979), WPSS (1961-1963, 1966), Wujek et al. (1980)

MO: Pamperl (1980), Williams (1962), WPSS (1961-1963), WPSS (1966)

NE: F.A. Morris et al. (1979), Hoagland et al. (1982), Roemer et al. (1984), Williams (1962), WPSS (1961-1963, 1966)

OK: Cooper and Wilhm (1975), Hern et al. (1979), Koch (1975), Koch and Risser (1974), Pflester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983), Troeger and Menzel (1986), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), WPSS (1961-1963, 1966)

Surirella brightwellii W. Sm.

CO: WPSS (1961-1963)

KS: Wenke and Eberle (1986), Williams (1962), WPSS (1961-1963, 1966), Wujek et al. (1980)

NE: WPSS (1961-1963)

OK: Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962, 1964), WPSS (1961-1963, 1966)

Surirella craticula Ehr. =?

NE: Ehrenberg (1856)

Surirella crumena Bréb.

KS: Harris and Eberle (2001)

Also reported as:

Surirella ovata var. crumena (Bréb.) Hust.

KS: Wujek et al. (1980)

Surirella delicatissima Lewis

KS: Curtis (1901)

Surirella didyma Kütz.

OK: Pfiester et al. (1979)

Surirella elegans Ehr.

NE: Elmore (1921)

OK: Troeger (1978)

Surirella gracilis Grun.

OK: Troeger (1978)

Surirella intermedia Lewis = Stenopterobia curvula (W. Sm.) Kramm.

Surirella linearis W. Sm.

KS: Wujek (1965), Wujek et al. (1980)

NE: Elmore (1921)

OK: Koch and Risser (1974), Pfiester et al. (1979)

Surirella linearis var. helvetica (Brun) Meist.

KS: ?Williams et al. (1979)

Surirella minuta Bréb.

Surirella ovata var. salina (W. Sm.) Rab.

KS: Powers (1969)

Surirella moelleriana Grun. ex Möll. sensu Schmidt et al. (1874-1959) = Surirella amphioxys W. Sm. [Surirella moelleriana Grun. ex Möll. sensu Hustedt (1930) = Surirella gracilis Grun. (Krammer and Lange-Bertalot 1988:188-190)]

Surirella myodon Ehr.

NE: Ehrenberg (1856)

OK: Ehrenberg (1856)

Surirella nobilis W. Sm. = Surirella robusta Ehr.

Surirella ovalis Bréb.

KS: ?Harris and Eberle (2001), McFarland et al. (1964), Wenke and Eberle (1986), Wujek (1965)

NE: Elmore (1921)

OK: Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978)

Surirella ovalis var. ovata (Kütz.) V.H. = Surirella brebissonii Kramm. & L.-Bert.

Surirella ovalis var. pinnata (W. Sm.) V.H. = Surirella ovata var. pinnata (W. Sm.) Brun

Surirella ovata Kütz. = Surirella brebissonii Kramm. & L.-Bert.

Surirella ovata var. crumena (Bréb.) Hust. = Surirella crumena Bréb.

Surirella ovata var. pinnata (W. Sm.) Brun

KS: Wenke and Eberle (1986), Wujek et al. (1980)

NE: Andersen and Walker (1920), Hoagland et al. (1982)

Also reported as:

Surirella ovalis var. pinnata (W. Sm.) V.H.

NE: Andersen and Walker (1920)

Surirella ovata var. salina (W. Sm.) Rab. = Surirella minuta Bréb.

Surirella palmerii Boyer = Surirella tenera var. palmerii (Boyer) Hust.

Surirella panduriformis Kütz.

KS: Curtis (1901)

Surirella regula Ehr. = Cymatopleura solea var. regula (Ehr.) Grun.

Surirella robusta Ehr.

KS: Curtis (1901), Wuiek (1965)

NE: Andersen and Walker (1920), Elmore (1921)

OK: Pfiester et al. (1979), Troeger (1978)

Also reported as:

Surirella nobilis W. Sm. [= Surirella robusta var. nobilis (W. Sm.) Cl.-Eul.] KS: Curtis (1901)

Surirella robusta var. splendida (Ehr.) V.H.

KS: McFarland et al. (1964)

OK: Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978, 1983)

Also reported as:

Surirella splendida (Ehr.) Kütz.

KS: Curtis (1901), Wolle (1889)

Surirella saxonica Auersw. ex Rab.

NE: Elmore (1921)

Surirella sigmoidea Ehr.

OK: Ehrenberg (1856)

Surirella spiralis Kütz.

KS: Wolle (1889)

NE: Andersen and Walker (1920), Elmore (1921)

Surirella striatula Turp.

KS: ?Harris and Eberle (2001), Wenke and Eberle (1986), Williams (1962, 1964), WPSS (1961-1963, 1966)

OK: Ehrenberg (1856), Koch (1975), Pfiester et al. (1979), WPSS (1961-1963)

Surirella suevica Zeller ex Grun.

KS: Curtis (1901)

Surirella tenera Greg.

KS: Curtis (1901)

Surirella tenera var. nervosa A.S.

KS: Curtis (1901), Wenke and Eberle (1985)

Surirella tenera var. palmerii (Boyer) Hust.

Reported as:

Surirella palmerii Boyer

KS: Powers (1969)

Surirella tenera var. splendidula A.S.

KS: Curtis (1901)

Surirella undulata Ehr.

NE: Ehrenberg (1856)

OK: Ehrenberg (1856)

► Tropidoneis lepidoptera (Greg.) Cl. = Plagiotropis lepidoptera (Greg.) Reim. or P. l. var. proboscidea (Cl.) Reim.

► Tryblionella acuta (Cl.) D. Mann?

Reported as:

Nitzschia acuta Cl.

NE: Hoagland et al. (1982), Roemer et al. (1984)

OK: Pfiester et al. (1979)

Tryblionella angustata W. Sm.

Reported as:

Homoeocladia angustata (W. Sm.) Kuntze

NE: Elmore (1921)

Nitzschia angustata (W. Sm.) Grun.

KS: Curtis (1901), Wujek et al. (1980)

OK: Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1978)

Tryblionella apiculata Greg.

Reported as:

Homoeocladia apiculata (Greg.) Kuntze

NE: Elmore (1921)

Nitzschia apiculata (Greg.) Grun.

KS: Curtis (1901), Powers (1969), Wenke and Eberle (1986), Williams (1962), ?Williams et al. (1979), WPSS (1966), Wujek et al. (1980)

NE: Roemer et al. (1984)

OK: Hern et al. (1979), Koch (1975), Koch and Risser (1974), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), WPSS (1966)

Tryblionella calida (Grun. in Cl. & Grun.) D.G. Mann

KS: Harris and Eberle (2001)

Tryblionella debilis Arn.

Reported as:

Nitzschia tryblionella var. debilis (Arn.) A. Mayer

KS: ?Williams et al. (1979), Wujek et al. (1980)

MO: M.K. Morris et al. (1979*a*), Pamperl (1980)

NE: Hoagland et al. (1982)

OK: Hern et al. (1979), Koch (1975)

Tryblionella gracilis W. Sm.

Reported as:

Homoeocladia tryblionella (Hantz.) Kuntze

NE: Elmore (1921)

OK: Leake (1945)

Nitzschia tryblionella Hantz.

KS: Curtis (1901), Powers (1969), Williams et al. (1979), Wujek et al. (1980)

NE: Andersen and Walker (1920), Williams (1962), WPSS (1961-1963, 1966)

OK: Koch (1975), Pfiester et al. (1979), Seyfer and Wilhm (1977), Wilhm et al. (1977), Wilhm et al. (1978), WPSS (1961-1963)

Nitzschia tryblionella f. densus striatae?

KS: Curtis (1901)

Nitzschia tryblionella f. minor?

KS: Curtis (1901)

Tryblionella tryblionella (Hantz.) Proch.

KS: Harris and Eberle (2001)

Tryblionella hungarica (Grun.) D. Mann

KS: Harris and Eberle (2001)

Also reported as:

Homoeocladia hungarica (Grun.) Kuntze

NE: Elmore (1921)

Nitzschia hungarica Grun.

KS: Curtis (1901), Powers (1969), Wenke and Eberle (1986), Williams et al. (1979), Wujek et al. (1980)

NE: Hoadland et al. (1982), Rosowski et al. (1986)

OK: Cooper and Wilhm (1975), Koch (1975), Pfiester et al. (1979), Seyfer and Wilhm (1977), Troeger (1978), Wilhm et al. (1977), Wilhm et al. (1978), Williams (1962), WPSS (1966)

Tryblionella levidensis W. Sm.

KS: Harris and Eberle (2001)

Also reported as:

Nitzschia tryblionella var. levidensis (W. Sm.) Grun.

OK: Pfiester and Terry (1978), Troeger (1983)

Tryblionella punctata W. Sm.

Reported as:

Homoeocladia punctata (W. Sm.) Kuntze

NE: Elmore (1921)

Tryblionella umblicata (Hust.) D. Mann

Reported as:

Nitzschia umblicata Hust.

KS: Powers (1969)

Tryblionella victoriae Grun.

Reported as:

Nitzschia tryblionella var. victoriae (Grun.) Grun.

KS: Curtis (1901)

NE: Hoagland et al. (1982) OK: Koch and Risser (1974)

Regional References

- 1. Andersen, E.N., and E.R. Walker. 1920. An ecological study of the algae of some sandhill lakes. Transactions of the American Microscopical Society 39:51-85.
- 2. Andrews, G.W. 1970. Late Miocene nonmarine diatoms from the Kilgore area, Cherry County, Nebraska. Contributions to Paleontology, U.S. Geological Survey Professional Paper 683-A. 24 pages, 3 plates.
- 3. Barbour, E. 1910. Preliminary notice of a newly discovered bed of Miocene diatoms. Nebraska Geological Survey 3(12):3-8.
- 4. Barbour, E.H. 1896. The diatomaceous deposits of Nebraska. Publications of the Nebraska Academy of Science 5:18-23.
- 5. Boyer, C.S. 1901. The biddulphoid forms of North American Diatomaceae. Proceedings of the Academy of Natural Sciences of Philadelphia 52:685-748.
- 6. Boyer, C.S. 1927*a*. Synopsis of North American Diatomaceae, Part 1. Proceedings of the Academy of Natural Sciences of Philadelphia 78(Supplement):1-228.
- 7. Boyer, C.S. 1927b. Synopsis of North American Diatomaceae, Part 2. Proceedings of the Academy of Natural Sciences of Philadelphia 78(Supplement):229-583.
- 8. Branson, B.A. 1966. A partial survey of the Spring River drainage in Kansas, Oklahoma, and Missouri. Part I: Collecting sites, basic limnological data, and mollusks. Transactions of the Kansas Academy of Science 69:242-293.
- 9. Cockerell, T.D.A. 1888. Colorado algae. Hardwicke's Science-Gossip, December 1888:278.
- 10. Cooper, J.M., and J. Wilhm. 1975. Spatial and temporal variation in productivity, species diversity, and pigment diversity of periphyton in a stream receiving domestic and oil refinery effluents. Southwestern Naturalist 19:413-428.
- 11. Cragin, F.W. 1886. Miscellaneous notes. Bulletin of the Washburn Laboratory of Natural History 1:188.
- 12. Cragin, F.W. 1891. On a leaf-bearing terrane in the Loup Fork. American Geologist 8:29-32.
- 13. Curtis, G.H. 1901. Some Diatomaceae of Kansas. Transactions of the Kansas Academy of Science 17:68-79.
- 14. Czarnecki, D.B., and D.C. Reinke. 1981. Diatoms new to Kansas and nomenclatural notes on previous reports. Technical Publications of the State Biological Survey of Kansas 10:20-31.
- 15. Czarnecki, D.B., and D.C. Reinke. 1982. Nomenclatural changes among some Kansas diatoms. Transactions of the Kansas Academy of Science 85:174-176.
- 16. Eberle, M.E. 1982. Annotated list of diatoms reported from Kansas. Fort Hays Studies, Science: New Series, Number 1:1-145.
- 17. Ehrenberg, C.G. 1856. Mikrogeologie. Verlag von Leopold Voss, Leipzig, Germany.
- 18. Elmore, C.J. 1898*a*. Fossil Diatomaceae from Nebraska, and their relation to modern species. Bulletin of the Torrey Botanical Club 23:269-275.
- 19. Elmore, C.J. 1898b. A comparison of fossil diatoms from Nebraska with similar deposits at St. Joseph, Mo., and at Denver, Colo. Publications of the Nebraska Academy of Science 6:238-242.
- 20. Elmore, C.J. 1914. Thomas County diatomite. Nebraska Geological Survey 7(8):51-52.
- 21. Elmore, C.J. 1917. The similarity of fossil and Recent diatoms in Nebraska. Publications of the Nebraska Academy of Science 10:62-63.
- 22. Elmore, C.J. 1921. The diatoms (Bacillarioideae) of Nebraska. University of Nebraska Studies 21:22-215.
- 23. Elmore, C.J. 1922. A comparison of German and American diatoms. Publications of the Nebraska Academy of Science 10:65-66.

- 24. Hanna, G.D. 1932. Pliocene diatoms of Wallace County, Kansas. University of Kansas Science Bulletin 20:369-395.
- 25. Harris, M.R., and M.E. Eberle. 2001. Diatoms (Bacillariophyta) from saline waters within Quivira National Wildlife Refuge, Stafford County, Kansas. Southwestern Naturalist 46:200-207.
- 26. Hern, S.C., V.W. Lambou, F.A. Morris, M.K. Morris, W.D. Taylor, and L.R. Williams. 1979. Distribution of phytoplankton in Oklahoma lakes. U.S. Environmental Protection Agency, Environmental Monitoring & Support Laboratory, Las Vegas. Report number EPA 600/3-79-068. v + 50 pages.
- 27. Hoagland, K.D., S.C. Roemer, and J.R. Rosowski. 1982. Colonization and community structure of two periphyton assemblages, with emphasis on the diatoms (Bacillariophyceae). American Journal of Botany 69:188-213.
- 28. Kennedy, M.T., and L.A. Pfiester. 1984. New additions to the diatom (Bacillariophyceae) flora of Oklahoma. Proceedings of the Oklahoma Academy of Science 64:37-39.
- 29. Koch, A.R., 1975. Diatoms, including saltwater taxa, from southwestern Oklahoma. Proceedings of the Oklahoma Academy of Science 55:11-13.
- 30. Koch, A.R., and P.G. Risser. 1974. Species composition and relative biomass of some algal communities growing on leaf detritus in a spring-fed stream. Proceedings of the Oklahoma Academy of Science 54:14-19.
- 31. Leake, D.V. 1945. The algae of Crystal Lake, Cleveland County, Oklahoma. American Midland Naturalist 34:750-768.
- 32. McFarland, H.J., E.A. Brazda, and B.H. McFarland. 1964. A preliminary survey of the algae of Cheyenne Bottoms in Kansas. Fort Hays Studies, Science Series 2:1-80.
- 33. Morales, E.A., and K.M. Manoylov. 2006. Morphological studies on selected taxa in the genus *Staurosirella* Williams et Round (Bacillariophyceae) from rivers in North America. Diatom Research 21:343-364.
- 34. Morris, F.A., M.K. Morris, W.D. Taylor, L.R. Williams, S.C. Hern, and V.W. Lambou. 1979. Distribution of phytoplankton in Nebraska lakes. U.S. Environmental Protection Agency, Environmental Monitoring & Support Laboratory, Las Vegas. Report number EPA 600/3-79-066. v + 32 pages.
- 35. Morris, M.K., W.D. Taylor, L.R. Williams, S.C. Hern, V.W. Lambou, and F.A. Morris. 1979*a*. Distribution of phytoplankton in Missouri lakes. U.S. Environmental Protection Agency, Environmental Monitoring & Support Laboratory, Las Vegas. Report number EPA 600/3-79-065. v + 29 pages.
- 36. Morris, M.K., W.D. Taylor, L.R. Williams, S.C. Hern, V.W. Lambou, and F.A. Morris. 1979*b*. Distribution of phytoplankton in Colorado lakes. U.S. Environmental Protection Agency, Environmental Monitoring & Support Laboratory, Las Vegas. Report number EPA 600/3-79-114. v + 40 pages.
- 37. Pamperl, M.A. 1980. Diatoms of Lake of the Ozarks, Missouri. Transactions, Missouri Academy of Science 14:85-92.
- 38. Patrick, R., and C.W. Reimer. 1966. The Diatoms of the United States, Volume 1. Monographs of the Academy of Natural Sciences of Philadelphia 13:xi + 1-688.
- 39. Patrick, R., and C.W. Reimer. 1975. The Diatoms of the United States, Volume 2, Part 1. Monographs of the Academy of Natural Sciences of Philadelphia 13:ix + 1-213.
- 40. Pfiester, L.A., R. Lynch, and T.L. Wright. 1979. Species composition and diversity of periphyton in the Grand River Dam area, Mayes County, Oklahoma. Southwestern Naturalist 24:149-164.
- 41. Pfiester, L.A., and S. Terry. 1978. Additions to the algae of Oklahoma. Southwestern Naturalist 23:85-94.

- 42. Powers, R.E. 1969. Phytoplankton found in the Kansas River system. U.S. Department of the Interior, Federal Water Pollution Control Administration, Missouri Basin Region, Kansas City, Missouri. 11 pages.
- 43. Reinke, D.C. 1979a. New and interesting algae from Kansas. Reports of the State Biological Survey of Kansas 23:1-70.
- 44. Reinke, D.C. 1979b. A preliminary checklist of Kansas algae. Technical Publications of the State Biological Survey of Kansas 8:67-71.
- 45. Reinke, D.C. 1981. New records and distributional notes of Kansas algae for 1980. Technical Publications of the State Biological Survey of Kansas 10:57-64.
- 46. Reinke, D.C. 1982a. Algae collected by Rufus H. Thompson, I: New records for Kansas. Technical Publications of the State Biological Survey of Kansas 12:21-38.
- 47. Reinke, D.C. 1982b. New records and distributional notes of Kansas algae for 1981. Technical Publications of the State Biological Survey of Kansas 12:61-69.
- 48. Reinke, D.C. 1984. Ultrastructure of *Chaetoceros muelleri* (Bacillariophyceae): auxospore, resting spore, and vegetative cell morphology. Journal of Phycology 20:153-155.
- 49. Reinke, D.C. 1985. First report of *Chaetoceros muelleri* Lemn. (Bacillariophyceae) from Kansas. Transactions of the Kansas Academy of Science 88:68-70.
- 50. Roemer, S.C., K.D. Hoagland, and J.R. Rosowski. 1984. Development of a freshwater periphyton community as influenced by diatom mucilages. Canadian Journal of Botany 62:1799-1813.
- 51. Rosowski, J.R., S.C. Roemer, J. Palmer, and K.D. Hoagland. 1986. Extracellular association and adaptive significance of bas-relief mucilage pad of *Achnanthes lanceolata* (Bacillariophyceae). Diatom Research 1:113-129.
- 52. Schofield, J.R. 1892. Notes on the flora of an artesian well. Publication of the Nebraska Academy of Sciences 2:23-24.
- 53. Selva, S.B. 1976. A biostratigraphic study of the Late Tertiary freshwater diatoms from the Ogallala of western Kansas. Ph.D. dissertation, Iowa State University, Ames. 188 pages.
- 54. Selva, S.B. 1981. Tertiary freshwater diatoms from the Ogallala of western Kansas. Proceedings of the Iowa Academy of Science 88:85-90.
- 55. Seyfer, J.R., and J. Wilhm. 1977. Variation with stream order in species composition, diversity, biomass, and chlorophyll of periphyton in Otter Creek, Oklahoma. Southwestern Naturalist 22:455-467.
- 56. Troeger, W.W. 1978. Epiphytic diatoms in farm ponds and experimental ponds in Bryan County, Oklahoma. Proceedings of the Oklahoma Academy of Science 58:64-68.
- 57. Troeger, W.W. 1983. Colonization of benthic diatoms in a new farm pond and its feeder creek. Southwestern Naturalist 28:244-248.
- 58. Troeger, W.W., and R.G. Menzel. 1986. Benthic diatoms in two eutrophic flood detention reservoirs in Oklahoma. Journal of Freshwater Ecology 3:503-510.
- 59. Water Pollution Surveillance System (WPSS). 1961-1963. Annual compilations of data: 1960-1961, 1961-1962, 1962-1963. U.S. Department of Health, Education, and Welfare; Public Health Service Publication Number 663.
- 60. Water Pollution Surveilance System (WPSS). 1966. A guide to the common diatoms at water pollution surveillance system stations. U.S. Department of the Interior, Federal Water Pollution Control Administration, Cincinnati. 101 pages.
- 61. Webber, H.J. 1889. The fresh water algae of the plains. American Naturalist 23:1011-1013.
- 62. Webber, H.J. 1890. Catalogue of the Flora of Nebraska: Protophyta-Anthophyta. In: Report of the Botanist, Nebraska Board of Agriculture, Lincoln. Pages 35-162.
- 63. Wenke, T.L., and M.E. Eberle. 1985. Diatoms from Kansas. Southwestern Naturalist 30:464-465.

- 64. Wenke, T.L., and M.E. Eberle. 1986. Diatoms from streams in Ellis and Russell counties, Kansas. Transactions of the Kansas Academy of Science 89:162-168.
- 65. Wilhm, J., J. Cooper, and H. Namminga. 1978. Species composition, diversity, biomass, and chlorophyll of periphyton in Greasy Creek, Red Rock Creek, and the Arkansas River, Oklahoma. Hydrobiologia 57:17-23.
- 66. Wilhm, J., T. Dorris, J.R. Seyfer, and N. McClintock. 1977. Seasonal variation in plankton populations in the Arkansas River near the confluence of Red Rock Creek. Southwestern Naturalist 22:411-420.
- 67. Williams, L.G. 1962. Plankton population dynamics. U.S. Department of Health, Education, and Welfare; Public Health Service Publication Number 663, Supplement 2.
- 68. Williams, L.G. 1964. Possible relationships between plankton-diatom species numbers and water quality estimates. Ecology 45:809-823.
- 69. Williams, L.G. 1972. Plankton diatom species biomasses and the quality of American rivers and the Great Lakes. Ecology 53:1038-1050.
- 70. Williams, L.G., and C. Scott. 1962. Principal diatoms of major waterways of the United States. Limnology and Oceanography 7:365-379.
- 71. Williams, L.R., S.C. Hern, V.W. Lambou, F.A. Morris, M.K. Morris, and W.D. Taylor. 1979. Distribution of phytoplankton in Kansas lakes. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Las Vegas. Report Number EPA-600/3-79-063. v + 45 pages.
- 72. Willson, D., and H.S. Forest. 1957. An exploratory study on soil algae. Ecology 38:309-313.
- 73. Wolle, F. 1889. Fourth contribution to the knowledge of Kansas algae. Bulletin of the Washburn College Laboratory of Natural History 2:64.
- 74. Wolle, F. 1894. Diatomaceae of North America. Comenius Press, Bethlehem, Pennsylvania. 47 pages, 112 plates.
- 75. Wujek, D.E. 1965. A contribution to the diatom flora of Kansas. Southwestern Naturalist 10:39-41.
- 76. Wujek, D.E., M.S. Chapo, and D.C. Reinke. 1980. New records and distributional notes on diatoms from western Kansas. Technical Publications of the State Biological Survey of Kansas 9:90-109.

Selected Taxonomic References

- 1. Andersen, N.A., E.F. Stoermer, and R.G. Kreis, Jr. 2000. New nomenclatural combinations referring to diatom taxa which occur in the Laurentian Great Lakes of North America. Diatom Research 15:413-418.
- 2. Compère, P. 1982. Taxonomic revision of the diatom genus *Pleurosira* (Eupodiscaceae). Bacillaria 5:165-190.
- 3. Cox, E.J. 1987. *Placoneis* Mereschkowsky: the re-evaluation of a diatom genus characterized by its chloroplast type. Diatom Research 2:145-157.
- 4. Czarnecki, D.B., and M.B. Edlund. 1995. New combinations for some taxa of *Achnanthes*. Diatom Research 10:207-209.
- 5. Fryxell, G.A., and G.R. Hasle. 1977. The genus *Thalassiosira*: some species with a modified ring of central strutted processes. Nova Hedwigia, Beiheft 54:67-98.
- 6. Håkansson, H. 1986. A study of the *Discoplea* species (Bacillariophyceae) described by Ehrenberg. Diatom Research 1:33-56.
- 7. Håkansson, H. 1989. A light and electron microscopical investigation of the type species of *Cyclotella* (Bacillariophyceae) and related forms, using original material. Diatom Research 4:255-267.

- 8. Håkansson, H. 1990. A comparison of *Cyclotella krammeri* sp. nov. and *C. schumannii* Håkansson sta. nov. with similar species. Diatom Research 5:261-271.
- 9. Håkansson, H., and E.F. Stoermer. 1984. Observations on the type material of *Stephanodiscus hantzschii* Grunow in Cleve and Grunow. Nova Hedwigia 39:477-495.
- 10. Hasle, G.R., and B.R. Heimdal. 1970. Some species of the centric diatom genus *Thalassiosira* studied in the light and electron microscopes. Nova Hedwigia, Beiheft 31:543-581.
- 11. Hamilton, P.B., M. Poulin, D.F. Charles, and M. Angell. 1992. American Diatomarum Exsiccata: CANA, voucher slides from eight acidic lakes in northeastern North America. Diatom Research 7:25-36.
- 12. Haworth, E.Y., and M.A. Hurley. 1986. Comparison of the stelligeroid taxa of the centric diatom genus *Cyclotella*. Pages 43-58 in: Proceedings of the Eighth Diatom Symposium, M. Ricard, editor. O. Koeltz, Koenigstein, Germany.
- 13. Houk, V., and R. Klee. 2004. The stelligeroid taxa of the genus *Cyclotella* (Kützing) Brébisson (Bacillariophyceae) and their transfer into the new genus *Discostella* gen. nov. Diatom Research 19:203-228.
- 14. Hustedt, F. 1930. Bacillariophyta (Diatomae). *In*: A. Pascher, editor. Die Susswasser-Flora Mitteleuropas. Heft 10. Gustav Fischer Verlag, Jena, Germany. 466 pages.
- 15. Hustedt, F. 1985. The Pennate Diatoms: A translation of Die Kieselalgen, 2. Tiel (with supplement). N.G. Jensen, translator. Koeltz Scientific Books, Koenigstein, Germany. 918 pages.
- 16. Kingston, J.C. 2000. New combinations in freshwater Fragilariaceae and Achnanthidiaceae. Diatom Research 15:409-411.
- 17. Kociolek, J.P., and E.F. Stoermer. 1987. Ultrastructure of *Cymbella sinuata* and its allies (Bacillariophyceae), and their transfer to *Reimeria*, gen. nov. Systematic Botany 12:451-459.
- 18. Krammer, K. 1980. Morphologic and taxonomic investigations of some freshwater species of the diatom genus *Amphora* Ehr. Bacillaria 3:197-204.
- 19. Krammer, K. 1988. The Gibberula-group in the genus *Rhopalodia* O. Müller (Bacillariophyceae) II. Revision of the group and new taxa. Nova Hedwigia 47:159-205.
- 20. Krammer, K. 1992. *Pinnularia*: eine Monographie der europäischen Taxa. Bibliotheca Diatomologica 26:1-353.
- 21. Krammer, K., and H. Lange-Bertalot. 1986. Bacillariophyceae, 1. Teil: Naviculaceae. In: Süsswasserflora von Mitteleuropa, Band 2. Gustav Fischer Verlag, Stuttgart & New York. 876 pages.
- 22. Krammer, K., and H. Lange-Bertalot. 1987. Morphology and taxonomy of *Surirella ovalis* and related taxa. Diatom Research 2:77-95.
- 23. Krammer, K., and H. Lange-Bertalot. 1988. Bacillariophyceae, 2. Teil: Bacillariaceae, Epithemiaceae, Surirellaceae. In: Süsswasserflora von Mitteleuropa, Band 2. Gustav Fischer Verlag, Stuttgart & New York. 596 pages.
- 24. Krammer, K., and H. Lange-Bertalot. 1991. Bacillariophyceae, 3. Teil: Centrales, Fragilariaceae, Eunotiaceae. In: Süsswasserflora von Mitteleuropa, Band 2. Gustav Fischer Verlag, Stuttgart & New York. 576 pages.
- 25. Lange-Bertalot, H., and K. Krammer. 1978. A taxonomic revision of the Nitzschiae lanceolatae Grunow. 2. European and related extra-European fresh water and brackish water taxa. Bacillaria 1:11-111.
- 26. Lange-Bertalot, H., and R. Simonsen. 1978. A taxonomic revision of the Nitzschiae lanceolatae Grunow: 2. European and related extra-European fresh water and brackish water taxa. Bacillaria 1:11-111.
- 27. Mann, D.G. 1989. The diatom genus *Sellaphora*: separation from *Navicula*. British Phycological Journal 24:1-20.

- 28. Mann, D.G., and A.J. Stickle. 1991. The genus *Craticula*. Diatom Research 6:79-107.
- 29. Paddock, T.B.B. 1988. *Plagiotropis* Pfitzer and *Tropidoneis* Cleve, a summary account. Bibliotheca Diatomologica 16:1-152, 37 plates.
- 30. Patrick, R., and C.W. Reimer. 1966. The Diatoms of the United States, Volume 1. Monographs of the Academy of Natural Sciences of Philadelphia 13:xi + 1-688.
- 31. Patrick, R., and C.W. Reimer. 1975. The Diatoms of the United States, Volume 2, Part 1. Monographs of the Academy of Natural Sciences of Philadelphia 13:ix + 1-213.
- 32. Ross, R. 1993. Nomenclature for diatomists. Diatom Research 8:429-438.
- 33. Round, F.E. 1981. The diatom genus *Stephanodiscus*: an electron-microscope view of the classical species. Archiv für Protistenkunde 124:455-470.
- 34. Round, F.E. 1982. *Cyclostephanos* a new genus within the Sceletonemaceae. Archiv für Protistenkunde 125:323-329.
- 35. Round, F.E. 1991. On striae patterns in Fragilaria and Syndera. Diatom Research 6:147-154.
- 36. Round, F.E., and L. Bukhtiyarova. 1996. Four new genera based on *Achnanthes* (*Achnanthidium*) together with a re-definition of *Achnanthidium*. Diatom Research 11:345-361.
- 37. Round, F.E., R.M. Crawford, and D.G. Mann. 1990. The Diatoms: Biology & Morphology of the Genera. Cambridge University Press, Cambridge, England. 747 pages.
- 38. Round, F.E., and D.G. Mann. 1981. The diatom genus *Brachysira*: I. Typification and separation from *Anomoeoneis*. Archiv für Protistenkunde 124:221-231.
- 39. Schmidt, A., M. Schmidt, F. Fricke, H. Heiden, O. Müller, and F. Hustedt. 1874-1959. Atlas der Diatomeen-Kunde. R. Reisland, Leipzig, Germany, Heft 1-120, Tafeln 1-480.
- 40. Schoeman, F.R., and R.E.M. Archibald. 1976-1980. The Diatom Flora of Southern Africa, Numbers 1-6. CSIR Special Report WAT 50.
- 41. Schoeman, F.R., and R.E.M. Archibald. 1986. Observation on *Amphora* species (Bacillariophyceae) in the British Museum (Natural History). V. Some species from the subgenus *Amphora*. South African Journal of Botany 52:425-437.
- 42. Simonsen, R. 1979. The diatom system: ideas on phylogeny. Bacillaria 2:9-71.
- 43. Snoeijs, P. 1992. Studies in the *Tabularia fasciculata* complex. Diatom Research 7:313-344.
- 44. Sterrenburg, F.A.S. 1991. Studies on the genera *Gyrosigma* and *Pleurosigma* (Bacillariophyceae). Light microscopical criteria for taxonomy. Diatom Research 6:367-389.
- 45. Sterrenburg, F.A.S. 1993*a*. Studies on the genera *Gyrosigma* and *Pleurosigma* (Bacillariophyceae). The identity of *Pleurosigma obscurum* W. Smith. Diatom Research 8:447-456.
- 46. Sterrenburg, F.A.S. 1993b. Studies on the genera *Gyrosigma* and *Pleurosigma* (Bacillariophyceae). Rules controlling raphe fissure morphogenesis in *Gyrosigma*. Diatom Research 8:457-463.
- 47. Sterrenburg, F.A.S. 1994. Studies on the genera *Gyrosigma* and *Pleurosigma* (Bacillariophyceae). The species of Sillivant and Wormley 1859, synonymy and differentiation from other *Gyrosigma* taxa. Proceedings of the Academy of Natural Sciences of Philadelphia 145:217-236.
- 48. Sterrenburg, F.A.S. 1995. Studies on the genera *Gyrosigma* and *Pleurosigma* (Bacillariophyceae). *Gyrosigma acuminatum* (Kützing) Rabenhorst, *G. spenceri* (Quekett) Griffith, and *G. rautenbachiae* Cholnoky. Proceedings of the Academy of Natural Sciences of Philadelphia 146:467-480.
- 49. Stoermer, E.F. 1967. Polymorphism in *Mastogloia*. Journal of Phycology 3:73-77.
- 50. Teubner, K. 1995. A light microscopical investigation and multivariate statistical analyses of heterovalvar cells of *Cyclotella*-species (Bacillariophyceae) from lakes of the Berlin-Brandenburg region. Diatom Research 10:191-205.

- 51. Theriot, E., E. Stoermer, and H. Håkansson. 1987. Taxonomic interpretation of the rimoportula of freshwater genera in the centric diatom family Thalassiosiraceae. Diatom Research 2:251-265.
- 52. VanLandingham, S.L. 1967-1979. Catalog of the fossil and Recent genera and species of diatoms and their synonyms, Volumes 1-8. J. Cramer, Lehre, Germany. 4654 pages.
- 53. Wehr, J.D., and R.G. Sheath, editors. 2003. Freshwater algae of North America: ecology and classification [with 5 chapters on diatoms]. Academic Press, San Diego, California.
- 54. Williams, D.M. 1985. Morphology, taxonomy, and inter-relationships of the ribbed araphid diatoms from the genera *Diatoma* and *Meridion* (Diatomaceae: Bacillariophyta). Bibliotheca Diatomologica 8:1-228, 27 plates.
- 55. Williams, D.M., and F.E. Round. 1986. Revision of the genus *Synedra* Ehrenb. Diatom Research 1:313-339.
- 56. Williams, D.M., and F.E. Round. 1987. Revision of the genus *Fragilaria*. Diatom Research 2:267-288.
- 57. Williams, D.M., and F.E. Round. 1988. *Fragilariforma*, nom. nov., a new generic name for *Neofragilaria* Williams & Round. Diatom Research 3:265-267.