

SDK update rules

▾ Android

Changelog

Important update for outdated versions of the AppMetrica SDK

List of modules

Excluding geo from the list of dependencies

Disabling automatic collection of Ad Revenue data

Getting advertising IDs

> Migration guides

▾ AppMetrica SDK

SDK integration

Library features

Tracking user activity

Logging

Usage examples

Analyzing crashes

AppMetrica Gradle Plugin

Deferred deeplinks support

Product flow and offer events

Error descriptions

SDK reference

> Push SDK

> iOS

> Unity

> Flutter

> React Native

> Push campaigns

> Setting up data collection

SDK Developer docs / [Android](#) / AppMetrica SDK / SDK integration

SDK integration

The AppMetrica SDK for Android is distributed as an AAR library. The library is available in the [Maven repository](#).

The steps below explain how to enable and initialize the AppMetrica SDK:

Step 1. Add the AppMetrica library to your project

If you use Gradle to build your app, add the following dependency to your app's Gradle file:

build.gradle.kts **build.gradle**

```
dependencies {  
    // AppMetrica SDK.  
    implementation("io.appmetrica.analytics:analytics:8.5.1")  
}
```

Step 2. Initialize the AppMetrica library



During initialization, consider AppMetrica library specifics. For more information, see [How the AppMetrica library works](#).

Initialize the AppMetrica library in your app. To do this, extend the [Application](#) class and override the [onCreate\(\)](#) method as follows:

Kotlin **Java**

```
class YourApplication : Application() {  
    override fun onCreate() {  
        super.onCreate()  
        // Creating an extended library configuration.  
        val config = AppMetricaConfig.newConfigBuilder(API_KEY).build()  
        // Initializing the AppMetrica SDK.  
        AppMetrica.activate(this, config)  
    }  
}
```

What is the API key?

When initializing a library with an extended startup configuration, [logging](#) is enabled.

Step 3. (Optional) Configure location detection

Location detection helps you understand where your users are located geographically. By default sending device location but can be enabled in the startup configuration. For details, see [Using the library to send device location](#).

Step 4. (Optional) Configure sending of events, profile attributes, and revenue (#send)

To collect information on user actions in the app, set up sending your own events. For more information, see [Sending your own events](#).

To collect information about users, set up sending profile attributes. For more information, see [Profiles](#).



Unlike events, a profile attribute can take only one value. When you send a new attribute value, the old value is overwritten.

To track in-app purchases, set up Revenue sending. For more information, see [In-App purchases](#).

Step 5. Test the library operation



Before testing the library, ensure that the SDK is initialized in compliance with [recommendations](#).

Before starting testing, we recommend setting up [data transmission to an additional API key](#) or [adding an app with a new API key](#). This will help you separate test data from your core statistics.

To test how the library works:

1. Start the app with the AppMetrica SDK and use it for a while.
2. Make sure your device is connected to the internet.
3. In the AppMetrica interface, make sure that:
 - There is a new user in the [Audience](#) report.
 - The number of sessions in the **Engagement** → **Sessions** report has increased.
 - There are events and profile attributes in the [Events](#) and [Profiles](#) reports.

Learn more

- [Sending a custom event](#)
- [Sending profile attributes](#)
- [Sending E-commerce events](#)
- [Sending Revenue data](#)
- [Sending Ad Revenue data](#)
- [How do I enable user location sending?](#)
- [How can I make sure that I have the latest versions of the Android libraries installed?](#)

Troubleshooting

- [Number of sessions staying the same](#)
- [No events in the report](#)
- [Error adding a library to a project](#)
- [Invalid duration of user session at manual tracking](#)
- [High power consumption by the AppMetrica library](#)
- [Code conflict when using automatic collection of Ad Revenue data for Fyber](#)
- [My problem is not listed](#)

If you didn't find the answer you were looking for, you can use the feedback form to submit your question. Please describe the problem in as much detail as possible. Attach a screenshot if possible.

[Contact support](#)

[Suggest an improvement for documentation](#)

Was the article helpful?

Yes

No

[Previous](#)

[AppMetrica Dash SDK: Migrating to version 2.0.0](#)

[Library](#)

Appmetrica Push SDK. Migrating to version 3.0.0

Library it