

a **Inhibitor in its pocket**

MWAC-3634 in Ebola virus glycoprotein (GP), PDB 9PEL



b **What touches the inhibitor**

Same contacts with GP1 and GP2, drawn flat



Xxx12 A — GP1 residue, chain A

Xxx12 a — GP2 residue, chain a

Inhibitor MWAC-3634 (component A1CIK)

Hydrogen bond (heavy atoms), distance in Å

Cation–π: charged Arg group over a ring, in Å

Hydrophobic contact

Polar contact only (no carbon pair), in Å

Wedge and hash: stereocentres, as deposited

GP: Ebola virus glycoprotein, made of GP1 and GP2

Tile: residue name, number, chain, as numbered in the deposited entry. Sticks in a: the tiled residues. Lines in a end on the residue's closest atom; lines in b on an inhibitor atom it touches.

Listed: any atom within 4.5 Å of the inhibitor. Hydrophobic line: a carbon pair within 4.5 Å.

The paper lists 18 residues (LigPlot); here Ser41 and Leu184 are the two extra.

The 2D drawing and tile positions are illustration; contacts are computed from 9PEL.

After Fig. 5 of Bu et al., Nature Communications 2026, doi:10.1038/s41467-026-77332-3, CC BY 4.0. Data: PDB 9PEL. Redesigned; contacts computed here.