

System	Windows NT FORNAX-NOTE 6.2 build 9200 (Windows 8 Business Edition) i586
Build Date	Apr 15 2015 15:00:54
Compiler	MSVC11 (Visual C++ 2012)
Architecture	x86
Configure Command	<code>cscript /nologo configure.js "--enable-snapshot-build" "--disable-isapi" "--enable-debug-pack" "--without-mssql" "--without-pdo-mssql" "--without-pi3web" "--with-pdo-oci=c:\php-sdk\oracle\x86\instantclient_12_1\sdk,shared" "--with-oci8-12c=c:\php-sdk\oracle\x86\instantclient_12_1\sdk,shared" "--enable-object-out-dir=.\obj" "--enable-com-dotnet=shared" "--with-mcrypt=static" "--without-analyzer" "--with-pgo"</code>
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:\WINDOWS
Loaded Configuration File	C:\xampp\php\php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20131106
PHP Extension	20131226
Zend Extension	220131226
Zend Extension Build	API20131226,TS,VC11
PHP Extension Build	API20131226,TS,VC11
Debug Build	no
Thread Safety	enabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	php, file, glob, data, http, ftp, zip, compress.zlib, compress.bzip2, https, ftps, phar
Registered Stream Socket Transports	tcp, udp, ssl, sslv3, sslv2, tls, tlsv1.0, tlsv1.1, tlsv1.2
Registered Stream Filters	convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, zlib.*, bzip2.*

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.6.0, Copyright (c) 1998-2015 Zend Technologies



Configuration

apache2handler

Apache Version	Apache/2.4.12 (Win32) OpenSSL/1.0.1f PHP/5.6.8
Apache API Version	20120211
Server Administrator	postmaster@localhost
Hostname:Port	localhost:80
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	No
Server Root	C:\xampp\apache
Loaded Modules	core mod_win32 mpm_winnt http_core mod_so mod_access_compat mod_actions mod_alias mod_allowmethods mod_asis mod_auth_basic mod_authn_core mod_authn_file mod_authz_core mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dav_lock mod_dir mod_env mod_headers mod_include mod_info mod_isapi mod_log_config mod_cache_disk mod_mime mod_negotiation mod_proxy mod_proxy_ajp mod_rewrite mod_setenvif mod_socache_shmcb mod_ssl mod_status mod_version mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
MIBDIRS	C:/xampp/php/extras/mibs
MYSQL_HOME	xampp\mysql\bin
OPENSSL_CONF	C:/xampp/apache/bin/openssl.cnf
PHP_PEAR_SYSCONF_DIR	xampp\php
PHPRC	xampp\php
TMP	xampp\tmp
HTTP_HOST	localhost
HTTP_CONNECTION	keep-alive
HTTP_CACHE_CONTROL	max-age=0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_UPGRADE_INSECURE_REQUESTS	1
HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/49.0.2623.110 Safari/537.36
HTTP_ACCEPT_ENCODING	gzip, deflate, sdch
HTTP_ACCEPT_LANGUAGE	pt-BR,pt;q=0.8,en-US;q=0.6,en;q=0.4
HTTP_COOKIE	_ga=GA1.1.1337830029.1457712850
PATH	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerSt Files\Calibre2\;C:\Program Files\Java\jdk1.7.0_75\bin;C:\apache-maven- 3.2.5\bin;C:\Mobile\android\sdk\tools;C:\Mobile\android\sdk\platform- tools;C:\Mobile\ant\bin;C:\Mobile\cordova\cordova-android\bin;C:\Program Files (x86)\MySQL\MySQL Utilities\;C:\Program Files (x86)\MySQL\MySQL Utilities\Doctrine extensions for PHP\;C:\xampp\php;C:\ProgramData\ComposerSetup\bin;C:\Users\Fornax\AppData\Roaming\Composer;C:\Users Files (x86)\Skype\Phone\;C:\Program Files\Oracle\VirtualBox;
SystemRoot	C:\WINDOWS
COMSPEC	C:\WINDOWS\system32\cmd.exe
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
WINDIR	C:\WINDOWS
SERVER_SIGNATURE	<address>Apache/2.4.12 (Win32) OpenSSL/1.0.1l PHP/5.6.8 Server at localhost Port 80</address>
SERVER_SOFTWARE	Apache/2.4.12 (Win32) OpenSSL/1.0.1l PHP/5.6.8
SERVER_NAME	localhost
SERVER_ADDR	::1
SERVER_PORT	80
REMOTE_ADDR	::1
DOCUMENT_ROOT	C:/Users/Fornax/Documents/docker/danilo/www2
REQUEST_SCHEME	http
CONTEXT_PREFIX	no value
CONTEXT_DOCUMENT_ROOT	C:/Users/Fornax/Documents/docker/danilo/www2
SERVER_ADMIN	postmaster@localhost
SCRIPT_FILENAME	C:/Users/Fornax/Documents/docker/danilo/www2/php-basico/index.php
REMOTE_PORT	16912
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/php-basico/
SCRIPT_NAME	/php-basico/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /php-basico/ HTTP/1.1
Host	localhost
Connection	keep-alive
Cache-Control	max-age=0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
Upgrade-Insecure-Requests	1
User-Agent	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/49.0.2623.110 Safari/537.36
Accept-Encoding	gzip, deflate, sdch

Accept-Language	pt-BR,pt;q=0.8,en-US;q=0.6,en;q=0.4
Cookie	_ga=GA1.1.1337830029.1457712850
HTTP Response Headers	
X-Powered-By	PHP/5.6.8

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

calendar

Calendar support	enabled
------------------	---------

Core

PHP Version	5.6.8
-------------	-------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	0	0
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	no value	no value
auto_globals_jit	On	On
auto_prepend_file	no value	no value
browscap	C:\xampp\php\extras\browscap.ini	C:\xampp\php\extras\browscap.ini
default_charset	UTF-8	UTF-8
default_mimetype	text/html	text/html
disable_classes	no value	no value
disable_functions	no value	no value
display_errors	On	On
display_startup_errors	On	On
doc_root	no value	no value
docref_ext	no value	no value
docref_root	no value	no value
enable_dl	On	On
enable_post_data_reading	On	On
error_append_string	no value	no value
error_log	C:\xampp\php\logs\php_error_log	C:\xampp\php\logs\php_error_log
error_prepend_string	no value	no value
error_reporting	22527	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	C:\xampp\php\ext	C:\xampp\php\ext
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000

html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.:C:\xampp\php\PEAR	.:C:\xampp\php\PEAR
input_encoding	<i>no value</i>	<i>no value</i>
internal_encoding	<i>no value</i>	<i>no value</i>
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_encoding	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	C:\xampp\mailtodisk\mailtodisk.exe	C:\xampp\mailtodisk\mailtodisk.exe
serialize_precision	100	100
short_open_tag	Off	Off
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
sys_temp_dir	<i>no value</i>	<i>no value</i>
track_errors	On	On
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	2M	2M
upload_tmp_dir	C:\xampp\tmp	C:\xampp\tmp
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
windows.show_crt_warning	Off	Off
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.40.0
Age	3
Features	
AsynchDNS	Yes
CharConv	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes
krb4	No
Largefile	Yes
libz	Yes
NTLM	Yes
NTLMWB	No
SPNEGO	Yes
SSL	Yes
SSPI	Yes
TLS-SRP	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp
Host	i386-pc-win32
SSL Version	OpenSSL/1.0.1l
ZLib Version	1.2.7.3
libSSH Version	libssh2/1.5.0

date

date/time support	enabled
"Olson" Timezone Database Version	2015.2
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Berlin	Europe/Berlin

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.2
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 5504545b9be3379c5244b371d825eb64659eb5f5 \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
-----------	-------------	--------------

exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

filter

Input Validation and Filtering	enabled
Revision	\$Id: 86120bba568c551914a35636ec408f1e7e66af32 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.5.5
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	9 compatible
PNG Support	enabled
libPNG Version	1.5.18
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30411
XBM Support	enabled
WebP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	"libiconv"
iconv library version	1.14

Directive	Local Value	Master Value
iconv.input_encoding	<i>no value</i>	<i>no value</i>
iconv.internal_encoding	<i>no value</i>	<i>no value</i>
iconv.output_encoding	<i>no value</i>	<i>no value</i>

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.9.2
libXML Loaded Version	20902
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	5.9.5

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	<i>no value</i>	<i>no value</i>
mbstring.http_output	<i>no value</i>	<i>no value</i>
mbstring.http_output_conv_mimetypes	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes arcfour
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	mysqlnd 5.0.11-dev - 20120503 - \$Id: 3c688b6bbc30d36af3ac34fdd4b7b5b787fe5555 \$

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On

mysql.allow_persistent	On	On
mysql.connect_timeout	3	3
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_socket	MySQL	MySQL
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	mysqlind 5.0.11-dev - 20120503 - \$Id: 3c688b6bbc30d36af3ac34fdd4b7b5b787fe5555 \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	MySQL	MySQL
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off
mysqli.rollback_on_cached_plink	Off	Off

mysqlind

mysqlind	enabled
Version	mysqlind 5.0.11-dev - 20120503 - \$Id: 3c688b6bbc30d36af3ac34fdd4b7b5b787fe5555 \$
Compression	supported
core SSL	supported
extended SSL	not supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqlind,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password
API Extensions	mysql,mysqli,pdo_mysql

mysqlind statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0

bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	0
rows_affected_ps	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0

mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_strndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	0
com_init_db	0

com_query	0
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	0
com_stmt_fetch	0
com_daemon	0
bytes_received_real_data_normal	0
bytes_received_real_data_ps	0

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	Win32

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	no value	no value
odbc.default_pw	no value	no value
odbc.default_user	no value	no value
odbc.defaultbinmode	return as is	return as is
odbc.defaultirl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1l 15 Jan 2015
OpenSSL Header Version	OpenSSL 1.0.1m 19 Mar 2015

Directive	Local Value	Master Value
openssl.cafile	no value	no value
openssl.capath	no value	no value

pcre

PCRE (Perl Compatible Regular Expressions)	enabled
--	---------

Support	
PCRE Library Version	8.34 2013-12-15

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 5.0.11-dev - 20120503 - \$Id: 3c688b6bbc30d36af3ac34fdd4b7b5b787fe5555 \$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.8.8.3

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.2
Phar API version	1.1.1
SVN revision	\$Id: 2f2c4d35f66de9b4e737b444548761a4a2d835a5 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

Reflection

Reflection	enabled
Version	\$Id: eff8bdc65b0beaf8f4ade6f06f848e6d43dfd826 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php_serialize php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off

session.entropy_file	no value	no value
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	no value	no value
session.save_handler	files	files
session.save_path	C:\xampp\tmp	C:\xampp\tmp
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_strict_mode	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Id: e0de6ee7ef8280a12d77d76f1f971a944cbc8090 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursivIterator, SeekableIterator, SpiObserver, SpiSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultiPleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.8.8.3

Directive	Local Value	Master Value
-----------	-------------	--------------

sqlite3.extension_dir	no value	no value
-----------------------	----------	----------

standard

Dynamic Library Support	enabled
Path to sendmail	C:\xampp\mailtodisk\mailtodisk.exe

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	no value	no value
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	no value	no value
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	no value	no value

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.2

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.27
libxslt compiled against libxml Version	2.7.8
EXSLT	enabled
libxslt Version	0.8.16

zip

Zip	enabled
Extension Version	\$Id: f9f12af1274212b9f22867472e4aa57eab4bb4cf \$
Zip version	1.12.4
Libzip version	0.11.2

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.7.3
Linked Version	1.2.7.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	no value	no value

Additional Modules

Module Name

Environment

Variable	Value
ALLUSERSPROFILE	C:\ProgramData
ANDROID_HOME	C:\Mobile\android\sdk
ANT_HOME	C:\Mobile\ant
APPDATA	C:\WINDOWS\system32\config\systemprofile\AppData\Roaming
asl.log	Destination=file
CLASSPATH	;C:\Program Files\Java\jdk1.7.0_75\lib;C:\Program Files\Java\jdk1.7.0_75\lib\tools.jar;C:\Program Files\Java\jdk1.7.0_75\lib\dt.jar;C:\Program Files\Java\jdk1.7.0_75\lib\htmlconverter.jar;C:\Program Files\Java\jdk1.7.0_75\jre\lib;C:\Program Files\Java\jdk1.7.0_75\jre\lib\rt.jar;
CommonProgramFiles	C:\Program Files (x86)\Common Files
CommonProgramFiles(x86)	C:\Program Files (x86)\Common Files
CommonProgramW6432	C:\Program Files\Common Files
COMPUTERNAME	FORNAX-NOTE
ComSpec	C:\WINDOWS\system32\cmd.exe
CORDOVA_HOME	C:\Mobile\cordova\cordova-android
FP_NO_HOST_CHECK	NO
JAVA_HOME	C:\Program Files\Java\jdk1.7.0_75
LOCALAPPDATA	C:\WINDOWS\system32\config\systemprofile\AppData\Local
M2	C:\apache-maven-3.2.5\bin
M2_HOME	C:\apache-maven-3.2.5
NUMBER_OF_PROCESSORS	4
OS	Windows_NT
Path	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShFiles\Calibre2\;C:\Program Files\Java\jdk1.7.0_75\bin;C:\apache-maven-3.2.5\bin;C:\Mobile\android\sdk\tools;C:\Mobile\android\sdk\platform-tools;C:\Mobile\ant\bin;C:\Mobile\cordova\cordova-android\bin;C:\Program Files (x86)\MySQL\MySQL Utilities\;C:\Program Files (x86)\MySQL\MySQL Utilities\Doctrine extensions for PHP\;C:\xampp\php;C:\ProgramData\ComposerSetup\bin;C:\Users\Fornax\AppData\Roaming\Composer;C:\UsersFiles (x86)\Skype\Phone\;C:\Program Files\Oracle\VirtualBox;
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
PROCESSOR_ARCHITECTURE	x86
PROCESSOR_ARCHITEXW6432	AMD64
PROCESSOR_IDENTIFIER	Intel64 Family 6 Model 42 Stepping 7, GenuineIntel
PROCESSOR_LEVEL	6
PROCESSOR_REVISION	2a07
ProgramData	C:\ProgramData
ProgramFiles	C:\Program Files (x86)
ProgramFiles(x86)	C:\Program Files (x86)
ProgramW6432	C:\Program Files
PSModulePath	C:\WINDOWS\system32\WindowsPowerShell\v1.0\Modules\
PUBLIC	C:\Users\Public
SystemDrive	C:
SystemRoot	C:\WINDOWS
TEMP	C:\WINDOWS\TEMP

TMP	C:\WINDOWS\TEMP
USERDOMAIN	WORKGROUP
USERNAME	FORNAX-NOTE\$
USERPROFILE	C:\WINDOWS\system32\config\systemprofile
VBOX_MSI_INSTALL_PATH	C:\Program Files\Oracle\VirtualBox\
windir	C:\WINDOWS
AP_PARENT_PID	3340

PHP Variables

Variable	Value
_COOKIE["_ga"]	GA1.1.1337830029.1457712850
_SERVER["MIBDIRS"]	C:/xampp/php/extras/mibs
_SERVER["MYSQL_HOME"]	\xampp\mysql\bin
_SERVER["OPENSSL_CONF"]	C:/xampp/apache/bin/openssl.cnf
_SERVER["PHP_PEAR_SYSCONF_DIR"]	\xampp\php
_SERVER["PHPRC"]	\xampp\php
_SERVER["TMP"]	\xampp\tmp
_SERVER["HTTP_HOST"]	localhost
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_CACHE_CONTROL"]	max-age=0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
_SERVER["HTTP_UPGRADE_INSECURE_REQUESTS"]	1
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/49.0.2623.110 Safari/537.36
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate, sdch
_SERVER["HTTP_ACCEPT_LANGUAGE"]	pt-BR;pt;q=0.8,en-US;q=0.6,en;q=0.4
_SERVER["HTTP_COOKIE"]	_ga=GA1.1.1337830029.1457712850
_SERVER["PATH"]	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\Calibre2\C:\Program Files\Java\jdk1.7.0_75\bin;C:\apache-maven-3.2.5\bin;C:\Mobile\android\sdk\tools;C:\Mobile\android\sdk\platform-tools;C:\Mobile\ant\bin;C:\Mobile\cordova\cordova-android\bin;C:\Program Files (x86)\MySQL\MySQL Utilities;C:\Program Files (x86)\MySQL\MySQL Utilities\Doctrine extensions for PHP;C:\xampp\php;C:\ProgramData\ComposerSetup\bin;C:\Users\Fornax\AppData\Roaming\Composer;C:\Users\Fornax\AppData\Local\Microsoft\Windows\Apps\PhoneUI;C:\Program Files\Oracle\VirtualBox;
_SERVER["SystemRoot"]	C:\WINDOWS
_SERVER["COMSPEC"]	C:\WINDOWS\system32\cmd.exe
_SERVER["PATHEXT"]	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
_SERVER["WINDIR"]	C:\WINDOWS
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.4.12 (Win32) OpenSSL/1.0.1f PHP/5.6.8 Server at localhost Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.4.12 (Win32) OpenSSL/1.0.1f PHP/5.6.8
_SERVER["SERVER_NAME"]	localhost
_SERVER["SERVER_ADDR"]	::1
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	::1
_SERVER["DOCUMENT_ROOT"]	C:/Users/Fornax/Documents/docker/danilo/www2
_SERVER["REQUEST_SCHEME"]	http
_SERVER["CONTEXT_PREFIX"]	no value
_SERVER["CONTEXT_DOCUMENT_ROOT"]	C:/Users/Fornax/Documents/docker/danilo/www2
_SERVER["SERVER_ADMIN"]	postmaster@localhost
_SERVER["SCRIPT_FILENAME"]	C:/Users/Fornax/Documents/docker/danilo/www2/php-basico/index.php
_SERVER["REMOTE_PORT"]	16912
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	no value
_SERVER["REQUEST_URI"]	/php-basico/
_SERVER["SCRIPT_NAME"]	/php-basico/index.php
_SERVER["PHP_SELF"]	/php-basico/index.php
_SERVER["REQUEST_TIME_FLOAT"]	1460397859.492
_SERVER["REQUEST_TIME"]	1460397859

PHP Credits

PHP Group
Thies C. Arntzen, Stig Bakken, Shane Caraveo, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski

Language Design & Concept
Andi Gutmans, Rasmus Lerdorf, Zeev Suraski, Marcus Boerger

PHP Authors	
Contribution	Authors
Zend Scripting Language Engine	Andi Gutmans, Zeev Suraski, Stanislav Malyshev, Marcus Boerger, Dmitry Stogov, Xincheng Hui, Nikita Popov
Extension Module API	Andi Gutmans, Zeev Suraski, Andrei Zmievski
UNIX Build and Modularization	Stig Bakken, Sascha Schumann, Jani Taskinen
Windows Port	Shane Caraveo, Zeev Suraski, Wez Furlong, Pierre-Alain Joye, Anatol Belski
Server API (SAPI) Abstraction Layer	Andi Gutmans, Shane Caraveo, Zeev Suraski
Streams Abstraction Layer	Wez Furlong, Sara Golemon
PHP Data Objects Layer	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
Output Handler	Zeev Suraski, Thies C. Arntzen, Marcus Boerger, Michael Wallner

SAPI Modules	
Contribution	Authors
AOLserver	Sascha Schumann
Apache 1.3 (apache_hooks)	Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar, George Schlossnagle, Lukas Schroeder
Apache 1.3	Rasmus Lerdorf, Zeev Suraski, Stig Bakken, David Sklar
Apache 2.0 Filter	Sascha Schumann, Aaron Bannert
Apache 2.0 Handler	Ian Holsman, Justin Erenkrantz (based on Apache 2.0 Filter code)
Caudium / Roxen	David Hedbor
CGI / FastCGI	Rasmus Lerdorf, Stig Bakken, Shane Caraveo, Dmitry Stogov
CLI	Edin Kadribasic, Marcus Boerger, Johannes Schlueter, Moriyoshi Koizumi, Xincheng Hui
Continuity	Alex Leigh (based on nsapi code)
Embed	Edin Kadribasic
FastCGI Process Manager	Andrei Nigmatulin, dreamcat4, Antony Dovgal, Jerome Loyet
ISAPI	Andi Gutmans, Zeev Suraski
litespeed	George Wang
NSAPI	Jayakumar Muthukumarasamy, Uwe Schindler
phpdbg	Felipe Pena, Joe Watkins, Bob Weinand
phttpd	Thies C. Arntzen
pi3web	Holger Zimmermann
Sendmail Milter	Harald Radi
thttpd	Sascha Schumann
tux	Sascha Schumann
WebJames	Alex Waugh

Module Authors	
Module	Authors
BC Math	Andi Gutmans
Bzip2	Sterling Hughes
Calendar	Shane Caraveo, Colin Viebrock, Hartmut Holzgraefe, Wez Furlong
COM and .Net	Wez Furlong
ctype	Hartmut Holzgraefe
cURL	Sterling Hughes
Date/Time Support	Derick Rethans
DB-LIB (MS SQL, Sybase)	Wez Furlong, Frank M. Kromann
DBA	Sascha Schumann, Marcus Boerger
DOM	Christian Stocker, Rob Richards, Marcus Boerger
enchant	Pierre-Alain Joye, Ilia Alshanetsky
ereg	Rasmus Lerdorf, Jim Winstead, Jaakko Hyväti
EXIF	Rasmus Lerdorf, Marcus Boerger
fileinfo	Ilia Alshanetsky, Pierre Alain Joye, Scott MacVicar, Derick Rethans
Firebird driver for PDO	Ard Biesheuvel

FTP	Stefan Esser, Andrew Skalski
GD imaging	Rasmus Lerdorf, Stig Bakken, Jim Winstead, Jouni Ahto, Ilia Alshanetsky, Pierre-Alain Joye, Marcus Boerger
GetText	Alex Plotnick
GNU GMP support	Stanislav Malyshev
Iconv	Rui Hirokawa, Stig Bakken, Moriyoshi Koizumi
IMAP	Rex Logan, Mark Musone, Brian Wang, Kaj-Michael Lang, Antoni Pamies Olive, Rasmus Lerdorf, Andrew Skalski, Chuck Hagenbuch, Daniel R Kalowsky
Input Filter	Rasmus Lerdorf, Derick Rethans, Pierre-Alain Joye, Ilia Alshanetsky
InterBase	Jouni Ahto, Andrew Avdeev, Ard Biesheuvel
Internationalization	Ed Batutis, Vladimir Iordanov, Dmitry Lakhtyuk, Stanislav Malyshev, Vadim Savchuk, Kirti Velankar
JSON	Omar Kilani, Scott MacVicar
LDAP	Amitay Isaacs, Eric Warnke, Rasmus Lerdorf, Gerrit Thomson, Stig Venaas
LIBXML	Christian Stocker, Rob Richards, Marcus Boerger, Wez Furlong, Shane Caraveo
mcrypt	Sascha Schumann, Derick Rethans
MS SQL	Frank M. Kromann
Multibyte String Functions	Tsukada Takuya, Rui Hirokawa
MySQL driver for PDO	George Schlossnagle, Wez Furlong, Ilia Alshanetsky, Johannes Schlueter
MySQL	Zeev Suraski, Zak Greant, Georg Richter, Andrey Hristov
MySQLi	Zak Greant, Georg Richter, Andrey Hristov, Ulf Wendel
MySQLnd	Andrey Hristov, Ulf Wendel, Georg Richter, Johannes Schlüter
OCI8	Stig Bakken, Thies C. Arntzen, Andy Sautins, David Benson, Maxim Maletsky, Harald Radi, Antony Dovgal, Andi Gutmans, Wez Furlong, Christopher Jones, Oracle Corporation
ODBC driver for PDO	Wez Furlong
ODBC	Stig Bakken, Andreas Karajannis, Frank M. Kromann, Daniel R. Kalowsky
OpenSSL	Stig Venaas, Wez Furlong, Sascha Kettler, Scott MacVicar
Oracle (OCI) driver for PDO	Wez Furlong
pcntl	Jason Greene, Arnaud Le Blanc
Perl Compatible Regexps	Andrei Zmievski
PHP Archive	Gregory Beaver, Marcus Boerger
PHP Data Objects	Wez Furlong, Marcus Boerger, Sterling Hughes, George Schlossnagle, Ilia Alshanetsky
PHP hash	Sara Golemon, Rasmus Lerdorf, Stefan Esser, Michael Wallner, Scott MacVicar
Posix	Kristian Koehn
PostgreSQL driver for PDO	Edin Kadribasic, Ilia Alshanetsky
PostgreSQL	Jouni Ahto, Zeev Suraski, Yasuo Ohgaki, Chris Kings-Lynne
Pspell	Vlad Krupin
Readline	Thies C. Arntzen
Recode	Kristian Koehn
Reflection	Marcus Boerger, Timm Friebe, George Schlossnagle, Andrei Zmievski, Johannes Schlueter
Sessions	Sascha Schumann, Andrei Zmievski
Shared Memory Operations	Slava Poliakov, Ilia Alshanetsky
SimpleXML	Sterling Hughes, Marcus Boerger, Rob Richards
SNMP	Rasmus Lerdorf, Harrie Hazewinkel, Mike Jackson, Steven Lawrance, Johann Hanne, Boris Lytochkin
SOAP	Brad Lafountain, Shane Caraveo, Dmitry Stogov
Sockets	Chris Vandomelen, Sterling Hughes, Daniel Beulshausen, Jason Greene
SPL	Marcus Boerger, Etienne Kneuss
SQLite 3.x driver for PDO	Wez Furlong
SQLite3	Scott MacVicar, Ilia Alshanetsky, Brad Dewar
Sybase-CT	Zeev Suraski, Tom May, Timm Friebe
System V Message based IPC	Wez Furlong
System V Semaphores	Tom May
System V Shared Memory	Christian Cartus
tidy	John Coggeshall, Ilia Alshanetsky
tokenizer	Andrei Zmievski, Johannes Schlueter
WDDX	Andrei Zmievski
XML	Stig Bakken, Thies C. Arntzen, Sterling Hughes
XMLReader	Rob Richards
xmlrpc	Dan Libby
XMLWriter	Rob Richards, Pierre-Alain Joye
XSL	Christian Stocker, Rob Richards
Zip	Pierre-Alain Joye, Remi Collet

Zlib	Rasmus Lerdorf, Stefan Roehrich, Zeev Suraski, Jade Nicoletti, Michael Wallner
------	--

PHP Documentation	
Authors	Mehdi Achour, Friedhelm Betz, Antony Dovgal, Nuno Lopes, Hannes Magnusson, Georg Richter, Damien Seguy, Jakub Vrana, Adam Harvey, Peter Cowburn
Editor	Philip Olson
User Note Maintainers	Daniel P. Brown, Thiago Henrique Pojda
Other Contributors	Previously active authors, editors and other contributors are listed in the manual.

PHP Quality Assurance Team	
Ilia Alshanetsky, Joerg Behrens, Antony Dovgal, Stefan Esser, Moriyoshi Koizumi, Magnus Maatta, Sebastian Nohn, Derick Rethans, Melvyn Sopacua, Jani Taskinen, Pierre-Alain Joye, Dmitry Stogov, Felipe Pena, David Soria Parra, Stanislav Malyshev, Julien Pauli, Stephen Zarkos, Anatol Belski, Remi Collet, Ferenc Kovacs	

Websites and Infrastructure team	
PHP Websites Team	Rasmus Lerdorf, Hannes Magnusson, Philip Olson, Lukas Kahwe Smith, Pierre-Alain Joye, Kalle Sommer Nielsen, Peter Cowburn, Adam Harvey, Ferenc Kovacs, Levi Morrison
Event Maintainers	Damien Seguy, Daniel P. Brown
Network Infrastructure	Daniel P. Brown
Windows Infrastructure	Alex Schoenmaker

PHP License

<p>This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE</p> <p>This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.</p> <p>If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.</p>

apache2handler

Apache Version	Apache/2.4.12 (Win32) OpenSSL/1.0.1f PHP/5.6.8
Apache API Version	20120211
Server Administrator	postmaster@localhost
Hostname:Port	localhost:80
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	No
Server Root	C:/xampp/apache
Loaded Modules	core mod_win32 mpm_winnt http_core mod_so mod_access_compat mod_actions mod_alias mod_allowmethods mod_asis mod_auth_basic mod_authn_core mod_authn_file mod_authz_core mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dav_lock mod_dir mod_env mod_headers mod_include mod_info mod_isapi mod_log_config mod_cache_disk mod_mime mod_negotiation mod_proxy mod_proxy_ajp mod_rewrite mod_setenvif mod_socache_shmcb mod_ssl mod_status mod_version mod_php5

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
MIBDIRS	C:/xampp/php/extras/mibs
MYSQL_HOME	\\xampp\\mysql\\bin
OPENSSL_CONF	C:/xampp/apache/bin/openssl.cnf
PHP_PEAR_SYSCONF_DIR	\\xampp\\php
PHPRC	\\xampp\\php
TMP	\\xampp\\tmp
HTTP_HOST	localhost
HTTP_CONNECTION	keep-alive
HTTP_CACHE_CONTROL	max-age=0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
HTTP_UPGRADE_INSECURE_REQUESTS	1

HTTP_USER_AGENT	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/49.0.2623.110 Safari/537.36
HTTP_ACCEPT_ENCODING	gzip, deflate, sdch
HTTP_ACCEPT_LANGUAGE	pt-BR,pt;q=0.8,en-US;q=0.6,en;q=0.4
HTTP_COOKIE	_ga=GA1.1.1337830029.1457712850
PATH	C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerSh Files\Calibre2\;C:\Program Files\Java\jdk1.7.0_75\bin;C:\apache-maven- 3.2.5\bin;C:\Mobile\android\sdk\tools;C:\Mobile\android\sdk\platform- tools;C:\Mobile\ant\bin;C:\Mobile\cordova\cordova-android\bin;C:\Program Files (x86)\MySQL\MySQL Utilities\;C:\Program Files (x86)\MySQL\MySQL Utilities\Doctrine extensions for PHP\;C:\xampp\php;C:\ProgramData\ComposerSetup\bin;C:\Users\Fornax\AppData\Roaming\Composer;C:\Users' Files (x86)\Skype\Phone\;C:\Program Files\Oracle\VirtualBox; <div></div>
SystemRoot	C:\WINDOWS
COMSPEC	C:\WINDOWS\system32\cmd.exe
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
WINDIR	C:\WINDOWS
SERVER_SIGNATURE	<address>Apache/2.4.12 (Win32) OpenSSL/1.0.1l PHP/5.6.8 Server at localhost Port 80</address>
SERVER_SOFTWARE	Apache/2.4.12 (Win32) OpenSSL/1.0.1l PHP/5.6.8
SERVER_NAME	localhost
SERVER_ADDR	:::1
SERVER_PORT	80
REMOTE_ADDR	:::1
DOCUMENT_ROOT	C:/Users/Fornax/Documents/docker/danilo/www2
REQUEST_SCHEME	http
CONTEXT_PREFIX	no value
CONTEXT_DOCUMENT_ROOT	C:/Users/Fornax/Documents/docker/danilo/www2
SERVER_ADMIN	postmaster@localhost
SCRIPT_FILENAME	C:/Users/Fornax/Documents/docker/danilo/www2/php-basico/index.php
REMOTE_PORT	16912
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/php-basico/
SCRIPT_NAME	/php-basico/index.php

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /php-basico/ HTTP/1.1
Host	localhost
Connection	keep-alive
Cache-Control	max-age=0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
Upgrade-Insecure-Requests	1
User-Agent	Mozilla/5.0 (Windows NT 10.0; WOW64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/49.0.2623.110 Safari/537.36
Accept-Encoding	gzip, deflate, sdch
Accept-Language	pt-BR,pt;q=0.8,en-US;q=0.6,en;q=0.4
Cookie	_ga=GA1.1.1337830029.1457712850
HTTP Response Headers	
X-Powered-By	PHP/5.6.8
Keep-Alive	timeout=5, max=100
Connection	Keep-Alive
Transfer-Encoding	chunked
Content-Type	text/html; charset=UTF-8

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

calendar

Calendar support	enabled
------------------	---------

Core

PHP Version	5.6.8
-------------	-------

Directive	Local Value	Master Value
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	0	0
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	C:\xampp\php\extras\browscap.ini	C:\xampp\php\extras\browscap.ini
default_charset	UTF-8	UTF-8
default_mimetype	text/html	text/html
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	On	On
doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
enable_post_data_reading	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	C:\xampp\php\logs\php_error_log	C:\xampp\php\logs\php_error_log
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	22527	22527
exit_on_timeout	Off	Off
expose_php	On	On
extension_dir	C:\xampp\php\ext	C:\xampp\php\ext
file_uploads	On	On
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.;C:\xampp\php\PEAR	.;C:\xampp\php\PEAR
input_encoding	<i>no value</i>	<i>no value</i>
internal_encoding	<i>no value</i>	<i>no value</i>
log_errors	On	On
log_errors_max_len	1024	1024
mail.add_x_header	Off	Off

mail.force_extra_parameters	no value	no value
mail.log	no value	no value
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
max_input_vars	1000	1000
memory_limit	128M	128M
open_basedir	no value	no value
output_buffering	4096	4096
output_encoding	no value	no value
output_handler	no value	no value
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
report_memleaks	On	On
report_zend_debug	On	On
request_order	GP	GP
sendmail_from	no value	no value
sendmail_path	C:\xampp\mailtodisk\mailtodisk.exe	C:\xampp\mailtodisk\mailtodisk.exe
serialize_precision	100	100
short_open_tag	Off	Off
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
sys_temp_dir	no value	no value
track_errors	On	On
unserialize_callback_func	no value	no value
upload_max_filesize	2M	2M
upload_tmp_dir	C:\xampp\tmp	C:\xampp\tmp
user_dir	no value	no value
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
windows.show_crt_warning	Off	Off
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
zend.detect_unicode	On	On
zend.enable_gc	On	On
zend.multibyte	Off	Off
zend.script_encoding	no value	no value

ctype

ctype functions	enabled
-----------------	---------

curl

cURL support	enabled
cURL Information	7.40.0
Age	3
Features	
AsynchDNS	Yes
CharConv	No
Debug	No
GSS-Negotiate	No
IDN	Yes
IPv6	Yes

krb4	No
Largefile	Yes
libz	Yes
NTLM	Yes
NTLMWB	No
SPNEGO	Yes
SSL	Yes
SSPI	Yes
TLS-SRP	No
Protocols	dict, file, ftp, ftps, gopher, http, https, imap, imaps, ldap, pop3, pop3s, rtsp, scp, sftp, smtp, smtps, telnet, tftp
Host	i386-pc-win32
SSL Version	OpenSSL/1.0.1l
ZLib Version	1.2.7.3
libSSH Version	libssh2/1.5.0

date

date/time support	enabled
"Olson" Timezone Database Version	2015.2
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Berlin	Europe/Berlin

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.9.2
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
---------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: 5504545b9be3379c5244b371d825eb64659eb5f5 \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	no value	no value
exif.encode_unicode	ISO-8859-15	ISO-8859-15

filter

Input Validation and Filtering	enabled
Revision	\$Id: 86120bba568c551914a35636ec408f1e7e66af32 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	no value	no value

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.1.0 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.5.5
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	9 compatible
PNG Support	enabled
libPNG Version	1.5.18
WBMP Support	enabled
XPM Support	enabled
libXpm Version	30411
XBM Support	enabled
WebP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
-----------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snefru snefru256 gost gost-crypto adler32 crc32 crc32b fnv132 fnv1a32 fnv164 fnv1a64 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	"libiconv"
iconv library version	1.14

Directive	Local Value	Master Value
iconv.input_encoding	no value	no value
iconv.internal_encoding	no value	no value
iconv.output_encoding	no value	no value

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.9.2
libXML Loaded Version	20902

libXML streams	enabled
----------------	---------

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	5.9.5

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	<i>no value</i>	<i>no value</i>
mbstring.http_output	<i>no value</i>	<i>no value</i>
mbstring.http_output_conv_mimetypes	^(text/application/xhtml+xml)	^(text/application/xhtml+xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes arcfour
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	mysqlnd 5.0.11-dev - 20120503 - \$Id: 3c688b6bbc30d36af3ac34fdd4b7b5b787fe5555 \$

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	3	3
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	3306	3306
mysql.default_socket	MySQL	MySQL
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited

mysql.trace_mode	Off	Off
------------------	-----	-----

mysql

Mysqll Support	enabled
Client API library version	mysqlnd 5.0.11-dev - 20120503 - \$Id: 3c688b6bbc30d36af3ac34fdd4b7b5b787fe5555 \$
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.default_host	no value	no value
mysql.default_port	3306	3306
mysql.default_pw	no value	no value
mysql.default_socket	MySQL	MySQL
mysql.default_user	no value	no value
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.reconnect	Off	Off
mysql.rollback_on_cached_plink	Off	Off

mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.11-dev - 20120503 - \$Id: 3c688b6bbc30d36af3ac34fdd4b7b5b787fe5555 \$
Compression	supported
core SSL	supported
extended SSL	not supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a
Loaded plugins	mysqlnd,debug_trace,auth_plugin_mysql_native_password,auth_plugin_mysql_clear_password
API Extensions	mysql,mysqli,pdo_mysql

mysqlnd statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0

result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0
rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	0
rows_affected_ps	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0

mem_estrndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0
proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	0
com_init_db	0
com_query	0
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0

com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0
com_binlog_dump	0
com_table_dump	0
com_connect_out	0
com_register_slave	0
com_stmt_prepare	0
com_stmt_execute	0
com_stmt_send_long_data	0
com_stmt_close	0
com_stmt_reset	0
com_stmt_set_option	0
com_stmt_fetch	0
com_deamon	0
bytes_received_real_data_normal	0
bytes_received_real_data_ps	0

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	Win32

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_cursortype	Static cursor	Static cursor
odbc.default_db	no value	no value
odbc.default_pw	no value	no value
odbc.default_user	no value	no value
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1l 15 Jan 2015
OpenSSL Header Version	OpenSSL 1.0.1m 19 Mar 2015

Directive	Local Value	Master Value
openssl.cafile	no value	no value
openssl.capath	no value	no value

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.34 2013-12-15

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql, sqlite

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	mysqlnd 5.0.11-dev - 20120503 - \$Id: 3c688b6bbc30d36af3ac34fdd4b7b5b787fe5555 \$

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
SQLite Library	3.8.8.3

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.2
Phar API version	1.1.1
SVN revision	\$Id: 2f2c4d35f66de9b4e737b444548761a4a2d835a5 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	<i>no value</i>	<i>no value</i>
phar.readonly	On	On
phar.require_hash	On	On

Reflection

Reflection	enabled
Version	\$Id: eff8bdc65b0beaf8f4ade6f06f848e6d43dfd826 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php_serialize php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID

session.referer_check	no value	no value
session.save_handler	files	files
session.save_path	C:\xampp\tmp	C:\xampp\tmp
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_strict_mode	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Id: e0de6ee7ef8280a12d77d76f1f971a944cbc8090 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

sqlite3

SQLite3 support	enabled
SQLite3 module version	0.7-dev
SQLite Library	3.8.8.3

Directive	Local Value	Master Value
sqlite3.extension_dir	no value	no value

standard

Dynamic Library Support	enabled
Path to sendmail	C:\xampp\mailtodisk\mailtodisk.exe

Directive	Local Value	Master Value
assert.active	1	1

assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.9.2

xmlreader

XMLReader	enabled
-----------	---------

xmlrpc

core library version	xmlrpc-epi v. 0.51
php extension version	0.51
author	Dan Libby
homepage	http://xmlrpc-epi.sourceforge.net
open sourced by	Epinions.com

xmlwriter

XMLWriter	enabled
-----------	---------

xsl

XSL	enabled
libxslt Version	1.1.27
libxslt compiled against libxml Version	2.7.8
EXSLT	enabled
libexslt Version	0.8.16

zip

Zip	enabled
Extension Version	\$Id: f9f12af1274212b9f22867472e4aa57eab4bb4cf \$
Zip version	1.12.4
Libzip version	0.11.2

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.7.3
Linked Version	1.2.7.3

--	--	--

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
