L2: Image captioning app 🧧 🦻

Load your HF API key and relevant Python libraries

```
In [ ]: import os
        import io
        import IPython.display
        from PIL import Image
        import base64
        from dotenv import load dotenv, find dotenv
        = load dotenv(find dotenv()) # read local .env file
        hf api key = os.environ['HF API KEY']
In [ ]: # Helper functions
        import requests, json
        #Image-to-text endpoint
        def get_completion(inputs, parameters=None, ENDPOINT_URL=os.environ['HF_API]
            headers = {
              "Authorization": f"Bearer {hf_api_key}",
              "Content-Type": "application/json"
            data = { "inputs": inputs }
            if parameters is not None:
                data.update({"parameters": parameters})
            response = requests.request("POST",
                                         ENDPOINT_URL,
                                         headers=headers,
                                         data=json.dumps(data))
            return json.loads(response.content.decode("utf-8"))
```

Building an image captioning app

Here we'll be using an Inference Endpoint for Salesforce/blip-image-captioning-base a 14M parameter captioning model.

The code would look very similar if you were running it locally instead of from an API. You can check the Pipelines documentation page.

```
from transformers import pipeline

get_completion = pipeline("image-to-text", model="Salesforce/blip-image-captioning-base")

def summarize(input):
    output = get_completion(input)
```

```
return output[0]['generated_text']
```

The free images are available on: https://free-images.com/

```
In []: image_url = "https://free-images.com/sm/9596/dog_animal_greyhound_983023.jpg
display(IPython.display.Image(url=image_url))
get_completion(image_url)
```

Captioning with gr. Interface()

```
In [ ]: import gradio as gr
        def image_to_base64_str(pil_image):
            byte_arr = io.BytesIO()
            pil_image.save(byte_arr, format='PNG')
            byte_arr = byte_arr.getvalue()
            return str(base64.b64encode(byte_arr).decode('utf-8'))
        def captioner(image):
            base64_image = image_to_base64_str(image)
            result = get completion(base64 image)
            return result[0]['generated_text']
        gr.close_all()
        demo = gr.Interface(fn=captioner,
                             inputs=[gr.Image(label="Upload image", type="pil")],
                             outputs=[gr.Textbox(label="Caption")],
                             title="Image Captioning with BLIP",
                             description="Caption any image using the BLIP model",
                             allow flagging="never",
                             examples=["christmas_dog.jpeg", "bird_flight.jpeg", "cow
        demo.launch(share=True, server_port=int(os.environ['PORT1']))
In [ ]: gr.close_all()
In [ ]:
In [ ]:
In []:
In [ ]:
In [ ]:
In [ ]:
```

In []:	
In []:	
In [
In []:	
In [
TII [] :	
In []:	
In []:	
In [
In []:	
In [
In []:	