

Multi100 Project - Task 01:

Does Warfare Matter? Severity, Duration, and Outcomes of Civil Wars

Danilo Freire*

21 July 2022

1 Introduction

This Markdown file contains the code I used to replicate Figure 01 (p. 1399) and Table 01 (p. 1400-01) in “*Does Warfare Matter? Severity, Duration, and Outcomes of Civil Wars*” by Laia Balcells and Stathis N. Kalyvas (2014). The paper was originally published in the *Journal of Conflict Resolution*. The claim to be evaluated here is that “SNC [“symmetric nonconventional”] conflicts are likely to last longer than conventional conflicts but likely to be shorter than irregular ones (Hypothesis 1).” The article files are available at: https://osf.io/3j72h/?view_only=5b822a6c354940c5a5127c97d2c588fd.

The replication indicates that the result is indeed robust and supports the authors’ main claims. I was able to successfully replicate both Figure 01 and Table 01 using the authors’ [Stata do files](#). I did not find any errors in their scripts. The analyses were conducted using Stata 15 and the [Statamarkdown](#) package for R (R Core Team 2022).

This replication is part of the [Multi100 Project](#), a crowdsourced project whose goal is to assess the robustness of findings in the social and behavioural sciences. My researcher ID is 9EFM2 and all files required to reproduce the contents of this document are available at: <https://github.com/danilofreire/multi100-project>. Feel free to contact me at danilofreire@gmail.com or dfreire@lincoln.ac.uk if you have any questions.

*Senior Lecturer, School of Social and Political Sciences, University of Lincoln, Lincoln, UK, dfreire@lincoln.ac.uk, <https://danilofreire.github.io>.

2 Figure 01 - Kaplan Meier Survival Estimates

In this section, I replicate Figure 01 in Balcells and Kalyvas (2014, p. 1399). First, I install the packages required for the analysis.

```
# Install necessary packages

r <- getOption("repos")
r["CRAN"] <- "https://cran.rstudio.com/"
options(repos = r)

# List of packages

packages <- c("devtools", "knitr", "rmarkdown")

installed_packages <- packages %in% rownames(installed.packages())
if (any(installed_packages == FALSE)) {
  install.packages(packages[!installed_packages])
}
invisible(lapply(packages, library, character.only = TRUE))

# Install and load Statamarkdown
devtools::install_github("Hemken/Statamarkdown")
library(Statamarkdown)
```

Then I use [the authors' Stata script](#) to create some of the variables included in the models.

```
// Load the dataset
sysuse ../task01/TR_panelformat_Replication.dta

// Create variable warend
sort id year
gen warend=0
replace warend=1 if year==yrend
```

```

// Some months have 31 days, others 30, 29, 28.
gen curyear=mdy(moend,31,yrend) if yrend!=. & year==yrend & moend!=.
format %td curyear
replace curyear=mdy(moend,30,yrend) if yrend!=. & year==yrend & moend!=. & curyear==.
replace curyear=mdy(moend,29,yrend) if yrend!=. & year==yrend & moend!=. & curyear==.
replace curyear=mdy(moend,28,yrend) if yrend!=. & year==yrend & moend!=. & curyear==.
replace curyear=date("3112"+string(year),"DMY") if curyear==.

// Create variable warbegin
gen warbegin=0
sort id year
by id: replace warbegin=1 if _n==1

// Create variable origyear
gen origyear=.
format %td origyear
replace origyear=mdy(most,1,yrst) if year==yrst & most!=.
replace origyear=mdy(1,1,yrst) if year==yrst & most==.
replace origyear=date("3112"+string(year-1), "DMY") if year!=yrst

// Kaplan Meier estimates
stset curyear, id(id) failure(warend==1) time0(origyear) origin(time origyear) scale(30.41667)

// Plot survival curve
sts graph, by(technologyrebellion) ///
legend(label(1 "Conventional") label (2 "Irregular") label(3 "SNC"))

// Export graph
quietly graph export kaplan-meier.pdf, replace

```

```
// Save dataset
save ../task01/df.dta
```




Figure 1: Kaplan Meier Survival Estimates

3 Table 01 - Weibull Regression on Civil War Duration

The code below replicates models 1 to 4 reported in Table 01 (Balcells and Kalyvas 2014, 1400). All estimates are identical to those included in the main paper.

```
// Load dataset
sysuse ../task01/df.dta

// Set data
stset curyear, id(id) failure(warend==1) time0(origyear) origin(time origyear) scale(30.41667)

// Model 01
streg i.technologyrebellion, d(w) nolog vce(robust) time
```

```
// Model 02

streg i.technologyrebellion post1990 lmtnest ///
lpop gdpenl oil ethfrac deml, d(w) nolog vce(robust) time

// Model 03

streg i.technologyrebellion post1990 lmtnest ///
lpop gdpenl oil ethfrac deml milper Extsupp_gov_bi ///
Extsupp_reb_bi, d(w) nolog vce(robust) time

// Model 04

streg i.technologyrebellion post1990 lmtnest ///
lpop gdpenl oil ethfrac deml milper Extsupp_gov_bi ///
Extsupp_reb_bi western eeuroop asia ssafrica lamerica, ///
d(w) nolog vce(robust) time
```

```
id: id
failure event: warend == 1
obs. time interval: (origyear, curyear]
exit on or before: failure
t for analysis: (time-origin)/30.41667
origin: time origyear
```

```
1,206 total observations
```

```
0 exclusions
```

```
1,206 observations remaining, representing
```

```
147 subjects
```

```
135 failures in single-failure-per-subject data
```

```
13,237.675 total analysis time at risk and under observation
```

at risk from t = 0
earliest observed entry t = 0
last observed exit t = 492.2958

failure _d: warend == 1
analysis time _t: (curyear-origin)/30.41667
origin: time origyear
id: id

Weibull AFT regression

No. of subjects	=	147	Number of obs	=	1,206
No. of failures	=	135			
Time at risk	=	13237.67526			
			Wald chi2(2)	=	26.36
Log pseudolikelihood	=	-251.07231	Prob > chi2	=	0.0000

(Std. Err. adjusted for 147 clusters in id)

		Robust					
_t		Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
-----+-----							
technologyrebellion							
Irregular		1.203136	.2343467	5.13	0.000	.7438244	1.662447
SNC		.8298717	.3767133	2.20	0.028	.0915272	1.568216
_cons		3.680266	.1943823	18.93	0.000	3.299284	4.061249
-----+-----							
/ln_p		-.1656716	.0614201	-2.70	0.007	-.2860527	-.0452905
-----+-----							

p	.8473245	.0520427	.751223	.9557198
1/p	1.180185	.0724871	1.046332	1.331163

failure _d: warend == 1

analysis time _t: (curyear-origin)/30.41667

origin: time origyear

id: id

Weibull AFT regression

No. of subjects	=	131	Number of obs	=	906
No. of failures	=	104			
Time at risk	=	9802.223583			
			Wald chi2(9)	=	33.37
Log pseudolikelihood	=	-205.20084	Prob > chi2	=	0.0001

(Std. Err. adjusted for 131 clusters in id)

		Robust				
_t		Coef.	Std. Err.	z	P> z	[95% Conf. Interval]
technologyrebellion						
Irregular		.8464113	.3308443	2.56	0.011	.1979683 1.494854
SNC		.505669	.3995707	1.27	0.206	-.2774751 1.288813
post1990		-.5473025	.3089441	-1.77	0.076	-1.152822 .0582169
lmtnest		.0389837	.1010648	0.39	0.700	-.1590996 .237067
lpop		.0779611	.1023826	0.76	0.446	-.1227052 .2786273
gdpenl_fl		.1626186	.1304021	1.25	0.212	-.0929648 .418202

oil_fl		-.2760041	.3886023	-0.71	0.478	-1.037651	.4856423
ethfrac		.8399731	.4583639	1.83	0.067	-.0584036	1.73835
dem1		.1196862	.3832193	0.31	0.755	-.6314099	.8707823
_cons		2.552892	.9921166	2.57	0.010	.6083788	4.497404
-----+-----							
/ln_p		-.1902052	.0680165	-2.80	0.005	-.3235151	-.0568954
-----+-----							
p		.8267894	.0562353			.7236011	.9446928
1/p		1.209498	.0822658			1.058545	1.381977

```

failure _d: warend == 1
analysis time _t: (curyear-origin)/30.41667
origin: time origyear
id: id

```

Weibull AFT regression

```

No. of subjects      =          131          Number of obs      =          906
No. of failures      =          104
Time at risk         = 9802.223583
Wald chi2(12)        =          56.65
Log pseudolikelihood = -196.71922          Prob > chi2           =          0.0000

```

(Std. Err. adjusted for 131 clusters in id)

		Robust					
_t		Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
-----+-----							
technologyrebellion							

Irregular		.9331167	.315459	2.96	0.003	.3148284	1.551405
SNC		.6323871	.4241451	1.49	0.136	-.1989219	1.463696
post1990		-.3287936	.3069017	-1.07	0.284	-.93031	.2727227
lmtnest		.11468	.0978604	1.17	0.241	-.0771228	.3064827
lpop		.1109128	.1051042	1.06	0.291	-.0950877	.3169133
gdpenl_fl		.1965522	.1159414	1.70	0.090	-.0306887	.4237932
oil_fl		-.1338352	.3576492	-0.37	0.708	-.8348148	.5671444
ethfrac		.7465131	.4094533	1.82	0.068	-.0560005	1.549027
deml		.1408604	.3480787	0.40	0.686	-.5413614	.8230822
milper		-.0000533	.0000615	-0.87	0.386	-.0001738	.0000672
Extsupp_gov_bi		.5323196	.2973185	1.79	0.073	-.050414	1.115053
Extsupp_reb_bi		.7807511	.2709429	2.88	0.004	.2497128	1.311789
_cons		1.048939	1.001576	1.05	0.295	-.9141136	3.011991

/ln_p		-.1114433	.0676577	-1.65	0.100	-.24405	.0211635
-------	--	-----------	----------	-------	-------	---------	----------

p		.8945421	.0605227			.7834484	1.021389
---	--	----------	----------	--	--	----------	----------

1/p		1.11789	.0756339			.9790589	1.276408
-----	--	---------	----------	--	--	----------	----------

failure _d: warend == 1

analysis time _t: (curyear-origin)/30.41667

origin: time origyear

id: id

Weibull AFT regression

No. of subjects = 131

Number of obs = 906

No. of failures = 104

Time at risk = 9802.223583

Wald chi2(16) = 76.43

Log pseudolikelihood = -195.18854

Prob > chi2 = 0.0000

(Std. Err. adjusted for 131 clusters in id)

		Robust				
	_t	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]
-----+-----						
technologyrebellion						
Irregular		.868049	.3456335	2.51	0.012	.1906197 1.545478
SNC		.5774997	.4547154	1.27	0.204	-.3137261 1.468725
post1990		-.2930918	.3215899	-0.91	0.362	-.9233963 .3372128
lmtnest		.1554951	.0994134	1.56	0.118	-.0393516 .3503418
lpop		.0773637	.105569	0.73	0.464	-.1295478 .2842751
gdpenl_fl		.2938091	.1516979	1.94	0.053	-.0035134 .5911316
oil_fl		-.1133936	.3515312	-0.32	0.747	-.8023821 .5755949
ethfrac		.5641797	.4883649	1.16	0.248	-.3929979 1.521357
deml		.1201555	.3710263	0.32	0.746	-.6070427 .8473537
milper		.0000139	.0000696	0.20	0.842	-.0001226 .0001503
Extsupp_gov_bi		.5362917	.3090616	1.74	0.083	-.069458 1.142041
Extsupp_reb_bi		.7395934	.301807	2.45	0.014	.1480625 1.331124
western		-.6284	.5737524	-1.10	0.273	-1.752934 .496134
eeurop		-.2630128	.5017461	-0.52	0.600	-1.246417 .7203914
asia		.5034296	.4780022	1.05	0.292	-.4334375 1.440297
ssafrica		.4705192	.4778814	0.98	0.325	-.4661111 1.40715
lamerica		.2331925	.5420171	0.43	0.667	-.8291415 1.295526
_cons		.930519	1.12554	0.83	0.408	-1.275499 3.136537
-----+-----						

/ln_p	-.10289	.070159	-1.47	0.143	-.2403991	.0346191
-----+-----						
p	.9022262	.0632993			.786314	1.035225
1/p	1.108369	.0777621			.9659733	1.271757

4 Session Information

```
sessionInfo()
```

R version 4.2.1 (2022-06-23)

Platform: x86_64-apple-darwin17.0 (64-bit)

Running under: macOS Monterey 12.4

Matrix products: default

BLAS: /Library/Frameworks/R.framework/Versions/4.2/Resources/lib/libRblas.0.dylib

LAPACK: /Library/Frameworks/R.framework/Versions/4.2/Resources/lib/libRlapack.dylib

locale:

[1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8

attached base packages:

[1] stats graphics grDevices utils

[5] datasets methods base

other attached packages:

[1] Statamarkdown_0.7.1 knitr_1.39

[3] devtools_2.4.3 usethis_2.1.6

[5] rmarkdown_2.14 nvimcom_0.9-131

loaded via a namespace (and not attached):

[1] magrittr_2.0.3	pkgload_1.3.0
[3] R6_2.5.1	rlang_1.0.3
[5] fastmap_1.1.0	stringr_1.4.0
[7] tools_4.2.1	pkgbuild_1.3.1
[9] xfun_0.31	sessioninfo_1.2.2
[11] cli_3.3.0	remotes_2.4.2
[13] htmltools_0.5.2	ellipsis_0.3.2
[15] yaml_2.3.5	digest_0.6.29
[17] lifecycle_1.0.1	crayon_1.5.1
[19] processx_3.6.1	purrr_0.3.4
[21] callr_3.7.0	codetools_0.2-18
[23] fs_1.5.2	ps_1.7.1
[25] curl_4.3.2	memoise_2.0.1
[27] glue_1.6.2	cachem_1.0.6
[29] evaluate_0.15	stringi_1.7.6
[31] compiler_4.2.1	prettyunits_1.1.1

References

- Balcells, L. and Kalyvas, S. N. (2014). Does Warfare Matter? Severity, Duration, and Outcomes of Civil Wars. *Journal of Conflict Resolution*, 58(8):1390–1418.
- R Core Team (2022). *R: A Language and Environment for Statistical Computing*. R Foundation for Statistical Computing, Vienna, Austria.