

Atomic Design System Manual

Pangasinan Heritage Digital Showcase

Design approach

The component library follows Brad Frost's Atomic Design methodology. Atoms are the smallest reusable UI pieces; molecules combine atoms into focused patterns; organisms combine molecules into larger interface sections.

Atoms

Button — reusable call-to-action. Usage: links users to a destination or action. Responsive logic: keeps a minimum 44px height for touch usability and can shrink horizontally with its text.

Typography — semantic text wrapper. Usage: keeps heading/body presentation consistent. Responsive logic: the page-level hero heading uses CSS clamp for fluid sizing.

Color Tokens — centralized design values. Usage: keeps color decisions consistent across components. Responsive logic: tokens remain stable while layout changes.

Icon — small visual symbol. Usage: search/navigation affordances. Responsive logic: remains inline with text and uses aria-hidden when decorative.

Image — reusable image wrapper. Usage: heritage/site imagery. Responsive logic: object-fit cover, responsive width, lazy loading.

Molecules

Heritage Card — combines Image, text and Button. Usage: exclusively for displaying tourist-site previews in the heritage grid. Responsive logic: card becomes one column on mobile, two on tablet and three on desktop.

Search Form — combines an Icon, input and Button. Usage: filtering/searching heritage content. Responsive logic: flex layout lets the input take available width and collapse naturally on small screens.

Navigation Item — reusable navigation link. Usage: header or section navigation. Responsive logic: desktop links are visible; on narrow screens the header hides secondary links to preserve space.

Organisms

Heritage Grid — collection of Heritage Cards. Usage: primary showcase of destinations. Responsive logic: CSS grid uses 1 column below 760px, 2 columns from 761–980px and 3 columns above 980px.

Header Navigation — combines brand and navigation items. Usage: site-wide navigation. Responsive logic: sticky header remains available while secondary links are hidden on narrow screens.

Visual previews

Rendered previews are included in the documentation/previews folder of the ZIP submission. They demonstrate the component levels in use.

Atom — Button

Reusable call-to-action with a consistent 44px minimum touch target.



Explore

Responsive / reusable / accessible

Molecule — Heritage Card

Combines Image, Typography and Button to preview a heritage site.



Explore

Responsive / reusable / accessible

Organism — Heritage Grid

Responsive collection of Heritage Cards: 1 column mobile, 2 tablet, 3 desktop.

Explore

Responsive / reusable / accessible

Code reference

The reusable source files are located in `source-code/app/components/atoms`, `source-code/app/components/molecules` and `source-code/app/components/organisms`. Each component is intentionally small and composable so another developer can reuse it when creating additional pages.

Accessibility and responsive decisions

The implementation uses semantic headings, a labeled main navigation, descriptive image alt attributes where needed, keyboard-friendly native controls, and responsive breakpoints. These are implementation decisions intended to support the assignment's WCAG 2.1 AA accessibility goal.