Name: _____
Surname: _____
Date: _____

Instructions

Circle the correct answer for each question, as each question has **only one** correct answer.
Provide reasoning for your answer in the space next to each question.
A correct answer always awards a point (even with no explanation).
An incorrect answer with sensible reasoning awards half a point.
An incorrect answer with faulty or no reasoning subtracts one point.
No answer gives zero points (neither adds nor subtracts points).
Assume each code cell is **run in isolation**, meaning no other code has been run before it.

Questions

1. After running this code, what will be the final value of the **variable "a"**?

```
a = 3
a = a ** 2
b = a - 2.0
```

   (a) 3
   (b) 7
   (c) 9
   (d) The code will raise an error.

2. After running this code, what will be the final value of the **variable "clothes"**?

```
shirts = 10
pants = 5
clothes = shirts + pants + shoes
shoes = 5
shirts = 6
```

   (a) 15
   (b) 16
   (c) 20
   (d) The code will raise an error.

3. Which of the following lines of code will **raise an error**?

```
name = "Will"
print("Hello, " + name + "!")  # Line 2
print("Hello, ", name, "!")  # Line 3
print(f"Hello, {"Will"}")  # Line 4
```

(a) Line 2.

(b) Line 3.

(c) Line 4.

(d) None of them.

4. Which message will **never be printed**, no matter the value of "distance"?

```
distance = 100  # Any integer goes here

if distance >= 50:
  print("Good enough")
elif distance > 100:
  print("Too far")
else:
  print("Too close")
```

(a) "Good enough"

(b) "Too far"

(c) "Too close"

(d) The code will always raise an error.

5. After running this code, what will be the final value of the **variable "count_up"**?

```
count_up = 0

for num in range(4):
  count_up = count_up + 1
```

(a) 0

(b) 4

(c) 6

(d) The code will raise an error.

6. Which names will Python print when we run this code?

```
ls_playes = ["Messi", "Ronaldo", "Neymar"]

for player in ls_playes:
  print(player)
  if player == "Ronaldo":
    break
```

(a) "Messi".

(b) "Messi" and "Ronaldo".

(c) "Messi", "Ronaldo" and "Neymar".

(d) The code will raise an error.

7. After running this code, what will be the final value of the **variable "fibonacci"**?

```
number = 3
fibonacci = 0

while number > 0:
  fibonacci = fibonacci + number
  number = number + 1
```

(a) 0

(b) 3

(c) 6

(d) The code will never stop running.

8. Assuming the user inputs 1234, what line do we have to change in this code, if we want it to run without errors?

```
x = input("Give me a number: ")
# Line 2
digits = len(x)
print(f"The number of digits in your number is: {digits}")
# Line 5
double = x + 2
print(f"Double: {double}")
```

(a) Line 2: x = int(x)

(b) Line 2: x = str(x)

(c) Line 5: x = int(x)

(d) Line 5: x = str(x)

9. After running this code, what will be the value of the **variable "y"**?

```
def exercise(x):
    y = x * 2
    return y
    y = y - 2

x = 3
y = exercise(x)
```

(a) 4

(b) 6

(c) 8

(d) The code will raise an error.

10. What will happen when we run this code?

```
def exercise(x: int):
  print(f"Your number is {x}")

result = exercise("6")
```

(a) Python prints "Your number is 6".

(b) Python prints "None".

(c) The code will never stop running.

(d) The code will raise an error.

Answers: 1-C, 2-D, 3-C, 4-B, 5-B, 6-B, 7-D, 8-C, 9-B, 10-A