Danir Kantserov

GIS & CAD mapping for wetland delineations and permits

Architecture student at Politecnico di Milano · GIS/CAD drafting in QGIS

You do the fieldwork. I produce the maps, exhibits and GIS files for your report.

- Delineation map sets to the USACE SPD Map and Drawing Standards (2016); sample notes on page 3
- National context figures (NWI, FEMA flood, NRCS soils, 3DEP elevation), past and color-infrared aerials, and the nearest survey mark
- Vicinity map on a USGS topographic base with the 7.5-minute quadrangle named; delineation maps on a dated aerial and on topography; photo-point map and log
- Impact exhibits (plan + cross-sections), permanent and temporary, with unique labels and quantities
- State permit sheets for the Regional Board (401) and CDFW (1602), drawn from the same geometry
- The BWSR / St. Paul District figure set for Minnesota, with Circular 39 and Eggers & Reed wetland types, as in the Minnesota sample

Price: from $150 per figure set, with a fixed quote and delivery date per job before work starts. First job: you pay only if you use the maps (in a submittal, a client deliverable or as the base for your own figures).

Free test first: I have no paid delineation jobs yet, so send me one figure from a report you've already filed and I'll redraw it in your format so you can compare. Nothing confidential needed, no obligation.


Corrections: one correction round for mapping issues (the format, labels or numbers on the maps, not the field boundaries), within 3 business days of your request. My liability is limited to the fee you paid.

Your data: used only for your job and deleted on request; NDA on request. Some processing is AI-assisted (Anthropic's Claude, with model training turned off). Full terms come with every quote.

danirkantserov@gmail.com · Milan, Italy

The samples use synthetic field data on real sites in Sacramento County, California and Chisago County, Minnesota, and say so in a banner on the sheets; they make no wetland or jurisdictional finding about those properties. The California site is real land almost entirely under conservation easements held by the Center for Natural Lands Management (CCED; cnlm.org), with its east 3.5 acres in an existing mitigation-bank preserve on Sacramento County's habitat conservation plan (SSHCP) map; 39.83 of the Minnesota site's 39.85 acres lie inside the Carlos Avery Wildlife Management Area boundary (MN DNR). The field data on both sites are synthetic, and the project drawn on the California site is fictitious and not proposed there.

What the samples contain



The California sample's DXF drawn on its own (no basemap, text layers hidden): delineation, project, impacts, CDFW extent (teal) and contours.

Map sets (vector PDF, 11 × 17)

California sample: 16 sheets, each with a north arrow, bar and text scale, a legend with areas, a latitude/longitude reference point and a reference block; aerials are date-stamped. Minnesota sample: 8 sheets.

GIS layers + metadata

California sample: 19 layers as shapefiles in state plane (US survey feet) and in WGS 84, plus a GeoPackage and an Esri file geodatabase; feature names as on the maps (WL1, VP1, STR1a); a metadata text file. Minnesota sample: 13 shapefile layers in state plane, a WGS 84 GeoPackage and a metadata text file.

ORM bulk-upload tables

California sample: the 11 Aquatic Resources columns and the 19 Impacts columns, as CSV files and an Excel workbook in that column layout (the Corps' upload workbook itself comes from your RRS account). Minnesota sample: the 11 Aquatic Resources columns as a CSV file.

CAD file (AutoCAD 2013 DXF format)

California sample: 42 layers with content (plus the standard 0 and Defpoints), nothing on layer 0, every area feature a closed polyline; California State Plane Zone 2 in US survey feet, so it lines up with a site plan in the same coordinate system. It holds all 19 GIS layers, feature for feature, and the contours. Minnesota sample: built to the same rules, 18 layers with content, in Minnesota state plane (US survey feet). Both open without errors in the ODA File Converter and come back from a DXF-to-DWG-to-DXF round trip with no measurable change; neither has been verified in Autodesk AutoCAD.

Available on request

California sample: the SPD, HQ national and permit checklists and a QA summary. Minnesota sample: the BWSR / St. Paul District checklist.

What I need from you

Your GPS exports (SHP, GDB, CSV or KML) and data-form IDs; for impact exhibits and permit sheets, also the project design (CAD or PDF), the photos with their log and your CDFW extent.

Quality control on the California sample

All numbers come from one geometry and are rounded once. The areas, lengths and table rows on the sheets are checked against that geometry, with the numbers read back out of the map PDF and the ORM tables; the shapefiles, the other GIS outputs and the DXF are reopened and their layer counts and aquatic-resource totals compared.

Check	Result
Pass 1: sheet numbers, reference blocks, tables, totals, ORM tables and text vs the geometry	1102 checks, 0 failed
Pass 2: independent recompute from the delivered shapefiles and raw data	109 checks, 0 failed
Label test: no letter on a boundary, symbol, frame line or other label; leaders end on their text	284 checks, 0 failed
Overlap test: no box on a map over the survey boundary, a feature, a label or a control point	100 checks, 0 failed
Controls: each new check fails on a defective input (the previous version or a seeded error)	31 checks, 0 failed
DXF check: units, layers, reference points, closed rings and an ODA round trip read back	31 checks, 0 failed
GIS files reopened: layer counts and the aquatic-resource total in each output	4 outputs, 0 failed

Counts from the checks run on the California sample (16 sheets); its QA summary lists the same counts.

Sample notes

The samples use synthetic field data on real sites. On real jobs, imagery dates, basemap and flood source follow your district’s requirements. The standards checklists, which list every sample note, are available on request.