SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL

AQUATIC RESOURCES DELINEATION — SAMPLE MAP SET

Griffith Creek sample site · Sacramento County, California · USACE Sacramento District (SPK)

SAMPLE — synthetic field data for demonstration; not a wetland delineation; not for regulatory submittal. Boundaries, flags, data points, photo points and the proposed project were generated from public NAIP, NWI, NHD and USGS 3DEP data to show the deliverable format; the linework is illustrative and is not registered to every signature on the imagery. No field survey was performed, no scientist certified this work, and no jurisdictional status is indicated.

PROJECT INFORMATION

Item	Value
Site	Griffith Creek sample site — demonstration only (no owner, parcel or address data used)
County, state; district	Sacramento County, California; USACE Sacramento District (SPK), South Pacific Division
Reference point	Survey-area centroid 38.319894° N, 121.129941° W (NAD83); review-area corners on Sheet 2
USGS 7.5′ quadrangle	Clay, CA (38121-C2)
Survey (review) area	39.83 acres
Aquatic resources	2.5496 ac in 16 features: 3 non-wetland waters 0.4321 ac (1,915 LF), 13 wetlands 2.1175 ac
Hypothetical project	Access road with Culvert1 (36-in CMP, STR1b) and Culvert2 (18-in CMP, ES1), rock slope protection RSP1–RSP2, building pad
Impacts (15, no size limit)	Permanent 0.0442 ac (1,926 sq ft; 109 LF of stream / swale); temporary 0.0539 ac (2,342 sq ft; 103 LF)
Horizontal datum	NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226); GIS also in WGS84
Vertical datum	NAVD88, feet
Imagery	USDA NAIP 2022-06-21, 0.6 m (USGS NAIP Plus); CIR 2022 and past NAIP 2016, 2012 on Sheets 15–16
Map standards	USACE SPD Updated Map and Drawing Standards (10 Feb 2016) and USACE HQ Recommended Minimum Standards for ARDRs (July 2025)
Prepared by	Danir Kantserov — GIS/CAD mapping · Independent contractor (white-label sample) · created 2026-09-24, revised 2026-10-09 (Rev. 2, v5.2)


SHEET INDEX (16 SHEETS)

Sheet	Title	Scale
1	Cover sheet: project information, key map, impact summary, sheet index	key map 1 in = 1,000 ft
2	Vicinity map on the USGS 7.5′ quadrangle base: S/T/R, county lines, NGS marks, corner coordinates	1 in = 2,000 ft
3	Delineation map 1 of 2: aquatic resources on NAIP 2022 imagery; survey control and GNSS accuracy statement	1 in = 200 ft
4	Delineation map 2 of 2: aquatic resources on topography (1-ft contours, NAVD88)	1 in = 200 ft
5	Photo-point map and photograph log (date/time, source, azimuth, coordinates)	1 in = 200 ft
6	Impact exhibit: plan view, impact table and Detail A (crossing of STR1b)	1 in = 60 ft / 40 ft
7	Impact exhibit: cross-sections C–C′ and D–D′ at Culvert1, key plan	H 1 in = 20 ft, V 1 in = 5 ft
8	State permit map: potential waters of the state and CDFW extent (client biologist), index map	1 in = 300 ft / 1,000 ft
9	State permit map: impacts on the aquatic-resource extent (USACE / Water Boards) and the CDFW extent	1 in = 200 ft / 50 ft
10	State permit map: photo-station map, Detail B and photograph log	1 in = 200 ft / 40 ft
11	Context figure 1: USFWS National Wetlands Inventory with the review area, NWI code table	1 in = 300 ft
12	Context figure 2: Sacramento County's copy of the FEMA flood data (zones, FIRM panels)	1 in = 300 ft
13	Context figure 3: NRCS SSURGO soils, hydric rating by map unit (color-coded), soil-unit table	1 in = 300 ft
14	Context figure 4: USGS 3DEP 1-m DEM hillshade and 2-ft contours (NAVD88), DEM source	1 in = 300 ft
15	Context figure 5: current aerial imagery, NAIP 2022-06-21 in natural color and color-infrared (CIR)	1 in = 300 ft
16	Context figure 6: past aerial imagery, NAIP 2016-06-20 and 2012-06-28; list of every NAIP year	1 in = 300 ft

NATIONAL ITEMS AT A GLANCE (USACE HQ, JULY 2025)

Item	Source and date	Result in the review area
S/T/R (Sheet 2)	BLM PLSS CadNSDI, 2026-10-09	Sec. 5, T5N, R8E (39.236 ac); Sec. 32, T6N, R8E (0.506 ac); Sec. 31, T6N, R8E (0.088 ac), Mount Diablo Meridian
County lines (Sheet 2)	Census TIGERweb, Jan 1, 2026	Sacramento County; nearest county line (Sacramento / San Joaquin County) 14,451 ft (2.74 mi) SSE
Survey marker (Sheets 3–4)	NOAA NGS datasheets, 2026-10-08	JS1458 (B 954), 8,433 ft W of the centroid; GNSS accuracy statement: client to supply (≤ 50 cm recommended)
NWI (Sheet 11)	USFWS NWI, 2026-10-09 (1984 CIR)	3.1941 ac in 12 NWI polygons: PEM1C 1.7057 ac, PEM1A 1.1356 ac, R4SBC 0.3528 ac
Flood zone (Sheet 12)	Sacramento County's copy of the FEMA flood data, 2026-10-09	Zone X (unshaded), FIRM panel 06067C0500J (effective 2016-10-20); nearest Zone A 8,390 ft away
Soils (Sheet 13)	NRCS SSURGO CA067 version 27, 2026-10-09	198 Redding gravelly loam, 99.8 % of the area, hydric 2 %; 125 Corning complex, 0.2 % of the area, hydric 40 %
Elevation (Sheet 14)	USGS 3DEP 1-m DEM, CA_Central_Valley_2017	187.6 to 212.3 ft NAVD88 in the review area (mean 200.9); lidar 2017-12-03 to 2017-12-07
Aerials (Sheets 15–16)	USDA NAIP: NAIP Plus (2022 natural color), Planetary Computer (CIR, 2016, 2012), 2026-10-09	Current 2022-06-21 (natural color, CIR); past 2016-06-20, 2012-06-28; all 6 NAIP years in the Planetary Computer NAIP collection for this site (2012–2022, listed 2026-10-09) are June–July

KEY MAP — SHEET COVERAGE (1 inch = 1,000 feet)



TRUE NORTH

0 500 1,000 ft

Numbers: the sheets each frame belongs to. Sheet 2 (vicinity, 1:24,000) covers a far larger area. Base: NAIP 2022-06-21.

IMPACT SUMMARY (Sheets 6 and 9; no size threshold)

Tag	Impact	Water	P/T	Acres	Sq ft	LF
1	Culvert1	STR1b	P	0.0100	435	41
2	RSP1	STR1b	P	0.0032	141	13
3	RSP2	STR1b	P	0.0033	142	13
4	RSP1-WL1	WL1	P	0.0005	24	—
5	RSP2-WL1	WL1	P	0.0005	20	—
6	AccessRoad1	WL1	P	0.0068	296	—
7	Culvert2	ES1	P	0.0039	170	42
8	Pad1	WL4	P	0.0160	698	—
9	Dewater1	STR1b	T	0.0060	262	25
10	Dewater2	STR1b	T	0.0065	281	25
11	TempWork1	WL1	T	0.0092	399	—
12	TempWork2	WL1	T	0.0069	300	—
13	TempWork3	ES1	T	0.0031	133	33
14	TempWork4	ES1	T	0.0018	80	20
15	TempWork5	WL4	T	0.0204	887	—
	Permanent		**P**	**0.0442**	**1,926**	**109**
	Temporary		**T**	**0.0539**	**2,342**	**103**

DIGITAL DELIVERABLES

- SAMPLE_Delineation_MapSet_v5.2.pdf — this 16-sheet set, 11 × 17 in, vector PDF (Sheets 1–7 USACE delineation, 8–10 state permit maps, 11–16 national context figures); single-sheet PDFs in sheets/, PNG previews (180 dpi) and web JPGs in previews/.
- gis/EPSG2226_StatePlane/ — 19 shapefiles in state plane US survey feet, feature names as on the maps.
- gis/WGS84/ (19 shapefiles), SAMPLE_GriffithCreek_v52_20261009_WGS84.gpkg and SAMPLE_GriffithCreek_v52_20261009_WGS84.gdb (Esri File Geodatabase): the same layers in WGS84 decimal degrees; files named per the USACE GNSS guide (reference_name_YYYYMMDD).
- ORM tables: SAMPLE_GriffithCreek_v52_20261009_ORM_AquaticResources.csv (16 rows), _ORM_Impacts.csv (15 rows), _ORM_Workbook.xlsx (both sheets; the official template comes from the client's RRS).
- SAMPLE_GriffithCreek_v52_20261009_metadata.txt (datum, projection, sources, GNSS-guide fields, mapper contact) and SAMPLE_GriffithCreek_v52_20261009.dxf (US survey feet, one layer per feature type).
- gis/EPIMS/ — PNG and JPG exports of Sheets 8–10 for the CDFW EPIMS upload. Standards checklists (SPD, HQ national, permit) are available on request.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

USACE SPD Map Standards (10 Feb 2016) · HQ ARDR Minimum Standards (Jul 2025)

COVER SHEET
PROJECT INFORMATION AND SHEET INDEX

LEGEND

- Survey area (39.83 ac)
- Intermittent stream, OHWM boundary — STR1a, STR1b (0.4051 ac; 1,621 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4, WL5 (0.2358 ac)
- Seasonal wetland swale — WL2, WL3 (1.4973 ac)
- Vernal pool — VP1–VP8 (0.3844 ac)

Map frames of the set (sheet numbers on the key map)

- Context figures 11–16 (1:3,600; 15–16: two panels per sheet)
- Map frames, Sheets 3–4, 6, 8, 9 (5 and 10: inside 3–4, same height)
- Detail maps (Sheets 6, 9, 10)
- Reference point (latitude/longitude, NAD83, decimal degrees)

QUALITY CHECKS

Checked before issue (method and results in the build log and RECONCILIATION): every printed area, length and total recomputed from the GIS geometry and compared with the tables, ORM CSVs (read back), shapefiles and DXF; an independent recompute from the delivered shapefiles; box-overlap and glyph-level label tests on every map frame of this PDF, leaders included, shown to catch seeded errors; the checks also run on the previous issue, where they fail.

REVISIONS (revisor: Danir Kantserov)

Revision	Date	Change
Rev. 0	2026-09-24	First issue: USACE delineation set, Sheets 1–7
Rev. 1	2026-10-09	State permit maps 8–10; national context figures 11–16 with current, past and CIR aerials; review corrections (16 sheets)
Rev. 2	2026-10-09	This issue (16 sheets): land-status disclosure (SSHCP preserve outline, conservation-easement note); review corrections; 2026-10-10: wording and leader corrections, no change to quantities

Standards applied: USACE SPD Updated Map and Drawing Standards (10 Feb 2016), Sheets 1–7; USACE HQ Recommended Minimum Standards for ARDRs (July 2025), all sheets (reference blocks, context figures 11–16, S/T/R, survey marker, photo captions, summary table); USACE HQ GNSS guide (July 2025) for the GIS files; Water Boards 401 and CDFW 1602 map content, Sheets 8–10.

The California site is real land almost entirely under conservation easements held by the Center for Natural Lands Management (CCED 2026a; cnlm.org), with its east 3.5 acres in an existing mitigation-bank preserve on Sacramento County's habitat conservation plan map, and the project drawn on it is fictitious and not proposed there. Land status, checked 2026-10-09: easements over 94.86 % of the review area (closed to public access; California Conservation Easement Database (CCED) – www.CALands.org (June 2026a)); preserve: County of Sacramento SSHCP map service, layer 5, existing preserve, mitigation bank, 3.51 ac of the review area (outline on Sheets 2–4 and 11–16).
This sample shows the desk (CAD/GIS) part of a wetland delineation: turning a field scientist's GPS points and data forms into Corps-conformant maps, exhibits, GIS layers and the ORM tables. Sheets 8–10 add the state permit maps (Water Boards 401, CDFW 1602); Sheets 11–16 the national context figures, including current, past and color-infrared aerial imagery.
All field data in this set are synthetic. A real delineation requires field work under the 1987 Corps Manual and the Arid West Regional Supplement by a qualified wetland scientist.
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226).
Latitude/longitude: NAD83, decimal degrees.


REFERENCE BLOCK · FIGURE 1 (SHEET 1 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-09-24 (Rev. 0) by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09; Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA NAIP 2022-06-21 (USGS NAIP Plus); County of Sacramento SSHCP map service, layer 5 (2026-10-09); California Conservation Easement Database (CCED) – www.CALands.org (June 2026a); sheet sources on each sheet; synthetic delineation data (no field data)

SAMPLE — not for regulatory submittal

SHEET
1 of 16

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL



REGIONAL LOCATION (1 inch ≈ 12 miles)

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

USACE SPD Map Standards (10 Feb 2016) · HQ ARDR Minimum Standards (Jul 2025)

VICINITY MAP
USGS 7.5′ QUADRANGLE BASE — CLAY, CA

LEGEND

- Survey area / project boundary (39.83 ac)
- Survey-area centroid (reference point, NAD83)
- SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)
- USGS 7.5-minute quadrangle boundary
- PLSS township / range line
- PLSS section line (BLM CadNSDI)
- NOAA NGS survey mark (PID; details on Sheet 3)
- Site location (regional inset)
- County line (US Census TIGERweb, Jan 2026)
- Extent of main map

REVIEW-AREA CORNERS (NAD83, DECIMAL DEGREES)

No.	Review-area corner	Latitude (N)	Longitude (W)
1	SW corner	38.318139	121.132280
2	NW corner	38.321489	121.132239
3	north extension, west base	38.321484	121.131560
4	north extension, NW corner	38.322143	121.131552
5	north extension, NE corner	38.322135	121.130593
6	north extension, east base	38.321545	121.130600
7	NE corner	38.321522	121.127533
8	SE corner	38.318103	121.127575

PLSS location of the survey area: Sec. 5, T5N, R8E (39.236 ac); Sec. 32, T6N, R8E (0.506 ac); Sec. 31, T6N, R8E (0.088 ac), Mount Diablo Meridian. County: Sacramento County; the nearest county line (Sacramento / San Joaquin County) is 14,451 ft (2.74 mi) SSE of the survey area, outside this map (see the inset). Survey-area centroid: 38.319894° N, 121.129941° W (NAD83).

TRUE NORTH

0 1,000 2,000 3,000 4,000 ft

Scale: 1 inch = 2,000 feet (1:24,000)


when printed at 11 × 17 in (full size)

Base map: USGS The National Map "USGS Topo" service (National Map data used for the US Topo 7.5-minute quadrangles), rendered for 1:24,000 on 2026-09-24; a base-map rendering, not a scan of the printed quadrangle sheet.
Quadrangle: CLAY, CA (38121-C2) contains the whole survey area; the GOOSE CREEK (38121-C1) boundary lies about 0.1–0.2 mi east (USGS map indices service).
PLSS: BLM National PLSS CadNSDI (Mount Diablo Meridian), retrieved 2026-10-09. Counties: US Census TIGERweb (January 1, 2026 vintage); the Sacramento County boundary layer agrees within 47 ft. No state line lies within either map.
Landmarks: Beskeen Road (site access), Kirkwood, Clay East and Clay Station Roads, Clay, Rancho Seco Lake, Cosumnes Power Plant and Rancho Seco Solar II (OSM, osm_base 2026-09-24).
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226). Latitude/longitude: NAD83, decimal degrees.

REFERENCE BLOCK · FIGURE 2 (SHEET 2 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-09-24 (Rev. 0) by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09; Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USGS The National Map USGS Topo (2026-09-24); USGS map indices; BLM PLSS CadNSDI and US Census TIGERweb (2026-10-09); NOAA NGS (2026-10-08); County of Sacramento SSHCP map service, layer 5 (preserve outline, 2026-10-09); OSM names

SAMPLE — not for regulatory submittal



AERIAL IMAGE: USDA NAIP, acquired 21 June 2022 (0.6 m, natural color, orthorectified)
Source: USDA-FSA-APFO via USGS The National Map, NAIP Plus image service

AQUATIC RESOURCES IN THE SURVEY AREA

Name	Type	Cowardin	Acres	Sq ft	LF	Avg W
STR1a	Intermittent stream	R4SB	0.0640	2,788	257	10.9
STR1b	Intermittent stream	R4SB	0.3411	14,858	1,364	10.9
ES1	Ephemeral swale	R6	0.0270	1,177	294	4.0
WL1	Seasonal wetland	PEM	0.1271	5,538	—	—
WL4	Seasonal wetland	PEM	0.0644	2,804	—	—
WL5	Seasonal wetland	PEM	0.0443	1,932	—	—
WL2	Seasonal wetland swale	PEM	0.5955	25,939	—	—
WL3	Seasonal wetland swale	PEM	0.9018	39,283	—	—
VP1	Vernal pool	PEM	0.0287	1,251	—	—
VP2	Vernal pool	PEM	0.1506	6,560	—	—
VP3	Vernal pool	PEM	0.0235	1,024	—	—
VP4	Vernal pool	PEM	0.0265	1,155	—	—
VP5	Vernal pool	PEM	0.0154	669	—	—
VP6	Vernal pool	PEM	0.0135	589	—	—
VP7	Vernal pool	PEM	0.0146	636	—	—
VP8	Vernal pool	PEM	0.1116	4,860	—	—
Total			**2.5496**	**111,063**	**1,915**	

Avg W = average width (area ÷ centerline length), feet, for the linear features.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

USACE SPD Map Standards (10 Feb 2016) · HQ ARDR Minimum Standards (Jul 2025)

DELINEATION MAP 1 OF 2
AQUATIC RESOURCES ON NAIP 2022 IMAGERY

LEGEND

- Survey area (39.83 ac)
- Intermittent stream, OHWM boundary — STR1a, STR1b (0.4051 ac; 1,621 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4, WL5 (0.2358 ac)
- Seasonal wetland swale — WL2, WL3 (1.4973 ac)
- Vernal pool — VP1–VP8 (0.3844 ac)
- Data point, wetland side (label = data form no.)
- Data point, upland side (label = data form no.)
- OHWM data point (label = OHWM data sheet no.)
- OHWM transect with measured width (A–A′)
- Wetland boundary flag (synthetic; IDs in GIS/DXF)
- Existing culvert under ranch road (SYNTHETIC)
- Existing ranch road (two-track; digitized from NAIP 2022)
- Reference point (latitude/longitude, NAD83)
- SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)

DELINEATION SUMMARY

Aquatic resources: 2.5496 ac in 16 features (3 non-wetland waters, 13 wetlands)
non-wetland waters (OHWM) 0.4321 ac, 1,915 LF; wetlands 2.1175 ac
Paired wetland data points: 26 (DP1–DP26); OHWM data sheets: 3
Boundary flags: 265, synthetic (IDs in the GIS and DXF files)
STR1a, STR1b, WL5, WL2 and WL3 continue beyond the survey area

SURVEY CONTROL AND GNSS ACCURACY

Nearest NGS mark: JS1458 (B 954), bench mark disk, 8,433 ft W of the survey-area centroid; NAVD 88 47.94 m (157.3 ft, as on the datasheet); hand-held GPS (±3 m) position; GOOD 2004-04-13; not suitable for satellite observations.
Nearest adjusted horizontal control: JS4163 (STROUP), pipe cap, 9,593 ft N, NAD 83(1992), second order, GOOD 2015-06-01; nearest NAD 83(2011): AC9228 (HPGN D CA 03 BK), 10,249 ft NW, GOOD 2026-07-02.
Source: NOAA NGS datasheets (2026-10-08 23:14:42 EDT); grid distances (EPSG:2226).
GNSS accuracy: to be stated by the client's surveyor (receiver, corrections, horizontal accuracy; USACE GNSS guide, July 2025: ≤ 50 cm recommended).

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 200 feet (1:2,400)
when printed at 11 × 17 in (full size)


Imagery: USDA-FSA-APFO NAIP, natural color, 0.6 m, orthorectified, acquired 2022-06-21 (quarter-quads 3812147_ne, 3812148_nw, 3812148_sw; USGS NAIP Plus, exported 2026-09-24).
June imagery is dry-season; no wet-season image was used.
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226).
Latitude/longitude: NAD83, decimal degrees.
Delineation features, flags, data points, photo points, the ranch-road culvert and the project are SYNTHETIC and illustrative (derived from NAIP, NWI, NHD and 3DEP; not registered to every imagery signature). No field delineation; no jurisdictional status is indicated.
Areas: EPSG:2226 geometry, acres rounded once to 4 decimals; totals are sums of the rounded rows (as in the CSV and shapefiles).
Land status (checked 2026-10-09): 94.86 % of the review area lies under conservation easements held by the Center for Natural Lands Management (CCED 2026a; cnlm.org), closed to public access, and its east 3.51 ac in an existing SSHCP preserve, a mitigation bank (County of Sacramento SSHCP map service, layer 5; outline on this map). The project shown is fictitious and not proposed there.

REFERENCE BLOCK · FIGURE 3 (SHEET 3 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-09-24 (Rev. 0) by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09; Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA-FSA-APFO NAIP 2022-06-21 (USGS NAIP Plus); USGS 3DEP 1 m DEM (CA_Central_Valley_2017); NOAA NGS datasheets (2026-10-08); County of Sacramento SSHCP map service, layer 5 (2026-10-09); California Conservation Easement Database (CCED) – www.CALands.org (June 2026a); synthetic delineation (no field data)

SAMPLE — not for regulatory submittal

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL



AQUATIC RESOURCES IN THE SURVEY AREA

Name	Type	Cowardin	Acres	Sq ft	LF	Avg W
STR1a	Intermittent stream	R4SB	0.0640	2,788	257	10.9
STR1b	Intermittent stream	R4SB	0.3411	14,858	1,364	10.9
ES1	Ephemeral swale	R6	0.0270	1,177	294	4.0
WL1	Seasonal wetland	PEM	0.1271	5,538	—	—
WL4	Seasonal wetland	PEM	0.0644	2,804	—	—
WL5	Seasonal wetland	PEM	0.0443	1,932	—	—
WL2	Seasonal wetland swale	PEM	0.5955	25,939	—	—
WL3	Seasonal wetland swale	PEM	0.9018	39,283	—	—
VP1	Vernal pool	PEM	0.0287	1,251	—	—
VP2	Vernal pool	PEM	0.1506	6,560	—	—
VP3	Vernal pool	PEM	0.0235	1,024	—	—
VP4	Vernal pool	PEM	0.0265	1,155	—	—
VP5	Vernal pool	PEM	0.0154	669	—	—
VP6	Vernal pool	PEM	0.0135	589	—	—
VP7	Vernal pool	PEM	0.0146	636	—	—
VP8	Vernal pool	PEM	0.1116	4,860	—	—
Total			**2.5496**	**111,063**	**1,915**	

Avg W = average width (area ÷ centerline length), feet, for the linear features.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

USACE SPD Map Standards (10 Feb 2016) · HQ ARDR Minimum Standards (Jul 2025)

DELINEATION MAP 2 OF 2
AQUATIC RESOURCES ON TOPOGRAPHY (NAVD88)

LEGEND

- Survey area (39.83 ac)
- Intermittent stream, OHWM boundary — STR1a, STR1b (0.4051 ac; 1,621 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4, WL5 (0.2358 ac)
- Seasonal wetland swale — WL2, WL3 (1.4973 ac)
- Vernal pool — VP1–VP8 (0.3844 ac)
- Contour, 1-ft interval (feet, NAVD88)
- Index contour, 5-ft interval, labelled (NAVD88)
- Data point, wetland side (label = data form no.)
- Data point, upland side (label = data form no.)
- OHWM data point (label = OHWM data sheet no.)
- OHWM transect with measured width (A–A′)
- Wetland boundary flag (synthetic; IDs in GIS/DXF)
- Existing culvert under ranch road (SYNTHETIC)
- Existing ranch road (two-track; digitized from NAIP 2022)
- Reference point (latitude/longitude, NAD83)
- SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)

DELINEATION SUMMARY

Aquatic resources: 2.5496 ac in 16 features (3 non-wetland waters, 13 wetlands)
non-wetland waters (OHWM) 0.4321 ac, 1,915 LF; wetlands 2.1175 ac
Paired wetland data points: 26 (DP1–DP26); OHWM data sheets: 3
Boundary flags: 265, synthetic (IDs in the GIS and DXF files)
STR1a, STR1b, WL5, WL2 and WL3 continue beyond the survey area

SURVEY CONTROL AND GNSS ACCURACY

Nearest NGS mark: JS1458 (B 954), bench mark disk, 8,433 ft W of the survey-area centroid; NAVD 88 47.94 m (157.3 ft, as on the datasheet); hand-held GPS (±3 m) position; GOOD 2004-04-13; not suitable for satellite observations.
Nearest adjusted horizontal control: JS4163 (STROUP), pipe cap, 9,593 ft N, NAD 83(1992), second order, GOOD 2015-06-01; nearest NAD 83(2011): AC9228 (HPGN D CA 03 BK), 10,249 ft NW, GOOD 2026-07-02.
Source: NOAA NGS datasheets (2026-10-08 23:14:42 EDT); grid distances (EPSG:2226).
GNSS accuracy: to be stated by the client's surveyor (receiver, corrections, horizontal accuracy; USACE GNSS guide, July 2025: ≤ 50 cm recommended).

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 200 feet (1:2,400)

when printed at 11 × 17 in (full size)

Elevations: feet, NAVD88; USGS 3DEP 1-m DEM, work unit CA_Central_Valley_2017 (lidar 2017-12-03 to 2017-12-07; project and product: Sheet 14). 1-ft contours from the DEM (Gaussian smoothing 1.4 px); closed contours under 90 ft omitted.
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226).
Latitude/longitude: NAD83, decimal degrees.
Delineation features, flags, data points, photo points, the ranch-road culvert and the project are SYNTHETIC and illustrative (derived from NAIP, NWI, NHD and 3DEP; not registered to every imagery signature). No field delineation; no jurisdictional status is indicated.
Features, areas and land status as on Sheet 3: 94.86 % of the review area lies under conservation easements held by the Center for Natural Lands Management (CCED 2026a; cnlm.org), closed to public access, and its east 3.51 ac in an existing SSHCP preserve, a mitigation bank (outline on this map); the project shown is fictitious and not proposed there.

REFERENCE BLOCK · FIGURE 4 (SHEET 4 OF 16) · REVISION 2 (v5.2)


Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-09-24 (Rev. 0) by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09; Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USGS 3DEP 1 m DEM, work unit CA_Central_Valley_2017 (TNM, published 2020-03-30); NOAA NGS datasheets (2026-10-08); County of Sacramento SSHCP map service, layer 5 (2026-10-09); California Conservation Easement Database (CCED) – www.CALands.org (June 2026a); synthetic delineation (no field data)

SAMPLE — not for regulatory submittal

SHEET

4 of 16

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL



AERIAL IMAGE: USDA NAIP, acquired 21 June 2022 (orthorectified), via USGS The National Map

PHOTOGRAPH LOG

One photo point per aquatic resource and its data points. Photo ID = P#-direction (16-point compass); azimuth = true bearing of the view; coordinates NAD83, west longitudes as positive degrees (the GIS stores them as negatives). Date/time and source are filled in by the client's photographer.

Photo	Latitude (N)	Longitude (W)	Azimuth	Date / time	Source	Subject
P1	38.321551	121.131351	341° NNW	(client)	(client)	STR1a upstream of the existing ranch-road culvert; OHWM transect A-A' reach
P2	38.321484	121.131368	201° SSW	(client)	(client)	STR1b downstream of the existing culvert (culvert outlet in foreground)
P3	38.320742	121.131508	263° W	(client)	(client)	Proposed crossing: STR1b channel and WL1 on the west terrace
P4	38.320347	121.131946	46° NE	(client)	(client)	WL1 seasonal wetland on the west terrace of STR1b; paired DP1/DP2 area
P5	38.321183	121.130961	46° NE	(client)	(client)	VP1 vernal pool (dry-season condition)
P6	38.321081	121.128669	51° NE	(client)	(client)	VP2 vernal pool, largest pool on site
P7	38.319659	121.129926	356° N	(client)	(client)	WL3 seasonal swale; VP5 behind the photographer
P8	38.319181	121.131413	166° SSE	(client)	(client)	WL2 swale at its confluence with Griffith Creek; VP8 beyond
P9	38.318693	121.130915	271° W	(client)	(client)	VP8 elongated vernal pool south of the confluence
P10	38.318188	121.132429	41° NE	(client)	(client)	STR1b lower reach looking upstream toward the confluence
P11	38.320495	121.130968	77° ENE	(client)	(client)	WL4 seasonal wetland at the southwest corner of the proposed building pad; paired DP23/DP24
P12	38.321317	121.129896	355° N	(client)	(client)	WL5 seasonal wetland outside the limits of work; paired DP25/DP26
P13	38.320785	121.131319	212° SSW	(client)	(client)	ES1 ephemeral swale upstream of the proposed Culvert2 crossing; OHWM transect E-E'
P14	38.320912	121.129923	344° NNW	(client)	(client)	VP3 vernal pool; paired DP11/DP12
P15	38.319856	121.131365	288° WNW	(client)	(client)	VP4 vernal pool; paired DP13/DP14
P16	38.319507	121.129549	260° W	(client)	(client)	VP5 vernal pool; paired DP15/DP16
P17	38.319277	121.128357	74° ENE	(client)	(client)	VP6 vernal pool; paired DP17/DP18
P18	38.318819	121.131990	23° NNE	(client)	(client)	VP7 vernal pool; paired DP19/DP20

PHOTO APPENDIX — CAPTION FORMAT (USACE HQ, JULY 2025)

Each photograph in the appendix is keyed to its photo ID and captioned with: what it shows, date and time, collection source (photographer and camera), direction of view (azimuth) and coordinates. Example caption: "P4 — WL1 seasonal wetland on the west terrace of STR1b; paired DP1/DP2 area. Date/time: (client); source: (client). View 46° (NE). 38.320347° N, 121.131946° W." Photographs are not included (synthetic data set). Sheet 10 lists the photo stations for the CDFW notification at the crossing (PS1–PS10, same compass convention).

PHOTO COVERAGE BY AQUATIC RESOURCE

Resource	Type	Photo points	Data points / OHWM sheet	CDFW photo stations (Sheet 10)
STR1a	Intermittent stream	P1	OHWM-1	—
STR1b	Intermittent stream	P2, P3, P4, P10	OHWM-2	PS1, PS2, PS5, PS6, PS9
ES1	Ephemeral swale	P13	OHWM-3	PS7
WL1	Seasonal wetland	P3, P4	DP1, DP2	PS2, PS4
WL4	Seasonal wetland	P11	DP23, DP24	PS8
WL5	Seasonal wetland	P12	DP25, DP26	PS10
WL2	Seasonal wetland swale	P8	DP3, DP4	—
WL3	Seasonal wetland swale	P7	DP5, DP6	—
VP1	Vernal pool	P5	DP7, DP8	—
VP2	Vernal pool	P6	DP9, DP10	—
VP3	Vernal pool	P14	DP11, DP12	—
VP4	Vernal pool	P15	DP13, DP14	—
VP5	Vernal pool	P16	DP15, DP16	—
VP6	Vernal pool	P17	DP17, DP18	—
VP7	Vernal pool	P18	DP19, DP20	—
VP8	Vernal pool	P8, P9	DP21, DP22	—

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

USACE SPD Map Standards (10 Feb 2016) · HQ ARDR Minimum Standards (Jul 2025)

PHOTO-POINT MAP AND PHOTOGRAPH LOG

LEGEND

- Survey area (39.83 ac)
- Intermittent stream, OHWM boundary — STR1a, STR1b (0.4051 ac; 1,621 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4, WL5 (0.2358 ac)
- Seasonal wetland swale — WL2, WL3 (1.4973 ac)
- Vernal pool — VP1–VP8 (0.3844 ac)
- Photo point (label = photo ID and view direction)
- View direction of photograph
- Reference point (latitude/longitude, NAD83)

COMPASS POINTS IN THE PHOTO IDS (TRUE AZIMUTH)

N to E	E to S	S to W	W to N
N 0°	E 90°	S 180°	W 270°
NNE 22.5°	ESE 112.5°	SSW 202.5°	WNW 292.5°
NE 45°	SE 135°	SW 225°	NW 315°
ENE 67.5°	SSE 157.5°	WSW 247.5°	NNW 337.5°

Each point covers its azimuth ± 11.25°; e.g. P1-NNW = 341°.

PHOTO PLAN SUMMARY

18 photo points (P1–P18); every aquatic resource has at least one (coverage table)
Photo ID = P#-direction (16-point compass); azimuth = true bearing of the view
Date/time and source: filled in by the client's photographer
State permit photo stations PS1–PS10 (crossing views for CDFW): Sheet 10
Photographs are not included (synthetic data set)

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 200 feet (1:2,400)

when printed at 11 × 17 in (full size)


Imagery: USDA-FSA-APFO NAIP, natural color, 0.6 m, orthorectified, acquired 2022-06-21 (quarter-quads 3812147_ne, 3812148_nw, 3812148_sw; USGS NAIP Plus, exported 2026-09-24).
June imagery is dry-season; no wet-season image was used.
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226).
Latitude/longitude: NAD83, decimal degrees.
Delineation features, flags, data points, photo points, the ranch-road culvert and the project are SYNTHETIC and illustrative (derived from NAIP, NWI, NHD and 3DEP; not registered to every imagery signature). No field delineation; no jurisdictional status is indicated.
View arrows are drawn on the grid azimuth (EPSG:2226); the log gives true azimuths (true = grid + 0.55°).

REFERENCE BLOCK · FIGURE 5 (SHEET 5 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-09-24 (Rev. 0) by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09; Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA-FSA-APFO NAIP 2022-06-21 (USGS NAIP Plus); synthetic photo points (no photographs)

SAMPLE — not for regulatory submittal

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL



AERIAL IMAGE (grayscale, lightened): USDA NAIP, acquired 21 June 2022, orthorectified, via USGS The National Map NAIP Plus.


IMPACTS TO DELINEATED AQUATIC RESOURCES (HYPOTHETICAL PROJECT — SYNTHETIC)

Tag	Impact ID	Resource	Duration	Activity / structure	Acres	Sq ft	LF
1	Culvert1	STR1b	Permanent	Road fill and 36-in CMP culvert	0.0100	435	41
2	RSP1	STR1b	Permanent	Rock slope protection (culvert inlet)	0.0032	141	13
3	RSP2	STR1b	Permanent	Rock slope protection (culvert outlet)	0.0033	142	13
4	RSP1-WL1	WL1	Permanent	Rock slope protection (inlet apron)	0.0005	24	—
5	RSP2-WL1	WL1	Permanent	Rock slope protection (outlet apron)	0.0005	20	—
6	AccessRoad1	WL1	Permanent	Access road fill	0.0068	296	—
7	Culvert2	ES1	Permanent	Road fill and 18-in CMP culvert	0.0039	170	42
8	Pad1	WL4	Permanent	Building pad fill	0.0160	698	—
9	Dewater1	STR1b	Temporary	Stream diversion / dewatering work area	0.0060	262	25
10	Dewater2	STR1b	Temporary	Stream diversion / dewatering work area	0.0065	281	25
11	TempWork1	WL1	Temporary	Temporary construction access / work area	0.0092	399	—
12	TempWork2	WL1	Temporary	Temporary construction access / work area	0.0069	300	—
13	TempWork3	ES1	Temporary	Temporary construction access / work area	0.0031	133	33
14	TempWork4	ES1	Temporary	Temporary construction access / work area	0.0018	80	20
15	TempWork5	WL4	Temporary	Temporary construction access / work area	0.0204	887	—
	Total permanent				**0.0442**	**1,926**	**109**
	Total temporary				**0.0539**	**2,342**	**103**

Areas from the GIS geometry (EPSG:2226; 1 ac = 43,560 sq ft); LF = centerline of the impacted stream or swale inside each impact polygon. Every impact inside a delineated aquatic resource is listed, with no size threshold; multi-part impacts are split so each has a unique name. Rows are rounded once; totals are sums of the rounded rows. Tags: the numbers on the plan and in Detail A. Delineated waters: Sheets 3–4.

DETAIL A — CULVERT CROSSING OF STR1b (1 inch = 40 feet)

0 10 20 ft



AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

USACE SPD Map Standards (10 Feb 2016) · HQ ARDR Minimum Standards (Jul 2025)

IMPACT EXHIBIT — PLAN VIEW
ACCESS ROAD, CULVERTS AND BUILDING PAD

LEGEND

- Survey area (39.83 ac)
- Intermittent stream, OHWM boundary — STR1b (0.3411 ac; 1,364 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4, WL5 (0.2358 ac)
- Vernal pool — VP1, VP3 (0.0522 ac)
- Access road fill footprint, 20-ft road with 2:1 slopes (0.4049 ac)
- Building pad fill footprint (0.7067 ac)
- Rock slope protection at the Culvert1 inlet and outlet (0.0084 ac)
- Limits of work (1.8297 ac)
- Proposed 36-in CMP culvert, 43 ft (part of Culvert1, STR1b)
- Proposed 18-in CMP culvert, 42 ft (part of Culvert2, ES1)
- Permanent impact (0.0442 ac; 1,926 sq ft; 109 LF of stream / swale)
- Temporary impact (0.0539 ac; 2,342 sq ft; 103 LF of stream / swale)
- Impact tag (number = Tag column of the impact table)
- Cross-section line (sections on Sheet 7)
- Extent of Detail A
- Reference point (latitude/longitude, NAD83)

TRUE NORTH

0 20 40 60 80 100 ft

Scale: 1 inch = 60 feet (1:720)

when printed at 11 × 17 in (full size)

Hypothetical project for demonstration: 20-ft access road from Beskeen Road with a 36-in CMP culvert crossing of STR1b (Culvert1), an 18-in CMP culvert crossing of ES1 (Culvert2) and a building pad over part of WL4. Road grade: culvert invert 0.6 ft below the existing thalweg, 1.5 ft minimum cover, 5 percent maximum approach grade, 2:1 fill slopes. The road fill and its centerline end at the survey-area boundary (the limits of work there); the tie-in to Beskeen Road, 18.5 ft from that boundary to the road centerline (OpenStreetMap), lies outside the survey area and is not delineated in this set.
Cross-sections C–C′ and D–D′: Sheet 7. Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226). Latitude/longitude: NAD83, decimal degrees.
Elevations: feet, NAVD88; USGS 3DEP 1-m DEM, work unit CA_Central_Valley_2017 (lidar collected 2017-12-03 to 2017-12-07; 3DEP index project CA_Central_Valley_LiDAR_2016_D16, ID 58946), as the TNM product "USGS one meter x66y425 CA Central Valley 2017".
Signature of preparer: _____ (not signed — sample)


REFERENCE BLOCK · FIGURE 6 (SHEET 6 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-09-24 (Rev. 0) by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09; Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA-FSA-APFO NAIP 2022-06-21 (grayscale); USGS 3DEP 1 m DEM (CA_Central_Valley_2017); synthetic project and impacts

SAMPLE — not for regulatory submittal

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL


SECTION C–C′ ACCESS ROAD PROFILE ACROSS STR1b AT THE PROPOSED CULVERT




VERTICAL SCALE:
1 in = 5 ft
(4x vertical exaggeration)

HORIZONTAL SCALE: 1 in = 20 ft


SECTION D–D′ ALONG STR1b THROUGH THE PROPOSED CULVERT (LOOKING EAST)





VERTICAL SCALE:
1 in = 5 ft
(4x vertical exaggeration)

Road fill over culvert (permanent)
Rock slope protection (permanent)
Existing thalweg (3DEP 1 m, smoothed 9 ft)
OHWM stage



HORIZONTAL SCALE: 1 in = 20 ft

NOTES FOR THE SECTIONS

1. Culvert1: 36-in corrugated metal pipe, length 43 ft, invert 193.57 ft at the road centerline (0.6 ft below the existing thalweg), slope 0.5 percent.
2. Road: 20-ft travel way plus 2-ft shoulders, crest 198.27 ft NAVD88 where C–C′ and D–D′ cross (one value on both sections), 1.5 ft minimum cover, 2:1 fill slopes, maximum fill 4.2 ft.
3. Rock slope protection RSP1 / RSP2: 12-ft aprons at the inlet and outlet, full OHWM width, 1.5 ft thick; their edges reach into WL1 (RSP1-WL1, RSP2-WL1 on Sheet 6).
4. Dewater1 / Dewater2: temporary diversion and dewatering reaches upstream and downstream of the work, restored to pre-project contours.
5. Culvert2 (18-in CMP, 42 ft) carries ES1 under the access road east of this crossing; it is shown in plan on Sheet 6 (no section drawn).
6. Existing ground: USGS 3DEP 1-m DEM (lidar 2017), feet NAVD88; OHWM stage = the synthetic OHWM elevation used for the delineation.

AQUATIC RESOURCES DELINEATION MAP SET


Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

USACE SPD Map Standards (10 Feb 2016) · HQ ARDR Minimum Standards (Jul 2025)

IMPACT EXHIBIT — CROSS-SECTIONS C–C′ AND D–D′ (CULVERT1)

KEY PLAN (1 inch = 120 feet) · image: USDA NAIP 2022-06-21



TRUE NORTH

0 50 100 150 ft

- Survey area (39.83 ac)
- Intermittent stream, OHWM boundary — STR1b (0.3411 ac; 1,364 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4 (0.1915 ac)
- Proposed 36-in CMP culvert, 43 ft (part of Culvert1, STR1b)
- Proposed 18-in CMP culvert, 42 ft (part of Culvert2, ES1)
- Permanent impact (0.0442 ac; 1,926 sq ft; 109 LF of stream / swale)
- Temporary impact (0.0539 ac; 2,342 sq ft; 103 LF of stream / swale)
- Cross-section line (sections on Sheet 7)
- Reference point (latitude/longitude, NAD83)

Horizontal scale 1 in = 20 ft; vertical scale 1 in = 5 ft (4x vertical exaggeration); bar scales on each section.
Elevations in feet, NAVD88 (USGS 3DEP 1-m DEM, lidar CA_Central_Valley_2017).
Section locations are shown on Sheet 6 and on the key plan above.
Delineation features, flags, data points, photo points, the ranch-road culvert and the project are SYNTHETIC and illustrative (derived from NAIP, NWI, NHD and 3DEP; not registered to every imagery signature). No field delineation; no jurisdictional status is indicated.
Signature of preparer: _____ (not signed — sample)

REFERENCE BLOCK · FIGURE 7 (SHEET 7 OF 16) · REVISION 2 (v5.2)


Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-09-24 (Rev. 0) by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09; Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USGS 3DEP 1 m DEM (CA_Central_Valley_2017); USDA-FSA-APFO NAIP 2022-06-21 (key plan); synthetic project and sections

SAMPLE — not for regulatory submittal


SHEET
7 of 16

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL

A. POTENTIAL WATERS OF THE STATE (WATER BOARDS 401) — CLIENT BIOLOGIST'S EXTENT




B. CDFW 1602 EXTENT — STREAMBED AND BANK TO TOP OF BANK



AERIAL IMAGE (grayscale, lightened), Panels A and B and the index map: USDA NAIP, acquired 21 June 2022, orthorectified, via USGS The National Map NAIP Plus. June imagery is dry-season.

INDEX MAP · 1 inch = 1,000 ft (1:12,000)



0 500 1,000 ft

Scale meets the Water Boards map rule (at least 1:24,000).

POTENTIAL WATERS OF THE STATE — AREAS (SYNTHETIC)

Name	Type	Cowardin	Acres	Sq ft	LF
STR1a	Intermittent stream	R4SB	0.0640	2,788	257
STR1b	Intermittent stream	R4SB	0.3411	14,858	1,364
ES1	Ephemeral swale	R6	0.0270	1,177	294
	Subtotal — non-wetland waters (3)		**0.4321**	**18,823**	**1,915**
WL1	Seasonal wetland	PEM	0.1271	5,538	—
WL4	Seasonal wetland	PEM	0.0644	2,804	—
WL5	Seasonal wetland	PEM	0.0443	1,932	—
WL2	Seasonal wetland swale	PEM	0.5955	25,939	—
WL3	Seasonal wetland swale	PEM	0.9018	39,283	—
VP1	Vernal pool	PEM	0.0287	1,251	—
VP2	Vernal pool	PEM	0.1506	6,560	—
VP3	Vernal pool	PEM	0.0235	1,024	—
VP4	Vernal pool	PEM	0.0265	1,155	—
VP5	Vernal pool	PEM	0.0154	669	—
VP6	Vernal pool	PEM	0.0135	589	—
VP7	Vernal pool	PEM	0.0146	636	—
VP8	Vernal pool	PEM	0.1116	4,860	—
	Subtotal — wetlands (13)		**2.1175**	**92,240**	**—**
	Total — potential waters of the state (16)		**2.5496**	**111,063**	**1,915**

CDFW EXTENT — STREAMBED AND BANK (SYNTHETIC)

Name	Description	Acres	Sq ft	LF
BB1	Streambed and bank, STR1a (top of bank)	0.1066	4,643	257
BB2	Streambed and bank, STR1b (top of bank)	0.5617	24,467	1,364
BB3	Streambed and bank, ES1 ephemeral swale	0.0469	2,045	294
	Total CDFW extent (streambed and bank)	**0.7152**	**31,155**	**1,915**

PROJECT STRUCTURES (HYPOTHETICAL; SAME DESIGN AS SHEETS 6–7)

Structure	Type	Size
Access road	Gravel road, 20-ft travel way, 2-ft shoulders, 2:1 fill slopes	663 ft long; fill footprint 0.4049 ac
Culvert1	36-in CMP, STR1b crossing	43 ft long
Culvert2	18-in CMP, ES1 crossing	42 ft long
RSP1, RSP2	Rock slope protection aprons	12 ft long each; 0.0084 ac
Building pad	Graded fill pad	208 × 148 ft; 0.7067 ac
Limits of work	Temporary construction envelope	1.8297 ac

No riparian vegetation zone is mapped: the NAIP imagery shows no woody riparian cover along this reach, so the CDFW extent stops at the top of bank. Where a client biologist maps riparian vegetation, it is added as its own layer and row. Like every mapped feature, the CDFW extent is clipped to the survey area; BB1 and BB2 (the streambed and banks of STR1a and STR1b) continue beyond it, and so do STR1a, STR1b, WL5, WL2 and WL3. The gap in STR1a–STR1b and BB1–BB2 is the existing ranch-road culvert.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

State permit maps · Water Boards 401 and CDFW 1602 map content

STATE PERMIT MAP — POTENTIAL EXTENTS WATERS OF THE STATE AND CDFW EXTENT

LEGEND

- Survey area / project area (39.83 ac)
- Intermittent stream, OHWM boundary — STR1a, STR1b (0.4051 ac; 1,621 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4, WL5 (0.2358 ac)
- Seasonal wetland swale — WL2, WL3 (1.4973 ac)
- Vernal pool — VP1–VP8 (0.3844 ac)
- CDFW streambed and bank to top of bank — BB1–BB3 (0.7152 ac)
- Limits of work (1.8297 ac)
- Access road fill footprint, 20-ft road with 2:1 slopes (0.4049 ac)
- Building pad fill footprint (0.7067 ac)
- Rock slope protection at the Culvert1 inlet and outlet (0.0084 ac)
- Proposed 36-in CMP culvert, 43 ft (part of Culvert1, STR1b)
- Proposed 18-in CMP culvert, 42 ft (part of Culvert2, ES1)
- Existing culvert under ranch road (SYNTHETIC)
- Reference point (latitude/longitude, NAD83)

PERMIT SUMMARY

Potential waters of the state: 2.5496 ac in 16 features (3 non-wetland waters, 13 wetlands) = the aquatic resources of Sheets 3–4 (same extent and areas)
CDFW extent (streambed and bank): 0.7152 ac; 1,915 LF of channel
Limits of work: 1.8297 ac
Structures: access road, Culvert1, Culvert2, RSP1–RSP2, building pad
STR1a, STR1b, WL5, WL2 and WL3 continue beyond the survey area

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 300 feet (1:3,600)

when printed at 11 × 17 in (full size)

Imagery: USDA-FSA-APFO NAIP, natural color, 0.6 m, orthorectified; acquired 2022-06-21 (quarter-quads 3812147_ne, 3812148_nw, 3812148_sw); served by the USGS National Map NAIP Plus image service. June imagery is dry-season and no wet-season image was used: every NAIP image in the Planetary Computer NAIP collection for this site (2012–2022, listed 2026-10-09) is a June–July acquisition.
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226). Latitude/longitude: NAD83, decimal degrees.
Panel A: the 16 aquatic resources of Sheets 3–4 as the client's biologist would present potential waters of the state (same boundaries and areas; no determination of jurisdiction). Panel B: streambed and bank to top of bank for a CDFW notification. Same extent, 1:3,600.
Areas: EPSG:2226 geometry; acres rounded once to 4 decimals; totals are sums of the rounded rows shown.
The aquatic resources (the 16 features of Sheets 3–4), the CDFW extent, the project (access road, Culvert1, Culvert2, rock slope protection, building pad), all impact areas and the photo stations are SYNTHETIC and illustrative, generated from NAIP, NWI, NHD and 3DEP; in production they come from the client's biologist and plans. No field delineation was performed; no jurisdictional status is indicated.
Sheets 8–10 follow the USACE delineation set (Sheets 1–7) and precede the national context figures (Sheets 11–16) in SAMPLE_Delineation_MapSet_v5.2.pdf.

REFERENCE BLOCK · FIGURE 8 (SHEET 8 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-07 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA NAIP 2022-06-21 (USGS NAIP Plus); synthetic aquatic resources, CDFW extent and project (no field data)

SAMPLE — not for regulatory submittal

SHEET


8 of 16

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL


SUMMARY OF IMPACTS BY AGENCY (EVERY ROW IS THE SUM OF THE ROWS OF ITS BAND TABLE BELOW)

Agency	Extent used	Perm. acres	Perm. sq ft	Perm. LF	Temp. acres	Temp. sq ft	Temp. LF	Total acres
USACE	Clean Water Act §404: the 16 delineated aquatic resources (Sheets 3–4); no jurisdictional determination	0.0442	1,926	109	0.0539	2,342	103	0.0981
Water Boards	Clean Water Act §401 / Porter-Cologne: the same 16 aquatic resources (potential waters of the state)	0.0442	1,926	109	0.0539	2,342	103	0.0981
CDFW	Fish and Game Code §1602: streambed and bank to top of bank (BB1–BB3)	0.0316	1,379	109	0.0315	1,369	103	0.0631

USACE (CWA 404) AND WATER BOARDS (CWA 401 / PORTER-COLOGNE): THE 16 DELINEATED AQUATIC RESOURCES — ONE EXTENT, ONE IMPACT SET



AERIAL IMAGE (grayscale): USDA NAIP, acquired 21 June 2022 (dry season)



DETAIL: 1 inch = 50 ft (1:600)

0 20 40 60 ft


Tag	ID	Water	Activity	Acres	Sq ft	LF
1	Culvert1	STR1b	Road fill and 36-in CMP culvert	0.0100	435	41
2	RSP1	STR1b	Rock slope protection (culvert inlet)	0.0032	141	13
3	RSP2	STR1b	Rock slope protection (culvert outlet)	0.0033	142	13
4	RSP1-WL1	WL1	Rock slope protection (inlet apron)	0.0005	24	—
5	RSP2-WL1	WL1	Rock slope protection (outlet apron)	0.0005	20	—
6	AccessRoad1	WL1	Access road fill	0.0068	296	—
7	Culvert2	ES1	Road fill and 18-in CMP culvert	0.0039	170	42
8	Pad1	WL4	Building pad fill	0.0160	698	—
			Subtotal — permanent	**0.0442**	**1,926**	**109**
9	Dewater1	STR1b	Stream diversion / dewatering work area	0.0060	262	25
10	Dewater2	STR1b	Stream diversion / dewatering work area	0.0065	281	25
11	TempWork1	WL1	Temporary construction access / work area	0.0092	399	—
12	TempWork2	WL1	Temporary construction access / work area	0.0069	300	—
13	TempWork3	ES1	Temporary construction access / work area	0.0031	133	33
14	TempWork4	ES1	Temporary construction access / work area	0.0018	80	20
15	TempWork5	WL4	Temporary construction access / work area	0.0204	887	—
			Subtotal — temporary	**0.0539**	**2,342**	**103**
			Total — permanent + temporary	**0.0981**	**4,268**	**212**

Rows = Tags 1–15 of the Sheet 6 impact table (same geometry); the USACE and the Water Boards applications use this one extent.


IMPACTS BY AQUATIC RESOURCE (SUMS OF THE ROWS ABOVE)

Water	Perm. acres	Perm. sq ft	Perm. LF	Temp. acres	Temp. sq ft	Temp. LF
STR1b	0.0165	718	67	0.0125	543	50
WL1	0.0078	340	—	0.0161	699	—
ES1	0.0039	170	42	0.0049	213	53
WL4	0.0160	698	—	0.0204	887	—
Total	**0.0442**	**1,926**	**109**	**0.0539**	**2,342**	**103**

CDFW (FISH AND GAME CODE 1602): STREAMBED AND BANK TO TOP OF BANK (BB1–BB3)



AERIAL IMAGE (grayscale): USDA NAIP, acquired 21 June 2022 (dry season)



DETAIL: 1 inch = 50 ft (1:600)

0 20 40 60 ft

Tag	ID	Water	Activity	Acres	Sq ft	LF
C1	BB-P1	STR1b	Rock slope protection (STR1b)	0.0042	183	13
C2	BB-P2	ES1	Road fill and 18-in CMP culvert (ES1)	0.0068	298	42
C3	BB-P3	STR1b	Road fill and 36-in CMP culvert (STR1b)	0.0164	714	41
C4	BB-P4	STR1b	Rock slope protection (STR1b)	0.0042	184	13
			Subtotal — permanent	**0.0316**	**1,379**	**109**
C5	BB-T1	STR1b	Stream diversion / dewatering work area	0.0112	488	25
C6	BB-T2	ES1	Temporary work area (ES1)	0.0054	233	33
C7	BB-T3	ES1	Temporary work area (ES1)	0.0032	140	20
C8	BB-T4	STR1b	Stream diversion / dewatering work area	0.0117	508	25
			Subtotal — temporary	**0.0315**	**1,369**	**103**
			Total — permanent + temporary	**0.0631**	**2,748**	**212**

C1–C8 = CDFW impacts: the same fill footprint and limits of work as above, measured inside the streambed-and-bank extent.

IMPACTS BY AQUATIC RESOURCE (SUMS OF THE ROWS ABOVE)

Water	Perm. acres	Perm. sq ft	Perm. LF	Temp. acres	Temp. sq ft	Temp. LF
STR1b	0.0248	1,081	67	0.0229	996	50
ES1	0.0068	298	42	0.0086	373	53
Total	**0.0316**	**1,379**	**109**	**0.0315**	**1,369**	**103**

STREAM CROSSINGS: CHANNEL LENGTH INSIDE THE CDFW EXTENT

Crossing	Water	Structure	Perm. LF	Temp. LF	Tags
Culvert1 crossing	STR1b	36-in CMP, 43 ft, with RSP1 / RSP2 aprons	67	50	C1, C3, C4, C5, C8
Culvert2 crossing	ES1	18-in CMP, 42 ft	42	53	C2, C6, C7

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

State permit maps · Water Boards 401 and CDFW 1602 map content

STATE PERMIT MAP
IMPACT EXHIBIT BY AGENCY EXTENT

LEGEND

- Survey area = review area (39.83 ac)
- Permanent impact (fill: access road, culverts, rock slope protection, pad)
- Temporary impact (limits of work outside the permanent footprint)
- Impact tag (1–15 or C1–C8 = Tag column of the band table)
- Intermittent stream, OHWM boundary — STR1a, STR1b (0.4051 ac; 1,621 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4, WL5 (0.2358 ac)
- Seasonal wetland swale — WL3 (0.9018 ac)
- Vernal pool — VP1, VP3, VP4 (0.0787 ac)
- CDFW streambed and bank to top of bank — BB1–BB3 (0.7152 ac)
- Limits of work (1.8297 ac)
- Access road fill footprint, 20-ft road with 2:1 slopes (0.4049 ac)
- Building pad fill footprint (0.7067 ac)
- Rock slope protection at the Culvert1 inlet and outlet (0.0084 ac)
- Proposed 36-in CMP culvert, 43 ft (part of Culvert1, STR1b)
- Proposed 18-in CMP culvert, 42 ft (part of Culvert2, ES1)
- Extent of the detail map (right)
- Reference point (latitude/longitude, NAD83)

TRUE NORTH

0 100 200 300 400 ft

Overview: 1 inch = 200 feet (1:2,400)

Detail: 1 inch = 50 feet (1:600) · printed at 11 × 17 in

Imagery: USDA-FSA-APFO NAIP, natural color, 0.6 m, orthorectified; acquired 2022-06-21 (quarter-quads 3812147_ne, 3812148_nw, 3812148_sw); served by the USGS National Map NAIP Plus image service. June imagery is dry-season and no wet-season image was used: every NAIP image in the Planetary Computer NAIP collection for this site (2012–2022, listed 2026-10-09) is a June–July acquisition.
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226).
Latitude/longitude: NAD83, decimal degrees.
Impact rule (same geometry for every agency; only the extent differs): permanent = fill footprint (access road, culverts, building pad, rock slope protection) inside the extent; temporary = limits of work minus the permanent footprint, inside the extent.
No size threshold: every piece of fill or work area inside an aquatic resource is reported (smallest: RSP2-WL1, 20 sq ft). LF = length of the stream or swale centerline inside the impact polygon. Rows are rounded once from the geometry; every subtotal and total is the sum of the rounded rows shown.
The aquatic resources (the 16 features of Sheets 3–4), the CDFW extent, the project (access road, Culvert1, Culvert2, rock slope protection, building pad), all impact areas and the photo stations are SYNTHETIC and illustrative, generated from NAIP, NWI, NHD and 3DEP; in production they come from the client's biologist and plans. No field delineation was performed; no jurisdictional status is indicated.
Sheets 8–10 follow the USACE delineation set (Sheets 1–7) and precede the national context figures (Sheets 11–16) in SAMPLE_Delineation_MapSet_v5.2.pdf.

REFERENCE BLOCK · FIGURE 9 (SHEET 9 OF 16) · REVISION 2 (v5.2)


Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-07 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA NAIP 2022-06-21 (USGS NAIP Plus); synthetic aquatic resources, CDFW extent, project and impacts (no field data)

SAMPLE — not for regulatory submittal

SHEET


9 of 16

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL



AERIAL IMAGE: USDA NAIP, acquired 21 June 2022 (orthorectified), via USGS The National Map

DETAIL B — STREAM AND SWALE CROSSINGS (1 inch = 40 ft)



AERIAL IMAGE: USDA NAIP, acquired 21 June 2022

0 10 20 30 ft

PHOTOGRAPH LOG — PLANNED STATIONS (SYNTHETIC)

Station PS# = number in the map symbol; azimuth = true bearing of the view (16-point compass, as on Sheet 5); coordinates NAD83, west longitudes as positive degrees. Date/time and source are filled in by the client's photographer.

Station	Latitude (N)	Longitude (W)	Azimuth	Date / time	Source	Description
PS1	38.320730	121.131598	25° NNE	(client)	(client)	UPSTREAM view at the proposed crossing: STR1b above the culvert inlet, bed and banks (CDFW upstream view)
PS2	38.320630	121.131656	205° SSW	(client)	(client)	DOWNSTREAM view at the proposed crossing: STR1b below the culvert outlet; RSP2 and WL1 on the west terrace
PS3	38.320733	121.131783	91° E	(client)	(client)	Access-road alignment looking east from the west bank: the crossing in the foreground, building pad beyond
PS4	38.320654	121.131498	271° W	(client)	(client)	Access-road alignment looking west from the east bank toward WL1 on the west terrace
PS5	38.320995	121.131429	211° SSW	(client)	(client)	STR1b about 130 ft upstream of the crossing, looking downstream toward the proposed culvert inlet
PS6	38.320357	121.131698	352° N	(client)	(client)	STR1b about 130 ft downstream of the crossing, looking upstream toward the proposed culvert outlet
PS7	38.320667	121.131371	53° NE	(client)	(client)	ES1 ephemeral swale at the proposed Culvert2 crossing, looking upstream
PS8	38.320692	121.130367	244° WSW	(client)	(client)	Building pad site, looking toward WL4 (seasonal wetland) at the southwest corner of the pad
PS9	38.319654	121.131503	185° S	(client)	(client)	STR1b lower reach beyond the project, looking downstream (reference reach)
PS10	38.321342	121.129901	1° N	(client)	(client)	WL5 seasonal wetland outside the limits of work, looking north (no impact)

PHOTO APPENDIX — CAPTION FORMAT

Each photograph is keyed to its station and captioned with what it shows, date and time, collection source (photographer and camera), direction of view (azimuth or upstream / downstream) and coordinates, for example: "PS1 — upstream view of STR1b at the proposed crossing. Date/time (client); source (client). View 25° (NNE). 38.320730° N, 121.131598° W." Stream crossing: one upstream (PS1) and one downstream (PS2) view. Photographs are not included (synthetic data set). The delineation photo points P1–P18 are on Sheet 5.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

State permit maps · Water Boards 401 and CDFW 1602 map content

STATE PERMIT MAP
PHOTO-STATION MAP AND LOG

LEGEND

- Survey area (39.83 ac)
- Intermittent stream, OHWM boundary — STR1a, STR1b (0.4051 ac; 1,621 LF)
- Ephemeral swale, OHWM boundary — ES1 (0.0270 ac; 294 LF)
- Seasonal wetland — WL1, WL4, WL5 (0.2358 ac)
- Seasonal wetland swale — WL2, WL3 (1.4973 ac)
- Vernal pool — VP1–VP8 (0.3844 ac)
- Limits of work (1.8297 ac)
- Access road fill footprint, 20-ft road with 2:1 slopes (0.4049 ac)
- Building pad fill footprint (0.7067 ac)
- Rock slope protection at the Culvert1 inlet and outlet (0.0084 ac)
- Proposed 36-in CMP culvert, 43 ft (part of Culvert1, STR1b)
- Proposed 18-in CMP culvert, 42 ft (part of Culvert2, ES1)
- Photo station (number = station PS#; see photograph log)
- View direction of photograph (true azimuth in the log)
- Direction of flow (Griffith Creek)
- Extent of Detail B (crossing stations)
- Reference point (latitude/longitude, NAD83)

PHOTO PLAN SUMMARY

10 photo stations (PS1–PS10); 5 at the two crossings (Detail B)
Upstream view: PS1 (NNE, 25°); downstream view: PS2 (SSW, 205°)
Culvert2 crossing of ES1: PS7; building pad and WL4: PS8
Reference reaches of STR1b: PS5, PS6, PS9; WL5 (no impact): PS10

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 200 feet (1:2,400)

when printed at 11 × 17 in (full size)


Imagery: USDA-FSA-APFO NAIP, natural color, 0.6 m, orthorectified; acquired 2022-06-21 (quarter-quads 3812147_ne, 3812148_nw, 3812148_sw); served by the USGS National Map NAIP Plus image service. June imagery is dry-season and no wet-season image was used: every NAIP image in the Planetary Computer NAIP collection for this site (2012–2022, listed 2026-10-09) is a June–July acquisition.
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226).
Latitude/longitude: NAD83, decimal degrees.
Stations, view directions and descriptions are SYNTHETIC (planned stations in a synthetic project). In production each station is keyed to the photo appendix and the client's photographer supplies the images. View arrows are drawn on the grid; the log gives the same directions as true azimuths (grid azimuth of true north at the site: -0.55°).
The aquatic resources (the 16 features of Sheets 3–4), the CDFW extent, the project (access road, Culvert1, Culvert2, rock slope protection, building pad), all impact areas and the photo stations are SYNTHETIC and illustrative, generated from NAIP, NWI, NHD and 3DEP; in production they come from the client's biologist and plans. No field delineation was performed; no jurisdictional status is indicated.
Sheets 8–10 follow the USACE delineation set (Sheets 1–7) and precede the national context figures (Sheets 11–16) in SAMPLE_Delineation_MapSet_v5.2.pdf.

REFERENCE BLOCK · FIGURE 10 (SHEET 10 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-07 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA NAIP 2022-06-21 (USGS NAIP Plus); synthetic photo stations and project (no photographs)

SAMPLE — not for regulatory submittal

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL



AERIAL IMAGE (lightened grayscale): USDA-FSA-APFO NAIP natural color, 0.6 m, orthorectified, acquired 2022-06-21 (USGS NAIP Plus, exported 2026-09-24). Sheets 11–14 share this scale and extent; Sheets 15–16 the scale and centre.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

National context figures · USACE HQ ARDR Minimum Standards (Jul 2025)

CONTEXT FIGURE 1 OF 6
NATIONAL WETLANDS INVENTORY (USFWS)

LEGEND

- Review area = survey area (39.83 ac)

National Wetlands Inventory (USFWS), Cowardin code on the map

- NWI freshwater emergent wetland (PEM1A, PEM1C)
- NWI riverine (R4SBC)
- Reference point (latitude/longitude, NAD83, decimal degrees)
- SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)

NWI CODES IN THIS FIGURE

Code	Meaning (NWI Map Code Diagram, 2019)	Polygons in figure	Polygons in review area	Acres in review area
PEM1A	Palustrine, Emergent, Persistent, Temporarily Flooded	25	7	1.1356
PEM1C	Palustrine, Emergent, Persistent, Seasonally Flooded	8	4	1.7057
R4SBC	Riverine, Intermittent, Streambed, Seasonally Flooded	2	1	0.3528
Total		**35**	**12**	**3.1941**

NWI project "Clay": color-infrared aerial photography, 1:58,000, June 1984 (NWI Version 2). Acres: EPSG:2226 planimetric, rounded once; total = sum of the rows.

HOW TO READ THE NWI CODES

Part	Code	Meaning
System	P	Palustrine
System	R	Riverine
Subsystem (R)	4	Intermittent
Class	EM	Emergent
Class	SB	Streambed
Subclass (EM)	1	Persistent
Water regime	A	Temporarily Flooded: surface water for brief periods (a few days to a few weeks) in the growing season; water table usually well below the surface for most of the season
Water regime	C	Seasonally Flooded: surface water for extended periods (generally more than a month) in the growing season, absent by the end of the season in most years

Code parts: USFWS NWI Map Code Diagram (Feb 2019); water-regime definitions summarised from FGDC-STD-004-2013.

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 300 feet (1:3,600)

when printed at 11 × 17 in (full size)

NWI: U.S. Fish and Wildlife Service, National Wetlands Inventory, Wetlands MapServer layer 0 (fwspublicservices.wim.usgs.gov/wetlandsmapservice), retrieved 2026-10-09; colors are the service's own symbology. NWI Version 2: single-line streams supplemented from the NHD.
Codes decoded with the USFWS NWI Map Code Diagram (Feb 2019); water-regime definitions summarised from FGDC-STD-004-2013 (Cowardin classification).
NWI polygons are mapped from aerial photographs without field checks; they are context only and do not replace the delineation (Sheets 3–4), which is not drawn here.
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226); latitude/longitude NAD83, decimal degrees.


REFERENCE BLOCK · FIGURE 11 (SHEET 11 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-09 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USFWS NWI Wetlands MapServer (2026-10-09); NWI Map Code Diagram (Feb 2019); FGDC-STD-004-2013; USDA NAIP 2022-06-21 (USGS NAIP Plus); County of Sacramento SSHCP map service, layer 5 (preserve outline, 2026-10-09)

SAMPLE — not for regulatory submittal

SHEET **11 of 16**

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL



AERIAL IMAGE (lightened grayscale): USDA-FSA-APFO NAIP natural color, 0.6 m, orthorectified, acquired 2022-06-21 (USGS NAIP Plus, exported 2026-09-24). Sheets 11–14 share this scale and extent; Sheets 15–16 the scale and centre.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

National context figures · USACE HQ ARDR Minimum Standards (Jul 2025)

CONTEXT FIGURE 2 OF 6
FEMA FLOOD ZONES (COUNTY COPY)

LEGEND

- Review area = survey area (39.83 ac)
- Zone X (unshaded), area of minimal flood hazard: the whole figure
- FIRM panel boundary (panel number and effective date on the map)
- Reference point (latitude/longitude, NAD83, decimal degrees)
- SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)

FLOOD ZONES IN THIS FIGURE (COUNTY COPY OF THE FEMA DATA)

Flood area ID	Zone	Zone subtype	SFHA	Acres in review area
06067C_2708	X (unshaded)	Area of minimal flood hazard	No	0.0000
06067C_5171	X (unshaded)	Area of minimal flood hazard	No	39.8301
Total				**39.8301**

In this figure the boundary between the two Zone X areas runs along the FIRM panel boundary (dashed line on the map).

FIRM PANELS IN THIS FIGURE

FIRM panel	Effective	Panel type	Scale	DFIRM version	Acres in review area
06067C0500J	2016-10-20	Countywide, Panel Printed	1:24,000	2.3.3.2	39.8301
06067C0525H	2012-08-16	Countywide, Panel Printed	1:24,000	1.1.1.0	0.0000
Total					**39.8301**

No Special Flood Hazard Area lies in this figure. Nearest: Zone A, 06067C_5162, 8,390 ft (1.59 mi) NNW of the review area (true bearing 334°), outside the figure.

SPECIAL FLOOD HAZARD AREAS NEAR THE SITE (OUTSIDE FIGURE)

Flood area ID	Zone	SFHA	Distance, ft	Direction (true)	Esri copy, ft
06067C_5162	A	Yes	8,390	NNW (334°)	8,390
06067C_5161	A	Yes	9,498	WNW (303°)	9,498

Search box 18,000 × 16,000 ft centred on the review area; distance = shortest distance from the review-area boundary (EPSG:2226).

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 300 feet (1:3,600)

when printed at 11 × 17 in (full size)


Flood data: Sacramento County's copy of the FEMA flood data. Publisher: County of Sacramento, map service DWR_HYDROLOGY, layer 7 "FEMA 100 and 500 Year Floodplain" and layer 1 "FEMA Panel Index" (https://mapservices.gis.saccounty.gov/arcgis/rest/services/DWR_HYDROLOGY/MapServer), retrieved 2026-10-09. The service gives no edit date; the data carry DFIRM 06067C, version 2.3.3.2 (panel 06067C0500J, effective 2016-10-20) and 1.1.1.0 (panel 06067C0525H, effective 2012-08-16).
Cross-check: Esri's copy of the NFHL (USA Flood Hazard Reduced Set, data edited 2026-03-11) has the same two Zone A areas in the 18,000 × 16,000 ft search box, at the same distances. Confirm on FEMA's effective FIRM before a regulatory submittal.
"X-no show" is the county copy's code for Zone X, area of minimal flood hazard (unshaded on the FIRM); FEMA's NFHL codes it FLD_ZONE "X". Acres: EPSG:2226 planimetric, rounded once; totals = sums of the rows.

REFERENCE BLOCK · FIGURE 12 (SHEET 12 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-09 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: Sacramento County's copy of the FEMA flood data, DWR_HYDROLOGY map service (2026-10-09); Esri NFHL copy (2026-10-09); USDA NAIP 2022-06-21; County of Sacramento SSHCP map service, layer 5 (preserve outline, 2026-10-09)

SAMPLE — not for regulatory submittal

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL



AERIAL IMAGE (lightened grayscale): USDA-FSA-APFO NAIP natural color, 0.6 m, orthorectified, acquired 2022-06-21 (USGS NAIP Plus, exported 2026-09-24). Sheets 11–14 share this scale and extent; Sheets 15–16 the scale and centre.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

National context figures · USACE HQ ARDR Minimum Standards (Jul 2025)

CONTEXT FIGURE 3 OF 6
NRCS SOILS — HYDRIC RATING BY MAP UNIT

LEGEND

Review area = survey area (39.83 ac)

NRCS hydric rating by map unit (percent of hydric components)

Hydric (33 to 65%): map unit 125

Hydric (1 to 32%): map unit 198

Reference point (latitude/longitude, NAD83, decimal degrees)

SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)

SOIL MAP UNITS IN THE REVIEW AREA

Map unit	Map unit name	Hydric rating class	Hydric %	Acres	% of area
198	Redding gravelly loam, 0 to 8 percent slopes, MLRA 17	Hydric (1 to 32%)	2	39.7375	99.8
125	Corning complex, 0 to 8 percent slopes	Hydric (33 to 65%)	40	0.0926	0.2
Total	**2 map units**			**39.8301**	**100.0**

MAP UNIT COMPOSITION (COMPONENT % OF THE MAP UNIT)

Map unit	Component	%	Hydric	Major
198	Redding	85	No	Yes
198	Keyes	10	No	No
198	Corning	3	No	No
198	Unnamed (ponded)	2	Yes	No
198	**Sum of components (hydric 2 %)**	**100**		
125	Corning	45	No	Yes
125	Corning	40	Yes	Yes
125	Creviscreek	4	No	No
125	Hicksville	4	No	No
125	Redding	4	No	No
125	Unnamed (steeper slopes)	3	No	No
125	**Sum of components (hydric 40 %)**	**100**		

Components: representative percentages (comppct_r) and NRCS hydric ratings of SSURGO CA067 version 27 (2026-09-01).

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 300 feet (1:3,600)

when printed at 11 × 17 in (full size)

Soils: USDA-NRCS SSURGO, soil survey area CA067 (Sacramento County, California), version 27 of 2026-09-01; map unit polygons from the Soil Data Access WFS, map unit and component tables from the SDA tabular service, retrieved 2026-10-09.
Hydric rating: NRCS "Hydric Rating by Map Unit", the share of the map unit made of components rated hydric (muaggatt.hydclprs). Classes and colors as published by NRCS in SDA: 100 %, 66–99 %, 33–65 %, 1–32 %, 0 %; only the classes present are in the legend. A map unit rating is not a hydric-soil determination on the ground.
Acres: EPSG:2226 planimetric, rounded once; totals = sums of the rows. Map unit 125 covers only 0.0926 ac of the review area, at its edge.

REFERENCE BLOCK · FIGURE 13 (SHEET 13 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-09 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA-NRCS SSURGO CA067 version 27 via Soil Data Access (2026-10-09); USDA NAIP 2022-06-21 (USGS NAIP Plus); County of Sacramento SSHCP map service, layer 5 (preserve outline, 2026-10-09)

SAMPLE — not for regulatory submittal

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL

CP1 (reference point)
38.322143° N 121.131552° W
NAD83

CP2 (reference point)
38.318103° N 121.127575° W
NAD83

ELEVATION: USGS 3DEP 1-m DEM (lidar collected 2017-12-03 to 2017-12-07), elevation tint shaded by a hillshade; contours every 2 ft (index 10 ft), feet NAVD88. Sheets 11–14 share this scale and extent.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

National context figures · USACE HQ ARDR Minimum Standards (Jul 2025)

CONTEXT FIGURE 4 OF 6
USGS 3DEP 1-M DEM — HILLSHADE, CONTOURS

LEGEND

- Review area = survey area (39.83 ac)

Contours from the 3DEP DEM, feet NAVD88

- Index contour, every 10 ft
- Contour, every 2 ft
- Reference point (latitude/longitude, NAD83, decimal degrees)
- SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)

ELEVATION TINT (feet, NAVD88; darkened on the map by the hillshade)

183 — 203 — 223

review area: 187.6–212.3 ft
figure: 177.6–225.9 ft

DEM SOURCE (3DEP ELEVATION INDEX + TNM ACCESS API)

Item	Value
3DEP work unit	CA_Central_Valley_2017 (ID 58958)
3DEP project	CA_Central_Valley_LiDAR_2016_D16 (ID 58946)
Lidar collected	2017-12-03 to 2017-12-07; QL 2; USGS Lidar Base Specification 1.2
1-m DEM product	USGS one meter x66y425 CA Central Valley 2017 (published 2020-03-30)
Product file	USGS_one_meter_x66y425_CA_Central_Valley_2017.tif (prd-tnm.s3.amazonaws.com, StagedProducts / Elevation / 1m / Projects / CA_Central_Valley_2017 / TIFF)
Check	DEM drawn vs. product: mean |difference| 0.003 m, max 0.010 m (1,540,000 cells)
Vertical datum	NAVD88, geoid GEOID12B (3DEP index); shown in feet
Review area	min 187.6, mean 200.9, max 212.3 ft (160,841 cells inside)

1-M DEM PRODUCTS LISTED FOR TILE x66y425 (TNM ACCESS API, 2026-10-09)

Product	Published	Used
USGS 1 Meter 10 x66y425 CA_FEMALevee_D23	2024-11-25	no: no cells over the site (its 2026-09-24 export for the 1,400 × 1,100 m site box was empty)
USGS one meter x66y425 CA Central Valley 2017	2020-03-30	yes: matches the DEM drawn (table above)

TRUE NORTH

0 — 100 — 200 — 300 — 400 ft

Scale: 1 inch = 300 feet (1:3,600)


when printed at 11 × 17 in (full size)


Elevation: USGS 3DEP 1-m DEM. Work unit, project, dates and product were read from the 3DEP Elevation Index (index.nationalmap.gov, 3DEPElevationIndex MapServer) and the TNM Access API (tnmaccess.nationalmap.gov), queried 2026-10-09; no raster ID was hard-coded. The DEM drawn is the 2026-09-24 export of the 3DEP ImageServer, checked against the product (table). Hillshade: GDAL multidirectional, z-factor 3 (display only). Contours: from the DEM smoothed with a Gaussian filter (sigma 1.4 cells); context only, not a topographic survey.

REFERENCE BLOCK · FIGURE 14 (SHEET 14 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-09 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USGS 3DEP 1-m DEM, work unit CA_Central_Valley_2017; 3DEP Elevation Index and TNM Access API (2026-10-09); County of Sacramento SSHCP map service, layer 5 (preserve outline, 2026-10-09)

SAMPLE — not for regulatory submittal





Two panels at 1:3,600, centred on the same point as Sheets 11–14 (each panel half their width). Display: linear 2–98 % stretch of each band over the panel; the images are not otherwise altered.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

National context figures · USACE HQ ARDR Minimum Standards (Jul 2025)

CONTEXT FIGURE 5 OF 6
NAIP 2022 — NATURAL COLOR AND CIR

LEGEND

Review area = survey area (39.83 ac)

Reference point (latitude/longitude, NAD83, decimal degrees)

SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)

IMAGES ON THIS SHEET


Panel	Image	Acquired	Source	Pixel
A	Natural color (red, green, blue)	2022-06-21	USGS NAIP Plus, exported 2026-09-24	0.6 m
B	Color-infrared (near-infrared, red, green)	2022-06-21	Planetary Computer STAC, 2026-10-09	0.6 m

NAIP tiles m_3812147_ne, m_3812148_nw, m_3812148_sw (USDA-FSA-APFO). Panel B: near-infrared shown as red, red as green, green as blue (the standard CIR display); green vegetation reflects near-infrared strongly and shows red. In this late-June image most of the grassland is dry: the median NDVI of the image box is -0.06; the 1 % of pixels that look greenest in natural color average NDVI 0.17 (own check).

CIR CHECKS (OWN COMPUTATION)

Check	Result
NIR band: NAIP Plus export vs Planetary Computer band 4 (2022)	correlation 0.991; mean difference 1.5 of 255; 2,652,628 cells
Red, green, blue: the two 2022 copies	correlation 0.992, 0.992, 0.994
Band 4 is near-infrared	STAC band names Red/Green/Blue/NIR; NDVI rises with visible greenness (r = 0.55)

KEY: THE PANELS IN THE SHEETS 11–14 FRAME



Key map, 1:30,000 (1 inch = 2,500 feet), north up, on NAIP 2022 (grayscale). Dash-dot: the frame of Sheets 11–14. Solid: the extent of each panel on Sheets 15–16, same centre and scale, half the width. Red dashes: the review area.

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 300 feet (1:3,600)

when printed at 11 × 17 in (full size)


Imagery: USDA-FSA-APFO NAIP (National Agriculture Imagery Program), orthorectified 4-band tiles. 2022 natural color: USGS NAIP Plus image service (exported 2026-09-24, the base of Sheets 3 and 11–14); 2022 CIR and the past years: Microsoft Planetary Computer STAC collection "naip" (queried 2026-10-09). The 2022 tiles of both services are the same acquisition: correlation 0.991 (near-infrared) and 0.992 or more (red, green, blue).
Every NAIP image in the Planetary Computer NAIP collection for this site (2012–2022, listed 2026-10-09) is a June–July acquisition (dry season); it holds no wet-season image of the site. No image here was used to draw the (synthetic) delineation; where an image informs a delineation, its USACE Antecedent Precipitation Tool report is added (HQ, July 2025).
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226); latitude/longitude NAD83, decimal degrees.


REFERENCE BLOCK · FIGURE 15 (SHEET 15 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-09 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA-FSA-APFO NAIP 2022-06-21 via USGS NAIP Plus (2026-09-24) and Microsoft Planetary Computer STAC (2026-10-09); County of Sacramento SSHCP map service, layer 5 (preserve outline, 2026-10-09)

SAMPLE — not for regulatory submittal

SAMPLE — SYNTHETIC FIELD DATA FOR DEMONSTRATION · NOT A WETLAND DELINEATION · NOT FOR REGULATORY SUBMITTAL





Two panels at 1:3,600, centred on the same point as Sheets 11–14 (each panel half their width). Display: linear 2–98 % stretch of each band over the panel; the images are not otherwise altered.

AQUATIC RESOURCES DELINEATION MAP SET

Griffith Creek sample site · Sacramento County, California

Sample site — demonstration only (SYNTHETIC field data)

National context figures · USACE HQ ARDR Minimum Standards (Jul 2025)

CONTEXT FIGURE 6 OF 6
PAST AERIALS — NAIP 2016 AND 2012

LEGEND

- Review area = survey area (39.83 ac)
- Reference point (latitude/longitude, NAD83, decimal degrees)
- SSHCP existing preserve, mitigation bank (County of Sacramento, layer 5)

IMAGES ON THIS SHEET

Panel	Image	Acquired	Source	Pixel
A	Natural color (red, green, blue)	2016-06-20	Planetary Computer STAC, 2026-10-09	0.6 m
B	Natural color (red, green, blue)	2012-06-28	Planetary Computer STAC, 2026-10-09	1 m


Shown: the oldest NAIP year in the collection for this site (2012) and a year between it and 2022 (2016).

NAIP YEARS OVER THE SITE (PLANETARY COMPUTER STAC, 2026-10-09)

Year	Acquired	Pixel	Bands	In this set
2012	2012-06-28	1 m	4	Sheet 16, panel B
2014	2014-06-28	1 m	4	listed only
2016	2016-06-20	0.6 m	4	Sheet 16, panel A
2018	2018-07-14	0.6 m	4	listed only
2020	2020-06-17	0.6 m	4	listed only
2022	2022-06-21	0.6 m	4	Sheets 3, 15 (and Sheets 11–14 base)

Every year has the same four bands (red, green, blue, near-infrared), so a CIR view of any year can be added on request.

KEY: THE PANELS IN THE SHEETS 11–14 FRAME



Key map, 1:30,000 (1 inch = 2,500 feet), north up, on NAIP 2022 (grayscale). Dash-dot: the frame of Sheets 11–14. Solid: the extent of each panel on Sheets 15–16, same centre and scale, half the width. Red dashes: the review area.

TRUE NORTH

0 100 200 300 400 ft

Scale: 1 inch = 300 feet (1:3,600)

when printed at 11 × 17 in (full size)

Imagery: USDA-FSA-APFO NAIP (National Agriculture Imagery Program), orthorectified 4-band tiles. 2022 natural color: USGS NAIP Plus image service (exported 2026-09-24, the base of Sheets 3 and 11–14); 2022 CIR and the past years: Microsoft Planetary Computer STAC collection "naip" (queried 2026-10-09). The 2022 tiles of both services are the same acquisition: correlation 0.991 (near-infrared) and 0.992 or more (red, green, blue).
Every NAIP image in the Planetary Computer NAIP collection for this site (2012–2022, listed 2026-10-09) is a June–July acquisition (dry season); it holds no wet-season image of the site. No image here was used to draw the (synthetic) delineation; where an image informs a delineation, its USACE Antecedent Precipitation Tool report is added (HQ, July 2025).
Coordinates: NAD83 / California State Plane Zone 2, US survey feet (EPSG:2226); latitude/longitude NAD83, decimal degrees.

REFERENCE BLOCK · FIGURE 16 (SHEET 16 OF 16) · REVISION 2 (v5.2)

Project / review area: Griffith Creek sample site, Sacramento County, CA (39.83 ac)
Created 2026-10-09 by Danir Kantserov, GIS/CAD mapping (white-label sample)
Revisions: Rev. 1 2026-10-09 (first issue of this sheet); Rev. 2 2026-10-09; revisor Danir Kantserov
Field data: SYNTHETIC; scientist of record: none · Map file: SAMPLE_Delineation_MapSet_v5.2.pdf
Sources: USDA-FSA-APFO NAIP 2016-06-20 and 2012-06-28 via Microsoft Planetary Computer STAC (2026-10-09); County of Sacramento SSHCP map service, layer 5 (preserve outline, 2026-10-09)

SAMPLE — not for regulatory submittal

SHEET

16 of 16