

Residential Impact Weighting Factors

| North Europe              | Energy efficiency | Energy flexibility and storage | Comfort | Convenience | Health, well-being and accessibility | Maintenance and fault prediction | Information to occupants |
|---------------------------|-------------------|--------------------------------|---------|-------------|--------------------------------------|----------------------------------|--------------------------|
| Heating                   | 0.30              | 0.43                           | 0.16    | 0.1         | 0.16                                 | 0.31                             | 0.11                     |
| Domestic hot water        | 0.09              | 0.13                           | 0.00    | 0.1         | 0.00                                 | 0.10                             | 0.11                     |
| Cooling                   | 0.00              | 0.00                           | 0.16    | 0.1         | 0.16                                 | 0.00                             | 0.11                     |
| Ventilation               | 0.19              | 0.00                           | 0.16    | 0.1         | 0.16                                 | 0.20                             | 0.11                     |
| Lighting                  | 0.04              | 0.00                           | 0.16    | 0.1         | 0.16                                 | 0.00                             | 0.00                     |
| Electricity               | 0.13              | 0.19                           | 0.00    | 0.1         | 0.00                                 | 0.14                             | 0.11                     |
| Dynamic building envelope | 0.05              | 0.00                           | 0.16    | 0.1         | 0.16                                 | 0.05                             | 0.11                     |
| Electric vehicle charging | 0.00              | 0.05                           | 0.00    | 0.1         | 0.00                                 | 0.00                             | 0.11                     |
| Monitoring and control    | 0.20              | 0.20                           | 0.20    | 0.2         | 0.20                                 | 0.20                             | 0.20                     |
|                           | 1.00              | 1.00                           | 1.00    | 1.00        | 1.00                                 | 1.00                             | 1.00                     |

IMPACT WEIGHTINGS

| Energy efficiency | Energy flexibility and storage | Comfort | Convenience | Health, well-being and accessibility | Maintenance and fault prediction | Information to occupants |
|-------------------|--------------------------------|---------|-------------|--------------------------------------|----------------------------------|--------------------------|
| 0.16667           | 0.33333                        | 0.08333 | 0.08333     | 0.08333                              | 0.16667                          | 0.08333                  |

1.00

| West Europe               | Energy efficiency | Energy flexibility and storage | Comfort | Convenience | Health, well-being and accessibility | Maintenance and fault prediction | Information to occupants |
|---------------------------|-------------------|--------------------------------|---------|-------------|--------------------------------------|----------------------------------|--------------------------|
| Heating                   | 0.34              | 0.46                           | 0.16    | 0.10        | 0.16                                 | 0.35                             | 0.11                     |
| Domestic hot water        | 0.08              | 0.10                           | 0.00    | 0.10        | 0.00                                 | 0.08                             | 0.11                     |
| Cooling                   | 0.03              | 0.04                           | 0.16    | 0.10        | 0.16                                 | 0.03                             | 0.11                     |
| Ventilation               | 0.18              | 0.00                           | 0.16    | 0.10        | 0.16                                 | 0.18                             | 0.11                     |
| Lighting                  | 0.01              | 0.00                           | 0.16    | 0.10        | 0.16                                 | 0.00                             | 0.00                     |
| Electricity               | 0.11              | 0.15                           | 0.00    | 0.10        | 0.00                                 | 0.11                             | 0.11                     |
| Dynamic building envelope | 0.05              | 0.00                           | 0.16    | 0.10        | 0.16                                 | 0.05                             | 0.11                     |
| Electric vehicle charging | 0.00              | 0.05                           | 0.00    | 0.10        | 0.00                                 | 0.00                             | 0.11                     |
| Monitoring and control    | 0.20              | 0.20                           | 0.20    | 0.20        | 0.20                                 | 0.20                             | 0.20                     |
|                           | 1.00              | 1.00                           | 1.00    | 1.00        | 1.00                                 | 1.00                             | 1.00                     |

IMPACT WEIGHTINGS



IMPACT WEIGHTINGS

| Energy efficiency | Energy flexibility and storage | Comfort | Convenience | Health, well-being and accessibility | Maintenance and fault prediction | Information to occupants |
|-------------------|--------------------------------|---------|-------------|--------------------------------------|----------------------------------|--------------------------|
| 0.17              | 0.33                           | 0.08    | 0.08        | 0.08                                 | 0.17                             | 0.08                     |

1.00

| South-East Europe         | Energy efficiency | Energy flexibility and storage | Comfort | Convenience | Health, well-being and accessibility | Maintenance and fault prediction | Information to occupants |
|---------------------------|-------------------|--------------------------------|---------|-------------|--------------------------------------|----------------------------------|--------------------------|
| Heating                   | 0.21              | 0.24                           | 0.16    | 0.10        | 0.16                                 | 0.21                             | 0.11                     |
| Domestic hot water        | 0.06              | 0.07                           | 0.00    | 0.10        | 0.00                                 | 0.06                             | 0.11                     |
| Cooling                   | 0.15              | 0.17                           | 0.16    | 0.10        | 0.16                                 | 0.15                             | 0.11                     |
| Ventilation               | 0.11              | 0.00                           | 0.16    | 0.10        | 0.16                                 | 0.11                             | 0.11                     |
| Lighting                  | 0.01              | 0.00                           | 0.16    | 0.10        | 0.16                                 | 0.00                             | 0.00                     |
| Electricity               | 0.22              | 0.26                           | 0.00    | 0.10        | 0.00                                 | 0.22                             | 0.11                     |
| Dynamic building envelope | 0.05              | 0.00                           | 0.16    | 0.10        | 0.16                                 | 0.05                             | 0.11                     |
| Electric vehicle charging | 0.00              | 0.05                           | 0.00    | 0.10        | 0.00                                 | 0.00                             | 0.11                     |
| Monitoring and control    | 0.20              | 0.20                           | 0.20    | 0.20        | 0.20                                 | 0.20                             | 0.20                     |
|                           | 1.00              | 1.00                           | 1.00    | 1.00        | 1.00                                 | 1.00                             | 1.00                     |

IMPACT WEIGHTINGS

| Energy efficiency | Energy flexibility and storage | Comfort | Convenience | Health, well-being and accessibility | Maintenance and fault prediction | Information to occupants |
|-------------------|--------------------------------|---------|-------------|--------------------------------------|----------------------------------|--------------------------|
| 0.16667           | 0.33333                        | 0.08333 | 0.08333     | 0.08333                              | 0.16667                          | 0.08333                  |

1.00