MachineTest

Production Troubleshooting Challenge

Scenario:
Filesystem Size Used Avail Use%
/dev/sda1 50G 49G 1G 98%

Answer:

1. Which command identifies disk usage?
   df -h
2. Which command shows folder size?
   du -sh
3. Which command shows available disks?
   lsblk
4. Which command removes unused packages?
   apt autoremove
5. Which command is commonly used for production backups?
   rsync -av <directory> <directory>

Interview Questions

1. What is APT?
   Advanced Package Tool used to install, update, remove, upgrade software packages in Ubuntu/Debian systems.
2. Difference between apt update and apt upgrade?
   apt update: downloads package lists/metadata.
   apt upgrade: downloads and install software packages.
3. What does df -h display?
   Display the amount of disk space available and used
4. Difference between df -h and lsblk?
   lsblk displays the hardware storages and df -h displays the status of the filesystem currently running.
5. What is UUID?
   Universally Unique Identifies used to uniquely identify objects in computer system.
6. What is mounting in Linux?
   Mounting is process that connects the filesystem of a disk to a particular directory for access the filesystem.
7. Difference between mount and umount?
   mount can connect the filesystem to the directory and unmount used to disconnect the filesystem from the directory.
8. What is /etc/fstab?
   A static system configuration file in Linux used to define how storage devices, partitions, and network shares should be mounted into the overall directory tree.

9. Difference between .tar and .tar.gz?
   .tar is used to archive the directory and .tar.gz is used to archive and compress and reduce the size of the directory.
10. Why is rsync preferred in production?
    rsync (Remote Sync) is preferred in production because of its unmatched efficiency, reliability, and security when moving or backing up data.