

ASSIGNMENT 2

• SESSION 23

1. Log in to your JIRA test project and create a new test case for the 'Add to Cart' feature found in shopping apps like Flipkart or Myntra, including a clear summary and description.

ANS.

Create a JIRA Test Case – "Add to Cart"

Summary :-

Verify that a user can successfully add a product to the shopping cart

Description :-

Objective:

Verify that a logged-in user can add an available product to the shopping cart from the product details page.

Preconditions :-

- User is logged in.
- Product is available (In Stock).
- Application is accessible.

Test Steps :-

Step Action

- 1 Log in to the application.
- 2 Search for an available product.
- 3 Open the product details page.
- 4 Click **Add to Cart**.
- 5 Open the shopping cart.

Expected Result :-

- Product is successfully added to the cart.
- Cart count increases by one.
- Product name, quantity, and price are displayed correctly.

2. Link your newly created 'Add to Cart' test case to an existing user story or epic in JIRA that represents the shopping cart module.

ANS.

Link the Test Case to a User Story/Epic :-

Example:

- **User Story:** *As a customer, I want to add products to my shopping cart so that I can purchase them later.*

or

- **Epic:** *Shopping Cart Module*

Steps in JIRA

1. Open the **Add to Cart** test case.
2. Select **Link Issue** (or **Associate to Story**, depending on your JIRA/Xray/Zephyr setup).
3. Choose the existing Shopping Cart User Story or Epic.
4. Save the changes.

3. Add at least two relevant attachments (such as a screenshot of the cart UI and a sample test data file) to your 'Add to Cart' test case in JIRA.

Ans.

Attachments :-

Add at least two attachments to the test case.

Attachment	Purpose
Cart UI Screenshot (Cart_UI.png)	Shows the Add to Cart interface
Sample Test Data (AddToCart_TestData.xlsx)	Contains sample product IDs, quantities, and expected results

4. Write three acceptance criteria for the 'Add to Cart' test case in JIRA, making sure they are clear, measurable, and relevant to typical e-commerce app behavior.

Ans.

Acceptance Criterion 1

When a user clicks **Add to Cart** for an in-stock product, the product shall be added to the shopping cart successfully.

Acceptance Criterion 2

The shopping cart icon shall immediately display the updated number of items after a successful addition.

Acceptance Criterion 3

The cart shall display the correct product name, quantity, price, and subtotal after the item is added.

5. Choose a signup or login test case you entered in JIRA and revise it to add more technical depth: include detailed preconditions, test data, and expected results for both valid and invalid input scenarios.

Ans.

Test Case ID

TC_LOGIN_001

Summary

Verify user login with valid and invalid credentials.

Preconditions

- User is registered.
- Login page is accessible.
- User account is active.

Test Data

Scenario	Email	Password
Valid	user@example.com	Password@123
Invalid Password	user@example.com	Wrong123
Invalid Email	wrong@example.com	Password@123
Blank Fields	(blank)	(blank)
Special Characters	user!@#.com	Pa\$\$word123
Unregistered Email	newuser@example.com	Password@123

Test Steps :-

1. Open the login page.
2. Enter email address.
3. Enter password.
4. Click **Login**.
5. Observe the result.

Expected Results :-

Scenario	Expected Result
Valid credentials	User is successfully logged in and redirected to the home page.
Incorrect password	Display "Invalid password" or equivalent error message.
Unregistered email	Display "User not found" or equivalent message.
Blank email	Display "Email is required."
Blank password	Display "Password is required."
Both fields blank	Display validation messages for both fields.

Scenario	Expected Result
Invalid email format	Display "Enter a valid email address."
Email with special characters (invalid format)	Input validation should reject the email format.
Password with special characters	Accepted as input; authentication should proceed normally. If incorrect, display a standard login failure message.

Postconditions :-

- Successful login creates a valid user session.
- Failed login does not create a session.
- User remains on the login page after unsuccessful attempts.
- Appropriate validation or authentication messages are displayed without exposing sensitive information.