

ASSIGNMENT 2

- **SESSION 26**

1. Create a simple release readiness checklist for a new version of a food delivery app (like Zomato or Swiggy) that includes at least 8 key items QA should verify before the release goes live.

ANS.

Release Readiness Checklist – Food Delivery App (Zomato/Swiggy) :-

Before releasing a new version of the app, QA should verify the following:

Checklist Item	Status (✓/X)
1. All planned test cases have been executed.	☐
2. No Critical or High severity defects are open.	☐
3. Regression testing has been completed successfully.	☐
4. Smoke testing on the release build has passed.	☐
5. Order placement, payment, and order tracking are working correctly.	☐
6. Performance and application stability are acceptable under expected load.	☐
7. Compatibility testing on supported devices, browsers, and operating systems has been completed.	☐
8. Release notes, known issues, and test summary report have been reviewed and approved.	☐

2. Describe the difference between a build cycle and a release cycle using an example from any popular app you use (such as Instagram or Paytm), and explain how QA is involved at each stage.

ANS.

Difference Between Build Cycle and Release Cycle :-

Example: Instagram

Build Cycle

A build is a version of the application created after developers complete code changes. Multiple builds may be created during a sprint.

QA performs smoke testing, functional testing, and regression testing on each build.

Release Cycle

A release is the final, approved version that is distributed to users through the app store or production environment.

QA performs final validation, release verification, and confirms that release criteria are met before deployment.

Example Workflow

1. Developers implement a new **Story** feature.
2. A **build** is generated and provided to QA.
3. QA performs smoke, functional, and regression testing.
4. After all critical issues are resolved and testing is complete, the application enters the **release cycle**.
5. QA performs final release verification and signs off before deployment.

QA Involvement

During the Build Cycle

- Perform smoke testing.
- Execute functional and regression tests.
- Report and verify defects.
- Validate bug fixes on new builds.

During the Release Cycle

- Execute release validation testing.
- Confirm no critical defects remain.
- Review release notes and known issues.
- Provide QA sign-off if release criteria are satisfied.

3. Imagine your team is preparing to release a new movie booking feature in a BookMyShow-style app. List 5 specific tasks a QA should perform during the release process to ensure the feature is ready for users.

ANS.

QA Tasks During Release – Movie Booking Feature (BookMyShow-style)

Task	Purpose
1. Perform end-to-end functional testing	Verify movie search, seat selection, booking, and payment work correctly.
2. Execute regression testing	Ensure existing booking and payment features continue to function correctly.
3. Perform performance testing	Verify the booking feature performs well under high user traffic, especially during popular movie releases.
4. Validate security and payment flows	Ensure payment transactions are secure and sensitive data is handled correctly.
5. Conduct release verification (smoke testing)	Confirm the production-ready build is stable and all critical features work before release.

4. Given this scenario: During the release cycle of a Flipkart-like shopping app, a critical bug is found in the payment gateway just before release. Write the steps a QA should follow to report the issue and help the team decide whether to proceed with the release or not.

ANS.

QA Steps When a Critical Payment Gateway Bug Is Found Before Release :-

Scenario

A critical defect is discovered in the payment gateway of a Flipkart-like shopping application shortly before the planned release.

Steps for QA

1. Reproduce the Issue

- Confirm that the defect is reproducible.
- Test on multiple supported devices, browsers, or environments if applicable.

2. Log the Defect

- Create a detailed bug report in the defect tracking tool.
- Include:
 - Summary
 - Description
 - Steps to reproduce
 - Expected result
 - Actual result
 - Screenshots or logs
 - Environment details
 - Severity: **Critical**
 - Priority: **High**

3. **Notify the Team Immediately**

- Inform the developer, Scrum Master, Product Owner, and Release Manager.
- Explain the business impact, such as users being unable to complete purchases.

4. **Support Impact Assessment**

- Help determine:
 - How many users or payment methods are affected.
 - Whether there is a workaround.
 - The risks of releasing with the defect.

5. **Retest the Fix**

- Once developers provide a fix, perform:
 - Functional testing of the payment gateway.
 - Regression testing of related checkout features.
 - Smoke testing on the release build.

6. **Recommend Release Decision**

- **If the critical issue remains unresolved:** Recommend **postponing the release**, because users cannot reliably complete purchases.

- **If the issue is fixed and successfully verified:** Recommend proceeding with the release after confirming all release criteria are met.

Why QA May Recommend Delaying the Release

A payment gateway is a business-critical component. If customers cannot complete payments, they cannot place orders, leading to revenue loss, poor user experience, and reduced customer trust. Therefore, a release should generally **not proceed** while such a critical defect remains unresolved.