

Vu Buddy- CS201P

1.

1.	Whi	ich of the following structure is correct for WHILE loop?				
	a.	While (start; condition)				
	b.	While (condition)				
	C.	While (condition; end)				
	d.	While (start; condition; end)				
2.	While programming in C++, the statement if (x = 3), will result into a					
	a.	Runtime Error				
	b.	Logical Error				
	C.	Linker Error				
	d.	Syntax Error				
3.	In C	++, which of the following option has the correct meaning of the expression "a <= b"?				
	a.	a is greater than or equal to b				
	b.	a is less than b				
	C.	a is greater than b				
	d.	a is less than or equal to b				
4.	Whi	ich of the following is true about the switch statement?				
	a.	It works efficiently on compound conditions which use logical operators.				
	b.	It is valid for the small programs only.				
	C.	It is valid for the large programs only.				
	d.	It cannot handle the compound conditions which use logical operators.				
5.	Whi	ich of the following C++ statements is used take input from the user?				
	a.	cin				
	b.	cerr				
	C.	cget				
	d.	cout				

6.	Which of	the following	expression	is correct in C	/C++ language?
O .			g CAPI COCICII	10 00110011110	70 · · taligaago:

a.
$$Y + X = 7$$

b.
$$X + 5 = Y + 7$$

c.
$$X = X + 3$$

d.
$$3 = X + 3$$

7. A binary operator has ____ operands.

- a. Two
- b. One
- c. Four
- d. Three

8. Which of the following C++ statements is used to show output on the screen?

- a. cget
- b. cout
- c. cerr
- d. cin

- a. Writing
- b. Analytical
- c. Listening
- d. Reading

10. What will be the output of following program? #include using namespace std; int main() { int
$$x = 5$$
; cout << $x++$ << " " << -- x << " " << ++ x << endl; return 0; }

- a. 556
- b. 567
- c. 456
- d. 656

Printed by BC240409225

