


Lab 4: Signal Transformations (Scaling, Shifting and Reversal)



Name	DANISH ZULFIQAR
Registration Number	FA21-BEE-042
Class/section	4-A
Instructor's Name	DR. BILAL TARIQ

Task 1:


```
>> t = -2:0.001:5;
u1(t>=0) = 1;
u2(t>=2) = 1;
u = u1 - u2;
subplot(2,1,1)
plot(t,u)
xlabel('x');
ylabel('p2(t-1)');
x = t.^3.*cos(10*pi*t).*u;
subplot(2,1,2)
plot(t,x)
legend('x(t)');
grid on
```



Task 2:


a)

```
>> t=0:0.001:5;  
>> x=t.*cos(2*pi*t);  
>> subplot(5,1,1)  
plot(t,x,'LineWidth',2)  
grid on  
xlabel('t');  
legend('x(t)')
```




b)

```
>> subplot(5,1,2)
plot(-t,x,'LineWidth',2)
grid on
xlabel('t');
legend('x(-t)')
```




c)

```
>> a = 1/5;
subplot(5,1,3)
plot((1./a).*t,x,'LineWidth',2)
grid on
xlabel('t');
legend('x(0.2t)')
```




d)

```
>> subplot(5,1,4);  
>> plot((1/3).*(t-1),x,'LineWidth',2);  
>> grid on  
>> xlabel('t');  
>> legend('x(1+3t)')
```



e)


```
>> subplot(5,1,5);  
>> plot(-(1/3).*(1+t),x,'LineWidth',2);  
>> grid on  
>> xlebel('t')  
Undefined function 'xlebel' for input arguments of type 'char'.  
  
>> xlabel('t')  
>> legend('x(-1-3t)')
```



Task 3:


a)

```
>> t=0:0.01:4;  
>> X = t.*(t<=2) + (4-t).*(t>2);  
>> plot(t,X, 'LineWidth',2)  
>> grid on  
>> xlabel('t');  
>> legend('x(t)')
```




b)

```
>> subplot(5,1,2);  
>> plot(-t,X, 'LineWidth',2)
```




c)

```
subplot(5,1,3);
plot((1/2).*t,X,'LineWidth',2)
grid on
xlabel('t');
legend('x(2t)');
```




d)

```
plot((1/4).*(2-t),X,'LineWidth',2);  
grid on  
xlabel('t');  
legend('x(2+4t)');
```



e)

```
plot(-(1/4).*(2+t),X,'LineWidth',2);  
grid on  
xlabel('t');  
legend('x(-2-4t)');
```



Task 4:

```
function [ ] = sequence(x,n,n0,a,b)
subplot(5,1,1);
stem(n,x,'LineWidth',2);
grid on
legend('x[n]');


subplot(5,1,2);
stem(n+n0, x,'LineWidth', 2);
grid on
legend('x[n-n0]')

subplot(5,1,3);
stem(-n , x,'LineWidth', 2);
grid on
legend('x[-n]')

x1=downsample(x,a);
n1=n(1:a:end);
subplot(5,1,4);
stem(n1,x1,'LineWidth',2);
grid on
legend('x[an]');

x2=upsample(x,b);
i=(length(x2)-1)/2;
n2=-i:i;
subplot(5,1,5);
stem(n2,x2,'LineWidth',2);
grid on
legend('x[bn]');

>> n = -3:3;
x = (n>=0);
>> sequence(x,n,1,2,3)
```



Critical Analysis/Conclusion:

In this lab, I learnt how to transform different signals in MATLAB using scripts and commands. I learnt how to scale, shift, and reverse the signals respectively. Moreover, I also learnt the basic operations that are to be performed on independent variables. This lab was helpful in enhancing my coding skills and aptitude to imagine signal operations by using simulation techniques.