

Nama Kelompok: Gazette


Anggota Kelompok: - Dani Swara Arsyaldi(Frontend)  
- Furqon Tedy Pratama(Backend)

## Web Company Profile

Bagian Frontend


### 1. Tampilan Admin Panel

Berisi Form Login Username dan Password serta tombol login untuk masuk ke halaman dashboard Admin Panel.



### 2. Halaman Home

Membuat halaman home dengan menu Home, About, News, *Blog*, *Contact*.



### 3. Halaman About

Berisi tentang sejarah perusahaan

A screenshot of the 'About Us' page. The header is identical to the main page. The main content area has a dark header bar with the text '/ About Us'. Below it, the page title 'About Us' is centered. A small note states 'It is a long established fact that a reader will be distracted by the readable content of a page.' At the bottom, there are social sharing icons for Facebook, Twitter, Google+, LinkedIn, and Tumblr.

## About Us


It is a long established fact that a reader will be distracted by the readable content of a page.

Visits : 16

Share : [f](#) [t](#) [G+](#) [in](#) [t](#)

A screenshot of the footer section. It is divided into four columns: 'Contact Details' (with address and phone number), 'Latest News' (with a link to an article about Masjid Al-Jabbar), 'Quick Links' (with links to Home, About Us, Blog, Privacy, Terms &amp; Conditions, and Contact Us), and 'Our Newsletter' (with fields for name and email, and a 'SUBSCRIBE' button). The footer has a blue background.

### 4. Halaman body berisi beberapa berita yang ada di dalam menu news.



## Welcome to website TPA Miftahul Jannah

It is a long established fact that a reader will be distracted by the readable content of a page. It is a long established fact that a reader will be distracted by the readable content of a page. It is a long established fact that a reader will be distracted by the readable content of a page. It is a long established fact that a reader will be distracted by the readable content of a page. It is a long established fact that a reader will be distracted by the readable content of a page.

### Latest Articles

The latest articles from our blog, you can browse more

**SEBUAH INSPIRASI UNTUK MASJID-MASJID LAINNYA**



Teluk Kuantan - Masjid merupakan tempat ibadah umat Islam yang musti diperhatikan. Pembangunan masjid Saat ini sangat pesat dan tentunya sangat banyak masjid yang mengedepankan tampilannya agar tampak mewah dan megah.Dengan adanya dana khas masjid yang bersumber dari infak dan donasi dari beberapa d... [Read More](#)

[< VIEW MORE >](#)

5. Halaman footer berisi isi isi dari halaman Contact Detail, Latest News, Quick Link dan Our Newsletter.



Teluk Kuantan - Masjid merupakan tempat ibadah umat Islam yang musti diperhatikan. Pembangunan masjid Saat ini sangat pesat dan tentunya sangat banyak masjid yang mengedepankan tampilannya agar tampak mewah dan megah.Dengan adanya dana khas masjid yang bersumber dari infak dan donasi dari beberapa d... [Read More](#)

[< VIEW MORE >](#)

**Contact Details**

**Address:**  
📍 J783+WW9, Gg. Dahlia III,  
RT.04/RW/RW.LK.1, Labuhan Ratu, Kec.  
Kedaton, Kota Bandar Lampung,  
Lampung 35142

**Call Us:**  
📞 0721780146

**Email:**  
✉️ info@sitename.com

**Latest News**

↳ Masjid Al-Jabbar Dilengkapi Museum 4 Nabi hingga Karpet Turki Artikel ini telah diterbitkan di halaman SINDOnews.com pada Selasa, 20 Desember 2022 - 20:19 WIB oleh Agung Bakti Sarasa dengan

**Quick Links**

↳ Home  
↳ About Us  
↳ Blog  
↳ Privacy  
↳ Terms & Conditions  
↳ Contact Us

**Our Newsletter**

Subscribe To Our Newsletter

Your Name

Your Email

**SUBSCRIBE**

6. Menu berisi berita yang ada membahas tentang Masjid yang ada di Dunia.

localhost

0721780146 | info@sitename.com

Dashboard ENGLISH

TPA MIFTAUL JANNAH

HOME ABOUT NEWS BLOG CONTACT

/ News

Masjid Al-Jabbar Dilengkapi Museum 4 Nabi hingga Karpet Turki Artikel ini telah diterbitkan di halaman SINDOnews.com pada Selasa, 20 Desember 2022 - 20:19 WIB oleh Agung Bakti Sarasa dengan



7. Jika judul berita atau tombol *read more* ditekan maka akan mengarahkan ke detail berita.

localhost

0721780146 | info@sitename.com

Dashboard ENGLISH

TPA MIFTAUL JANNAH

HOME ABOUT NEWS BLOG CONTACT

/ News

Masjid Al-Jabbar Dilengkapi Museum 4 Nabi hingga Karpet Turki Artikel ini telah diterbitkan di halaman SINDOnews.com pada Selasa, 20 Desember 2022 - 20:19 WIB oleh Agung Bakti Sarasa dengan



7. Menu *BLOG* berisi daftar artikel blog yang ada membahas tentang Masjid yang ada di Dunia.

The screenshot shows a web browser window with a blue header bar containing the text "localhost", "Dashboard", and "ENGLISH". Below the header is a navigation bar with links for "HOME", "ABOUT", "NEWS", "BLOG", and "CONTACT". On the left, there's a sidebar with a logo for "TPA MIFTAHL JANNAH" and a search bar labeled "Search for...". The main content area features a dark banner with a white icon and the word "Blog". Below the banner is a section titled "SEBUAH INSPIRASI UNTUK MASJID-MASJID LAINNYA" with a large image of people gathered around a long table. A caption below the image reads: "Teluk Kuantan - Masjid merupakan tempat ibadah umat Islam yang mesti diperhatikan. Pembangunan masjid Saat ini sangat pesat dan tentunya sangat banyak masjid yang mengedepankan tampilannya agar tampak mewah dan megah. Dengan adanya dana khas masjid yang bersumber dari infak dan donasi dari beberapa d...". At the bottom of this section are small text elements: "2023-01-27", "Visits : 1", "Comments : 0", and a "Read More ▶" button.

8. Jika judul *artikel blog* ditekan maka akan mengarah ke halaman isi detail dalam artikel blog.

The screenshot shows a web browser window with a blue header bar containing the text "localhost", "Dashboard", and "ENGLISH". Below the header is a navigation bar with links for "HOME", "ABOUT", "NEWS", "BLOG", and "CONTACT". On the left, there's a sidebar with a logo for "TPA MIFTAHL JANNAH" and a search bar labeled "Search for...". The main content area features a dark banner with a white icon and the word "Blog". Below the banner is a section titled "SEBUAH INSPIRASI UNTUK MASJID-MASJID LAINNYA" with a large image of people gathered around a long table. A caption below the image reads: "Teluk Kuantan - Masjid merupakan tempat ibadah umat Islam yang mesti diperhatikan. Pembangunan masjid Saat ini sangat pesat dan tentunya sangat banyak masjid yang mengedepankan tampilannya agar tampak mewah dan megah. Dengan adanya dana khas masjid yang bersumber dari infak dan donasi dari beberapa d...". At the bottom of this section are small text elements: "2023-01-27", "Visits : 1", "Comments : 0", and a "Read More ▶" button.

## SEBUAH INSPIRASI UNTUK MASJID-MASJID LAINNYA



Teluk Kuantan - Masjid merupakan tempat ibadah umat Islam yang mesti diperhatikan. Pembangunan masjid Saat ini sangat pesat dan tentunya sangat banyak masjid yang mengedepankan tampilannya agar tampak mewah dan megah.

Dengan adanya dana khas masjid yang bersumber dari infak dan donasi dari beberapa donatur, tentunya menjadi sebuah modal untuk membangun dan mempercantik tampilan dan desain masjid.

9. *Contact Us* adalah *form* berguna untuk menghubungi Admin dari Website.

The screenshot shows a website's contact page. At the top, there's a header with a phone number (0721780146) and email (info@sitename.com). Below the header is a logo for "TPA MIFTAUL JANNAH" featuring a mosque icon. The main content area has a dark header bar with "Contact Us". The main body contains a form with fields for "Your Name", "Your Email", "Phone", "Subject", and "Message". Below the form is a blue button labeled "SEND MESSAGE". To the right, there's a sidebar with a title "Contact Details" and a list of contact information:

- Address:** J783+VV9, Gg. Dahlia III, RT.04/RW/RW.LK.1, Labuhan Ratu, Kec. Kedaton, Kota Bandar Lampung, Lampung 35142
- Phone:** 0721780146
- Mobile:** 0721780146
- Fax:** +(xxx) 0xxxxxx
- Email:** info@sitename.com
- Working Times:** Sunday to Thursday 08:00 AM to 05:00 PM

## Bagian Back-end

- Perintah GET dari thunder *client server* untuk mendapat informasi Websites Status details.  
Perintah: <https://localhost/TA-GAB2-GAZETTE/Server/api/v1/website/status>

The screenshot shows the Thunder client interface with a successful API call. The left pane shows a list of recent requests, all of which are GET requests to the same endpoint. The right pane displays the response details:

Status: 200 OK | Size: 0 Bytes | Time: 324 ms

Response:

```

1 {
2   "msg": "Website Status details",
3   "details": {
4     "status": 1,
5     "close_msg": ""
6   }
7 }
```

2. Perintah GET dari thunder *client server* berguna mendapat informasi tentang website berisi data *site\_url*, *site\_title* dan *site\_desc*.

Perintah: <https://localhost/TA-GAB2-GAZETTE/Server/api/v1/website/info>

The screenshot shows the Thunder Client interface. On the left, there's a sidebar with various icons for file operations like copy, paste, search, and refresh. The main area has tabs for Activity, Collections, Env, and a New Request button. A dropdown menu shows a list of recent requests, all of which are GET requests to 'localhost/TA-G...'. The current request being viewed is 'localhost/TA-G... info' with a status of 200 OK, 0 bytes size, and 318 ms time. The Response tab displays the JSON response:

```
1 {  
2     "msg": "Main information about the Website",  
3     "details": {  
4         "site_url": "http://www.sitename.com",  
5         "site_title": "TPA Miftahul Jannah",  
6         "site_desc": "Website description and some little information about it"  
7     },  
8     "site_keywords": "key, words, website, web",  
9     "site_webmails": "info@sitename.com"  
10 }
```

3. Perintah GET dari thunder *client server* berguna mendapat informasi tentang website berisi data *contact*.

Perintah: <https://localhost/TA-GAB2-GAZETTE/Server/api/v1/website/contacts>

THUNDER CLI... ⚡ ...

**Tc New Request**

Activity Collections Env

New Request

GET localhost/TA-GAB2-GAZETTE/Server/api/v1/website/contacts Send

Query Headers 2 Auth Body Tests Pre Run New

Query Parameters

parameter value

Status: 200 OK Size: 0 Bytes Time: 317 ms

Response Headers 9 Cookies 2 Results Docs

```

1 {
2   "msg": "List of Contacts Details",
3   "details": {
4     "address": "J783+M9, Gg. Dahlia III, RT.04/Rw/RW.LK.1, Labuhan Ratu,
5       Kec. Kedaton, Kota Bandar Lampung, Lampung 35142",
6     "phone": "0721780146",
7     "fax": "0721780146",
8     "mobile": "0721780146",
9     "email": "info@sitename.com",
10    "working_time": "Sunday to Thursday 08:00 AM to 05:00 PM"
11  }

```

Go Live ↗ ⓘ

3. Perintah GET dari thunder client server berguna mendapat informasi tentang website berisi data *list of style settings*.

Perintah: <https://localhost/TA-GAB2-GAZETTE/Server/api/v1/website/style>

THUNDER CLI... ⚡ ...

**Tc New Request**

Activity Collections Env

New Request

GET localhost/TA-GAB2-GAZETTE/Server/api/v1/website/style Send

Query Headers 2 Auth Body Tests Pre Run New

Query Parameters

parameter value

Status: 200 OK Size: 0 Bytes Time: 336 ms

Response Headers 9 Cookies 2 Results Docs

```

1 {
2   "msg": "List of Style Settings",
3   "details": {
4     "logo": "http://localhost/TA-GAB2-GAZETTE/Server/uploads/settings
5       /16747948286266.png",
6     "fav_icon": null,
7     "apple_icon": null,
8     "style_color_1": "#168ccf",
9     "style_color_2": "#2e3e4e",
10    "layout_mode": 0,
11    "bg_type": 0,
12    "bg_pattern": null,
13    "bg_color": null,
14    "bg_image": null,
15    "footer_style": 1,
16    "footer_bg": null,
17    "newsletter_subscribe_status": 1,
18    "preload_status": 0
19  }

```

Go Live ↗ ⓘ

5. Perintah GET dari thunder *client server* berguna mendapat informasi tentang website berisi data *social media* dari *Website*.

Perintah: <https://localhost/TA-GAB2-GAZETTE/Server/api/v1/website/social>

The screenshot shows the Thunder Client interface with a successful API call. The URL is `localhost/TA-GAB2-GAZETTE/Server/api/v1/website/social`. The response status is `200 OK`, size is `0 Bytes`, and time is `320 ms`. The response body is a JSON object containing a message and a list of social network links:

```
1 {
2     "msg": "List of Social Networks Links",
3     "details": {
4         "facebook": "#",
5         "twitter": "#",
6         "google": "#",
7         "linkedin": "#",
8         "youtube": "#",
9         "instagram": "#",
10        "pinterest": "#",
11        "tumblr": "#",
12        "flickr": "#",
13        "whatsapp": "#"
14    }
15 }
```

6.

The screenshot shows the Thunder Client interface with a successful API call. The URL is `localhost/TA-GAB2-GAZETTE/Server/api/v1/website/settings`. The response status is `200 OK`, size is `0 Bytes`, and time is `324 ms`. The response body is a JSON object containing general website settings, including sections, banners, and languages:

```
1 {
2     "msg": "General Website Settings",
3     "details": {
4         "new_comments_status": 0,
5         "allow_register_status": 0,
6         "register_permission_group": 3,
7         "contact_text_page_id": 2,
8         "header_menu_id": 1,
9         "footer_menu_id": 2,
10        "latest_news_section_id": 3,
11        "newsletter_contacts_group": 1,
12        "home_content1_section_id": 7,
13        "home_content2_section_id": 4,
14        "home_content3_section_id": 9,
15        "home_banners_section_id": 3,
16        "home_text_banners_section_id": 2,
17        "side_banners_section_id": 3,
18        "languages": [
19            {
20                "id": 1,
21                "title": "English",
22                "code": "en",
23                "direction": "ltr",
24                "left": "left",
25                "right": "right",
26                "icon": "us",
27                "box_status": 1,
28                "status": 1,
29                "created_by": 1,
30                "updated_by": null,
31                "created_at": "2023-01-27T04:12:20.00000Z",
32                "updated_at": "2023-01-27T04:12:20.00000Z"
33            },
34            {
35                "id": 2,
36                "title": "العربية",
37                "code": "ar",
38                "direction": "rtl",
39                "left": "right",
40                "right": "left",
41                "icon": "sa",
42                "box_status": 1
43            }
44        ]
45    }
46 }
```

7.

The screenshot shows the Thunder Client interface. On the left, there's a sidebar with icons for file operations, search, filters, and activity logs. The activity log lists numerous recent requests to 'localhost/TA-GAZETTE/Server/api/v1/menu/MENU\_ID'. In the main area, a 'New Request' dialog is open with the URL 'localhost/TA-GAZETTE/Server/api/v1/menu/MENU\_ID'. The 'Query' tab is selected. The response status is '404 Not Found', 'Size: 0 Bytes', and 'Time: 438 ms'. The response body is a JSON object with a single key 'msg': "There is no data".

```
1 {
2   "msg": "There is no data"
3 }
```

8.

This screenshot is nearly identical to the previous one, showing the Thunder Client interface. The activity log on the left shows many requests to 'localhost/TA-GAZETTE/Server/api/v1/banners/GROUP\_ID'. The 'New Request' dialog in the center has the URL 'localhost/TA-GAZETTE/Server/api/v1/banners/GROUP\_ID'. The 'Query' tab is selected. The response status is '404 Not Found', 'Size: 0 Bytes', and 'Time: 324 ms'. The response body is a JSON object with a single key 'msg': "There is no data".

```
1 {
2   "msg": "There is no data"
3 }
```

9.

The screenshot shows the Thunder Client interface. In the top navigation bar, there is a dropdown menu set to 'GET' and the URL 'localhost/TA-GAZETTE/Server/api/v1/section/SECTION\_ID'. Below the URL, there are tabs for 'Query', 'Headers 2', 'Auth', 'Body', 'Tests', 'Pre Run', and 'New'. The 'Response' tab is selected, displaying the status 'Status: 404 Not Found' and 'Size: 0 Bytes' with a time of '306 ms'. The response body contains the JSON object: { "msg": "There is no data" }. On the left side, there is a sidebar titled 'Activity' which lists numerous recent API requests, all of which have failed with a 404 error.

10.

This screenshot is identical to the previous one, showing the Thunder Client interface with a 404 Not Found response for the URL 'localhost/TA-GAZETTE/Server/api/v1/categories/SECTION\_ID'. The 'Response' tab shows the same JSON object: { "msg": "There is no data" }. The 'Activity' sidebar on the left also shows a long list of failed 404 requests.

11.

The screenshot shows the VS Code interface with the Explorer sidebar open. A 'New Request' tab is active in the center, displaying a GET request to 'localhost/TA-GAB2-GAZETTE/Server/api/v1/category/CAT\_ID/page/PAGE'. The response status is 404 Not Found, with a message: "Status: 404 Not Found Size: 0 Bytes Time: 313 ms". The response body contains the JSON object: { "msg": "There is no data" }.

12.

The screenshot shows the VS Code interface with the Explorer sidebar open. A 'New Request' tab is active in the center, displaying a GET request to 'localhost/TA-GAB2-GAZETTE/Server/api/v1/topics/SECTION\_ID/page/PAGE'. The response status is 404 Not Found, with a message: "Status: 404 Not Found Size: 0 Bytes Time: 340 ms". The response body contains the JSON object: { "msg": "There is no data" }.

13.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections for OPEN EDITORS, NO FOLDER OPENED, and various repository and project creation options. The main area is titled 'New Request' with a GET request to 'https://localhost/TA-GAB2-GAZETTE/Server/api/v1/category/CAT\_ID/page'. The status bar indicates a 404 Not Found error with 0 Bytes and 360 ms. The Response tab shows the JSON output: { "msg": "There is no data" }.

14.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections for OPEN EDITORS, NO FOLDER OPENED, and various repository and project creation options. The main area is titled 'New Request' with a GET request to 'https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/fields/TOPIC\_ID'. The status bar indicates a 404 Not Found error with 0 Bytes and 359 ms. The Response tab shows the JSON output: { "msg": "There is no data" }.

15.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections like OPEN EDITORS, NO FOLDER OPENED, and various repository and project-related icons. The main area is titled 'New Request' with a GET request to 'https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/TOPIC\_ID'. The status bar at the bottom indicates 'Status: 404 Not Found Size: 0 Bytes Time: 342 ms'. The Response tab shows the JSON output: { "msg": "There is no data" }.

16.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections like OPEN EDITORS, NO FOLDER OPENED, and various repository and project-related icons. The main area is titled 'New Request' with a GET request to 'https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/photos/TOPIC\_ID'. The status bar at the bottom indicates 'Status: 404 Not Found Size: 0 Bytes Time: 1.12 s'. The Response tab shows the JSON output: { "msg": "There is no data" }.

17.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with various icons and sections like Outline, Timeline, SonarLint Issue Location, and Maven. The main area is titled 'New Request' with a 'GET' method selected. The URL is `https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/photo/PHOTO_ID`. Below the URL are tabs for Query, Headers, Auth, Body, Tests, Pre Run, and New. A 'Send' button is at the top right. The status bar at the bottom shows 'Status: 404 Not Found', 'Size: 0 Bytes', and 'Time: 333 ms'. The Response tab is active, displaying a JSON response:

```
1 {  
2   "msg": "There is no data"  
3 }
```

18.

This screenshot is identical to the one above, showing the same VS Code interface and a 404 Not Found error for the URL `https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/maps/TOPIC_ID`. The response body is identical:

```
1 {  
2   "msg": "There is no data"  
3 }
```

19.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections for OPEN EDITORS, NO FOLDER OPENED, and various repository and project creation options. The main area is titled "New Request" with a GET request to "https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/map/MAP\_ID". The status bar indicates a 404 Not Found error with 0 Bytes and 320 ms. The Response tab shows the JSON output: {"msg": "There is no data"}

20.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections for OPEN EDITORS, NO FOLDER OPENED, and various repository and project creation options. The main area is titled "New Request" with a GET request to "https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/files/TOPIC\_ID". The status bar indicates a 404 Not Found error with 0 Bytes and 328 ms. The Response tab shows the JSON output: {"msg": "There is no data"}

21.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections for OPEN EDITORS, NO FOLDER OPENED, and various repository and project management icons. The main area displays a 'New Request' tab for a GET request to 'https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/file/FILE\_ID'. The status bar indicates 'Status: 404 Not Found Size: 0 Bytes Time: 329 ms'. The Response tab shows the JSON output: { "msg": "There is no data" }. The bottom status bar includes icons for Go Live, Refresh, and a search bar.

22.

The screenshot shows the Visual Studio Code interface. The Explorer sidebar is identical to the previous one. The main area displays a 'New Request' tab for a GET request to 'https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/comments/TOPIC\_ID'. The status bar indicates 'Status: 404 Not Found Size: 0 Bytes Time: 335 ms'. The Response tab shows the JSON output: { "msg": "There is no data" }. The bottom status bar includes icons for Go Live, Refresh, and a search bar.

23.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections for OPEN EDITORS, NO FOLDER OPENED, and various repository and project-related icons. The main area is titled "New Request" with a GET request to "https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/comment/COM". The status bar at the bottom indicates "Status: 404 Not Found Size: 0 Bytes Time: 324 ms". The Response tab shows the JSON output: { "msg": "There is no data" }.

24.

The screenshot shows the Visual Studio Code interface. On the left is the Explorer sidebar with sections for OPEN EDITORS, NO FOLDER OPENED, and various repository and project-related icons. The main area is titled "New Request" with a GET request to "https://localhost/TA-GAB2-GAZETTE/Server/api/v1/topic/related/TOPIC\_I". The status bar at the bottom indicates "Status: 404 Not Found Size: 0 Bytes Time: 326 ms". The Response tab shows the JSON output: { "msg": "There is no data" }.

25.

EXPLORER

OPEN EDITORS

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use git and source control in VS Code [read our docs](#).

You can also open a Java project folder, or create a new Java project by clicking the button below.

Create Java Project

OUTLINE

TIMELINE

SONARLINT ISSUE LOCAL...

MAVEN

0 0 0

Status: 404 Not Found Size: 0 Bytes Time: 327 ms

Response Headers Cookies Results Docs

```
1 {
2   "msg": "There is no data"
3 }
```

26.

EXPLORER

OPEN EDITORS

NO FOLDER OPENED

You have not yet opened a folder.

Open Folder

Opening a folder will close all currently open editors. To keep them open, add a folder instead.

You can clone a repository locally.

Clone Repository

To learn more about how to use git and source control in VS Code [read our docs](#).

You can also open a Java project folder, or create a new Java project by clicking the button below.

Create Java Project

OUTLINE

TIMELINE

SONARLINT ISSUE LOCAL...

MAVEN

0 0 0

Status: 200 OK Size: 25.46 KB Time: 322 ms

Response Headers Cookies Results Docs

```
1 <!DOCTYPE html>
2 <html lang="en" dir="ltr">
3   <head>
4     <meta charset="utf-8">
5     <title> TPA Miftahul Jannah</title>
6     <meta name="description" content="Website description and some little information about it"/>
7     <meta name="keywords" content="key, words, website, web"/>
8     <meta name="author" content="https://localhost/TA-GAB2-GAZETTE /Server"/>
9     <meta name="viewport" content="width=device-width, initial-scale=1.0">
10    </head>
11    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/bootstrap.min.css" rel="stylesheet"/>
12    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/fancybox.jquery.fancybox.css" rel="stylesheet"/>
13    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/jcarousel.css" rel="stylesheet"/>
14    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.css" rel="stylesheet"/>
15    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.css" rel="stylesheet"/>
16    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.css" rel="stylesheet"/>
17    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.css" rel="stylesheet"/>
18    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.css" rel="stylesheet"/>
19    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
20    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
21    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
22    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
23    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
24    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
25    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
26    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
27    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
28    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
29    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
30    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
31    <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.colors.css" rel="stylesheet"/>
```

27.

28.

The screenshot shows the VS Code interface with the 'New Request' dialog open. The request method is 'GET' and the URL is 'https://localhost/TA-GAB2-GAZETTE/Server/api/v1/subscribe'. The response status is '200 OK', size is '25.46 KB', and time is '454 ms'. The response body is a large block of HTML code, which includes meta tags for title, description, keywords, and author, as well as links to various CSS files for Bootstrap, FancyBox, and a custom style.css file.

```

1  <!DOCTYPE html>
2  <html lang="en" dir="ltr">
3  <head>
4      <meta charset="utf-8">
5      <title> TPA Miftahul Jannah</title>
6      <meta name="description" content="Website description and some little information about it"/>
7      <meta name="keywords" content="key, words, website, web"/>
8      <meta name="author" content="https://localhost/TA-GAB2-GAZETTE/Server"/>
9      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
10     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/bootstrap.min.css" rel="stylesheet"/>
11     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/fancybox/jquery.fancybox.css" rel="stylesheet"/>
12     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/jcarousel.css" rel="stylesheet"/>
13     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/style.css" rel="stylesheet"/>
14     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.css" rel="stylesheet"/>
15     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/colors.css" rel="stylesheet"/>

```

28.

The screenshot shows the VS Code interface with the 'New Request' dialog open. The request method is 'GET' and the URL is 'https://localhost/TA-GAB2-GAZETTE/Server/api/v1/order'. The response status is '200 OK', size is '25.46 KB', and time is '316 ms'. The response body is a large block of HTML code, identical to the one in the previous screenshot, indicating a successful response from the server.

```

1  <!DOCTYPE html>
2  <html lang="en" dir="ltr">
3  <head>
4      <meta charset="utf-8">
5      <title> TPA Miftahul Jannah</title>
6      <meta name="description" content="Website description and some little information about it"/>
7      <meta name="keywords" content="key, words, website, web"/>
8      <meta name="author" content="https://localhost/TA-GAB2-GAZETTE/Server"/>
9      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
10     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/bootstrap.min.css" rel="stylesheet"/>
11     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/fancybox/jquery.fancybox.css" rel="stylesheet"/>
12     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/jcarousel.css" rel="stylesheet"/>
13     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/style.css" rel="stylesheet"/>
14     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.css" rel="stylesheet"/>
15     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/colors.css" rel="stylesheet"/>

```

29.

30.

The screenshot shows the VS Code interface with the 'New Request' extension open. A GET request is being made to `https://localhost/TA-GAB2-GAZETTE/Server/api/v1/contact`. The response is successful (200 OK) with a size of 25.46 KB and a duration of 323 ms. The response body contains the full HTML code for a website, including meta tags, links to CSS files like `bootstrap.min.css`, and other resources.

```

1  <!DOCTYPE html>
2  <html lang="en" dir="ltr">
3  <head>
4      <meta charset="utf-8">
5      <title> TPA Miftahul Jannah</title>
6      <meta name="description" content="Website description and some little information about it"/>
7      <meta name="keywords" content="key, words, website, web"/>
8      <meta name="author" content="https://localhost/TA-GAB2-GAZETTE/Server"/>
9      <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
10     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/bootstrap.min.css" rel="stylesheet"/>
11     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/fancybox/jquery.fancybox.css" rel="stylesheet"/>
12     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/jcarousel.css" rel="stylesheet"/>
13     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/flexslider.css" rel="stylesheet"/>
14     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/style.css" rel="stylesheet"/>
15     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/color.css" rel="stylesheet"/>
16     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/colors.css" rel="stylesheet"/>
17     <link href="https://localhost/TA-GAB2-GAZETTE/Server/assets/frontend/css/ctvlecheat.css" rel="stylesheet"/>
18
19
20
21
22
23
24
25
26
27
28
29
30
31

```

30.

The screenshot shows the VS Code interface with the 'New Request' extension open. A GET request is being made to `localhost/TA-GAB2-GAZETTE/api/v1/topic/TOPIC_ID`. The response is a 404 Not Found error with a size of 1 KB and a duration of 7 ms. The response body is an XML error page with a title 'Object not found!', a message 'The requested URL was not found on this server.', and a note for users to check their spelling if they entered the URL manually.

```

1  <?xml version="1.0" encoding="UTF-8"?>
2  <!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN"
3      "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd">
4  <html xmlns="http://www.w3.org/1999/xhtml" lang="en" xml:lang="en">
5      <head>
6          <title>Object not found!</title>
7          <link rev="made" href="mailto:you@example.com" />
8          <style type="text/css"><!--><![CDATA[/*><!-->
9              body { color: #000000; background-color: #FFFFFF; }
10             a:link { color: #0000CC; }
11             p, address { margin-left: 3em; }
12             span { font-size: smaller; }
13             /*]]><!--></style>
14         </head>
15
16         <body>
17             <h1>Object not found!</h1>
18             <p>
19
20                 The requested URL was not found on this server.
21
22
23
24
25
26
27
28
29
30             </p>
31             <p>
32                 If you think this is a server error, please contact
33                 the <a href="mailto:you@example.com">webmaster</a>.
34
35             </p>
36
37             <h2>Error 404</h2>
38             <address>
39                 <a href="/">localhost</a><br />
40                 <span>Apache/2.4.51 (Ubuntu) OpenSSL/1.1.1k PHP/7.4.25 mod_perl/2.0.13</span>

```