

ContractorApplication
sellerType: SellerType
businessName: String
businessAddress: String
yardLocation: GeoPoint
yearsInBusiness: Integer
shopPhotoKey: String [0..1]
link: String [0..1]
status: ApplicationStatus
rejectionReason: String [0..1]
verificationNote: String
approve(note)
reject(reason, note)
0..1
submits
1
User
name: String
email: String
phone: String
passwordHash: String
isAdmin: Boolean
activeProfile: Profile
isSuspended: Boolean
noShowCount: Integer
switchProfile()
suspend()
unsuspend()
1
0..*
Notification
type: String
text: String
createdAt: DateTime
readAt: DateTime [0..1]
1 seller
sells
0..*
1
0..*
saves
SavedSearch
centre: GeoPoint
radiusKm: Integer
maxPrice: Money [0..1]
materials: Material [0..4]
Zone
name: String
centre: GeoPoint
radiusKm: Integer
isActive: Boolean
1
located in
*
Lot
quantity: Decimal
description: String
totalPrice: Money
ageBand: AgeBand
pickupLocation: GeoPoint
status: LotStatus
version: Integer
publishedAt: DateTime [0..1]
changesRequestedAt: DateTime [0..1]
removedAt: DateTime [0..1]
finalSalePrice: Money [0..1]
submit()
edit()
relist()
remove()
markSold(finalPrice)
1
0..*
about
ChatThread
buyer: User
createdAt: DateTime
1
1..*
Message
sender: User
text: String
sentAt: DateTime
readAt: DateTime [0..1]
Category
material: Material
unit: Unit
isActive: Boolean
1
of
*
1
3..5
LotPhoto
storageKey: String
order: Integer
sizeBytes: Integer
uploadedAt: DateTime
1
{at most one Active}
0..*
Reservation
buyer: User
status: ReservationStatus
createdAt: DateTime
pickupDeadline: DateTime
endedAt: DateTime [0..1]
complete(finalPrice)
markNoShow()
cancel()
{buyer holds at most 3 Active}
Report
reporter: User
reportedLot: Lot [0..1]
reportedMessage: Message [0..1]
reason: ReportReason
explanation: String
status: ReportStatus
resolutionNote: String [0..1]
Rating
rater: User
rated: User
stars: Integer {1..5}
comment: String [0..1]
visibleAt: DateTime
0..2
rated by
1