

# ASSIGNMENT # 2 FOR PIAIC IOT BATCH

## (3.30-6.30)

**1. Explain the error in the following code:**

```
fn main(){  
  
    let x = String::from("PIAIC IoT");  
    let y = x;  
  
    println!("{}",x);  
}
```

**Note: Just explain the error in your words in Google Form field :)**

**2. Complete the following code:**

```
fn main(){  
    let s = String::from("PAKISTAN");  
  
    println!("{}",s);  
  
}
```

Make a function that takes **s** variable as parameter/argument but doesn't take ownership of s variable and concatenates "**ZINDABAD**" in variable s to makes it "**PAKISTAN ZINDABAD**". Print variable s after change.

3. Take 3 numbers as input from user and print the average of it.

**Average Formula: (number1 + number2 + number3) / 3**

4. Take a string input from user and store it in a variable then pass that variable in a function which returns you the length of the string. **Print the length.**
5. Take number of lines as input from user and print the following pattern.

**For example if user inputs 5 then pattern will be like this:**

```
*  
**  
***  
****  
*****
```

6. Make a custom data type named **Student** using struct with following fields:

- **Name**
- **Email**
- **Phone Number**
- **Gender**

**Assign all four fields the appropriate data type in struct definition.**

Create 2 instances named **student1** and **student2** of Student struct and **print email of student1** and **print all fields of student2**.

7. Change the value of width field in **rect1** instance from 50 to 150 and print width of rect1 after change.

**Note: You are allowed to make changes and addition in following code wherever needed.**

```
struct Rectangle {
```

```
    width: u32,  
    height: u32
```

```
}
```

```
fn main(){
```

```
    let rect1 = Rectangle{
```

```
        width: 50,
```

```
        height: 100
```

```
    };
```

```
}
```

8. Define a function that takes Rectangle struct as parameter (**Rectangle struct is defined above in Question 7**). Return the **sum of width and height** from that function and print it.

**Hint: Read Book Chapter 5 :)**

<https://doc.rust-lang.org/nightly/book/>

9. Create a custom datatype using struct named **Triangle** with following fields:

- **length1**
- **length2**
- **length3**

Where length1, length2 and length3 are the lengths of the three sides of a triangle.

**Define a method with Triangle struct that returns the sum of all three sides.**

**Define another method with Triangle struct that returns the largest size (side with the greatest value).**

Now, Create an instance of Triangle struct with these lengths (length1 = 25, length2 = 80, length3 = 60) and print the sum of all three sides and greatest side using defined methods.

**10. Create a custom data type using `struct` named `Person` with following fields:**

- **Name**
- **Age**
- **Country**

**Step1**: Take **input** of Name, Age and Country from User.

**Step2**: Create an instance of Person struct with the user input of (Name, Age and Country).

**Step3**: Create an array and store each field (name, age and country) of instance on each index and then print that array.

**GOOD LUCK!! :)**