SonarQube Setup and JavaScript Project Analysis

This document provides a comprehensive guide to setting up SonarQube and analyzing a JavaScript project using SonarQube and SonarScanner on Ubuntu servers.

The process includes the setup of both the SonarQube server and the project server.

1. SonarQube Server Setup

ı	Performed	on	an	Libranta	machino.
ı	Penomea	OH	an	Obuniu	macnine:

- 1. Create a new user and download SonarQube:
 - `sudo adduser sonar`
 - `sudo wget https://binaries.sonarsource.com/Distribution/sonarqube/sonarqube-10.4.1.88267.zip`
 - `sudo unzip sonarqube-10.4.1.88267.zip`
 - `sudo mv sonarqube-10.4.1.88267 sonarqube`
- 2. Change ownership and install Java:
 - `sudo chown -R ubuntu:ubuntu sonarqube`
 - `sudo apt install openjdk-17-jre-headless -y`
- 3. Start SonarQube:
 - Navigate to `sonarqube/bin/linux-x86-64/`
 - `./sonar.sh start`
 - Check status using `./sonar.sh status`

SonarQube is now accessible via http://54.161.45.153:9000.

2. JavaScript Project Setup and Sonar Analysis

Performed on a separate Ubuntu project server:
1. Environment setup:
- Install Node.js and npm if not already installed.
- Clone project: `git clone https://github.com/daniyel7devops/angularjs-project-example.git`
2. Install project dependencies and build:
- Navigate to the project directory: `cd angularjs-project-example`
- Run `npm install` and `npm run build`
- If required, add: `export NODE_OPTIONS=openssl-legacy-provider`
3. Install SonarScanner: - `wget
https://binaries.sonarsource.com/Distribution/sonar-scanner-cli/sonar-scanner-cli-5.0.1.3006-linux.zi
https://binaries.sonarsource.com/Distribution/sonar-scanner-cli/sonar-scanner-cli-5.0.1.3006-linux.zi
p`
p` - `unzip` and move to `/opt/sonar-scanner`
p` - `unzip` and move to `/opt/sonar-scanner`
p` - `unzip` and move to `/opt/sonar-scanner` - Add to PATH: `export PATH=\$PATH:/opt/sonar-scanner/bin`
p` - `unzip` and move to `/opt/sonar-scanner` - Add to PATH: `export PATH=\$PATH:/opt/sonar-scanner/bin` 4. Run SonarQube analysis:
- `unzip` and move to `/opt/sonar-scanner` - Add to PATH: `export PATH=\$PATH:/opt/sonar-scanner/bin` 4. Run SonarQube analysis: ```bash
- `unzip` and move to `/opt/sonar-scanner` - Add to PATH: `export PATH=\$PATH:/opt/sonar-scanner/bin` 4. Run SonarQube analysis: ```bash sonar-scanner \

-Dsonar.login=sqa_4c4e8aefbf6b6fd4ba320b6d3bc4fbb1409ae8c8

...

This command initiates the scan and uploads the results to the SonarQube server.

3. Analysis Result Output (SonarQube Dashboard)

Below is the screenshot of the SonarQube dashboard after a successful analysis of the JavaScript project. The project named 'my-js-app' passed all quality gates with metrics indicating no security issues, good reliability, and maintainability.

