Graph Structures & Matrices

Algebraic Graph Theory

Acknowledgements: Mehran Mesbahi
Mathias Colbert Russelson,
Sarah Li
Shahriar Talebi

Spring 2022 - Dan Calderone

Graphs

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Graphs

Graph:

$\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\qquad e = (v, v')$



Directed or Undirected Edges

$$e = (v, v')$$

edge e is “incident” to v and v’

Neighborhoods: set of “adjacent” nodes

$$\mathcal{N}_v = \left\{ v' \in \mathcal{V} \;\middle|\; e = (v, v') \in \mathcal{E} \right\}$$

(degree of vertex) $d_v = |\mathcal{N}_v|$

Incidence Matrix



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ;\ \text{if } e \text{ out of } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$D = \begin{array}{c} \text{edges} \\ \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \end{array} \ \text{vertices}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

← edges →

$$D = \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix}$$

↑ vertices ↓

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\begin{array}{cc} \xleftarrow{\qquad\qquad} \text{edges} \xrightarrow{\qquad\qquad} & \\ D = \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} & \updownarrow \text{ vertices} \end{array}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\qquad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

edges

$$D = \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix}$$

vertices

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\begin{array}{c} \longleftarrow \text{edges} \longrightarrow \\ D = \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \end{array} \begin{array}{c} \uparrow \\ \text{vertices} \\ \downarrow \end{array}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\left[\, D \,\right]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\left[\, D_{\text{out}} \,\right]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\left[\, D_{\text{in}} \,\right]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$D = \begin{array}{c} \longleftarrow \text{edges} \longrightarrow \\ \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \end{array} \updownarrow \text{vertices}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\qquad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$D_{\text{out}} = \begin{bmatrix} \boxed{1 & 0 & 0 & 0 & 0 & 0 & 0 & 0} \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

edges

$$D = \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix}$$

vertices

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

edges

$$D = \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix}$$

vertices

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ;\ \text{if } e \text{ out of } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\begin{array}{cc} & \longleftarrow \text{edges} \longrightarrow & \\ D = & \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} & \updownarrow \text{vertices} \end{array}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

edges

$$D = \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix}$$

vertices

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Incidence Matrix - Left Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\begin{bmatrix} D \end{bmatrix}_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\begin{bmatrix} D_{\text{out}} \end{bmatrix}_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\begin{bmatrix} D_{\text{in}} \end{bmatrix}_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\begin{bmatrix} 1 & 1 & 1 & 1 & 1 \end{bmatrix} \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} = \mathbf{0}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

Left Nullspace

$$\mathbf{1}^T D = \mathbf{0}$$

Incidence Matrix - Left Nullspace

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ out of } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 1 & 1 & 1 & 1 \end{bmatrix} \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & 0 & -1 & 1 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & -1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & -1 \end{bmatrix} = \mathbf{0}$$

Left Nullspace

$$\mathbf{1}^T D = \mathbf{0}$$

Incidence Matrix - Left Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\Big[\, D_{\text{out}} \,\Big]_{ve} = \begin{cases} 1 & ;\ \text{if } e \text{ out of } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\Big[\, D_{\text{in}} \,\Big]_{ve} = \begin{cases} 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$D_{\text{out}} = \begin{bmatrix} 1 & 0 & 0 & 0 & 0 & 0 & 0 & 0 \\ 0 & 1 & 1 & 0 & 1 & 0 & 0 & 0 \\ 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 \\ 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 \\ 0 & 0 & 0 & 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$$D_{\text{in}} = \begin{bmatrix} 0 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1 & 0 & 0 & 0 & 0 & 0 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & 0 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 1 & 1 & 0 & 0 \\ 0 & 0 & 0 & 1 & 1 \end{bmatrix} \begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & 0 & -1 & 1 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & -1 & 0 & 0 & 1 \\ 0 & 0 & 0 & 0 & 1 & 0 & 0 & -1 \end{bmatrix} = \mathbf{0}$$

Left Nullspace (General)

$$\begin{bmatrix} \mathbf{1}^T & 0 & \cdots & 0 \\ 0 & \mathbf{1}^T & \cdots & 0 \\ \vdots & \vdots & \ddots & \vdots \\ 0 & 0 & \cdots & \mathbf{1}^T \end{bmatrix} \Big[\, D \,\Big] = \mathbf{0}$$

dim left nullspace = num connected components

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \begin{bmatrix} D \end{bmatrix}_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$$

edge mass flows $\longrightarrow$

ea. equation:

Conservation of flow at ea. node

Cycle indicator (basis) matrix:

$$\begin{bmatrix} C \end{bmatrix}_{ec} = \begin{cases} 1 & ;\ \text{if } e \text{ flows with cycle } c \\ -1 & ;\ \text{if } e \text{ flows against cycle } c \\ 0 & ;\ e \text{ not in cycle } c \end{cases}$$

Right Nullspace

$$DC = 0$$

Cycle space $\mathcal{C}$

$$\dim\, \mathcal{C} = |\mathcal{E}| - |\mathcal{V}| + 1$$

Ex: $8 - 5 + 1 = 4$

$$C = \begin{bmatrix} 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 \\ 0 & 0 & 0 & -1 \\ 0 & 1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}$$

$\longleftarrow$ Sign indicates if cycle goes with or against edge direction

Columns = basis for $\mathcal{C}$

Incidence Matrix - Right Nullspace

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \left[\, D \,\right]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$$

edge mass flows $\longrightarrow$

ea. equation:

Conservation of flow at ea. node

Cycle indicator (basis) matrix:

$$\left[\, C \,\right]_{ec} = \begin{cases} 1 & ;\ \text{if } e \text{ flows with cycle } c \\ -1 & ;\ \text{if } e \text{ flows against cycle } c \\ 0 & ;\ e \text{ not in cycle } c \end{cases}$$

Right Nullspace $\quad DC = 0$

Cycle space $\mathcal{C}$ $\quad \dim\, \mathcal{C} = |\mathcal{E}| - |\mathcal{V}| + 1$

Ex: $8 - 5 + 1 = 4$

$$C = \begin{bmatrix} 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 \\ 0 & 0 & 0 & -1 \\ 0 & 1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}$$

$\longleftarrow$ Sign indicates if cycle goes with or against edge direction

Columns = basis for $\mathcal{C}$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$$

edge mass flows $\longrightarrow$

ea. equation:

Conservation of flow at ea. node

Cycle indicator (basis) matrix:

$$\Big[\, C \,\Big]_{ec} = \begin{cases} 1 & ;\ \text{if } e \text{ flows with cycle } c \\ -1 & ;\ \text{if } e \text{ flows against cycle } c \\ 0 & ;\ e \text{ not in cycle } c \end{cases}$$

$$C = \begin{bmatrix} 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 \\ 0 & 0 & 0 & -1 \\ 0 & 1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}$$

$\longleftarrow$ Sign indicates if cycle goes with or against edge direction

Columns = basis for $\mathcal{C}$

Right Nullspace

$$DC = 0$$

Cycle space $\mathcal{C}$

$$\dim \mathcal{C} = |\mathcal{E}| - |\mathcal{V}| + 1$$

Ex: $8 - 5 + 1 = 4$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$$

edge mass flows $\longrightarrow$

ea. equation:

Conservation of flow at ea. node

Cycle indicator (basis) matrix:

$$\Big[\, C \,\Big]_{ec} = \begin{cases} 1 & ; \text{ if } e \text{ flows with cycle } c \\ -1 & ; \text{ if } e \text{ flows against cycle } c \\ 0 & ; e \text{ not in cycle } c \end{cases}$$

$$C = \begin{bmatrix} 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 \\ 0 & 0 & 0 & -1 \\ 0 & 1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}$$

$\longleftarrow$ Sign indicates if cycle goes with or against edge direction

Columns $=$ basis for $\mathcal{C}$

Right Nullspace

$$DC = 0$$

Cycle space $\mathcal{C}$

$$\dim \mathcal{C} = |\mathcal{E}| - |\mathcal{V}| + 1$$

Ex: $8 - 5 + 1 = 4$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \big[\, D \,\big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \\ 0 \\ 0 \\ 0 \end{bmatrix}$$

edge mass flows $\longrightarrow$

ea. equation:

Conservation of flow at ea. node

Cycle indicator (basis) matrix:

$$\big[\, C \,\big]_{ec} = \begin{cases} 1 & ; \text{ if } e \text{ flows with cycle } c \\ -1 & ; \text{ if } e \text{ flows against cycle } c \\ 0 & ; \ e \text{ not in cycle } c \end{cases}$$

$$C = \begin{bmatrix} 1 & 1 & 0 & 0 \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 \\ 0 & 0 & 0 & -1 \\ 0 & 1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}$$

$\longleftarrow$ Sign indicates if cycle goes with or against edge direction

Columns = basis for $\mathcal{C}$

Subspace Constraint $\quad Dx = 0 \;\Rightarrow\; x = Cz$

Cycle space $\mathcal{C}$ $\quad \dim \mathcal{C} = |\mathcal{E}| - |\mathcal{V}| + 1$

Ex: $8 - 5 + 1 = 4$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \begin{bmatrix} D \end{bmatrix}_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 1 & 0 & 0 & 0 & 1 & 0 & 0 \\ 1 & -1 & -1 & 1 & -1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & 0 & 1 & -1 & 0 & 1 \\ 0 & 0 & 0 & 0 & 0 & 0 & 1 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Cycle indicator (basis) matrix:

$$\begin{bmatrix} C \end{bmatrix}_{ec} = \begin{cases} 1 & ;\ \text{if } e \text{ flows with cycle } c \\ -1 & ;\ \text{if } e \text{ flows against cycle } c \\ 0 & ;\ e \text{ not in cycle } c \end{cases}$$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution $\quad$ Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^\dagger S$$

$$C = \begin{bmatrix} 1 & 1 & 0 & \boxed{0} \\ 1 & 0 & 0 & 0 \\ 0 & 0 & 1 & -1 \\ 0 & 0 & 0 & -1 \\ 0 & 1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 \\ 0 & 0 & 1 & 0 \end{bmatrix}$$

$\longleftarrow$ Sign indicates if cycle goes with or against edge direction

Columns = basis for $\mathcal{C}$

Incidence Matrix - Right Nullspace

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \big[D \big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$



$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$|\mathcal{V}| \; \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$|\mathcal{V}| - 1$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution ($\bar{x}$) — Cyclic Flow (Cz)

Min Norm Solution

$$\bar{x} = D^T (D D^T)^\dagger S$$

Incidence Matrix - Right Nullspace

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution

Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^\dagger S$$

Spanning Tree Construction:

$$D = \big[D' \;\; D''\big] = \big[D' \;\; D'M\big] = D'\big[I \;\; M\big]$$

$$\begin{array}{cc} |\mathcal{V}| & \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \\ & |\mathcal{V}| - 1 \end{array}$$

$$D'M = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \Big[D \Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint $\quad Dx = S \;\Rightarrow\; x = \bar{x} + Cz$

Specific Solution $\quad$ Cyclic Flow

Min Norm Solution $\quad \bar{x} = D^T (DD^T)^\dagger S$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$\begin{array}{cc} |\mathcal{V}| & \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \\ & |\mathcal{V}| - 1 \end{array}$$

$$D'M = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution

Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^\dagger S$$

Spanning Tree Construction:

$$D = \big[D' \;\; D''\big] = \big[D' \;\; D'M\big] = D'\big[I \;\; M\big]$$

$$\begin{array}{cc} |\mathcal{V}| & \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \\ & |\mathcal{V}| - 1 \end{array}$$

$$D'M = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \begin{bmatrix} D \end{bmatrix}_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution

Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^\dagger S$$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$|\mathcal{V}| \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

$|\mathcal{V}| - 1$

$$D'M = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ; \text{ if } e \text{ out of } v \\ 1 & ; \text{ if } e \text{ into } v \\ 0 & ; \text{ otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution $\quad$ Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^\dagger S$$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$D = \left[\begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \quad \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \right]$$

Incidence Matrix - Right Nullspace

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \Big[D \Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 & 0 & -1 & 0 & -1 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 0 & 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & -1 \end{bmatrix}$$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution $\quad$ Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^{\dagger} S$$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$\begin{bmatrix} D \end{bmatrix}_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint

$$Dx = S \ \Rightarrow \ x = \bar{x} + Cz$$

Specific Solution

Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^\dagger S$$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 & 0 & -1 & 0 & -1 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 0 & 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & -1 \end{bmatrix}$$

$$C = \begin{bmatrix} M \\ -I \end{bmatrix} = \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \\ -1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

$$DC = \begin{bmatrix} D' & D'' \end{bmatrix} \begin{bmatrix} M \\ -I \end{bmatrix} = D'M - D'' = 0$$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \begin{bmatrix} D \end{bmatrix}_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution $\quad$ Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^{\dagger} S$$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 & 0 & -1 & 0 & -1 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 0 & 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & -1 \end{bmatrix}$$

$$C = \begin{bmatrix} M \\ -I \end{bmatrix} = \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \\ -1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

$$DC = \begin{bmatrix} D' & D'' \end{bmatrix} \begin{bmatrix} M \\ -I \end{bmatrix} = D'M - D'' = 0$$

Incidence Matrix - Right Nullspace



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution   Cyclic Flow

Min Norm Solution

$$\bar{x} = D^T (DD^T)^\dagger S$$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 & 0 & -1 & 0 & -1 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 0 & 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & -1 \end{bmatrix}$$

$$C = \begin{bmatrix} M \\ -I \end{bmatrix} = \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \\ -1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

$$DC = \begin{bmatrix} D' & D'' \end{bmatrix} \begin{bmatrix} M \\ -I \end{bmatrix} = D'M - D'' = 0$$

Incidence Matrix - Right Nullspace

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\quad \Big[D \Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$

$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Affine Constraint

$$Dx = S \quad \Rightarrow \quad x = \bar{x} + Cz$$

Specific Solution ($\bar{x}$) — Cyclic Flow (Cz)

Min Norm Solution

$$\bar{x} = D^T (DD^T)^{\dagger} S$$

Spanning Tree Construction:

$$D = \begin{bmatrix} D' & D'' \end{bmatrix} = \begin{bmatrix} D' & D'M \end{bmatrix} = D' \begin{bmatrix} I & M \end{bmatrix}$$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 & 0 & -1 & 0 & -1 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 0 & 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & -1 \end{bmatrix}$$

$$C = \begin{bmatrix} M \\ -I \end{bmatrix} = \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \\ -1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

$$DC = \begin{bmatrix} D' & D'' \end{bmatrix} \begin{bmatrix} M \\ -I \end{bmatrix} = D'M - D'' = 0$$

Incidence Matrix - Right Nullspace

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\qquad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$ $\qquad \Big[\, D \,\Big]_{ve} = \begin{cases} -1 & ;\ \text{if } e \text{ out of } v \\ 1 & ;\ \text{if } e \text{ into } v \\ 0 & ;\ \text{otherwise} \end{cases}$



$$\begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_3 \\ x_4 \\ x_5 \\ x_6 \\ x_7 \\ x_8 \end{bmatrix} = \begin{bmatrix} S_1 \\ S_2 \\ S_3 \\ S_4 \\ S_5 \end{bmatrix}$$

flow source at ea. node

edge mass flows $\longrightarrow$

Spanning Tree Construction:

$$D = \left[D' \;\; D''\right] = \left[D' \;\; D'M\right] = D'\left[I \;\; M\right]$$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 \\ 1 & -1 & -1 & 0 \\ 0 & 1 & 0 & 0 \\ 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & -1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 & 0 & -1 & 0 & -1 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 0 & 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 0 & 0 & -1 \end{bmatrix}$$

Affine Constraint

$$Dx = S \;\Rightarrow\; x = \bar{x} + Cz$$

Specific Solution $\qquad$ Cyclic Flow

$$C = \begin{bmatrix} M \\ -I \end{bmatrix} = \begin{bmatrix} -1 & 0 & -1 & 0 \\ 0 & -1 & 0 & -1 \\ 0 & 0 & -1 & 1 \\ 0 & 0 & 0 & -1 \\ -1 & 0 & 0 & 0 \\ 0 & -1 & 0 & 0 \\ 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 \end{bmatrix}$$

Min Norm Solution

$$\bar{x} = D^T (DD^T)^{\dagger} S$$

$$DC = \left[D' \;\; D''\right] \begin{bmatrix} M \\ -I \end{bmatrix} = D'M - D'' = 0$$

Incidence Matrix - Column Geometry

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ ...mass flow on edges

Incidence Matrix - Column Geometry



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow $\quad S = Dx \quad$ **Edge flow vector**

$$S = \begin{bmatrix} -1 \\ 0 \\ 0 \\ 0 \\ 1 \end{bmatrix}$$

$$x = \boxed{\bar{x}} + Cz$$

Specific Solution

Cyclic Flow

Incidence Matrix - Column Geometry



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow $\quad S = Dx \quad$ **Edge flow vector**

$$S = \begin{bmatrix} -1 \\ 0.5 \\ 2 \\ 0.2 \\ 1 \end{bmatrix}$$

$$x = \boxed{\bar{x}} + Cz$$

Specific Solution

Cyclic Flow

Incidence Matrix - Column Geometry



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow $\quad S = Dx \quad$ **Edge flow vector**

$$S = \begin{bmatrix} -1 \\ 0.5 \\ 2 \\ 0.2 \\ 1 \end{bmatrix}$$

$$x = \boxed{\bar{x} + Cz}$$

Specific Solution $\quad$ Cyclic Flow

Incidence Matrix - Column Geometry



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ **...source-sink on nodes**

Non-conserved flow $\quad S = Dx \quad$ **Edge flow vector**

$$x = \bar{x} + Cz$$

Specific Solution ($\bar{x}$) Cyclic Flow (Cz)

Incidence Matrix - Column Geometry



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ ...mass flow on edges

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ ...source-sink on nodes
...value function on nodes

Non-conserved flow

$$S = Dx$$

Edge flow vector

$$x = \bar{x} + Cz$$

Specific Solution $\quad$ Cyclic Flow

Incidence Matrix - Column Geometry

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$



Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow $$S = Dx$$ **Edge flow vector**

$$x = \bar{x} + Cz$$

Specific Solution $\quad$ Cyclic Flow

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ **...source-sink on nodes**
...value function on nodes

$$w^T D = \tau^T$$

Value function $\quad$ **Edge tension**

Value Function

Cost-to-go
Potential value
“Height” - gravitational potential

Incidence Matrix - Column Geometry



Graph:

$\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow

$$S = Dx$$

Edge flow vector

$$x = \bar{x} + Cz$$

Specific Solution

Cyclic Flow

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$

...source-sink on nodes

...value function on nodes

$$w^T D = \tau^T$$

Value function

Edge tension

Value Function

Cost-to-go

Potential value

“Height” - gravitational potential

Incidence Matrix - Column Geometry



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ **...source-sink on nodes**
...value function on nodes

Non-conserved flow $\quad S = Dx \quad$ **Edge flow vector**

$$x = \bar{x} + Cz$$

Specific Solution $\quad$ Cyclic Flow

$$w^T D = \tau^T$$

Value function $\quad$ **Edge tension**

Value Function

Cost-to-go
Potential value
“Height” - gravitational potential

Incidence Matrix - Column Geometry



Graph:

$\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ ...mass flow on edges

Non-conserved flow

$$S = Dx$$

Edge flow vector

$$x = \bar{x} + Cz$$

Specific Solution

Cyclic Flow

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ ...source-sink on nodes

...value function on nodes

$$w^T D = \tau^T$$

Value function

Edge tension

$$\left[w^T D\right]_e = w_i - w_{i'} = \tau_e$$

Incidence Matrix - Column Geometry

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow $\quad S = Dx \quad$ **Edge flow vector**

$$x = \boxed{\bar{x} + Cz}$$

Specific Solution $\quad$ Cyclic Flow

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ **...source-sink on nodes**

...value function on nodes

$$w^T D = \tau^T$$

Value function $\quad$ **Edge tension**

$$(w^T + \mathbf{1}^T)D = \tau^T$$

Constant shift (doesn't change tension)

Incidence Matrix - Column Geometry



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow $$S = Dx$$ **Edge flow vector**

$$x = \boxed{\bar{x} + Cz}$$

Specific Solution — Cyclic Flow

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ **...source-sink on nodes**
...value function on nodes

$$w^T D = \tau^T$$

Value function — **Edge tension**

$$(w^T + \mathbf{1}^T)D = \tau^T$$

Constant shift (doesn't change tension)

Incidence Matrix - Column Geometry

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow $\quad S = Dx \quad$ **Edge flow vector**

$$x = \bar{x} + Cz$$

Specific Solution $\quad$ Cyclic Flow

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ **...source-sink on nodes**

...value function on nodes

$$w^T D = \tau^T$$

Value function $\quad$ **Edge tension**

$$(w^T + \mathbf{1}^T) D = \tau^T$$

Constant shift (doesn't change tension)

Incidence Matrix - Column Geometry



Graph:

$\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Domain & Co-Domain Interpretation

Domain: $x \in \mathbb{R}^{|\mathcal{E}|}$ **...mass flow on edges**

Non-conserved flow

$$S = Dx$$

Edge flow vector

$$x = \bar{x} + Cz$$

Specific Solution

Cyclic Flow

Co-domain: $w \in \mathbb{R}^{|\mathcal{V}|}$ **...source-sink on nodes**

...value function on nodes

$$w^T D = \tau^T$$

Value function

Edge tension

$$(w^T + \mathbf{1}^T)D = \tau^T$$

Constant shift (doesn't change tension)

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols...**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows...**

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols…** $$A^T A = \begin{bmatrix} A_1^T A_1 & \cdots & A_1^T A_n \\ \vdots & & \vdots \\ A_n^T A_1 & \cdots & A_n^T A_n \end{bmatrix}$$

Inner products of columns

“Relative geometry of columns”

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows…** $$A A^T = \begin{bmatrix} a_1^T a_1 & \cdots & a_1^T a_m \\ \vdots & & \vdots \\ a_m^T a_1 & \cdots & a_m^T a_m \end{bmatrix}$$

Inner products of rows

“Relative geometry of rows”

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols…** $$A^T A = \begin{bmatrix} A_1^T A_1 & \cdots & A_1^T A_n \\ \vdots & & \vdots \\ A_n^T A_1 & \cdots & A_n^T A_n \end{bmatrix}$$

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows…** $$AA^T = \begin{bmatrix} a_1^T a_1 & \cdots & a_1^T a_m \\ \vdots & & \vdots \\ a_m^T a_1 & \cdots & a_m^T a_m \end{bmatrix}$$

RA rotate columns of A…

….relative geometry stays the same.

$$(RA)^T (RA) = A^T R^T R A = A^T A$$

AR rotate rows of A…

….relative geometry stays the same.

$$(AR)(AR)^T = A R R^T A^T = A A^T$$

Graph Laplacians

Graph:

$\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

$A^T A$ “Shape” of the columns of A

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols...**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows...**

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

$A^T A$ ~~“Shape” of the columns of A~~

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols...**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows...**

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

$(A^T A)^{1/2}$ "Shape" of the columns of A

More Accurate

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols...**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows...**

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

$(A^T A)^{1/2}$ "Shape" of columns $\quad (AA^T)^{1/2}$ "Shape" of rows

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols...**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows...**

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

$(A^T A)^{1/2}$ “Shape” of columns $\quad (AA^T)^{1/2}$ “Shape” of rows

Analogy: $z \in \mathbb{C}$ $\quad |z| = \sqrt{z^* z}$ $\quad z = |z| e^{i\phi}$

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols…**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows…**

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

$(A^T A)^{1/2}$ "Shape" of columns $\qquad (AA^T)^{1/2}$ "Shape" of rows

General Matrix $A \in \mathbb{R}^{m \times n}$

Analogy: $z \in \mathbb{C} \qquad |z| = \sqrt{z^* z} \qquad z = |z| e^{i\phi}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols…**

Polar Decomposition

$$A = \underbrace{A(A^T A)^{-1/2}}_{\text{Rotation}} \cdot \underbrace{(A^T A)^{1/2}}_{\text{PSD "shape"}}$$

"Column version"

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows…**

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

$(A^T A)^{1/2}$ "Shape" of columns $\quad (AA^T)^{1/2}$ "Shape" of rows

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols…**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows…**

Analogy: $z \in \mathbb{C} \qquad |z| = \sqrt{z^* z} \qquad z = |z| e^{i\phi}$

Polar Decomposition

$$A = A(A^T A)^{-1/2} \cdot (A^T A)^{1/2}$$

Rotation $\quad$ PSD "shape"

"Column version"

$$A = (AA^T)^{1/2} \cdot (AA^T)^{-1/2} A$$

PSD "shape" $\quad$ Rotation

"Row version"

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Review: Shape Matrices

$(A^TA)^{1/2}$ "Shape" of columns $\quad (AA^T)^{1/2}$ "Shape" of rows

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols…**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows…**

Analogy: $z \in \mathbb{C} \quad |z| = \sqrt{z^* z} \quad z = |z| e^{i\phi}$

Polar Decomposition

$$A = A(A^TA)^{-1/2} \cdot (A^TA)^{1/2}$$

Rotation $\quad$ PSD "shape"

"Column version"

$$A = (AA^T)^{1/2} \cdot (AA^T)^{-1/2} A$$

PSD "shape" $\quad$ Rotation

"Row version"

Checking rotation…

$$(A^TA)^{-1/2} A^T A (A^TA)^{-1/2} = I$$

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\qquad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix} \quad \textbf{cols...}$$

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix} \quad \textbf{rows...}$$

Review: Shape Matrices

$(A^T A)^{1/2}$ "Shape" of columns $\qquad (AA^T)^{1/2}$ "Shape" of rows

EVD of Shapes

$$(A^T A)^{1/2} = V \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T \qquad (AA^T)^{1/2} = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Polar Decomposition

$$A = \underbrace{A(A^T A)^{-1/2}}_{\text{Rotation}} \cdot \underbrace{(A^T A)^{1/2}}_{\text{PSD “shape"}}$$

"Column version"

$$A = \underbrace{(AA^T)^{1/2}}_{\text{PSD “shape"}} \cdot \underbrace{(AA^T)^{-1/2} A}_{\text{Rotation}}$$

"Row version"

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols…**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows…**

Review: Shape Matrices

$(A^TA)^{1/2}$ "Shape" of columns $\quad (AA^T)^{1/2}$ "Shape" of rows

EVD of Shapes $\quad (A^TA)^{1/2} = V \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T \quad (AA^T)^{1/2} = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} U^T$

Polar Decomposition

$$A = UV^T \cdot V \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$$

"Column version"

Rotation $\quad$ PSD "shape"

$$A = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} U^T \cdot UV^T$$

"Row version"

PSD "shape" $\quad$ Rotation

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols...**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows...**

Review: Shape Matrices

$(A^T A)^{1/2}$ "Shape" of columns $\qquad (AA^T)^{1/2}$ "Shape" of rows

EVD of Shapes $\quad (A^T A)^{1/2} = V \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T \qquad (AA^T)^{1/2} = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} U^T$

Singular Value Decomposition

$$A = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Graph Laplacians



Graph:

$\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

General Matrix $A \in \mathbb{R}^{m \times n}$

$$A = \begin{bmatrix} | & & | \\ A_1 & \cdots & A_n \\ | & & | \end{bmatrix}$$ **cols…**

$$= \begin{bmatrix} - & a_1^T & - \\ & \vdots & \\ - & a_m^T & - \end{bmatrix}$$ **rows…**

Review: Shape Matrices

$(A^T A)^{1/2}$ "Shape" of columns $\quad (AA^T)^{1/2}$ "Shape" of rows

EVD of Shapes

$$(A^T A)^{1/2} = V \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T \qquad (AA^T)^{1/2} = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Singular Value Decomposition

$$A = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$$

$$U' = AV'\Sigma^{-1} \qquad V'^T = \Sigma^{-1} U'^T A$$

for singular vectors w/ non-zero values

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Incidence SVD $\quad D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row “shape” matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col “shape” matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Laplacian $L = DD^T$

Incidence SVD $D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row "shape" matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col "shape" matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Incidence SVD $\quad D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row "shape" matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col "shape" matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Laplacian $\quad L = DD^T$

Action:

$$Lu = \underbrace{\left[\; D \;\right] \underbrace{\left[\; D^T \;\right] \begin{bmatrix} | \\ u \\ | \end{bmatrix}}_{\text{...tension created in edges}}}_{\text{... summed resulting tension on nodes}}$$

"heights" of nodes

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Incidence SVD $\quad D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row "shape" matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col "shape" matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Laplacian $\quad L = DD^T$

Action: $\quad Lu = \Big[\ D\ \Big]\Big[\ D^T\ \Big]\begin{bmatrix} | \\ u \\ | \end{bmatrix}$

"heights" of nodes

...tension created in edges

... summed resulting tension on nodes

Linear ODE $\quad \dot{u} = -Lu$

Eigenvectors are oscillation modes

"Vibration modes" of a graph

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Edge Laplacian $L_e = D^T D$

Incidence SVD $D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row “shape” matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col “shape” matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Incidence SVD $\quad D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row "shape" matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col "shape" matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Edge Laplacian $\quad L_e = D^T D$

Action: $\quad L_e \tau = \left[\ D^T\ \right] \left[\ D\ \right] \begin{bmatrix} | \\ \tau \\ | \end{bmatrix}$ "Tension" in edges

…summed tension on nodes

… differential in tension along edges

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Incidence SVD $\quad D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row "shape" matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col "shape" matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Edge Laplacian $\quad L_e = D^T D$

Action:

$$L_e \tau = \underbrace{\left[\ D^T\ \right] \underbrace{\left[\ D\ \right] \begin{bmatrix} | \\ \tau \\ | \end{bmatrix}}_{\text{...summed tension on nodes}}}_{\text{... differential in tension along edges}}$$

"Tension" in edges

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 \\ 0 & 0 & 1 & 1 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 1 \end{bmatrix}$$

Laplacian $L = DD^T$

$$L = \begin{bmatrix} 2 & -1 & 0 & -1 & 0 \\ -1 & 3 & -1 & -1 & 0 \\ 0 & -1 & 2 & 0 & -1 \\ -1 & -1 & 0 & 3 & -1 \\ 0 & 0 & -1 & -1 & 2 \end{bmatrix}$$

Incidence SVD $D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row "shape" matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col "shape" matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Graph Laplacians

Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$



Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 \\ 0 & 0 & 1 & 1 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 1 \end{bmatrix}$$

Incidence SVD $\quad D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row "shape" matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col "shape" matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Laplacian $\quad L = DD^T$ $\quad$ Independent of edge direction

$$L = \Delta - A = \begin{bmatrix} 2 & 0 & 0 & 0 & 0 \\ 0 & 3 & 0 & 0 & 0 \\ 0 & 0 & 2 & 0 & 0 \\ 0 & 0 & 0 & 3 & 0 \\ 0 & 0 & 0 & 0 & 2 \end{bmatrix} - \begin{bmatrix} 0 & 1 & 0 & 1 & 0 \\ 1 & 0 & 1 & 1 & 0 \\ 0 & 1 & 0 & 0 & 1 \\ 1 & 1 & 0 & 0 & 1 \\ 0 & 0 & 1 & 1 & 0 \end{bmatrix}$$

Degree Matrix $\quad [\,\Delta\,]_{vv} = |\mathcal{N}_v|$ $\quad$ **diagonal** $\quad$ **# edges (in & out)**

Adjacency Matrix $\quad [\,A\,]_{vv'} = \begin{cases} 1 & ; \text{ if } e = (v, v') \in \mathcal{E} \\ 0 & ; \text{ otherwise} \end{cases}$

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Laplacian $L = DD^T$

Incidence SVD $D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

$$L = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Laplacian row “shape” matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col “shape” matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Graph Laplacians



Graph: $\mathcal{G} = (\mathcal{V}, \mathcal{E})$

Vertices $v \in \mathcal{V}$

Edges $e \in \mathcal{E}$ $\quad e = (v, v')$

Incidence Matrix: $D \in \mathbb{R}^{|\mathcal{V}| \times |\mathcal{E}|}$

$$D = \begin{bmatrix} -1 & 0 & 0 & 0 & 1 & 0 & 1 & 0 \\ 1 & -1 & -1 & 0 & -1 & 1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 0 & -1 & 0 & -1 \\ 0 & 0 & 1 & 1 & 0 & 0 & -1 & 0 \\ 0 & 0 & 0 & -1 & 0 & 0 & 0 & 1 \end{bmatrix}$$

Incidence SVD $\quad D = U \begin{bmatrix} \Sigma & 0 \\ 0 & 0 \end{bmatrix} V^T$

Laplacian row "shape" matrix (squared)

$$L = DD^T = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

Edge-Laplacian col "shape" matrix (squared)

$$L_e = D^T D = V \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} V^T$$

Laplacian $\quad L = DD^T$

$$L = U \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} U^T$$

$$= \begin{bmatrix} | & | \\ U' & \bar{\mathbf{1}} \\ | & | \end{bmatrix} \begin{bmatrix} \Sigma^2 & 0 \\ 0 & 0 \end{bmatrix} \begin{bmatrix} - & {U'}^T & - \\ - & \bar{\mathbf{1}}^T & - \end{bmatrix} \qquad \bar{\mathbf{1}} = \begin{bmatrix} \mathbf{1}_{|\mathcal{V}_1|} & \cdots & 0 \\ \vdots & & \vdots \\ 0 & \cdots & \mathbf{1}_{|\mathcal{V}_k|} \end{bmatrix}$$

Laplacian eigenvectors

(Incidence matrix left singular vectors)