

@Description – описание сущности

#15 First Test

Setup

1

BeforeClass

Description
BeforeClassDesc

1.1

doBeforeSt

2

Before

Steps

1

doSomething

Teardown

1

After

Description
AfterDesc

1.1

doAfter

2

AfterClass

testallo:allo

System Administrator

ru.SimplePackage:SimpleTest

External ID

RAZZZ

Average success time7ms

Average fail time-

Description

First Test Description

Links:

secondLink

firstLink

@DisplayName – имя теста в библиотеке автотестов

transferTestMetal...TestsAutotestsTest plansConfigurationsQueriesReports

Search

Autotests

Launch history

ru.SimplePackage

SimpleTest

| ID | Name | External ID | Links | Creation |
|------------------------------|---------------------------------|-------------|------------|----------|
| ru.SimplePackage:Simple Test | | | | |
| 14 | 'false' equals 'false' awesome! | DVAZZZZ | | 04.12.20 |
| 15 | 'true' equals 'true' fantastic! | RAZZZ | secondLink | 04.12.20 |

API documentation

@ExternalId – ExternalID в библиотеке автотестов

Autotests

Launch history

ru.SimplePackage

SimpleTest

API documentation

| ID | Name | External ID | Links | Creation |
|-----------------------------|---------------------------------|-------------|---------------|----------|
| ru.SimplePackage:SimpleTest | | | | |
| 21 | 'true' equals 'true' fantastic! | FirstTest | ↔ firstLink 2 | 04.12.20 |
| 24 | 'false' equals 'false' awesome! | SecondTest | | 04.12.20 |

@Labels – теги в рамках work item

#21 First Test

Setup >

Steps >

1 > doSomething

Teardown >

test allo:allo

System Administrator

ru.SimplePackage:SimpleTest

External ID

FirstTest

Average success time 5ms

Average fall time -

Description

First Test

Links:

↔ firstLink

● secondLink

@Link – конкретная ссылка на событие

| Result | Test plan | Test run | Configuration | Duration |
|--------|-----------|-----------|---------------|----------|
| Passed | | TestRun_2 | Any | 1ms |
| Passed | | TestRun_1 | Any | 8ms |

Traces:
Message:

Links

- doSecondLink
- Setup
- Steps
- Teardown

System Administrator
ru.SimplePackage:SimpleTest
External ID
FirstTest
Average success time: 5ms
Average fall time: -
Description
First Test
Links:
firstLink
secondLink

@Links – используется для передачи массива ссылок. Имеет вид

```
@Links(links = {@Link(url = "www.1.ru", title = "firstLink", description = "firstLinkDesc", type = LinkType.RELATED),  
               @Link(url = "www.2.ru", title = "secondLink", description = "secondLinkDesc",  
                     type = LinkType.BLOCKED_BY)})
```

Где: - 1. url - 2. title - 3. description - 4. LinkType

| Result | Test plan | Test run | Configuration | Duration |
|--------|-----------|-----------|---------------|----------|
| Passed | | TestRun_2 | Any | 1ms |
| Passed | | TestRun_1 | Any | 8ms |

Traces:
Message:

Links

- doSecondLink
- Setup
- Steps
- Teardown

System Administrator
ru.SimplePackage:SimpleTest
External ID
FirstTest
Average success time: 5ms
Average fall time: -
Description
First Test
Links:
firstLink
secondLink

1. url
2. title
3. description
4. LinkType

@LinkType – тип ссылки

```
LinkType.BLOCKED_BY;  
LinkType.DEFECT;  
LinkType.ISSUE;  
LinkType.RELATED;  
LinkType.REPOSITORY;  
LinkType.REQUIREMENT;
```

@BeforeAll – стандартная аннотация Junit 4 – 1.

@BeforeEach - стандартная аннотация Junit 4 – 2.

@BeforeAll и @BeforeEach – формируют Setup

@Step – шаги внутри автотеста – 3.

@AfterEach - стандартная аннотация Junit 4

@AfterAll - стандартная аннотация Junit 4 – 4.

@AfterEach и @AfterAll формируют Teardown

The screenshot displays a test runner interface for a test titled "#21 First Test". The interface is divided into several sections:

- Setup:** Contains a list of setup steps. Step 1 is "BeforeClass1" (marked with a red line and '1.'). It has sub-steps 1.1 "doBeforeSt" and 1.2 "doBeforeSt". Step 2 is "Before" (marked with a red line and '2.').
- Steps:** Contains a list of test steps. Step 1 is "doSomething" (marked with a red line and '3.'). It has sub-steps 1.1 "doSecond" and 1.2 "doThird".
- Teardown:** Contains a list of teardown steps. Step 1 is "AfterClass" (marked with a red line and '4.'). It has sub-steps 1.1 "doAfterSt" and 1.2 "doAfterSt".
- Summary Panel (Right):** Provides details about the test execution, including the test name "First Test", the average success time "8ms", and the average fall time "-". It also lists the links "firstLink" and "secondLink".

@WorkItemId – линковка с конкретным WorkItem

т

екфтыаукЕуыи/Дии...

TestsAutotestsTest plansConfigurationsQueriesReports

Search

2 total

Tests

Create section

Section name filter

екфтыаукЕуыи...

Trash bin

| Type | ID | Name | Priority | Status | Creation date | Author | Tags |
|---------------------------|-----|------|----------|-----------|---------------|----------------------|------|
| екфтыаукЕуыи/ДииОюВПкфеду | 509 | 1 | Low | Not Ready | 10.12.2020 | System Administrator | |
| | 510 | 2 | Low | Not Ready | 10.12.2020 | System Administrator | |

@Title – наименование теста

т

Авто

Launch

ru.SimplePackage:SimpleTest

API

#21 First Test

Setup

1BeforeClass1

DescriptionBeforeClassDesc1

1.1doBeforeSt

1.2doBeforeSt

2Before

Steps

1doSomething

DescriptiondoSomethingDesc

1.1doSecond

1.2doThird

Teardown

1AfterClass

DescriptionAfterClassDescNEW

1.1doAfterSt

1.2doAfterSt

testallo:allo

System Administrator

ru.SimplePackage:SimpleTest

External ID

FirstTest

Average success time8ms

Average fall time-

Description

First Test

Links

firstLink

secondLink