

@Description – описание сущности

#15 First Test

Setup

1

BeforeClass

Description  
BeforeClassDesc

1.1

doBeforeSt

2

Before

Steps

1

doSomething

Teardown

1

After

Description  
AfterDesc

1.1

doAfter

2

AfterClass

testallo:allo

System Administrator

ru.SimplePackage:SimpleTest

External ID

RAZZZ

Average success time7ms

Average fail time-

Description

First Test Description

Links:

secondLink

firstLink

@DisplayName – имя теста в библиотеке автотестов

transferTestMetal...TestsAutotestsTest plansConfigurationsQueriesReports

Search

Autotests

Launch history

ru.SimplePackage

SimpleTest

ID	Name	External ID	Links	Creation
ru.SimplePackage:Simple Test				
14	'false' equals 'false' awesome!	DVAZZZZ		04.12.20
15	'true' equals 'true' fantastic!	RAZZZ	secondLink	04.12.20

API documentation

@ExternalId – ExternalID в библиотеке автотестов

Autotests

Launch history

ru.SimplePackage

SimpleTest

API documentation

ID	Name	External ID	Links	Creation
ru.SimplePackage:SimpleTest				
21	'true' equals 'true' fantastic!	FirstTest	↔firstLink 2	04.12.20
24	'false' equals 'false' awesome!	SecondTest		04.12.20

@Labels – теги в рамках work item

#21 First Test

Setup >

Steps >

1 > doSomething

Teardown >

test allo:allo

System Administrator

ru.SimplePackage:SimpleTest

External ID

FirstTest

Average success time 5ms

Average fall time -

Description

First Test

Links:

↔ firstLink

● secondLink

@Link – конкретная ссылка на событие

Result	Test plan	Test run	Configuration	Duration
Passed		TestRun_2	Any	1ms
Passed		TestRun_1	Any	8ms

Traces:  
Message:

Links

- doSecondLink
- Setup
- Steps
- Teardown

Right sidebar details:

- test | allo:allo
- System Administrator
- ru.SimplePackage:SimpleTest
- External ID: FirstTest
- Average success time: 5ms
- Average fail time: -
- Description: First Test
- Links: firstLink, secondLink

@Links – используется для передачи массива ссылок. Имеет вид

```
@Links(links = {@Link(url = "www.1.ru", title = "firstLink", description = "firstLinkDesc", type = LinkType.RELATED),  
               @Link(url = "www.2.ru", title = "secondLink", description = "secondLinkDesc",  
                     type = LinkType.BLOCKED_BY)})
```

Где: - 1. url - 2. title - 3. description - 4. LinkType

Annotations in the screenshot:

- 1. points to 'url' in '@Link(url = "www.1.ru", ...)
- 2. points to 'title' in '@Link(url = "www.1.ru", title = "firstLink", ...)
- 3. points to 'description' in '@Link(url = "www.1.ru", title = "firstLink", description = "firstLinkDesc", ...)
- 4. points to 'type' in '@Link(url = "www.1.ru", title = "firstLink", description = "firstLinkDesc", type = LinkType.RELATED, ...)

@LinkType – тип ссылки

```
LinkType.BLOCKED_BY;  
LinkType.DEFECT;  
LinkType.ISSUE;  
LinkType.RELATED;  
LinkType.REPOSITORY;  
LinkType.REQUIREMENT;
```

@BeforeClass – стандартная аннотация Junit 4 – 1.

@Before – стандартная аннотация Junit 4 – 2.

@BeforeClass и @Before – формируют Setup

@Step – шаги внутри автотеста – 3.

@After – стандартная аннотация Junit 4

@AfterClass – стандартная аннотация Junit 4 – 4.

@After и @AfterClass формируют Teardown

The screenshot displays a test runner interface for a test titled "#21 First Test". The interface is divided into several sections: Setup, Steps, and Teardown. The Setup section includes a "BeforeClass" step (1) and a "Before" step (2). The Steps section includes a "doSomething" step (1) and two sub-steps (1.1 and 1.2). The Teardown section includes an "AfterClass" step (1) and two sub-steps (1.1 and 1.2). The interface also shows a sidebar with a list of tests and a right-hand panel with test details, including the test name, description, and links.

1. Setup

- 1. BeforeClass1
  - Description: BeforeClassDesc1
- 1.1. doBeforeSt
- 1.2. doBeforeSt

2. Before

2. Steps

- 1. doSomething
  - Description: doSomethingDesc
- 1.1. doSecond
- 1.2. doThird

4. Teardown

- 1. AfterClass
  - Description: AfterClassDescNEW
- 1.1. doAfterSt
- 1.2. doAfterSt

Right-hand panel details:

- test: allo:allo
- System Administrator
- ru.SimplePackage:SimpleTest
- External ID: FirstTest
- Average success time: 8ms
- Average fall time: -
- Description: First Test
- Links: firstLink, secondLink

@WorkItemId – линковка с конкретным WorkItem

т

екфтыаукЕуыиДинЮиВПкфвду

TestsAutotestsTest plansConfigurationsQueriesReports

Search

2 total

Tests

Create section

Section name filter

екфтыаукЕуыиДинЮиВПкфвду

Trash bin

Type	ID	Name	Priority	Status	Creation date	Author	Tags
екфтыаукЕуыиДинЮиВПкфвду	509	1	Low	Not Ready	10.12.2020	System Administrator	
екфтыаукЕуыиДинЮиВПкфвду	510	2	Low	Not Ready	10.12.2020	System Administrator	

@Title – наименование теста

т

Авто

#21 First Test

Setup

1BeforeClass1

DescriptionBeforeClassDesc1

1.1doBeforeSt

1.2doBeforeSt

2Before

Steps

1doSomething

DescriptiondoSomethingDesc

1.1doSecond

1.2doThird

Teardown

1AfterClass

DescriptionAfterClassDescNEW

1.1doAfterSt

1.2doAfterSt

testallo:allo

System Administrator

ru.SimplePackage:SimpleTest

External IDFirst Test

Average success time8ms

Average fall time-

DescriptionFirst Test

LinksfirstLinksecondLink