



california
health
interview
survey

CHIS 2020 DATA DICTIONARY

Public Use File Data Dictionary

Adult

May 2022



CHIS 2020 DATA DICTIONARY

Adult Survey

Public Use File

May 2022

adult.sas7bdat

Contact:
California Health Interview Survey
UCLA Center for Health Policy Research
10960 Wilshire Blvd., Suite 1550
Los Angeles, CA 90024
Email: chis@ucla.edu

Suggested Citation:

California Health Interview Survey. CHIS 2020 Adult Survey. UCLA Center for Health Policy Research. Los Angeles, CA: May 2022

TABLE OF CONTENTS

| | |
|---|-----------|
| 1. Introduction..... | 1 |
| 1.1 CHIS 2020 Adult Survey Data File | 1 |
| 1.2 Accompanying Files | 1 |
| 2. What’s New in CHIS 2020..... | 2 |
| 3. CHIS 2019-2020 Sample Design and Methodology..... | 6 |
| 1.1 Overview | 6 |
| 1.2 Switch in Sampling and Data Collection Methodology | 7 |
| 1.3 Sample Design Objectives..... | 8 |
| 1.4 Data Collection | 11 |
| 1.5 Response Rates..... | 17 |
| 1.6 Weighting the Sample | 18 |
| 1.7 Imputation Methods..... | 20 |
| 4. Sample Code for Analysis and Pooling of CHIS Data | 22 |
| 5. Restricted Variables..... | 23 |
| 6. CHIS Data Dictionary..... | 24 |

Click on the “Bookmarks” icon to navigate between sections of the data dictionary:



1. Introduction

1.1 CHIS 2020 Adult Survey Data File

The 2020 California Health Interview Survey (CHIS 2020) Adult Data File consists of individual records obtained from the 2020 data collection period of the CHIS 2019-2020 Adult survey.

The UCLA-Center for Health Policy Research (UCLA-CHPR) is responsible for maintaining consistent standards to protect respondent confidentiality as specified in approved protocols by the UCLA IRB (IRB# 17-000362) and the California Committee for the Protection of Human Subjects (12-05-0176). Organizations that receive CHIS data are required to complete a data use agreement with UCLA-CHPR. The data files listed below must be maintained in accordance with the provisions of the data use agreement between the recipient and UCLA-CHPR. In order to protect respondent confidentiality, UCLA-CHPR maintains the most confidential and sensitive CHIS data only in its files at the Data Access Center (DAC) located at UCLA-CHPR. Researcher access to confidential data, including respondent latitude and longitude, is available by application to the DAC. For more information, please contact dacchpr@ucla.edu. Limited technical assistance is also available from CHIS – please send email to chis@ucla.edu.

1.2 Accompanying Files

In addition to the data file are several accompanying files that facilitate use of the data file; some are not necessary for data analysis but add convenience in utilizing the main data.

- a. Data file:** ADULT.SAS7BDAT, ADULT.SAV, ADULT.DTA
- b. Proc format file:** ADULT_PROC_FORMAT.SAS
- c. Format file:** ADULT_FORMAT.SAS
- d. Label file:** ADULT_LABEL.SAS
- e. Imputation flag file:** ADULTF.SAS7BDAT, ADULTF.SAV, ADULTF.DTA
- f. Others:** ADULT.XPT, ADULTF.XPT

2. What's New in CHIS 2020

This document describes new and notable design features and data collected in CHIS 2019-2020. CHIS data users should review the information below and detailed online documentation before analyzing or reporting CHIS data. For more documentation on CHIS methods, please visit chis.ucla.edu/chis/design/Pages/methodology.aspx

New and Updated Survey Questions

Survey questions are added, removed, and modified in each two-year cycle of CHIS to meet stakeholders' needs and monitor emerging public health concerns. Questions are removed from the interview to reduce its length and save data collection costs when topics are no longer relevant for public health surveillance, or when sponsor funding is no longer available. Most CHIS questions remain in the interview across multiple CHIS cycles.

For CHIS 2019-2020 approximately 80% of the content continued from CHIS 2018. Occasionally, changes to question wording are made based on methodological evaluations or when user feedback strongly suggests that changes will produce better data. Otherwise, questions are consistent across years to aid in trending and pooling. Reinstated questions were asked in cycles prior to 2017-2018, and again in 2019-2020.

New Adult Questionnaire Topics in 2019-2020

- Perception of physical and environmental factors affecting health¹
- Prescription painkiller (opioid) and alcohol² or benzodiazepine³ co-use
- Recent use of methamphetamines²
- Misuse of prescription stimulants²
- Frequency of internet and social media use^{1,2}
- Use of internet for mental health services²
- Recent employment termination¹
- VA service-connected disability rating²
- Recent experience with financial crisis¹
- Tele-medical care/health at a health facility^{1,2}
- Community-based services at health care provider's office^{1,2}
- Sexual violence^{2,3}
- Long-term services and support¹
- Medi-Cal renewal process^{1,2}
- Public program participation (public charge)³
- Birth control counseling and prescriptions^{1,3}
- Civic engagement and involvement^{1,2}

- **Reinstated content:**
 - Hemoglobin A1c testing for diabetics¹
 - Activities of daily living/disability status^{1,2}
 - UCLA 3-item loneliness scale^{1,2}

New Adult Questionnaire Topics in 2020

- Coronavirus (COVID-19) symptoms, testing, and impacts on work and family^{4,5}
- Planned Parenthood utilization⁵

New Child Questionnaire Topics in 2019-2020

- Activities of daily living/disability status^{1,3}
- Child development assessment^{1,2}
- **Reinstated content:**
 - Personal doctor¹
 - Care coordination¹
 - Soda consumption^{1,2}
 - Dental health and dental insurance^{1,3}

New Adolescent Questionnaire Topics in 2019-2020

- Gender identity²
- Transition to adult health care services^{1,2}
- Frequency and reason for current e-cigarette use^{1,2,3}
- Age of first cigarette/e-cigarette use^{1,3}
- Frequency of internet and social media use^{1,2}
- Use of internet for mental health services²
- Birth control counseling and prescriptions³
- **Reinstated content:**
 - Health care utilization due to asthma³
 - Soda consumption^{1,2}
 - Civic engagement and participation^{1,2}

New Adolescent Questionnaire Topics in 2020

- Attitudes towards voting⁵

¹Available in Public Use Files (PUFs)

²Available through AskCHIS™ (ask.chis.ucla.edu)

³Confidential data only available through the Data Access Center (DAC). For more information, visit the DAC webpage.

⁴Preliminary 2020 COVID-19 estimates are available on the Center's 2020 CHIS COVID-19 Preliminary Estimates Dashboard

⁵CHIS 2020 data and estimates will be available in the fall of 2021

For a full list of topics in CHIS 2019-2020, please visit chis.ucla.edu/chis/design/Pages/survey-topics.aspx. The full CHIS 2020 questionnaires are available at chis.ucla.edu/chis/design/Pages/questionnairesEnglish.aspx.

Sampling & Data Collection Redesign

CHIS has employed random-digit-dial sampling and telephone interviewing since its inception, but industry declines in telephone interview response rates, along with cultural shifts in telephone usage, motivated exploring alternative sampling and data collection methodologies for CHIS moving forward.

Following extensive experimentation and research, CHIS transitioned to a mixed-mode survey (web and telephone) using a random sample of California addresses for 2019-2020. Randomly selected addresses were mailed a series of invitation letters requesting one adult member of the household to complete the study online using a secure access code. After each household received all of the invitation letters, trained interviewers attempted to complete the interview over the telephone for those addresses for which we had a valid telephone number. Households could also call in to complete the survey with a live interviewer.

Using both web and telephone data collection methods, CHIS continues to collect data for adults, children (ages 0-11), and adolescents (ages 12-17). The web survey was available in five languages: English, Spanish, Chinese, Korean, and Vietnamese. Trained interviewers were available to conduct the survey over the telephone in all five languages as well as Tagalog. You can learn more about the CHIS redesign process in [CHIS 2019-2020 Redesign: Rationale, Empirical Evaluation, and Trends](#).

Targeting Through Predictive Modeling

CHIS 2019-2020 introduced a new data science procedure to help target specific, commonly underrepresented demographic groups. CHIS specifically targeted Asian households including Korean and Vietnamese, Latino and Spanish-speaking households, those with low educational attainment, non-citizens, and households with children under 19. For more details on the predictive modeling, see [CHIS 2020 Methodology Report 1 — Sample Design](#).

Oversamples

CHIS 2019-2020 saw an oversample in San Diego County thanks to funds provided by the County of San Diego Health and Human Services Agency.

Vendor

As the result of a competitive bidding process, SSRS conducted the CHIS 2019-2020 data collection under contract with the UCLA Center for Health Policy Research.

Data Collection Timeline

CHIS 2019-2020 data were collected between September 2019 and November 2020. Approximately 90% of adult interviews were completed over the web with the remainder over the phone.

Given the transition to primarily web data collection, some variables may observe differences in distribution due to changes in sample composition because of the new mode, as well as differences in stimulus (aural vs. visual). Changes in trends from previous cycles and CHIS 2019-2020 should be interpreted with caution. For more context on understanding the impacts of the redesign on year-to-year trending, see [CHIS 2019-2020 Redesign: Rationale, Empirical Evaluation, and Trends](#).

For small populations or rare conditions and characteristics, pooling two or more single-year datasets may be required to achieve sufficient sample size and statistical stability. Users who need more information about pooling or trending data over time should review the Analyze CHIS Data website or go to the CHIS FAQs page. You can also email questions to dacchpr@ucla.edu.

3. CHIS 2019-2020 Sample Design and Methodology

1.1 Overview

A series of five methodology reports are available with more detail about the methods used in CHIS 2019-2020.

- Report 1 – Sample Design;
- Report 2 – Data Collection Methods;
- Report 3 – Data Processing Procedures;
- Report 4 – Response Rates; and
- Report 5 – Weighting and Variance Estimation.

For further information on CHIS data and the methods used in the survey, visit the California Health Interview Survey Web site at <http://www.chis.ucla.edu> or contact CHIS at CHIS@ucla.edu. For methodology reports from previous CHIS cycles, go to <http://www.chis.ucla.edu/chis/design/Pages/methodology.aspx>

The CHIS is a population-based multimode (web and telephone) survey of California's residential, noninstitutionalized population conducted every other year since 2001 and continually beginning in 2011. CHIS is the nation's largest state-level health survey and one of the largest health surveys in the nation. The UCLA Center for Health Policy Research (UCLA-CHPR) conducts CHIS in collaboration with multiple funding sources from public, private, and non-profit organizations. CHIS collects extensive information for all age groups on health status, health conditions, health-related behaviors, health insurance coverage, access to health care services, and other health and health-related issues.

The sample is designed and optimized to meet two objectives:

- 1) Provide estimates for large- and medium-sized counties in the state, and for groups of the smallest counties (based on population size), and
- 2) Provide statewide estimates for California's overall population, its major racial and ethnic groups, as well as several racial and ethnic subgroups.

The CHIS sample is representative of California's non-institutionalized population living in households. CHIS data and results are used extensively by federal and State agencies, local public health agencies and organizations, advocacy and community organizations, other local

agencies, hospitals, community clinics, health plans, foundations, and researchers. These data are used for analyses and publications to assess public health and health care needs, to develop and advocate policies to meet those needs, and to plan and budget health care coverage and services. Many researchers throughout California and the nation use CHIS data files to further their understanding of a wide range of health related issues (visit UCLA-CHPR's publication page at <http://healthpolicy.ucla.edu/publications/Pages/default.aspx> for examples of CHIS studies).

1.2 Switch in Sampling and Data Collection Methodology

Starting in 2019-2020, the CHIS transitioned from a dual-frame landline/cellphone random digit dial (RDD) methodology to an address-based sample (ABS) methodology with multimode data collection that takes place on the web or by telephone. The CHIS research team deemed this change necessary due to decreasing response to telephone surveys, the improved geographical precision available for stratification when using the US Postal Service Delivery Sequence file of addresses as a sampling frame, and the lower cost of a study where the majority of interviews are completed online.

Prior to launching data collection in 2019, CHIS conducted two experiments in 2018 to test the effectiveness of an ABS mail push-to-web design with a telephone nonresponse follow-up. The first experiment was limited to three counties (Los Angeles, Santa Clara, and Tulare) to achieve a preliminary assessment of the efficacy of the proposed design (see Wells et al., 2018). Following the initial positive results from that test, a statewide pilot test was conducted in the late 2018 implementing a number of additional experiments and improvements based on the previous lessons learned (see Wells et al., 2019). Given that these additional improvements resulted in higher response and reductions in cost compared to maintaining the 2017-2018 design, CHIS committed to transitioning to the new design for the 2019-2020 cycle.

For CHIS 2019-2020, respondents are invited to either complete the survey online or call in to be interviewed by a member of the SSRS interviewing staff. Respondents receive an initial invitation letter with a \$2.00 pre-incentive. This is followed by a reminder postcard and, in 2019, a final certified mail letter for all nonresponders¹. In 2020, the certified mail letter was replaced with a standard letter and final postcard. Where addresses can be matched to a listed telephone

¹ For the last 2019 mailing, the certified letter was replaced with a standard letter.

number, the nonresponding households are also called six times to attempt to complete an interview before the sampled household is considered to be a resolved nonresponse.

See more about what’s new in the 2019-2020 CHIS sampling and data collection here:

<http://www.chis.ucla.edu/chis/design/Documents/whats-new-chis-2019-2020.pdf>

In order to provide CHIS data users with more complete and up-to-date information to facilitate analyses of CHIS data, additional information on how to use the CHIS sampling weights, including sample statistical code, is available at

<http://www.chis.ucla.edu/chis/analyze/Pages/sample-code.aspx>.

Additional documentation on constructing the CHIS sampling weights is available in the *CHIS 2019-2020 Methodology Series: Report 5—Weighting and Variance Estimation* posted at <http://www.chis.ucla.edu/chis/design/Pages/methodology.aspx>. Other helpful information for understanding the CHIS sample design and data collection processing can be found in the four other methodology reports for each CHIS cycle and year.

1.3 Sample Design Objectives

The CHIS 2019-2020 sample was designed to meet the two sampling objectives discussed above: (1) provide estimates for adults in most counties and in groups of counties with small populations; and (2) provide estimates for California’s overall population, major racial and ethnic groups, and for several smaller racial and ethnic subgroups.

To achieve these objectives, CHIS employed an address-based sample design. For the ABS sample, the 58 counties in the state were grouped into 44 geographic sampling strata, and 14 sub-strata were created within the two most populous counties in the state (Los Angeles and San Diego). The same geographic stratification of the state has been used since CHIS 2005. The Los Angeles County stratum included eight sub-strata for Service Planning Areas, and the San Diego County stratum included six sub-strata for Health Service Districts. Most of the strata (39 of 44) consisted of a single county with no sub-strata (see counties 3-41 in Table 1-1). Three multi-county strata comprised the 17 remaining counties (see counties 42-44 in Table 1-1). A sufficient number of adult interviews were allocated to each stratum and sub-stratum to support the first sample design objective for the two-year cycle—to provide health estimates for adults at the local level.

In addition, for CHIS 2019-2020, statistical modeling was used to determine the likelihood that specific targeted groups of interest for oversampling resided at addresses in the sample, and a hierarchy was established to determine the degree of over or undersampling among these strata. CHIS 2017-2018 data were used to build the models. All available auxiliary data from voter registration databases, consumer databases, Marketing Systems Group database information (specifically, all ranges of surnames), and Census Planning Database data were appended to the CHIS 2017-2018 data. All these appended data served as the independent variables (features) in random forest models, while self-reported attributes (demographics, etc.) served as the dependent variables.

Models for CHIS 2019-2020 were specifically designed to predict the following household attributes:

1. Korean
2. Vietnamese
3. Other Asian
4. Hispanic or Spanish-Speaker
5. Low Educational Attainment or not a US Citizen
6. Have children (under 19)

Since these six models are run independently, households can be predicted to include more than one of the six target groups. For this reason, models were applied to the sample hierarchically with preference to the higher listed model (for example, a household predicted to be Korean was scored as Korean no matter what else they might have been predicted to be).

Utilizing these models results in two additional sample groups, or strata: 1) sample records for which none of the models predicted any attribute (“Residual” sample) and 2) sample for which no auxiliary data were found (“No Match” sample). The final step in utilizing the models was to develop relative sampling fractions by which households were selected within the modeled strata.

Within each geographic and modeled stratum combination, residential addresses were selected, and within each household, one adult (age 18 and over) respondent was randomly

selected. In those households with adolescents (ages 12-17) and/or children (under age 12), one adolescent and one child of the randomly selected parent/guardian were randomly selected. The adolescent was interviewed directly via CATI or Web. Most frequently the child interview was completed by the randomly selected respondent who was the parent or guardian. Less frequently and only within the CATI program, an adult sufficiently knowledgeable about the child's health could complete the child interview.

Table 1-1. California county and county group strata used in the CHIS 2019-2020 sample design

| | | |
|-------------------------|---------------------|---|
| 1. Los Angeles | 7. Alameda | 27. Shasta |
| 1.1 Antelope Valley | 8. Sacramento | 28. Yolo |
| 1.2 San Fernando Valley | 9. Contra Costa | 29. El Dorado |
| 1.3 San Gabriel Valley | 10. Fresno | 30. Imperial |
| 1.4 Metro | 11. San Francisco | 31. Napa |
| 1.5 West | 12. Ventura | 32. Kings |
| 1.6 South | 13. San Mateo | 33. Madera |
| 1.7 East | 14. Kern | 34. Monterey |
| 1.8 South Bay | 15. San Joaquin | 35. Humboldt |
| 2. San Diego | 16. Sonoma | 36. Nevada |
| 2.1 N. Coastal | 17. Stanislaus | 37. Mendocino |
| 2.2 N. Central | 18. Santa Barbara | 38. Sutter |
| 2.3 Central | 19. Solano | 39. Yuba |
| 2.4 South | 20. Tulare | 40. Lake |
| 2.5 East | 21. Santa Cruz | 41. San Benito |
| 2.6 N. Inland | 22. Marin | 42. Colusa, Glenn, Tehama |
| 3. Orange | 23. San Luis Obispo | 43. Del Norte, Lassen, Modoc, Plumas, Sierra, Siskiyou, Trinity |
| 4. Santa Clara | 24. Placer | |
| 5. San Bernardino | 25. Merced | 44. Amador, Alpine, Calaveras, Inyo, Mariposa, Mono, Tuolumne |
| 6. Riverside | 26. Butte | |

Source: UCLA Center for Health Policy Research, 2019-2020 California Health Interview Survey.

The CHIS two-year ABS sample is of sufficient size to accomplish the second objective as well, to produce statistically stable estimates for small population groups such as racial/ethnic subgroups, children, adolescents, etc.

1.4 Data Collection

To capture the rich diversity of the California population, interviews were conducted in six languages: English, Spanish, Chinese (Mandarin and Cantonese dialect), Vietnamese, Korean, and Tagalog. Tagalog was administered by phone only. These languages were chosen

based on analysis of 2010 Census data to identify the languages that would cover the largest number of Californians in the CHIS sample that either did not speak English or did not speak English well enough to otherwise participate.

SSRS collaborated with UCLA on the methodology and collected data for CHIS 2019-2020, under contract with the UCLA Center for Health Policy Research. SSRS is an independent research firm that specializes in innovative methodologies, optimized sample designs, and reaching low-incidence populations. For all sampled households, one randomly selected adult in each sampled household either completed an on-line survey or was interviewed by telephone by an SSRS interviewer. In addition, the study sampled one adolescent and one child if they were present in the household and the sampled adult was their parent or legal guardian. Thus, up to three interviews could have been completed in each household. The child interview was moved in 2019-2020 to take place immediately after Section A of the adult survey and the rostering of the household. The adolescent survey took place either immediately after the adult with phone interviews or in a separate session online.

If the screener respondent was someone other than the sampled adult, children and adolescents could be sampled as part of the screening interview, and the extended child (and adolescent) interviews could be completed before the adult interview if the interview was completed by phone. This “child-first” procedure was first used in CHIS 2005 and has been continued in subsequent CHIS cycles because it substantially increases the yield of child interviews. Table 1-2 shows the number of completed adult, child, and adolescent interviews in CHIS 2019-2020 by mode of interview. Note that these figures were accurate as of data collection completion for 2019-2020 and may differ slightly from numbers in the data files due to data cleaning and edits. Sample sizes to compare against data files you are using are found online at <http://www.chis.ucla.edu/chis/design/Pages/sample.aspx>.

Table 1-2. Number of completed CHIS 2019-2020 interviews by mode of interview and instrument

| Type of sample ¹ | Adult | Child | Adolescent |
|-----------------------------|---------------------|-------|------------|
| Total ABS | 44,109 ¹ | 6,557 | 2,212 |
| Completes by Web | 40,072 | 6,295 | 2,000 |
| Completes by phone | 4,037 | 262 | 212 |

Source: UCLA Center for Health Policy Research, 2019-2020 California Health Interview Survey.

¹ Includes interviews meeting the criteria as partially complete.

Interviews in all languages were administered using SSRS's computer-assisted web interviewing and computer-assisted telephone interviewing (CAWI/CATI) system. As expected, the CATI interviews were longer in duration. The duration of the CATI interviews averaged almost 48 minutes, 26 minutes, and 23 minutes for the adult, child, and adolescent interviews, respectively; the duration of the CAWI interviews averaged around 35 minutes, 13 minutes, and 17 minutes for the adult, child, and adolescent interviews, respectively. Interviews in non-English languages typically took longer to complete across both modes: the non-English CATI interviews had an average length of about 64 minutes, 31 minutes, and 29 minutes for the adult, child, and adolescent interviews respectively; the non-English CAWI interviews had an average length of about 47 minutes, 18 minutes, and 20 minutes for the adult, child, and adolescent interviews, respectively. Just over four and half percent of the adult interviews were completed in a language other than English, as were about nine percent of all child (parent proxy) interviews and one percent of all adolescent interviews.

Table 1-3 shows the major topic areas for each of the three survey instruments (adult, child, and adolescent). If questions were asked in only one year of survey implementation, the specific year is indicated in the table.

Table 1-3. CHIS 2019-2020 survey topic areas by instrument

| Health status | Adult | Adolescent | Child |
|--|--------------|-------------------|--------------|
| General health status | ✓ | ✓ | ✓ |
| Days missed from work or school due to health problems | ✓ | ✓ | ✓ |
| Health conditions | Adult | Adolescent | Child |
| Asthma | ✓ | ✓ | ✓ |
| Diabetes, pre-diabetes/borderline diabetes | ✓ | | |
| Heart disease, high blood pressure | ✓ | | |
| Physical disability | ✓ | | |
| Physical, behavioral, and/or mental conditions | | | ✓ |
| Developmental assessment, referral to a specialist by a doctor | | | ✓ |
| Covid-19 | Adult | Adolescent | Child |
| Covid testing history and effects of pandemic | ✓ | | |
| Mental health | Adult | Adolescent | Child |
| Mental health status | ✓ | ✓ | |
| Perceived need, access and utilization of mental health services | ✓ | ✓ | |
| Functional impairment, stigma, three-item loneliness scale | ✓ | | |
| Suicide ideation and attempts | ✓ | ✓ | |
| Mental health and technology | ✓ | ✓ | |
| Health behaviors | Adult | Adolescent | Child |
| Dietary and nutritional intake, breastfeeding (younger than 3 years) | ✓ | ✓ | ✓ |
| Physical activity and exercise, sedentary time | | ✓ | ✓ |
| Commute from school to home | | ✓ | ✓ |
| Alcohol use/abuse | | ✓ | |
| Cigarette and E-cigarette use | ✓ | ✓ | |
| Marijuana use | ✓ | ✓ | |
| Opioid use | ✓ | | |
| Chewing tobacco, tobacco flavors | ✓ | | |
| Exposure to second-hand smoke | ✓ | | |
| Sexual behaviors | ✓ | ✓ | |
| HIV testing, HIV prevention medication (PrEP/Truvada) | ✓ | ✓ | |
| Contraceptive use, birth control | ✓ | ✓ | |
| Sexual violence | Adult | Adolescent | Child |
| Past unwanted sexual encounter | ✓ | | |

(continued)

Table 1-3. CHIS 2019-2020 survey topic areas by instrument (continued)

| Women's health | Adult | Adolescent | Child |
|--|--------------|-------------------|--------------|
| Pregnancy status/plans and birth control | ✓ | ✓ | ✓ |
| Dental health | Adult | Adolescent | Child |
| Last dental visit, main reason haven't visited dentist | ✓ | ✓ | ✓ |
| Delays in getting care | | | ✓ |
| Current dental insurance coverage | ✓ | | ✓ |
| Condition of teeth | ✓ | ✓ | |
| Neighborhood and housing | Adult | Adolescent | Child |
| Safety, social cohesion | ✓ | ✓ | ✓ |
| Homeownership | ✓ | | |
| Park use, park and neighborhood safety | | ✓ | ✓ |
| Civic engagement, community involvement | ✓ | ✓ | |
| Access to and use of health care | Adult | Adolescent | Child |
| Usual source of care, visits to medical doctor | ✓ | ✓ | ✓ |
| Emergency room visits | ✓ | ✓ | ✓ |
| Delays in getting care (prescriptions and medical care) | ✓ | ✓ | ✓ |
| Communication problems with doctor | ✓ | | ✓ |
| Timely appointment | ✓ | ✓ | ✓ |
| Access to specialist and general doctors | ✓ | | |
| Tele-medical care | ✓ | | |
| Care coordination | ✓ | ✓ | ✓ |
| Voter engagement | Adult | Adolescent | Child |
| Voter engagement | ✓ | | |
| Food environment | Adult | Adolescent | Child |
| Access to-affordable foods | ✓ | | |
| Availability of food in household over past 12 months | ✓ | | |
| Hunger | ✓ | | |
| Health insurance | Adult | Adolescent | Child |
| Current insurance coverage, spouse's coverage, who pays for coverage | ✓ | ✓ | ✓ |
| Health plan enrollment, characteristics and assessment of plan | ✓ | ✓ | ✓ |
| Whether employer offers coverage, respondent/spouse eligibility | ✓ | | |
| Coverage over past 12 months, reasons for lack of insurance | ✓ | ✓ | ✓ |
| High deductible health plans | ✓ | ✓ | ✓ |
| Medical debt, hospitalizations | ✓ | | |

(continued)

Table 1-3. CHIS 2019-2020 survey topic areas by instrument (continued)

| Public program eligibility | Adult | Adolescent | Child |
|---|--------------|-------------------|--------------|
| Program participation (CalWORKs, Food Stamps, SSI, SSDI, WIC, TANF) | ✓ | ✓ | ✓ |
| Assets, child support, Social security/pension, worker's compensation | ✓ | ✓ | ✓ |
| Medi-Cal renewal | ✓ | | |
| Reason for Medi-Cal non-participation | ✓ | ✓ | ✓ |
| Parental involvement/adult supervision | Adult | Adolescent | Child |
| Parental involvement | | | ✓ |
| Child care and school | Adult | Adolescent | Child |
| Current child care arrangements | | | ✓ |
| Paid child care | ✓ | | |
| First 5 California: Talk, Read, Sing Program / Kit for New Parents | | | ✓ |
| Preschool/school attendance, school name | | ✓ | ✓ |
| Caregiving | Adult | Adolescent | Child |
| Caregiving | ✓ | | |
| Employment | Adult | Adolescent | Child |
| Employment status, spouse's employment status | ✓ | | |
| Hours worked at all jobs | ✓ | | |
| Industry and occupation, firm size | ✓ | | |
| Income | Adult | Adolescent | Child |
| Respondent's and spouse's earnings last month before taxes | ✓ | | |
| Household income, number of persons supported by household income | ✓ | | |
| Respondent characteristics | Adult | Adolescent | Child |
| Race and ethnicity, age, gender, height, weight | ✓ | ✓ | ✓ |
| Veteran status | ✓ | | |
| Marital status, registered domestic partner status (same-sex couples) | ✓ | | |
| Sexual orientation | ✓ | | |
| Gender identity | ✓ | ✓ | |
| Gender expression | | ✓ | |
| Living with parents | ✓ | | |
| Education, English language proficiency | ✓ | | |
| Citizenship, immigration status, country of birth, length of time in U.S., languages spoken at home | ✓ | ✓ | ✓ |

Source: UCLA Center for Health Policy Research, 2019-2020 California Health Interview Survey.

1.5 Response Rates

The overall response rates for CHIS 2019-2020 are composites of the screener completion rate (i.e., success in introducing the survey to a household and randomly selecting an adult to be interviewed) and the extended interview completion rate (i.e., success in getting one or more selected persons to complete the extended interview). For CHIS 2019-2020, the overall household response rate was 12.2 percent (the product of the screener response rate of 16.2 percent and the extended interview response rate at the household level of 75.2 percent). CHIS uses the RR4 type response rate described in the AAPOR (The American Association for Public Opinion Research), 2016 guidelines (see more detailed in *CHIS 2019-2020 Methodology Series: Report 4 – Response Rates*).

The extended interview response rate for the ABS sample varied across the adult (72.0 percent), child (85.7 percent) and adolescent (33.2 percent) interviews. The adolescent rate includes the process of obtaining permission from a parent or guardian.

Multiplying these rates by the screener response rates used in the household rates above gives an overall response rate for each type of interview for 2019-2020 (see Table 1-4b).

Table 1-4a. CHIS response rates - Conditional

| Type of Sample | Screener | Household (given screened) | Adult (given screened) | Child (given screened & eligibility) | Adolescent (given screened & permission) |
|----------------|----------|-------------------------------|------------------------|--------------------------------------|---|
| Overall | 16.2% | 75.2% | 72.0% | 85.7% | 33.2% |

Source: UCLA Center for Health Policy Research, 2019-2020 California Health Interview Survey.

Table 1-4b. CHIS response rates - Unconditional

| Type of Sample | Screener | Household (given screened) | Adult (given screened) | Child (given screened & eligibility) | Adolescent (given screened & permission) |
|----------------|----------|-------------------------------|------------------------|--------------------------------------|---|
| Overall | 16.2% | 12.2% | 11.6% | 13.9% | 5.4% |

Source: UCLA Center for Health Policy Research, 2019-2020 California Health Interview Survey.

After all follow-up attempts to complete the full questionnaire were exhausted, adults who completed at least approximately 80 percent of the questionnaire (i.e., through Section K which covers employment, income, poverty status, and food security), were counted as “complete.” At least some responses in the employment and income series, or public program eligibility and food insecurity series were missing from those cases that did not complete the entire interview. They were imputed to enhance the analytic utility of the data.

Proxy interviews were conducted for any adult who was unable to complete the extended adult interview for themselves, in order to avoid biases for health estimates of chronically ill or handicapped people. Eligible selected persons were re-contacted and offered a proxy option. In CHIS 2019-2020, either a spouse/partner or adult child completed a proxy interview for eight adults. A reduced questionnaire, with questions identified as appropriate for a proxy respondent, was administered.

Further information about CHIS data quality and nonresponse bias is available at <http://www.chis.ucla.edu/chis/design/Pages/data-quality.aspx>.

1.6 Weighting the Sample

To produce population estimates from CHIS data, weights were applied to the sample data to compensate for the probability of selection and a variety of other factors, some directly resulting from the design and administration of the survey. The sample was weighted to represent the noninstitutionalized population for each sampling stratum and statewide. The weighting procedures used for CHIS 2019-2020 accomplish the following objectives:

- Compensate for differential probabilities of selection for addresses (households) and persons within household;
- Reduce biases occurring because non-respondents may have different characteristics than respondents;
- Adjust, to the extent possible, for undercoverage in the sampling frame and in the conduct of the survey; and
- Reduce the variance of the estimates by using auxiliary information

As part of the weighting process, a household weight was created for all households that completed the screener interview. This household weight is the product of the “base weight” (the inverse of the probability of selection of the address) and several adjustment factors. The household weight was used to compute a person-level weight, which includes adjustments for the within-household sampling of persons and for nonresponse. The final step was to adjust the person-level weight using weight calibration, a procedure that forced the CHIS weights to sum to estimated population control totals simultaneously from an independent data source (see below).

Population control totals of the number of persons by age, race, and sex at the stratum level for CHIS 2019-2020 were created primarily from the California Department of Finance’s (DOF) 2019 and 2020 Population Estimates, and associated population projections. The procedure used several dimensions, which are combinations of demographic variables (age, sex, race, and ethnicity), geographic variables (county, Service Planning Area) in Los Angeles County, and Health and Human Services Agency (HHS) region in San Diego County), and education. One limitation of using DOF data is that it includes about 2.4 percent of the population of California who live in “group quarters” (i.e., persons living with nine or more unrelated persons and includes, for example nursing homes, prisons, dormitories, etc.). These persons were excluded from the CHIS target population and, as a result, the number of persons living in group quarters was estimated and removed from the DOF control totals prior to calibration.

The DOF control totals used to create the CHIS 2019-2020 weights are based on 2010 Census counts, as were those used for the 2017-2018 cycle. Please pay close attention when comparing estimates using CHIS 2019-2020 data with estimates using data from CHIS cycles before 2010. The most accurate California population figures are available when the U.S. Census Bureau conducts the decennial census. For periods between each census, population-based surveys like CHIS must use population projections based on the decennial count. For example, population control totals for CHIS 2009 were based on 2009 DOF estimates and projections, which were based on Census 2000 counts with adjustments for demographic changes within the state between 2000 and 2009. These estimates become less accurate and more dependent on the models underlying the adjustments over time. Using the most recent Census population count information to create control totals for weighting produces the most statistically accurate population estimates for the current

cycle, but it may produce unexpected increases or decreases in some survey estimates when comparing survey cycles that use 2000 Census-based information and 2010 Census-based information.

1.7 Imputation Methods

Missing values in the CHIS data files were replaced through imputation for nearly every variable. This was a substantial task designed to enhance the analytic utility of the files. SSRS imputed missing values for those variables used in the weighting process and UCLA-CHPR staff imputed values for nearly every other variable.

Three different imputation procedures were used by SSRS to fill in missing responses for items essential for weighting the data. The first imputation technique was a completely random selection from the observed distribution of respondents. This method was used only for a few variables when the percentage of the items missing was very small. The second technique was hot-deck imputation. The hot-deck approach is one of the most commonly used methods for assigning values for missing responses. Using a hot deck, a value reported by a respondent for a specific item was assigned or donated to a “similar” person who did not respond to that item. The characteristics defining “similar” vary for different variables. To carry out hot-deck imputation, the respondents who answered a survey item formed a pool of donors, while the item non-respondents formed a group of recipients. A recipient was matched to the subset pool of donors based on household and individual characteristics. A value for the recipient was then randomly imputed from one of the donors in the pool. SSRS used hot-deck imputation to impute the same items that have been imputed in all CHIS cycles since 2003 (i.e., race, ethnicity, home ownership, and education). The last technique was external data assignment. This method was used for geocoding variables such as strata, Los Angeles SPA, San Diego HSSA region, and zip where the respondent provided inconsistent information. For such cases geocoding information was used for imputation.

UCLA-CHPR imputed missing values for nearly every variable in the data files other than those imputed by SSRS and some sensitive variables for which nonresponse had its own meaning. Overall, item nonresponse rates in CHIS 2019-2020 were low, with most variables missing valid responses for less than 1% of the sample. Questions that go to fewer overall respondents or that ask about more sensitive topics can have higher nonresponse.

The imputation process conducted by UCLA-CHPR started with data editing, sometimes referred to as logical or relational imputation: for any missing value, a valid replacement value was sought based on known values of other variables of the same respondent or other sample(s) from the same household. For the remaining missing values, model-based hot-deck imputation without donor replacement was used. This method replaced a missing value for one respondent using a valid response from another respondent with similar characteristics as defined by a generalized linear model with a set of control variables (predictors). The link function of the model corresponded to the nature of the variable being imputed (e.g. linear regression for continuous variables, logistic regression for binary variables, etc.). Donors and recipients were grouped based on their predicted values from the model.

Control variables (predictors) used in the model to form donor pools for hot-decking always included standard measures of demographic and socioeconomic characteristics, as well as geographic region; however, the full set of control variables varies depending on which variable is being imputed. Most imputation models included additional characteristics, such as health status or access to care, which are used to improve the quality of the donor-recipient match.

Among the standard list of control variables, gender, age, race/ethnicity, educational attainment and region of California were imputed by SSRS. UCLA-CHPR began their imputation process by imputing household income so that this characteristic was available for the imputation of other variables. Sometimes CHIS collects bracketed information about the range in which the respondent's value falls when the respondent will not or cannot report an exact amount. Household income, for example, was imputed using the hot-deck method within ranges defined by a set of auxiliary variables such as bracketed income range and/or poverty level.

The imputation order of the other variables generally followed the questionnaire. After all imputation procedures were complete, every step in the data quality control process was performed once again to ensure consistency between the imputed and non-imputed values on a case-by-case basis.

4. Sample Code for Analysis and Pooling of CHIS Data

As previously noted, sample code to assist with analyses and pooling of CHIS data is available on the CHIS website at <http://healthpolicy.ucla.edu/chis/analyze/Pages/default.aspx>

5. Restricted Variables

The following geographic variables are not located in the funder files, but may be accessible upon request and IRB approval (UCLA & CPHS). These variables are restricted due to their identifiable nature.

| VARIABLE | LABEL | NOTE |
|----------|-------------------------------------|---|
| LATITUDE | LATITUDE | GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING. |
| LONGIT | LONGITUDE | GEOGRAPHIC LONGITUDE OF RESIDENCE. USED FOR MAPPING. |
| CBLK | CENSUS BLOCK INCLUDING CENSUS TRACT | SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, NEIGHBORHOOD ANALYSIS. |

Teen and child restricted variables:

| VARIABLE | LABEL | NOTE |
|----------|-------------------------------------|--|
| SCH_BLK | SCHOOL CENSUS TRACT INCLUDING BLOCK | SMALLEST CENSUS DELINEATION AVAILABLE TO MERGE WITH CENSUS DATA; USED FOR MULTILEVEL MODELING, SCHOOL NEIGHBORHOOD ANALYSIS. |
| SCH_CDS | STATE SCHOOL ID NUMBER | |
| SCH_LAT | SCHOOL LATITUDE | GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING. |
| SCH_LON | SCHOOL LONGITUDE | GEOGRAPHIC LONGITUDE OF SCHOOL. USED FOR MAPPING. |

6. CHIS Data Dictionary

How to Use the Data Dictionary

This Data Dictionary describes the variables in the CHIS 2020 data file. The index of the data dictionary lists variables first in alphabetical order and then in the order they were administered in the survey questionnaire. Please note that identical variable names appearing in the CHIS 2001, CHIS 2003, CHIS 2005, CHIS 2007, CHIS 2009, CHIS 2011-12, CHIS 2013-2014, CHIS 2015-16, CHIS 2017-18, and CHIS 2019-20 data files does not guarantee identical question wording, response categories or universe; please consult the questionnaires and data dictionaries to assess comparability across cycles. A printable version of the questionnaire can be found on the California Health Interview Survey web site at

<http://healthpolicy.ucla.edu/chis/design/Pages/questionnairesEnglish.aspx>.

The data dictionary contains the following fields:

- **VARNAME:** The names of the variables.
- **LABEL:** A description (or label) of the variable which is the same as what is included in the label file described in Section 1.2.
- **VALUE:** Response categories and their sample distributions of categorical variables. The following negative values are used for all variables:

- 1: INAPPLICABLE.
- 2: PROXY SKIPPED.
- 5: CHILD/HOUSEHOLD INFORMATION NOT COLLECTED FOR TEEN AND CHILD INTERVIEWS.
- 7: REFUSED.
- 8: DON'T KNOW.
- 9: NOT ASCERTAINED.

- **MEAN STATISTICS:** Sample distributions of continuous variables.
- **UNIVERSE:** The scope of eligible respondents for the corresponding item. For some questions and variables, certain respondents become ineligible due to skip patterns or other restrictions (e.g., age and sex).
- **INPUT VAR:** Source variables used to construct the one in the **VARNAME** field.
- **NOTES:** Additional information about the variable.

Navigation

Users can also navigate between data dictionary sections by clicking on the section listings on the next page.

TABLE OF CONTENTS

VARIABLE NAME (alphabetical)

VARIABLE NAME (location)

SECTION Q: SCREENING INFORMATION

SECTION A: DEMOGRAPHIC INFORMATION, PART I

SECTION B: GENERAL HEALTH CONDITION

SECTION C: HEALTH BEHAVIORS

**SECTION D: GENERAL HEALTH, DISABILITY &
SEXUAL HEALTH**

SECTION E: WOMEN'S HEALTH

SECTION F: MENTAL HEALTH

**SECTION G: DEMOGRAPHIC INFORMATION, PART II
& CHILD CARE**

SECTION H: HEALTH INSURANCE

**SECTION J: HEALTH CARE UTILIZATION/ACCESS &
DENTAL HEALTH**

**SECTION K: EMPLOYMENT, INCOME, POVERTY
STATUS & FOOD SECURITY**

SECTION L: PUBLIC PROGRAM PARTICIPATION

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

**SECTION N: DEMOGRAPHIC INFO. PART III, GEOGRAPHIC
INFO.**

SECTION O: FULL DESIGN & REPLICATE WEIGHT SERIES 0-80

SECTION P: VOTER ENGAGEMENT

SECTION CV: COVID-19

Variable Name (alphabetical)

| Variable | Label | Page |
|----------|---|------|
| AA5C | ENROLLED MEMBER IN RECOGNIZED TRIBE | A-4 |
| AA5G | IDENTIFY WITH ONE RACE IN PARTICULAR | A-5 |
| AB1 | GENERAL HEALTH CONDITION | B-1 |
| AB112 | MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN | B-8 |
| AB17 | DOCTOR EVER TOLD HAVE ASTHMA | B-1 |
| AB18 | TAKING DAILY MEDICATION TO CONTROL ASTHMA | B-3 |
| AB22V2 | DOCTOR EVER TOLD HAVE DIABETES | B-4 |
| AB23_P1 | AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE) | B-5 |
| AB24 | CURRENTLY TAKING INSULIN | B-7 |
| AB25 | CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR | B-7 |
| AB27_P | # OF TIMES DOC CHECKED HEMOGLOBIN A1C LAST YR (PUF RECODE) | B-10 |
| AB27_P1 | # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD | B-10 |
| AB29V2 | DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE | B-9 |
| AB34 | DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE | B-9 |
| AB40 | STILL HAS ASTHMA | B-2 |
| AB41 | ASTHMA EPISODE/ATTACK IN PAST 12 MOS | B-2 |
| AB43 | HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | B-4 |
| AB51_P1 | TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE) | B-6 |
| AB63 | LAST EYE EXAM DILATED PUPILS | B-8 |
| AC115 | EVER TRIED MARIJUANA OR HASHISH | C-22 |
| AC116_P1 | HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE) | C-22 |
| AC117V2 | FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS | C-23 |
| AC118V2 | HOW OFTEN USE TOBACCO WITH MARIJUANA | C-23 |
| AC119V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE | C-24 |

| | | |
|----------|---|------|
| AC120V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT | C-24 |
| AC121V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT | C-25 |
| AC122V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK | C-25 |
| AC123V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE | C-26 |
| AC124V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB | C-26 |
| AC125V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - OTHER WAY | C-27 |
| AC126V2 | ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER | C-27 |
| AC127V2 | ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER | C-28 |
| AC134V2 | USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-16 |
| AC135_P1 | FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1 | C-16 |
| AC136 | USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-17 |
| AC137_P1 | FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU | C-17 |
| AC138 | USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-18 |
| AC139_P1 | FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE) | C-18 |
| AC140 | USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-19 |
| AC141_P1 | FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO | C-19 |
| AC142 | USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-20 |
| AC143 | HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE | C-20 |
| AC144 | EVER BEEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN C | C-21 |
| AC160 | IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH | C-29 |
| AC161 | IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH | C-30 |
| AC46 | # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO | C-1 |
| AC49 | STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR | C-7 |

| | | |
|-----------|---|------|
| AC50 | THINK ABOUT QUIT SMOKING IN NEXT 6 MOS | C-8 |
| AC58C | USUALLY SMOKE MENTHOL OR NON-MENTHOL CIG | C-5 |
| AC81C | EVER SMOKED ELECTRONIC CIGARETTES | C-8 |
| AC82C_P1 | DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE) | C-9 |
| AC83V4_1 | BEST DESCRIBES REASON FOR USING E-CIGS - QUIT SMOKING | C-10 |
| AC83V4_10 | BEST DESCRIBES REASON FOR USING E-CIGS - HEALTHIER THAN CIGARETTE | C-14 |
| AC83V4_11 | BEST DESCRIBES REASON FOR USING E-CIGS - SOCIAL REASONS/ENJOYMENT | C-15 |
| AC83V4_12 | BEST DESCRIBES REASON FOR USING E-CIGS - STRESS, ANXIETY, PAIN RE | C-15 |
| AC83V4_2 | BEST DESCRIBES REASON FOR USING E-CIGS - REPLACE SMOKING | C-10 |
| AC83V4_3 | BEST DESCRIBES REASON FOR USING E-CIGS - CUT DOWN OR REDUCE SMOKI | C-11 |
| AC83V4_4 | BEST DESCRIBES REASON FOR USING E-CIGS - USED WHERE SMOKING NOT A | C-11 |
| AC83V4_5 | BEST DESCRIBES REASON FOR USING E-CIGS - CURIOSITY | C-12 |
| AC83V4_6 | BEST DESCRIBES REASON FOR USING E-CIGS - NO LINGERING ODOR | C-12 |
| AC83V4_7 | BEST DESCRIBES REASON FOR USING E-CIGS - HELPS CONCENTRATE | C-13 |
| AC83V4_8 | BEST DESCRIBES REASON FOR USING E-CIGS - MANY FLAVORS | C-13 |
| AC83V4_9 | BEST DESCRIBES REASON FOR USING E-CIGS - LESS EXPENSIVE | C-14 |
| ACHLDC_P1 | AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE) | G-7 |
| ACMDNUM | # OF DOCTOR VISITS PAST YEAR | J-5 |
| AD13 | CURRENTLY PREGNANT | E-1 |
| AD32_P1 | # OF CIGARETTES PER DAY (PUF 1 YR RECODE) | C-4 |
| AD50 | BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM | D-6 |
| AE_FRUIT | # OF TIMES EATING FRUIT PER WEEK | C-2 |
| AE_VEGI | # OF TIMES EATING VEGETABLES PER WEEK | C-3 |
| AE15 | SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME | C-3 |
| AE15A | SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL | C-4 |

| | | |
|---------|--|------|
| AE16_P1 | # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE) | C-5 |
| AE2 | # TIMES ATE FRUIT IN PAST MO | C-1 |
| AE7 | # OF TIMES ATE VEGETABLES IN PAST MO | C-2 |
| AF107B | HOW OFTEN FEEL LACK OF COMPANIONSHIP | F-15 |
| AF108B | HOW OFTEN FEEL LEFT OUT | F-15 |
| AF109B | HOW OFTEN FEEL ISOLATED | F-16 |
| AF40BV2 | USES OR MALE SEX PARTNER USES BIRTH CONTROL | D-8 |
| AF62 | ANY MONTH PAST 12 MONTHS FELT WORSE | F-5 |
| AF63 | FEEL NERVOUS WORST MONTH | F-6 |
| AF64 | FEEL HOPELESS WORST MONTH | F-6 |
| AF65 | FEEL RESTLESS WORST MONTH | F-7 |
| AF66 | FEEL DEPRESSED WORST MONTH | F-7 |
| AF67 | FEEL EVERYTHING AN EFFORT WORST MONTH | F-8 |
| AF68 | FEEL WORTHLESS WORST MONTH | F-8 |
| AF69B | EMOTIONS INTERFERE W/WORK WORST MONTH | F-9 |
| AF70B | EMOTIONS INTERFERE W/CHORES WORST MONTH | F-9 |
| AF71B | EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH | F-10 |
| AF72B | EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH | F-10 |
| AF81 | NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR | F-14 |
| AG1 | TIME SINCE LAST VISIT TO DENTIST/SPECIALIST | J-17 |
| AG10 | RESPONDENT USUALLY WORKS | G-10 |
| AG11 | SPOUSE USUALLY WORKS | G-11 |
| AG22 | EVER SERVE IN U.S. ARMED FORCES | G-12 |
| AG3 | HAVE ANY KIND OF DENTAL INSURANCE | J-19 |
| AG31 | HAVE VA SERVICE-CONNECTED DISABILITY RATING | G-12 |
| AG44 | HOW OFTEN USE THE INTERNET | F-17 |
| AG45 | HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA | F-17 |
| AG52 | UNEMPLOYED AND LOOKING FOR JOB FOR MORE THAN MONTH | G-8 |

| | | |
|----------|---|------|
| AG53 | MAJOR FINANCIAL CRISIS, BANKRUPTCY, OR UNABLE TO PAY BILLS | G-9 |
| AG8 | WORK STATUS OF SPOUSE LAST WEEK | G-9 |
| AG9_P1 | TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE) | G-10 |
| AH100 | ANYONE HELP FIND HEALTH PLAN | H-3 |
| AH101_P | PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE) | H-21 |
| AH103 | BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO | H-4 |
| AH104 | PURCHASE INS DIRECT OR THRU COVERED CA | H-4 |
| AH105 | GET INS THRU EMPLOYER, UNION, SHOP PROGRAM | H-5 |
| AH107 | GET SUBSIDY/DISCOUNT ON PLAN PREMIUM | H-5 |
| AH110 | SOURCE OF COVERAGE PURCHASED DIRECTLY | H-6 |
| AH111 | FIND PLAN WITH NEEDED COVERAGE-COVERED CA | H-6 |
| AH112 | FIND PLAN COULD AFFORD-COVERED CA | H-7 |
| AH113 | ANYONE HELP R FIND HEALTH PLAN-COVERED CA | H-7 |
| AH114 | WHO HELPED R FIND HEALTH PLAN-COVERED CA | H-8 |
| AH115 | HAD NEEDED INFO TO PICK HEALTH PLAN | H-8 |
| AH117 | COST OF SELECTED PLAN IMPORTANT | H-9 |
| AH118 | CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT | H-9 |
| AH119 | CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT | H-10 |
| AH120 | CHOICE OF DOCTORS THRU PLAN IMPORTANT | H-10 |
| AH126_P1 | SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE) | H-23 |
| AH128 | AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE | H-42 |
| AH129 | AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO | H-43 |
| AH12V2 | VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS | J-24 |
| AH130 | HAS MONEY IN HSA ACCOUNT | H-43 |
| AH131_P | AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE) | H-44 |
| AH132 | LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN | H-45 |
| AH133 | # OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN | H-45 |

| | | |
|---------|---|------|
| AH134 | HEALTH INSURANCE BEFORE CURRENT PLAN | H-46 |
| AH135 | OTHER HEALTH INSURANCE BEFORE CURRENT PLAN | H-47 |
| AH136 | LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN | H-48 |
| AH137 | EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS | H-48 |
| AH139 | SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN | H-49 |
| AH14 | PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS | H-21 |
| AH140 | REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM | H-18 |
| AH141 | REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO | H-19 |
| AH16 | DELAY/NOT GET PRESCRIPTION IN PAST 12 MO | J-9 |
| AH1V2 | HAVE USUAL SOURCE OF HEALTH CARE | J-1 |
| AH22 | DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS | J-10 |
| AH3_P1 | KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE) | J-2 |
| AH33NEW | BORN IN U.S. | G-1 |
| AH34NEW | MOTHER BORN IN U.S. | G-1 |
| AH35NEW | FATHER BORN IN U.S. | G-2 |
| AH37 | LEVEL OF ENGLISH PROFICIENCY: GENERAL | G-3 |
| AH43A | LIVING WITH A PARENT | G-6 |
| AH44 | SPOUSE LIVING IN SAME HOUSEHOLD | G-5 |
| AH44A | USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH | G-6 |
| AH44B | AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH | G-7 |
| AH5 | # OF TIMES SAW MD IN PAST 12 MOS | J-4 |
| AH53 | PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM | H-2 |
| AH54 | SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM | H-2 |
| AH6 | HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH | J-5 |
| AH71_P1 | HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE) | H-17 |
| AH72_P1 | HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR | H-17 |

| | RECODE) | |
|----------|---|------|
| AH73B | SPECIAL FUND TO PAY MEDICAL EXPENSES | H-18 |
| AH74 | TRIED TO FIND HEALTH INSURANCE ON OWN | H-19 |
| AH75 | TRIED TO FIND HEALTH INSURANCE ON OWN | H-20 |
| AH79B | REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN | H-38 |
| AH80B | REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS | H-39 |
| AH81B | EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B | H-39 |
| AH83B | AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING | H-40 |
| AH84B | UNINSURED AT TIME MEDICAL CARE WAS PROVIDED | H-40 |
| AH85B | UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS | H-41 |
| AH86B | TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS | H-41 |
| AH95_P1 | # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE) | J-24 |
| AH98_P1 | DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE) | H-22 |
| AH99_P1 | DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE) | H-22 |
| AHEDC_P1 | EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE) | G-8 |
| AI1 | COVERED BY MEDICARE | H-1 |
| AI15 | MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN | H-11 |
| AI15A | MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN | H-11 |
| AI22A_P | NAME OF HEALTH PLAN (PUF RECODE) | H-16 |
| AI22C | MAIN HEALTH PLAN IS HMO | H-14 |
| AI25 | COVERED FOR PRESCRIPTION DRUGS | H-15 |
| AI25NEW | RX COVERAGE EDITED FOR MEDI-CAL | H-15 |
| AI28 | HOW LONG SINCE LAST HAD HEALTH INS | H-20 |
| AI37 | SPOUSE COVERED BY MEDICARE | H-12 |
| AI37A | SPOUSE COVERED BY MEDICARE SUPPL POLICY | H-12 |
| AI38 | SPOUSE COVERED BY MEDI-CAL | H-13 |
| AI4 | COVERED BY MEDICARE SUPPL POLICY | H-1 |

| | | |
|------------|---|------|
| AI45_P1 | MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE) | H-13 |
| AI45A_P1 | MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE) | H-14 |
| AI6 | COVERED BY MEDI-CAL | H-3 |
| AJ1 | INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS | F-14 |
| AJ101V2 | CURRENTLY PROVIDE CARE | J-33 |
| AJ102 | SOUGHT APPNT W/DOC IN 2 DAYS PAST YR | J-11 |
| AJ103 | HOW OFTEN GET APPNT IN 2 DAYS | J-12 |
| AJ105 | KNOW RIGHTS TO INTERPRETOR DURING MED VISIT | J-13 |
| AJ10V2 | NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR | J-8 |
| AJ114 | TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP | J-13 |
| AJ115_P1 | # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1 | J-14 |
| AJ11V2 | WHO HELPED YOU UNDERSTAND DOCTOR | J-9 |
| AJ129 | EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED | J-15 |
| AJ131_P1 | MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE) | J-15 |
| AJ133 | HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS | J-21 |
| AJ134 | NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR | J-21 |
| AJ135 | INSURANCE NOT ACCEPTED BY DOC PAST YR | J-21 |
| AJ136 | NEEDED TO SEE MED SPECIALIST PAST YR | J-19 |
| AJ137 | HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS | J-19 |
| AJ138 | NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR | J-20 |
| AJ139 | INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR | J-20 |
| AJ144B | RECEIVED BIRTH CONTROL INFO FROM DR PAST YR | D-16 |
| AJ152V2 | RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID | J-25 |
| AJ153V2_1 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN | J-26 |
| AJ153V2_10 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION | J-30 |
| AJ153V2_11 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, | J-30 |

| | | |
|------------|---|------|
| | OTHER HEA | |
| AJ153V2_13 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM | J-31 |
| AJ153V2_2 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE | J-26 |
| AJ153V2_4 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER | J-27 |
| AJ153V2_5 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT | J-27 |
| AJ153V2_6 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFECTION | J-28 |
| AJ153V2_7 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY | J-28 |
| AJ153V2_8 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS | J-29 |
| AJ153V2_9 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP | J-29 |
| AJ154BV2_1 | BIRTH CONTROL METHOD: TUBAL LIGATION | D-8 |
| AJ154BV2_2 | BIRTH CONTROL METHOD: VASECTOMY | D-9 |
| AJ154BV2_3 | BIRTH CONTROL METHOD: IUD | D-9 |
| AJ154BV2_4 | BIRTH CONTROL METHOD: IMPLANT | D-10 |
| AJ154BV2_5 | BIRTH CONTROL METHOD: BIRTH CONTROL PILLS | D-10 |
| AJ154BV2_6 | BIRTH CONTROL METHOD: OTHER HORMONAL METHODS | D-11 |
| AJ154BV2_7 | BIRTH CONTROL METHOD: CONDOMS (MALE) | D-11 |
| AJ154BV2_8 | BIRTH CONTROL METHOD: OTHER | D-12 |
| AJ154BV2_9 | BIRTH CONTROL METHOD: OTHER BIRTH CONTROL | D-12 |
| AJ167 | ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM | J-18 |
| AJ168 | CONDITION OF TEETH | J-18 |
| AJ169V2 | RESPONDENT'S PREGNANCY PLANS | D-7 |
| AJ170V2_P1 | MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R | D-13 |
| AJ171V2_P1 | EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD | D-13 |
| AJ172V2 | CURRENTLY USING BIRTH CONTROL | D-16 |
| AJ174_1 | BIRTH CONTROL METHOD: TUBAL LIGATION | D-17 |
| AJ174_2 | BIRTH CONTROL METHOD: VASECTOMY | D-17 |

| | | |
|----------|--|------|
| AJ174_3 | BIRTH CONTROL METHOD: IUD | D-18 |
| AJ174_4 | BIRTH CONTROL METHOD: IMPLANT | D-18 |
| AJ174_5 | BIRTH CONTROL METHOD: BIRTH CONTROL PILLS | D-19 |
| AJ174_6 | BIRTH CONTROL METHOD: OTHER HORMONAL METHODS | D-19 |
| AJ174_7 | BIRTH CONTROL METHOD: CONDOMS (MALE) | D-20 |
| AJ174_8 | BIRTH CONTROL METHOD: OTHER | D-20 |
| AJ174_9 | BIRTH CONTROL METHOD: OTHER BIRTH CONTROL | D-21 |
| AJ175_P1 | MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R | D-21 |
| AJ176 | DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN | J-31 |
| AJ177 | DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL | J-32 |
| AJ178 | DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES | M-1 |
| AJ179 | RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS | D-14 |
| AJ180 | RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12 | D-14 |
| AJ181_P1 | TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE | D-15 |
| AJ182_P1 | LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE) | D-15 |
| AJ183 | RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12 | D-22 |
| AJ186 | RECEIVED ANY HEALTH CARE FROM PLANNED PARENTHOOD IN PAST 12 MOS | D-22 |
| AJ187 | RECEIVED ANY HEALTH INFORMATION FROM PLANNED PARENTHOOD IN PAST 1 | D-23 |
| AJ19 | COST/NO INSUR DELAYED GETTING PRESCRIPTION | J-10 |
| AJ191 | PAID FOR ANY HOURS HELPED CARE RECIPIENT | J-55 |
| AJ193 | FINANCIAL STRESS DUE TO CAREGIVING | J-36 |
| AJ194_1 | DISABILITY OR ILLNESS OF CARE RECIPIENT: ALZHEIMER'S, CONFUSION, | J-39 |
| AJ194_10 | DISABILITY OR ILLNESS OF CARE RECIPIENT: MOBILITY | J-44 |

| | PROBLEM | |
|----------|--|------|
| AJ194_11 | DISABILITY OR ILLNESS OF CARE RECIPIENT: OLD AGE, AGING | J-44 |
| AJ194_12 | DISABILITY OR ILLNESS OF CARE RECIPIENT: STROKE | J-45 |
| AJ194_13 | DISABILITY OR ILLNESS OF CARE RECIPIENT: SURGERY, WOUNDS | J-45 |
| AJ194_14 | DISABILITY OR ILLNESS OF CARE RECIPIENT: OTHER | J-46 |
| AJ194_15 | DISABILITY OR ILLNESS OF CARE RECIPIENT: NEUROLOGICAL, AUTOIMMUNE | J-46 |
| AJ194_16 | DISABILITY OR ILLNESS OF CARE RECIPIENT: VISION, HEARING PROBLEM | J-47 |
| AJ194_17 | DISABILITY OR ILLNESS OF CARE RECIPIENT: BLOOD, ORGAN, MUSCULAR, | J-47 |
| AJ194_18 | DISABILITY OR ILLNESS OF CARE RECIPIENT: COVID-RELATED ISSUE | J-48 |
| AJ194_2 | DISABILITY OR ILLNESS OF CARE RECIPIENT: ARTHRITIS | J-40 |
| AJ194_3 | DISABILITY OR ILLNESS OF CARE RECIPIENT: BACK PROBLEMS | J-40 |
| AJ194_4 | DISABILITY OR ILLNESS OF CARE RECIPIENT: BROKEN BONES | J-41 |
| AJ194_5 | DISABILITY OR ILLNESS OF CARE RECIPIENT: CANCER | J-41 |
| AJ194_6 | DISABILITY OR ILLNESS OF CARE RECIPIENT: DIABETES | J-42 |
| AJ194_7 | DISABILITY OR ILLNESS OF CARE RECIPIENT: FEEBLE, UNSTEADY, FALLIN | J-42 |
| AJ194_8 | DISABILITY OR ILLNESS OF CARE RECIPIENT: LUNG DISEASE, EMPHYSEMA, | J-43 |
| AJ194_9 | DISABILITY OR ILLNESS OF CARE RECIPIENT: MENTAL ILLNESS, EMOTIONA | J-43 |
| AJ197 | HAVE SUPPORT/SERVICES NEEDED TO CARE FOR CARE RECIPIENT | J-48 |
| AJ199 | SUFFERED PHYSICAL/MENTAL HEALTH PROBLEMS CARING FOR CARE RECIPIEN | J-49 |
| AJ20 | COST/NO INSR DELAYED GETTING NEEDED CARE | J-11 |
| AJ200_1 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: NO CHANGE | J-49 |
| AJ200_10 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: OTHER | J-54 |
| AJ200_2 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: CHANGED JOB | J-50 |
| AJ200_3 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TOOK 2ND JOB/INCREASE | J-50 |

| | | |
|----------|---|------|
| AJ200_4 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: REDUCED WORK HOURS/UN | J-51 |
| AJ200_5 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TEMPORARY LEAVE/SICK/ | J-51 |
| AJ200_6 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: QUIT JOB/LAID OFF | J-52 |
| AJ200_7 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: RETIRED/RETIRED EARLY | J-52 |
| AJ200_8 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: PAID FAMILY LEAVE | J-53 |
| AJ200_9 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: DOES NOT WORK | J-53 |
| AJ201_P1 | AGE OF CARE RECIPIENT (PUF 1 YR RECODE) | J-33 |
| AJ29 | FEEL NERVOUS PAST 30 DAYS | F-1 |
| AJ30 | FEEL HOPELESS PAST 30 DAYS | F-1 |
| AJ31 | FELT RESTLESS PAST 30 DAYS | F-2 |
| AJ32 | FEEL DEPRESSED PAST 30 DAYS | F-2 |
| AJ33 | FEEL EVERYTHING AN EFFORT PAST 30 DAYS | F-3 |
| AJ34 | FEEL WORTHLESS PAST 30 DAYS | F-3 |
| AJ50V2_P | LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE) | J-7 |
| AJ77 | HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER | J-6 |
| AJ80 | HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA | J-1 |
| AJ87 | PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR | J-32 |
| AJ8V3 | HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT | J-7 |
| AJ90 | RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO | J-35 |
| AJ91B_1 | DURING PAST 12 MOS CARE RECIPIENT LIVED: ALONE | J-36 |
| AJ91B_2 | DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH YOU | J-37 |
| AJ91B_3 | DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH SOME OTHER FAMILY M | J-37 |
| AJ91B_4 | DURING PAST 12 MOS CARE RECIPIENT LIVED: IN A NURSING HOME | J-38 |
| AJ91B_5 | DURING PAST 12 MOS CARE RECIPIENT LIVED: IN AN ASSISTED-LIVING FA | J-38 |

| | | |
|-----------|---|------|
| AJ91B_6 | DURING PAST 12 MOS CARE RECIPIENT LIVED: IN SOME OTHER LIVING SIT | J-39 |
| AJ93 | # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK | J-54 |
| AJ9V2 | MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND | J-8 |
| AK1 | WORK STATUS LAST WEEK | K-1 |
| AK10_P | RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE) | K-7 |
| AK10A_P | SPOUSE'S EARNINGS LAST MONTH (PUF RECODE) | K-9 |
| AK2_P1 | MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE) | K-1 |
| AK20_P1 | # OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE) | K-7 |
| AK22_P1 | HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE) | K-8 |
| AK23 | LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME | M-2 |
| AK25 | OWN OR RENT HOME | M-4 |
| AK28 | HOW OFTEN FEEL SAFE IN NEIGHBORHOOD | M-6 |
| AK3_P1V2 | # OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE) | K-2 |
| AK32V2 | HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I | K-9 |
| AK33V2_P1 | # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE | K-10 |
| AK4 | TYPE OF EMPLOYER AT MAIN JOB | K-2 |
| AK7_P1V2 | LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2) | K-5 |
| AK8 | # PEOPLE WORKING FOR EMPLOYER/YOU | K-6 |
| AKWKLNG | TIME AT MAIN JOB | K-6 |
| AL10 | HAVE DIFFICULTY CONCENTRATING | D-6 |
| AL11 | HAVE DIFFICULTY DRESSING/BATHING | D-6 |
| AL12 | HAVE DIFFICULTY DOING ERRANDS | D-7 |
| AL18AV2 | RECVD SOCIAL SECURITY OR PENSION LAST MONTH | L-3 |
| AL22 | RECEIVING SOCIAL SECURITY DISABILITY INS | L-2 |
| AL2V2 | RECEIVING TANF OR CALWORKS | L-1 |

| | | |
|-----------|---|------|
| AL40V2_P1 | LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE) | L-3 |
| AL5V2 | RECEIVING FOOD STAMP BENEFITS | L-1 |
| AL6V2 | RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME) | L-2 |
| AL86 | WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO | L-4 |
| AL87 | METHOD OF CONTACTING COUNTY OFFICE | L-4 |
| AL88 | LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM | L-5 |
| AL89 | COUNTY REP ANSWER ALL OF R'S QUESTIONS | L-5 |
| AL90 | COUNTY REP TREATED R WITH RESPECT | L-6 |
| AL91_1 | AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES | L-6 |
| AL91_10 | AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF | L-11 |
| AL91_11 | AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES | L-11 |
| AL91_12 | AREAS COUNTY OFFICE CAN IMPROVE: OTHERS | L-12 |
| AL91_2 | AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R | L-7 |
| AL91_3 | AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER | L-7 |
| AL91_4 | AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS | L-8 |
| AL91_5 | AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS | L-8 |
| AL91_6 | AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF | L-9 |
| AL91_7 | AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF | L-9 |
| AL91_8 | AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE | L-10 |
| AL91_9 | AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL | L-10 |
| AL92 | SATISFACTION RATING OF COUNTY OFFICE | L-12 |
| AL93 | RENEWED MEDI-CAL IN PAST 12 MOS | L-13 |
| AL94 | HAVE ISSUES RENEWING MEDI-CAL | L-13 |
| AL95_P1 | TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE) | L-14 |
| AL96 | COVERAGE PRIOR TO MEDI-CAL | L-14 |

| | | |
|-----------|--|------|
| AM1 | HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS | K-10 |
| AM19 | PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER | M-5 |
| AM2 | HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS | K-11 |
| AM20 | PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG | M-5 |
| AM21 | PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED | M-6 |
| AM3 | ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | K-11 |
| AM37 | CURRENTLY PAYING OFF HOME MORTGAGE OR LOAN | M-1 |
| AM39 | VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR | M-2 |
| AM3A | HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | K-12 |
| AM4 | ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS | K-12 |
| AM44 | CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS | M-3 |
| AM45 | CAN CONTACT ELECTED OFFICIAL IN COMMUNITY | M-3 |
| AM48 | ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY) | M-4 |
| AM5 | HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS | K-13 |
| AP73V2 | FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS | P-1 |
| AP74V2 | FREQUENCY OF VOTING IN STATE ELECTIONS | P-1 |
| AP75V2 | FREQUENCY OF VOTING IN LOCAL ELECTIONS | P-2 |
| AP80 | MAIN REASON DID NOT VOTE | P-3 |
| ASTCUR | CURRENT ASTHMA STATUS | B-3 |
| BMI_P | BODY MASS INDEX (PUF RECODE) | D-4 |
| CARE_PV | HAD A PREVENTIVE CARE VISIT IN PAST YEAR | J-16 |
| CAREYRS | AGE OF PERSON WHO RESPONDENT GIVES CARE TO (AJ201 RECODE) | J-34 |
| CHORES2 | CHORE IMPAIRMENT PAST 12 MONTHS | F-12 |
| CITIZEN2 | CITIZENSHIP STATUS (3 LVLS) | G-4 |
| COVRDCA | PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA | H-35 |
| COVRDCA_S | SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED | H-36 |

CALIFORN

| | | |
|----------|---|------|
| CV1 | EVER HAD OR THOUGHT HAD COVID-19 | CV-1 |
| CV2 | CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS | CV-1 |
| CV3 | HEALTH PROFESSIONAL SUSPECTED RESPONDENT HAD COVID-19 | CV-2 |
| CV4 | EVER TESTED FOR COVID-19 | CV-2 |
| CV5 | EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19 | CV-3 |
| CV7_1 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB | CV-3 |
| CV7_10 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE | CV-6 |
| CV7_11 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT | CV-6 |
| CV7_2 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I | CV-3 |
| CV7_3 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORKING FROM HOME | CV-4 |
| CV7_4 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E | CV-4 |
| CV7_5 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES | CV-4 |
| CV7_6 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE | CV-5 |
| CV7_7 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO | CV-5 |
| CV7_8 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T | CV-5 |
| CV7_9 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER | CV-6 |
| CV8_1 | INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: INTERPERSONAL CON | CV-7 |
| CV8_2 | INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: SNAPPING/YELLING | CV-7 |
| CV8_4 | INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: NONE OF THESE | CV-8 |
| CV9 | WOULD GET COVID-19 VACCINE IF AVAILABLE | CV-8 |
| DIABETES | DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL) | B-5 |
| DIAMED | TAKING INSULIN OR PILLS | B-6 |

| | | |
|-------------|---|------|
| DISTRESS | SERIOUS PSYCHOLOGICAL DISTRESS | F-4 |
| DOCT_YR | VISITED DOCTOR IN PAST 12 MOS | J-6 |
| DSTRS_P1 | SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE) | F-5 |
| DSTRS12 | LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR | F-11 |
| DSTRS30 | LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH | F-4 |
| DSTRSYR | SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE) | F-11 |
| ELDER_IDX | ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD | K-17 |
| ELGMAGI3 | MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS) | K-16 |
| ELGMAGI4 | MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS) | K-16 |
| ELGMAGI5 | MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS) | K-17 |
| ER | ER VISIT WITHIN THE PAST YEAR | J-25 |
| ESMKCUR | CURRENT E-CIGARETTE SMOKER | C-9 |
| FAMILY2 | FAMILY LIFE IMPAIRMENT PAST 12 MONTHS | F-13 |
| FAMSIZE2_P1 | FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE) | G-14 |
| FAMT4 | FAMILY TYPE - 4 LVLS | G-15 |
| FAMTYP_P | FAMILY TYPE (PUF RECODE) | G-14 |
| FLAVTOB | CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS | C-21 |
| FORGO | HAD TO FORGO NECESSARY CARE | J-17 |
| FSLEV | FOOD SECURITY STATUS LEVEL | K-13 |
| FSLEVCB | FOOD SECURITY STATUS (2 LVLS) | K-14 |
| GENENV | MOST IMPORTANT FACTOR TO HEALTH | C-30 |
| HEIGHM_P | HEIGHT: METERS - UCLA (PUF RECODE) | D-2 |
| HGHTI_P | HEIGHT: INCHES (PUF RECODE) | D-1 |
| HGHTM_P | HEIGHT: METERS (PUF RECODE) | D-1 |
| HHSIZE_P1 | HOUSEHOLD SIZE (PUF 1 YR RECODE) | Q-1 |
| HMO | HMO STATUS | H-16 |
| HSAAMT_P1 | AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE) | H-44 |

| | | |
|-----------|---|------|
| IHS | COVERED BY INDIAN HEALTH SERVICES | H-30 |
| ILLIDRUG | USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE | C-29 |
| IND_FLAG3 | CENSUS INDUSTRY CODE - CODING METHOD | K-4 |
| INDMAIN2 | MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.) | K-3 |
| INS | CURRENTLY INSURED | H-23 |
| INS_S | SPOUSE CURRENTLY INSURED | H-24 |
| INS12M | MOS COVERED BY HEALTH PLANS LAST 12 MOS | H-24 |
| INS64 | TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65 | H-25 |
| INS64_P | CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE) | H-26 |
| INS64_S | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65 | H-26 |
| INS64S_P | SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE) | H-27 |
| INS65 | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+ | H-28 |
| INS65_S | TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+ | H-29 |
| INS9TP | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS) | H-30 |
| INSANY | ANY INS IN LAST 12 MOS | H-27 |
| INSEM | COVERED BY EMPLOYER-BASED PLANS | H-31 |
| INSEM_S | SPOUSE COVERED BY EMPLOYER-BASED PLANS | H-31 |
| INSLMT12M | REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS | H-42 |
| INSLT_P | HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE) | H-34 |
| INSMC | COVERED BY MEDICARE | H-31 |
| INSMC_S | SPOUSE COVERED BY MEDICARE | H-32 |
| INSMD | COVERED BY MEDI-CAL | H-33 |
| INSMD_S | SPOUSE COVERED BY MEDI-CAL | H-33 |
| INSOG | COVERED BY OTHER GOVT PLANS | H-33 |
| INSOG_S | SPOUSE COVERED BY OTHER GOVT PLANS | H-34 |
| INSPR | COVERED BY PLANS PURCHASED ON OWN | H-35 |

| | | |
|-------------|---|------|
| INSPR_S | SPOUSE COVERED BY PLANS PURCHASED ON OWN | H-35 |
| INSPS | PRIMARY OR SECONDARY COVERAGE | H-36 |
| INSPS_S | SPOUSE PRIMARY OR SECONDARY COVERAGE | H-37 |
| INST_12 | HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS | H-28 |
| INSTYPE | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES | H-29 |
| INTV_MODE2 | INTERVIEW MODE (PHONE OR WEB) | A-7 |
| INTVLNGC_P1 | LANGUAGE OF INTERVIEW (PUF 1 YR RECODE) | Q-2 |
| LATIN2TP | LATIN/HISPANIC SUBTYPES (2 LVLS) | A-2 |
| LNGHM_P1 | LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE) | G-2 |
| LONELINESS | LONELINESS SCALE (UCLA 3-ITEM LONELINESS SCALE) | F-16 |
| MARIT | MARITAL STATUS- 3 CATEGORIES | A-5 |
| MARIT_45 | MARITAL STATUS - AGE 45 AND OLDER | A-6 |
| MARIT2 | MARITAL STATUS- 4 CATEGORIES | A-6 |
| MARTYPEV2 | METHOD OF TAKING MARIJUANA | C-28 |
| MC_TYPE | TYPE OF MEDICARE COVERAGE | H-32 |
| NONCIGPRO | CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS | C-21 |
| NUMCIG | # OF CIGARETTES PER DAY | C-7 |
| OCC_FLAG3 | CENSUS OCCUPATION CODE - CODING METHOD | K-5 |
| OCCMAIN2 | MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.) | K-4 |
| OFFTK | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS | H-37 |
| OFFTK_S | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE | H-38 |
| OMBSRR_P1 | OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE) | A-2 |
| OVRWT | OVERWEIGHT OR OBESE | D-5 |
| PC_INS | PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS | J-22 |
| PC_NEWP | PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT | J-22 |
| PCTLF_P | PERCENT LIFE IN US (PUF RECODE) | G-5 |

| | | |
|-------------|---|------|
| PINSTYPE | TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN | H-47 |
| POVGWD_P1 | FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE) | K-14 |
| POVLL | POVERTY LEVEL | K-15 |
| POVLL2_P1V2 | POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2) | K-15 |
| PROXY | A PROXY INTERVIEW | Q-2 |
| PUF1Y_ID | PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES | Q-1 |
| RACECN_P1 | RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE) | A-3 |
| RACEDF_P1 | FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE) | A-3 |
| RACEHP2_P1 | RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE) | A-4 |
| RAKEDW0 | CHIS2020 RAKED WEIGHT - FULL SAMPLE | 0-1 |
| RAKEDW1 | CHIS2020 RAKED WEIGHT - REPLICATE 1 | 0-1 |
| RAKEDW10 | CHIS2020 RAKED WEIGHT - REPLICATE 10 | 0-4 |
| RAKEDW11 | CHIS2020 RAKED WEIGHT - REPLICATE 11 | 0-4 |
| RAKEDW12 | CHIS2020 RAKED WEIGHT - REPLICATE 12 | 0-5 |
| RAKEDW13 | CHIS2020 RAKED WEIGHT - REPLICATE 13 | 0-5 |
| RAKEDW14 | CHIS2020 RAKED WEIGHT - REPLICATE 14 | 0-5 |
| RAKEDW15 | CHIS2020 RAKED WEIGHT - REPLICATE 15 | 0-6 |
| RAKEDW16 | CHIS2020 RAKED WEIGHT - REPLICATE 16 | 0-6 |
| RAKEDW17 | CHIS2020 RAKED WEIGHT - REPLICATE 17 | 0-6 |
| RAKEDW18 | CHIS2020 RAKED WEIGHT - REPLICATE 18 | 0-7 |
| RAKEDW19 | CHIS2020 RAKED WEIGHT - REPLICATE 19 | 0-7 |
| RAKEDW2 | CHIS2020 RAKED WEIGHT - REPLICATE 2 | 0-1 |
| RAKEDW20 | CHIS2020 RAKED WEIGHT - REPLICATE 20 | 0-7 |
| RAKEDW21 | CHIS2020 RAKED WEIGHT - REPLICATE 21 | 0-8 |
| RAKEDW22 | CHIS2020 RAKED WEIGHT - REPLICATE 22 | 0-8 |
| RAKEDW23 | CHIS2020 RAKED WEIGHT - REPLICATE 23 | 0-8 |
| RAKEDW24 | CHIS2020 RAKED WEIGHT - REPLICATE 24 | 0-9 |
| RAKEDW25 | CHIS2020 RAKED WEIGHT - REPLICATE 25 | 0-9 |

| | | |
|----------|--------------------------------------|------|
| RAKEDW26 | CHIS2020 RAKED WEIGHT - REPLICATE 26 | 0-9 |
| RAKEDW27 | CHIS2020 RAKED WEIGHT - REPLICATE 27 | 0-10 |
| RAKEDW28 | CHIS2020 RAKED WEIGHT - REPLICATE 28 | 0-10 |
| RAKEDW29 | CHIS2020 RAKED WEIGHT - REPLICATE 29 | 0-10 |
| RAKEDW3 | CHIS2020 RAKED WEIGHT - REPLICATE 3 | 0-2 |
| RAKEDW30 | CHIS2020 RAKED WEIGHT - REPLICATE 30 | 0-11 |
| RAKEDW31 | CHIS2020 RAKED WEIGHT - REPLICATE 31 | 0-11 |
| RAKEDW32 | CHIS2020 RAKED WEIGHT - REPLICATE 32 | 0-11 |
| RAKEDW33 | CHIS2020 RAKED WEIGHT - REPLICATE 33 | 0-12 |
| RAKEDW34 | CHIS2020 RAKED WEIGHT - REPLICATE 34 | 0-12 |
| RAKEDW35 | CHIS2020 RAKED WEIGHT - REPLICATE 35 | 0-12 |
| RAKEDW36 | CHIS2020 RAKED WEIGHT - REPLICATE 36 | 0-13 |
| RAKEDW37 | CHIS2020 RAKED WEIGHT - REPLICATE 37 | 0-13 |
| RAKEDW38 | CHIS2020 RAKED WEIGHT - REPLICATE 38 | 0-13 |
| RAKEDW39 | CHIS2020 RAKED WEIGHT - REPLICATE 39 | 0-14 |
| RAKEDW4 | CHIS2020 RAKED WEIGHT - REPLICATE 4 | 0-2 |
| RAKEDW40 | CHIS2020 RAKED WEIGHT - REPLICATE 40 | 0-14 |
| RAKEDW41 | CHIS2020 RAKED WEIGHT - REPLICATE 41 | 0-14 |
| RAKEDW42 | CHIS2020 RAKED WEIGHT - REPLICATE 42 | 0-15 |
| RAKEDW43 | CHIS2020 RAKED WEIGHT - REPLICATE 43 | 0-15 |
| RAKEDW44 | CHIS2020 RAKED WEIGHT - REPLICATE 44 | 0-15 |
| RAKEDW45 | CHIS2020 RAKED WEIGHT - REPLICATE 45 | 0-16 |
| RAKEDW46 | CHIS2020 RAKED WEIGHT - REPLICATE 46 | 0-16 |
| RAKEDW47 | CHIS2020 RAKED WEIGHT - REPLICATE 47 | 0-16 |
| RAKEDW48 | CHIS2020 RAKED WEIGHT - REPLICATE 48 | 0-17 |
| RAKEDW49 | CHIS2020 RAKED WEIGHT - REPLICATE 49 | 0-17 |
| RAKEDW5 | CHIS2020 RAKED WEIGHT - REPLICATE 5 | 0-2 |
| RAKEDW50 | CHIS2020 RAKED WEIGHT - REPLICATE 50 | 0-17 |

| | | |
|----------|--------------------------------------|------|
| RAKEDW51 | CHIS2020 RAKED WEIGHT - REPLICATE 51 | 0-18 |
| RAKEDW52 | CHIS2020 RAKED WEIGHT - REPLICATE 52 | 0-18 |
| RAKEDW53 | CHIS2020 RAKED WEIGHT - REPLICATE 53 | 0-18 |
| RAKEDW54 | CHIS2020 RAKED WEIGHT - REPLICATE 54 | 0-19 |
| RAKEDW55 | CHIS2020 RAKED WEIGHT - REPLICATE 55 | 0-19 |
| RAKEDW56 | CHIS2020 RAKED WEIGHT - REPLICATE 56 | 0-19 |
| RAKEDW57 | CHIS2020 RAKED WEIGHT - REPLICATE 57 | 0-20 |
| RAKEDW58 | CHIS2020 RAKED WEIGHT - REPLICATE 58 | 0-20 |
| RAKEDW59 | CHIS2020 RAKED WEIGHT - REPLICATE 59 | 0-20 |
| RAKEDW6 | CHIS2020 RAKED WEIGHT - REPLICATE 6 | 0-3 |
| RAKEDW60 | CHIS2020 RAKED WEIGHT - REPLICATE 60 | 0-21 |
| RAKEDW61 | CHIS2020 RAKED WEIGHT - REPLICATE 61 | 0-21 |
| RAKEDW62 | CHIS2020 RAKED WEIGHT - REPLICATE 62 | 0-21 |
| RAKEDW63 | CHIS2020 RAKED WEIGHT - REPLICATE 63 | 0-22 |
| RAKEDW64 | CHIS2020 RAKED WEIGHT - REPLICATE 64 | 0-22 |
| RAKEDW65 | CHIS2020 RAKED WEIGHT - REPLICATE 65 | 0-22 |
| RAKEDW66 | CHIS2020 RAKED WEIGHT - REPLICATE 66 | 0-23 |
| RAKEDW67 | CHIS2020 RAKED WEIGHT - REPLICATE 67 | 0-23 |
| RAKEDW68 | CHIS2020 RAKED WEIGHT - REPLICATE 68 | 0-23 |
| RAKEDW69 | CHIS2020 RAKED WEIGHT - REPLICATE 69 | 0-24 |
| RAKEDW7 | CHIS2020 RAKED WEIGHT - REPLICATE 7 | 0-3 |
| RAKEDW70 | CHIS2020 RAKED WEIGHT - REPLICATE 70 | 0-24 |
| RAKEDW71 | CHIS2020 RAKED WEIGHT - REPLICATE 71 | 0-24 |
| RAKEDW72 | CHIS2020 RAKED WEIGHT - REPLICATE 72 | 0-25 |
| RAKEDW73 | CHIS2020 RAKED WEIGHT - REPLICATE 73 | 0-25 |
| RAKEDW74 | CHIS2020 RAKED WEIGHT - REPLICATE 74 | 0-25 |
| RAKEDW75 | CHIS2020 RAKED WEIGHT - REPLICATE 75 | 0-26 |
| RAKEDW76 | CHIS2020 RAKED WEIGHT - REPLICATE 76 | 0-26 |
| RAKEDW77 | CHIS2020 RAKED WEIGHT - REPLICATE 77 | 0-26 |

| | | |
|------------|---|------|
| RAKEDW78 | CHIS2020 RAKED WEIGHT - REPLICATE 78 | 0-27 |
| RAKEDW79 | CHIS2020 RAKED WEIGHT - REPLICATE 79 | 0-27 |
| RAKEDW8 | CHIS2020 RAKED WEIGHT - REPLICATE 8 | 0-3 |
| RAKEDW80 | CHIS2020 RAKED WEIGHT - REPLICATE 80 | 0-27 |
| RAKEDW9 | CHIS2020 RAKED WEIGHT - REPLICATE 9 | 0-4 |
| RBMI | BMI DESCRIPTIVE | D-4 |
| RN_FORGO | REASONS FORGONE NECESSARY CARE | J-16 |
| SC_INS | SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I | J-23 |
| SC_NEWP | SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT | J-23 |
| SECTION A | DEMOGRAPHIC INFORMATION, PART I | A-1 |
| SECTION B | GENERAL HEALTH CONDITION | B-1 |
| SECTION C | HEALTH BEHAVIORS | C-1 |
| SECTION CV | COVID-19 | CV-1 |
| SECTION D | GENERAL HEALTH, DISABILITY & SEXUAL HEALTH | D-1 |
| SECTION E | WOMEN'S HEALTH | E-1 |
| SECTION F | MENTAL HEALTH | F-1 |
| SECTION G | DEMOGRAPHIC INFORMATION, PART II & CHILD CARE | G-1 |
| SECTION H | HEALTH INSURANCE | H-1 |
| SECTION J | HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH | J-1 |
| SECTION K | EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY | K-1 |
| SECTION L | PUBLIC PROGRAM PARTICIPATION | L-1 |
| SECTION M | HOUSING & COMMUNITY INVOLVEMENT | M-1 |
| SECTION N | DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO. | N-1 |
| SECTION O | FULL DESIGN & REPLICATE WEIGHT SERIES 0-80 | O-1 |
| SECTION P | VOTER ENGAGEMENT | P-1 |
| SECTION Q | SCREENING INFORMATION | Q-1 |
| SERVED | LENGTH OF TIME SERVED IN ACTIVE DUTY | G-13 |

| | | |
|------------|---|------|
| SMKCUR | CURRENT SMOKER | C-6 |
| SMOKING | CURRENT SMOKING HABITS | C-6 |
| SOCIAL2 | SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS | F-12 |
| SPK_ENG | ENGLISH USE AND PROFICIENCY | G-3 |
| SRAGE_P1 | SELF-REPORTED AGE (PUF 1 YR RECODE) | A-1 |
| SREDUC | SELF-REPORTED EDUC LEVEL OF RESP (ADLTS) | G-13 |
| SRSEX | SELF-REPORTED GENDER | A-1 |
| SRTENR | SELF-REPORTED HOUSEHOLD TENURE (HH) | Q-2 |
| SSNCIT_YN | ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL | L-15 |
| TCURPLAN | TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS | H-46 |
| TIMAPPT | ABLE TO GET AN APPOINTMENT IN A TIMELY WAY | J-12 |
| UNINSANY | UNINSURED IN PAST 12 MOS | H-25 |
| UR_BG6 | RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) (6 LVLS) | N-2 |
| UR_CLRT2 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | N-1 |
| UR_CLRT6 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (6 LVLS) | N-3 |
| UR_IHS | RURAL AND URBAN - IHS | N-1 |
| UR_OMB | RURAL AND URBAN - OMB | N-1 |
| UR_RHP | RURAL AND URBAN - RHP | N-2 |
| UR_TRACT6 | RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (6 LVLS) | N-3 |
| USOC | USUAL SOURCE OF CARE OTHER THAN ER | J-2 |
| USUAL | HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE | J-3 |
| USUAL_TP | USUAL SOURCE OF CARE (7 LVLS) | J-3 |
| USUAL5TP | USUAL SOURCE OF CARE (5 LVLS) | J-4 |
| VOTE_ENG2 | VOTER ENGAGEMENT | P-2 |
| VOTE_RSNNO | MAIN REASON DID NOT VOTE | P-3 |
| WEIGHK_P | WEIGHT: KG - UCLA (PUF RECODE) | D-2 |
| WGHTK_P | WEIGHT: KG (PUF RECODE) | D-3 |
| WGHTP_P | WEIGHT: LBS (PUF RECODE) | D-3 |

| | | |
|----------|---|------|
| WHOBMI | BODY MASS INDEX: WHO DEFINITION | D-5 |
| WORK2 | WORK IMPAIRMENT PAST 12 MONTHS | F-13 |
| WRKST_P1 | WORKING STATUS (PUF 1 YR RECODE) | G-11 |
| YRUS_P1 | YEARS LIVED IN THE U.S. (PUF 1 YR RECODE) | G-4 |

Variable Name (by location)

| Variable | Label | Page |
|-------------|---|------|
| SECTION Q | SCREENING INFORMATION | Q-1 |
| PUF1Y_ID | PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES | Q-1 |
| HHSIZE_P1 | HOUSEHOLD SIZE (PUF 1 YR RECODE) | Q-1 |
| INTVLNGC_P1 | LANGUAGE OF INTERVIEW (PUF 1 YR RECODE) | Q-2 |
| PROXY | A PROXY INTERVIEW | Q-2 |
| SRTENR | SELF-REPORTED HOUSEHOLD TENURE (HH) | Q-2 |
| SECTION A | DEMOGRAPHIC INFORMATION, PART I | A-1 |
| SRAGE_P1 | SELF-REPORTED AGE (PUF 1 YR RECODE) | A-1 |
| SRSEX | SELF-REPORTED GENDER | A-1 |
| LATIN2TP | LATIN/HISPANIC SUBTYPES (2 LVLS) | A-2 |
| OMBSRR_P1 | OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE) | A-2 |
| RACECN_P1 | RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE) | A-3 |
| RACEDF_P1 | FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE) | A-3 |
| RACEHP2_P1 | RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE) | A-4 |
| AA5C | ENROLLED MEMBER IN RECOGNIZED TRIBE | A-4 |
| AA5G | IDENTIFY WITH ONE RACE IN PARTICULAR | A-5 |
| MARIT | MARITAL STATUS- 3 CATEGORIES | A-5 |
| MARIT_45 | MARITAL STATUS - AGE 45 AND OLDER | A-6 |
| MARIT2 | MARITAL STATUS- 4 CATEGORIES | A-6 |
| INTV_MODE2 | INTERVIEW MODE (PHONE OR WEB) | A-7 |
| SECTION B | GENERAL HEALTH CONDITION | B-1 |
| AB1 | GENERAL HEALTH CONDITION | B-1 |
| AB17 | DOCTOR EVER TOLD HAVE ASTHMA | B-1 |
| AB40 | STILL HAS ASTHMA | B-2 |
| AB41 | ASTHMA EPISODE/ATTACK IN PAST 12 MOS | B-2 |
| ASTCUR | CURRENT ASTHMA STATUS | B-3 |

| | | |
|-----------|---|------|
| AB18 | TAKING DAILY MEDICATION TO CONTROL ASTHMA | B-3 |
| AB43 | HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN | B-4 |
| AB22V2 | DOCTOR EVER TOLD HAVE DIABETES | B-4 |
| DIABETES | DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL) | B-5 |
| AB23_P1 | AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE) | B-5 |
| DIAMED | TAKING INSULIN OR PILLS | B-6 |
| AB51_P1 | TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE) | B-6 |
| AB24 | CURRENTLY TAKING INSULIN | B-7 |
| AB25 | CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR | B-7 |
| AB63 | LAST EYE EXAM DILATED PUPILS | B-8 |
| AB112 | MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN | B-8 |
| AB29V2 | DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE | B-9 |
| AB34 | DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE | B-9 |
| AB27_P1 | # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD | B-10 |
| AB27_P | # OF TIMES DOC CHECKED HEMOGLOBIN A1C LAST YR (PUF RECODE) | B-10 |
| SECTION C | HEALTH BEHAVIORS | C-1 |
| AC46 | # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO | C-1 |
| AE2 | # TIMES ATE FRUIT IN PAST MO | C-1 |
| AE_FRUIT | # OF TIMES EATING FRUIT PER WEEK | C-2 |
| AE7 | # OF TIMES ATE VEGETABLES IN PAST MO | C-2 |
| AE_VEGI | # OF TIMES EATING VEGETABLES PER WEEK | C-3 |
| AE15 | SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME | C-3 |
| AE15A | SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL | C-4 |
| AD32_P1 | # OF CIGARETTES PER DAY (PUF 1 YR RECODE) | C-4 |
| AE16_P1 | # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE) | C-5 |
| AC58C | USUALLY SMOKE MENTHOL OR NON-MENTHOL CIG | C-5 |
| SMKCUR | CURRENT SMOKER | C-6 |

| | | |
|-----------|--|------|
| SMOKING | CURRENT SMOKING HABITS | C-6 |
| NUMCIG | # OF CIGARETTES PER DAY | C-7 |
| AC49 | STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR | C-7 |
| AC50 | THINK ABOUT QUIT SMOKING IN NEXT 6 MOS | C-8 |
| AC81C | EVER SMOKED ELECTRONIC CIGARETTES | C-8 |
| ESMKCUR | CURRENT E-CIGARETTE SMOKER | C-9 |
| AC82C_P1 | DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE) | C-9 |
| AC83V4_1 | BEST DESCRIBES REASON FOR USING E-CIGS - QUIT SMOKING | C-10 |
| AC83V4_2 | BEST DESCRIBES REASON FOR USING E-CIGS - REPLACE SMOKING | C-10 |
| AC83V4_3 | BEST DESCRIBES REASON FOR USING E-CIGS - CUT DOWN OR REDUCE SMOKI | C-11 |
| AC83V4_4 | BEST DESCRIBES REASON FOR USING E-CIGS - USED WHERE SMOKING NOT A | C-11 |
| AC83V4_5 | BEST DESCRIBES REASON FOR USING E-CIGS - CURIOSITY | C-12 |
| AC83V4_6 | BEST DESCRIBES REASON FOR USING E-CIGS - NO LINGERING ODOR | C-12 |
| AC83V4_7 | BEST DESCRIBES REASON FOR USING E-CIGS - HELPS CONCENTRATE | C-13 |
| AC83V4_8 | BEST DESCRIBES REASON FOR USING E-CIGS - MANY FLAVORS | C-13 |
| AC83V4_9 | BEST DESCRIBES REASON FOR USING E-CIGS - LESS EXPENSIVE | C-14 |
| AC83V4_10 | BEST DESCRIBES REASON FOR USING E-CIGS - HEALTHIER THAN CIGARETTE | C-14 |
| AC83V4_11 | BEST DESCRIBES REASON FOR USING E-CIGS - SOCIAL REASONS/ENJOYMENT | C-15 |
| AC83V4_12 | BEST DESCRIBES REASON FOR USING E-CIGS - STRESS, ANXIETY, PAIN RE | C-15 |
| AC134V2 | USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-16 |
| AC135_P1 | FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1 | C-16 |
| AC136 | USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-17 |
| AC137_P1 | FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU | C-17 |

| | | |
|-----------|---|------|
| AC138 | USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-18 |
| AC139_P1 | FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE) | C-18 |
| AC140 | USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-19 |
| AC141_P1 | FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO | C-19 |
| AC142 | USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE | C-20 |
| AC143 | HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE | C-20 |
| AC144 | EVER BEEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN C | C-21 |
| FLAVTOB | CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS | C-21 |
| NONCIGPRO | CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS | C-21 |
| AC115 | EVER TRIED MARIJUANA OR HASHISH | C-22 |
| AC116_P1 | HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE) | C-22 |
| AC117V2 | FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS | C-23 |
| AC118V2 | HOW OFTEN USE TOBACCO WITH MARIJUANA | C-23 |
| AC119V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE | C-24 |
| AC120V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT | C-24 |
| AC121V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT | C-25 |
| AC122V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK | C-25 |
| AC123V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE | C-26 |
| AC124V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB | C-26 |
| AC125V2 | METHOD OF MARIJUANA USE IN PAST 30 DAYS - OTHER WAY | C-27 |
| AC126V2 | ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER | C-27 |
| MARTYPEV2 | METHOD OF TAKING MARIJUANA | C-28 |
| AC127V2 | ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER | C-28 |

| | | |
|------------|---|------|
| ILLIDRUG | USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE | C-29 |
| AC160 | IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH | C-29 |
| AC161 | IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH | C-30 |
| GENENV | MOST IMPORTANT FACTOR TO HEALTH | C-30 |
| SECTION D | GENERAL HEALTH, DISABILITY & SEXUAL HEALTH | D-1 |
| HGHTI_P | HEIGHT: INCHES (PUF RECODE) | D-1 |
| HGHTM_P | HEIGHT: METERS (PUF RECODE) | D-1 |
| HEIGHTM_P | HEIGHT: METERS - UCLA (PUF RECODE) | D-2 |
| WEIGHK_P | WEIGHT: KG - UCLA (PUF RECODE) | D-2 |
| WGHTK_P | WEIGHT: KG (PUF RECODE) | D-3 |
| WGHTP_P | WEIGHT: LBS (PUF RECODE) | D-3 |
| BMI_P | BODY MASS INDEX (PUF RECODE) | D-4 |
| RBMI | BMI DESCRIPTIVE | D-4 |
| WHOBMI | BODY MASS INDEX: WHO DEFINITION | D-5 |
| OVRWT | OVERWEIGHT OR OBESE | D-5 |
| AD50 | BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM | D-6 |
| AL10 | HAVE DIFFICULTY CONCENTRATING | D-6 |
| AL11 | HAVE DIFFICULTY DRESSING/BATHING | D-6 |
| AL12 | HAVE DIFFICULTY DOING ERRANDS | D-7 |
| AJ169V2 | RESPONDENT'S PREGNANCY PLANS | D-7 |
| AF40BV2 | USES OR MALE SEX PARTNER USES BIRTH CONTROL | D-8 |
| AJ154BV2_1 | BIRTH CONTROL METHOD: TUBAL LIGATION | D-8 |
| AJ154BV2_2 | BIRTH CONTROL METHOD: VASECTOMY | D-9 |
| AJ154BV2_3 | BIRTH CONTROL METHOD: IUD | D-9 |
| AJ154BV2_4 | BIRTH CONTROL METHOD: IMPLANT | D-10 |
| AJ154BV2_5 | BIRTH CONTROL METHOD: BIRTH CONTROL PILLS | D-10 |
| AJ154BV2_6 | BIRTH CONTROL METHOD: OTHER HORMONAL METHODS | D-11 |
| AJ154BV2_7 | BIRTH CONTROL METHOD: CONDOMS (MALE) | D-11 |

| | | |
|------------|--|------|
| AJ154BV2_8 | BIRTH CONTROL METHOD: OTHER | D-12 |
| AJ154BV2_9 | BIRTH CONTROL METHOD: OTHER BIRTH CONTROL | D-12 |
| AJ170V2_P1 | MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R | D-13 |
| AJ171V2_P1 | EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD | D-13 |
| AJ179 | RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS | D-14 |
| AJ180 | RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12 | D-14 |
| AJ181_P1 | TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE | D-15 |
| AJ182_P1 | LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE) | D-15 |
| AJ144B | RECEIVED BIRTH CONTROL INFO FROM DR PAST YR | D-16 |
| AJ172V2 | CURRENTLY USING BIRTH CONTROL | D-16 |
| AJ174_1 | BIRTH CONTROL METHOD: TUBAL LIGATION | D-17 |
| AJ174_2 | BIRTH CONTROL METHOD: VASECTOMY | D-17 |
| AJ174_3 | BIRTH CONTROL METHOD: IUD | D-18 |
| AJ174_4 | BIRTH CONTROL METHOD: IMPLANT | D-18 |
| AJ174_5 | BIRTH CONTROL METHOD: BIRTH CONTROL PILLS | D-19 |
| AJ174_6 | BIRTH CONTROL METHOD: OTHER HORMONAL METHODS | D-19 |
| AJ174_7 | BIRTH CONTROL METHOD: CONDOMS (MALE) | D-20 |
| AJ174_8 | BIRTH CONTROL METHOD: OTHER | D-20 |
| AJ174_9 | BIRTH CONTROL METHOD: OTHER BIRTH CONTROL | D-21 |
| AJ175_P1 | MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R | D-21 |
| AJ183 | RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12 | D-22 |
| AJ186 | RECEIVED ANY HEALTH CARE FROM PLANNED PARENTHOOD IN PAST 12 MOS | D-22 |
| AJ187 | RECEIVED ANY HEALTH INFORMATION FROM PLANNED PARENTHOOD IN PAST 1 | D-23 |
| SECTION E | WOMEN'S HEALTH | E-1 |

| | | |
|-----------|--|------|
| AD13 | CURRENTLY PREGNANT | E-1 |
| SECTION F | MENTAL HEALTH | F-1 |
| AJ29 | FEEL NERVOUS PAST 30 DAYS | F-1 |
| AJ30 | FEEL HOPELESS PAST 30 DAYS | F-1 |
| AJ31 | FELT RESTLESS PAST 30 DAYS | F-2 |
| AJ32 | FEEL DEPRESSED PAST 30 DAYS | F-2 |
| AJ33 | FEEL EVERYTHING AN EFFORT PAST 30 DAYS | F-3 |
| AJ34 | FEEL WORTHLESS PAST 30 DAYS | F-3 |
| DSTRS30 | LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH | F-4 |
| DISTRESS | SERIOUS PSYCHOLOGICAL DISTRESS | F-4 |
| DSTRS_P1 | SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE) | F-5 |
| AF62 | ANY MONTH PAST 12 MONTHS FELT WORSE | F-5 |
| AF63 | FEEL NERVOUS WORST MONTH | F-6 |
| AF64 | FEEL HOPELESS WORST MONTH | F-6 |
| AF65 | FEEL RESTLESS WORST MONTH | F-7 |
| AF66 | FEEL DEPRESSED WORST MONTH | F-7 |
| AF67 | FEEL EVERYTHING AN EFFORT WORST MONTH | F-8 |
| AF68 | FEEL WORTHLESS WORST MONTH | F-8 |
| AF69B | EMOTIONS INTERFERE W/WORK WORST MONTH | F-9 |
| AF70B | EMOTIONS INTERFERE W/CHORES WORST MONTH | F-9 |
| AF71B | EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH | F-10 |
| AF72B | EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH | F-10 |
| DSTRS12 | LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR | F-11 |
| DSTRSYR | SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE) | F-11 |
| CHORES2 | CHORE IMPAIRMENT PAST 12 MONTHS | F-12 |
| SOCIAL2 | SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS | F-12 |
| WORK2 | WORK IMPAIRMENT PAST 12 MONTHS | F-13 |
| FAMILY2 | FAMILY LIFE IMPAIRMENT PAST 12 MONTHS | F-13 |

| | | |
|------------|--|------|
| AF81 | NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR | F-14 |
| AJ1 | INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS | F-14 |
| AF107B | HOW OFTEN FEEL LACK OF COMPANIONSHIP | F-15 |
| AF108B | HOW OFTEN FEEL LEFT OUT | F-15 |
| AF109B | HOW OFTEN FEEL ISOLATED | F-16 |
| LONELINESS | LONELINESS SCALE (UCLA 3-ITEM LONELINESS SCALE) | F-16 |
| AG44 | HOW OFTEN USE THE INTERNET | F-17 |
| AG45 | HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA | F-17 |
| SECTION G | DEMOGRAPHIC INFORMATION, PART II & CHILD CARE | G-1 |
| AH33NEW | BORN IN U.S. | G-1 |
| AH34NEW | MOTHER BORN IN U.S. | G-1 |
| AH35NEW | FATHER BORN IN U.S. | G-2 |
| LNGHM_P1 | LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE) | G-2 |
| AH37 | LEVEL OF ENGLISH PROFICIENCY: GENERAL | G-3 |
| SPK_ENG | ENGLISH USE AND PROFICIENCY | G-3 |
| CITIZEN2 | CITIZENSHIP STATUS (3 LVLS) | G-4 |
| YRUS_P1 | YEARS LIVED IN THE U.S. (PUF 1 YR RECODE) | G-4 |
| PCTLF_P | PERCENT LIFE IN US (PUF RECODE) | G-5 |
| AH44 | SPOUSE LIVING IN SAME HOUSEHOLD | G-5 |
| AH43A | LIVING WITH A PARENT | G-6 |
| AH44A | USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH | G-6 |
| AH44B | AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH | G-7 |
| ACHLDC_P1 | AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE) | G-7 |
| AHEDC_P1 | EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE) | G-8 |
| AG52 | UNEMPLOYED AND LOOKING FOR JOB FOR MORE THAN MONTH | G-8 |
| AG53 | MAJOR FINANCIAL CRISIS, BANKRUPTCY, OR UNABLE TO PAY BILLS | G-9 |
| AG8 | WORK STATUS OF SPOUSE LAST WEEK | G-9 |
| AG9_P1 | TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE) | G-10 |

| | | |
|-------------|--|------|
| AG10 | RESPONDENT USUALLY WORKS | G-10 |
| AG11 | SPOUSE USUALLY WORKS | G-11 |
| WRKST_P1 | WORKING STATUS (PUF 1 YR RECODE) | G-11 |
| AG22 | EVER SERVE IN U.S. ARMED FORCES | G-12 |
| AG31 | HAVE VA SERVICE-CONNECTED DISABILITY RATING | G-12 |
| SERVED | LENGTH OF TIME SERVED IN ACTIVE DUTY | G-13 |
| SREDUC | SELF-REPORTED EDUC LEVEL OF RESP (ADLTS) | G-13 |
| FAMTYP_P | FAMILY TYPE (PUF RECODE) | G-14 |
| FAMSIZE2_P1 | FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE) | G-14 |
| FAMT4 | FAMILY TYPE - 4 LVLS | G-15 |
| SECTION H | HEALTH INSURANCE | H-1 |
| AI1 | COVERED BY MEDICARE | H-1 |
| AI4 | COVERED BY MEDICARE SUPPL POLICY | H-1 |
| AH53 | PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM | H-2 |
| AH54 | SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM | H-2 |
| AI6 | COVERED BY MEDI-CAL | H-3 |
| AH100 | ANYONE HELP FIND HEALTH PLAN | H-3 |
| AH103 | BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO | H-4 |
| AH104 | PURCHASE INS DIRECT OR THRU COVERED CA | H-4 |
| AH105 | GET INS THRU EMPLOYER, UNION, SHOP PROGRAM | H-5 |
| AH107 | GET SUBSIDY/DISCOUNT ON PLAN PREMIUM | H-5 |
| AH110 | SOURCE OF COVERAGE PURCHASED DIRECTLY | H-6 |
| AH111 | FIND PLAN WITH NEEDED COVERAGE-COVERED CA | H-6 |
| AH112 | FIND PLAN COULD AFFORD-COVERED CA | H-7 |
| AH113 | ANYONE HELP R FIND HEALTH PLAN-COVERED CA | H-7 |
| AH114 | WHO HELPED R FIND HEALTH PLAN-COVERED CA | H-8 |
| AH115 | HAD NEEDED INFO TO PICK HEALTH PLAN | H-8 |
| AH117 | COST OF SELECTED PLAN IMPORTANT | H-9 |

| | | |
|----------|---|------|
| AH118 | CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT | H-9 |
| AH119 | CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT | H-10 |
| AH120 | CHOICE OF DOCTORS THRU PLAN IMPORTANT | H-10 |
| AI15 | MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN | H-11 |
| AI15A | MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN | H-11 |
| AI37 | SPOUSE COVERED BY MEDICARE | H-12 |
| AI37A | SPOUSE COVERED BY MEDICARE SUPPL POLICY | H-12 |
| AI38 | SPOUSE COVERED BY MEDI-CAL | H-13 |
| AI45_P1 | MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE) | H-13 |
| AI45A_P1 | MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE) | H-14 |
| AI22C | MAIN HEALTH PLAN IS HMO | H-14 |
| AI25NEW | RX COVERAGE EDITED FOR MEDI-CAL | H-15 |
| AI25 | COVERED FOR PRESCRIPTION DRUGS | H-15 |
| AI22A_P | NAME OF HEALTH PLAN (PUF RECODE) | H-16 |
| HMO | HMO STATUS | H-16 |
| AH71_P1 | HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE) | H-17 |
| AH72_P1 | HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE) | H-17 |
| AH73B | SPECIAL FUND TO PAY MEDICAL EXPENSES | H-18 |
| AH140 | REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM | H-18 |
| AH141 | REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO | H-19 |
| AH74 | TRIED TO FIND HEALTH INSURANCE ON OWN | H-19 |
| AH75 | TRIED TO FIND HEALTH INSURANCE ON OWN | H-20 |
| AI28 | HOW LONG SINCE LAST HAD HEALTH INS | H-20 |
| AH14 | PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS | H-21 |
| AH101_P | PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE) | H-21 |
| AH98_P1 | DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR | H-22 |

| | | |
|----------|--|------|
| | RECODE) | |
| AH99_P1 | DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE) | H-22 |
| AH126_P1 | SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE) | H-23 |
| INS | CURRENTLY INSURED | H-23 |
| INS_S | SPOUSE CURRENTLY INSURED | H-24 |
| INS12M | MOS COVERED BY HEALTH PLANS LAST 12 MOS | H-24 |
| UNINSANY | UNINSURED IN PAST 12 MOS | H-25 |
| INS64 | TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65 | H-25 |
| INS64_P | CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE) | H-26 |
| INS64_S | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65 | H-26 |
| INS64S_P | SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE) | H-27 |
| INSANY | ANY INS IN LAST 12 MOS | H-27 |
| INST_12 | HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS | H-28 |
| INS65 | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+ | H-28 |
| INS65_S | TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+ | H-29 |
| INSTYPE | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES | H-29 |
| INS9TP | TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS) | H-30 |
| IHS | COVERED BY INDIAN HEALTH SERVICES | H-30 |
| INSEM | COVERED BY EMPLOYER-BASED PLANS | H-31 |
| INSEM_S | SPOUSE COVERED BY EMPLOYER-BASED PLANS | H-31 |
| INSMC | COVERED BY MEDICARE | H-31 |
| MC_TYPE | TYPE OF MEDICARE COVERAGE | H-32 |
| INSMC_S | SPOUSE COVERED BY MEDICARE | H-32 |
| INSMD | COVERED BY MEDI-CAL | H-33 |
| INSMD_S | SPOUSE COVERED BY MEDI-CAL | H-33 |
| INSOG | COVERED BY OTHER GOVT PLANS | H-33 |
| INSOG_S | SPOUSE COVERED BY OTHER GOVT PLANS | H-34 |

| | | |
|-----------|---|------|
| INSLT_P | HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE) | H-34 |
| INSPR | COVERED BY PLANS PURCHASED ON OWN | H-35 |
| INSPR_S | SPOUSE COVERED BY PLANS PURCHASED ON OWN | H-35 |
| COVRDCA | PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA | H-35 |
| COVRDCA_S | SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORNIA | H-36 |
| INSPS | PRIMARY OR SECONDARY COVERAGE | H-36 |
| INSPS_S | SPOUSE PRIMARY OR SECONDARY COVERAGE | H-37 |
| OFFTK | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS | H-37 |
| OFFTK_S | OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE | H-38 |
| AH79B | REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN | H-38 |
| AH80B | REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS | H-39 |
| AH81B | EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B | H-39 |
| AH83B | AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING | H-40 |
| AH84B | UNINSURED AT TIME MEDICAL CARE WAS PROVIDED | H-40 |
| AH85B | UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS | H-41 |
| AH86B | TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS | H-41 |
| INSLMT12M | REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS | H-42 |
| AH128 | AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE | H-42 |
| AH129 | AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO | H-43 |
| AH130 | HAS MONEY IN HSA ACCOUNT | H-43 |
| AH131_P | AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE) | H-44 |
| HSAAMT_P1 | AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE) | H-44 |
| AH132 | LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN | H-45 |
| AH133 | # OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN | H-45 |

| | | |
|-----------|---|------|
| TCURPLAN | TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS | H-46 |
| AH134 | HEALTH INSURANCE BEFORE CURRENT PLAN | H-46 |
| AH135 | OTHER HEALTH INSURANCE BEFORE CURRENT PLAN | H-47 |
| PINSTYPE | TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN | H-47 |
| AH136 | LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN | H-48 |
| AH137 | EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS | H-48 |
| AH139 | SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN | H-49 |
| SECTION J | HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH | J-1 |
| AH1V2 | HAVE USUAL SOURCE OF HEALTH CARE | J-1 |
| AJ80 | HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA | J-1 |
| AH3_P1 | KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE) | J-2 |
| USOC | USUAL SOURCE OF CARE OTHER THAN ER | J-2 |
| USUAL | HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE | J-3 |
| USUAL_TP | USUAL SOURCE OF CARE (7 LVLS) | J-3 |
| USUAL5TP | USUAL SOURCE OF CARE (5 LVLS) | J-4 |
| AH5 | # OF TIMES SAW MD IN PAST 12 MOS | J-4 |
| AH6 | HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH | J-5 |
| ACMDNUM | # OF DOCTOR VISITS PAST YEAR | J-5 |
| DOCT_YR | VISITED DOCTOR IN PAST 12 MOS | J-6 |
| AJ77 | HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER | J-6 |
| AJ8V3 | HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT | J-7 |
| AJ50V2_P | LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE) | J-7 |
| AJ9V2 | MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND | J-8 |
| AJ10V2 | NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR | J-8 |
| AJ11V2 | WHO HELPED YOU UNDERSTAND DOCTOR | J-9 |
| AH16 | DELAY/NOT GET PRESCRIPTION IN PAST 12 MO | J-9 |

| | | |
|----------|--|------|
| AJ19 | COST/NO INSUR DELAYED GETTING PRESCRIPTION | J-10 |
| AH22 | DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS | J-10 |
| AJ20 | COST/NO INSR DELAYED GETTING NEEDED CARE | J-11 |
| AJ102 | SOUGHT APPNT W/DOC IN 2 DAYS PAST YR | J-11 |
| AJ103 | HOW OFTEN GET APPNT IN 2 DAYS | J-12 |
| TIMAPPT | ABLE TO GET AN APPOINTMENT IN A TIMELY WAY | J-12 |
| AJ105 | KNOW RIGHTS TO INTERPRETOR DURING MED VISIT | J-13 |
| AJ114 | TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP | J-13 |
| AJ115_P1 | # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1 | J-14 |
| AJ129 | EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED | J-15 |
| AJ131_P1 | MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE) | J-15 |
| CARE_PV | HAD A PREVENTIVE CARE VISIT IN PAST YEAR | J-16 |
| RN_FORGO | REASONS FORGONE NECESSARY CARE | J-16 |
| FORGO | HAD TO FORGO NECESSARY CARE | J-17 |
| AG1 | TIME SINCE LAST VISIT TO DENTIST/SPECIALIST | J-17 |
| AJ167 | ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM | J-18 |
| AJ168 | CONDITION OF TEETH | J-18 |
| AG3 | HAVE ANY KIND OF DENTAL INSURANCE | J-19 |
| AJ136 | NEEDED TO SEE MED SPECIALIST PAST YR | J-19 |
| AJ137 | HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS | J-19 |
| AJ138 | NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR | J-20 |
| AJ139 | INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR | J-20 |
| AJ133 | HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS | J-21 |
| AJ134 | NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR | J-21 |
| AJ135 | INSURANCE NOT ACCEPTED BY DOC PAST YR | J-21 |
| PC_INS | PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS | J-22 |
| PC_NEWP | PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT | J-22 |

| | | |
|------------|---|------|
| SC_INS | SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I | J-23 |
| SC_NEWP | SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT | J-23 |
| AH12V2 | VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS | J-24 |
| AH95_P1 | # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE) | J-24 |
| ER | ER VISIT WITHIN THE PAST YEAR | J-25 |
| AJ152V2 | RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID | J-25 |
| AJ153V2_1 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN | J-26 |
| AJ153V2_2 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE | J-26 |
| AJ153V2_4 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER | J-27 |
| AJ153V2_5 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT | J-27 |
| AJ153V2_6 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFEC | J-28 |
| AJ153V2_7 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY | J-28 |
| AJ153V2_8 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS | J-29 |
| AJ153V2_9 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP | J-29 |
| AJ153V2_10 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION | J-30 |
| AJ153V2_11 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA | J-30 |
| AJ153V2_13 | HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM | J-31 |
| AJ176 | DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN | J-31 |
| AJ177 | DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL | J-32 |
| AJ87 | PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR | J-32 |
| AJ101V2 | CURRENTLY PROVIDE CARE | J-33 |
| AJ201_P1 | AGE OF CARE RECIPIENT (PUF 1 YR RECODE) | J-33 |
| CAREYRS | AGE OF PERSON WHO RESPONDENT GIVES CARE TO (AJ201 RECODE) | J-34 |

| | | |
|----------|---|------|
| AJ90 | RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO | J-35 |
| AJ193 | FINANCIAL STRESS DUE TO CAREGIVING | J-36 |
| AJ91B_1 | DURING PAST 12 MOS CARE RECIPIENT LIVED: ALONE | J-36 |
| AJ91B_2 | DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH YOU | J-37 |
| AJ91B_3 | DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH SOME OTHER FAMILY M | J-37 |
| AJ91B_4 | DURING PAST 12 MOS CARE RECIPIENT LIVED: IN A NURSING HOME | J-38 |
| AJ91B_5 | DURING PAST 12 MOS CARE RECIPIENT LIVED: IN AN ASSISTED-LIVING FA | J-38 |
| AJ91B_6 | DURING PAST 12 MOS CARE RECIPIENT LIVED: IN SOME OTHER LIVING SIT | J-39 |
| AJ194_1 | DISABILITY OR ILLNESS OF CARE RECIPIENT: ALZHEIMER'S, CONFUSION, | J-39 |
| AJ194_2 | DISABILITY OR ILLNESS OF CARE RECIPIENT: ARTHRITIS | J-40 |
| AJ194_3 | DISABILITY OR ILLNESS OF CARE RECIPIENT: BACK PROBLEMS | J-40 |
| AJ194_4 | DISABILITY OR ILLNESS OF CARE RECIPIENT: BROKEN BONES | J-41 |
| AJ194_5 | DISABILITY OR ILLNESS OF CARE RECIPIENT: CANCER | J-41 |
| AJ194_6 | DISABILITY OR ILLNESS OF CARE RECIPIENT: DIABETES | J-42 |
| AJ194_7 | DISABILITY OR ILLNESS OF CARE RECIPIENT: FEEBLE, UNSTEADY, FALLIN | J-42 |
| AJ194_8 | DISABILITY OR ILLNESS OF CARE RECIPIENT: LUNG DISEASE, EMPHYSEMA, | J-43 |
| AJ194_9 | DISABILITY OR ILLNESS OF CARE RECIPIENT: MENTAL ILLNESS, EMOTIONA | J-43 |
| AJ194_10 | DISABILITY OR ILLNESS OF CARE RECIPIENT: MOBILITY PROBLEM | J-44 |
| AJ194_11 | DISABILITY OR ILLNESS OF CARE RECIPIENT: OLD AGE, AGING | J-44 |
| AJ194_12 | DISABILITY OR ILLNESS OF CARE RECIPIENT: STROKE | J-45 |
| AJ194_13 | DISABILITY OR ILLNESS OF CARE RECIPIENT: SURGERY, WOUNDS | J-45 |
| AJ194_14 | DISABILITY OR ILLNESS OF CARE RECIPIENT: OTHER | J-46 |
| AJ194_15 | DISABILITY OR ILLNESS OF CARE RECIPIENT: NEUROLOGICAL, AUTOIMMUNE | J-46 |

| | | |
|-----------|---|------|
| AJ194_16 | DISABILITY OR ILLNESS OF CARE RECIPIENT: VISION, HEARING PROBLEM | J-47 |
| AJ194_17 | DISABILITY OR ILLNESS OF CARE RECIPIENT: BLOOD, ORGAN, MUSCULAR, | J-47 |
| AJ194_18 | DISABILITY OR ILLNESS OF CARE RECIPIENT: COVID-RELATED ISSUE | J-48 |
| AJ197 | HAVE SUPPORT/SERVICES NEEDED TO CARE FOR CARE RECIPIENT | J-48 |
| AJ199 | SUFFERED PHYSICAL/MENTAL HEALTH PROBLEMS CARING FOR CARE RECIPIEN | J-49 |
| AJ200_1 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: NO CHANGE | J-49 |
| AJ200_2 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: CHANGED JOB | J-50 |
| AJ200_3 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TOOK 2ND JOB/INCREASE | J-50 |
| AJ200_4 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: REDUCED WORK HOURS/UN | J-51 |
| AJ200_5 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TEMPORARY LEAVE/SICK/ | J-51 |
| AJ200_6 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: QUIT JOB/LAID OFF | J-52 |
| AJ200_7 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: RETIRED/RETIRED EARLY | J-52 |
| AJ200_8 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: PAID FAMILY LEAVE | J-53 |
| AJ200_9 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: DOES NOT WORK | J-53 |
| AJ200_10 | CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: OTHER | J-54 |
| AJ93 | # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK | J-54 |
| AJ191 | PAID FOR ANY HOURS HELPED CARE RECIPIENT | J-55 |
| SECTION K | EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY | K-1 |
| AK1 | WORK STATUS LAST WEEK | K-1 |
| AK2_P1 | MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE) | K-1 |
| AK3_P1V2 | # OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE) | K-2 |
| AK4 | TYPE OF EMPLOYER AT MAIN JOB | K-2 |
| INDMAIN2 | MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.) | K-3 |

| | | |
|-------------|---|------|
| IND_FLAG3 | CENSUS INDUSTRY CODE - CODING METHOD | K-4 |
| OCCMAIN2 | MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.) | K-4 |
| OCC_FLAG3 | CENSUS OCCUPATION CODE - CODING METHOD | K-5 |
| AK7_P1V2 | LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2) | K-5 |
| AKWKLNG | TIME AT MAIN JOB | K-6 |
| AK8 | # PEOPLE WORKING FOR EMPLOYER/YOU | K-6 |
| AK10_P | RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE) | K-7 |
| AK20_P1 | # OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE) | K-7 |
| AK22_P1 | HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE) | K-8 |
| AK10A_P | SPOUSE'S EARNINGS LAST MONTH (PUF RECODE) | K-9 |
| AK32V2 | HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I | K-9 |
| AK33V2_P1 | # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE | K-10 |
| AM1 | HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS | K-10 |
| AM2 | HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS | K-11 |
| AM3 | ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | K-11 |
| AM3A | HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY | K-12 |
| AM4 | ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS | K-12 |
| AM5 | HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS | K-13 |
| FSLEV | FOOD SECURITY STATUS LEVEL | K-13 |
| FSLEVCB | FOOD SECURITY STATUS (2 LVLS) | K-14 |
| POVGWD_P1 | FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE) | K-14 |
| POVLL2_P1V2 | POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2) | K-15 |
| POVLL | POVERTY LEVEL | K-15 |
| ELGMAGI3 | MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS) | K-16 |

| | | |
|-----------|---|------|
| ELGMAGI4 | MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS) | K-16 |
| ELGMAGI5 | MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS) | K-17 |
| ELDER_IDX | ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD | K-17 |
| SECTION L | PUBLIC PROGRAM PARTICIPATION | L-1 |
| AL2V2 | RECEIVING TANF OR CALWORKS | L-1 |
| AL5V2 | RECEIVING FOOD STAMP BENEFITS | L-1 |
| AL6V2 | RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME) | L-2 |
| AL22 | RECEIVING SOCIAL SECURITY DISABILITY INS | L-2 |
| AL18AV2 | RECVD SOCIAL SECURITY OR PENSION LAST MONTH | L-3 |
| AL40V2_P1 | LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE) | L-3 |
| AL86 | WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO | L-4 |
| AL87 | METHOD OF CONTACTING COUNTY OFFICE | L-4 |
| AL88 | LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM | L-5 |
| AL89 | COUNTY REP ANSWER ALL OF R'S QUESTIONS | L-5 |
| AL90 | COUNTY REP TREATED R WITH RESPECT | L-6 |
| AL91_1 | AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES | L-6 |
| AL91_2 | AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R | L-7 |
| AL91_3 | AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER | L-7 |
| AL91_4 | AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS | L-8 |
| AL91_5 | AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS | L-8 |
| AL91_6 | AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF | L-9 |
| AL91_7 | AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF | L-9 |
| AL91_8 | AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE | L-10 |
| AL91_9 | AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL | L-10 |
| AL91_10 | AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF | L-11 |
| AL91_11 | AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL | L-11 |

| | | |
|-----------|---|------|
| | COVERAGE/SERVICES | |
| AL91_12 | AREAS COUNTY OFFICE CAN IMPROVE: OTHERS | L-12 |
| AL92 | SATISFACTION RATING OF COUNTY OFFICE | L-12 |
| AL93 | RENEWED MEDI-CAL IN PAST 12 MOS | L-13 |
| AL94 | HAVE ISSUES RENEWING MEDI-CAL | L-13 |
| AL95_P1 | TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE) | L-14 |
| AL96 | COVERAGE PRIOR TO MEDI-CAL | L-14 |
| SSNCIT_YN | ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL | L-15 |
| SECTION M | HOUSING & COMMUNITY INVOLVEMENT | M-1 |
| AM37 | CURRENTLY PAYING OFF HOME MORTGAGE OR LOAN | M-1 |
| AJ178 | DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES | M-1 |
| AK23 | LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME | M-2 |
| AM39 | VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR | M-2 |
| AM44 | CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS | M-3 |
| AM45 | CAN CONTACT ELECTED OFFICIAL IN COMMUNITY | M-3 |
| AM48 | ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY) | M-4 |
| AK25 | OWN OR RENT HOME | M-4 |
| AM19 | PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER | M-5 |
| AM20 | PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG | M-5 |
| AM21 | PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED | M-6 |
| AK28 | HOW OFTEN FEEL SAFE IN NEIGHBORHOOD | M-6 |
| SECTION N | DEMOGRAPHIC INFO. PART III, GEOGRAPHIC INFO. | N-1 |
| UR_CLRT2 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | N-1 |
| UR_IHS | RURAL AND URBAN - IHS | N-1 |
| UR_OMB | RURAL AND URBAN - OMB | N-1 |
| UR_RHP | RURAL AND URBAN - RHP | N-2 |

| | | |
|-----------|---|-----|
| UR_BG6 | RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) (6 LVLS) | N-2 |
| UR_CLRT6 | RURAL AND URBAN - CLARITAS (BY ZIPCODE) (6 LVLS) | N-3 |
| UR_TRACT6 | RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (6 LVLS) | N-3 |
| SECTION 0 | FULL DESIGN & REPLICATE WEIGHT SERIES 0-80 | 0-1 |
| RAKEDW0 | CHIS2020 RAKED WEIGHT - FULL SAMPLE | 0-1 |
| RAKEDW1 | CHIS2020 RAKED WEIGHT - REPLICATE 1 | 0-1 |
| RAKEDW2 | CHIS2020 RAKED WEIGHT - REPLICATE 2 | 0-1 |
| RAKEDW3 | CHIS2020 RAKED WEIGHT - REPLICATE 3 | 0-2 |
| RAKEDW4 | CHIS2020 RAKED WEIGHT - REPLICATE 4 | 0-2 |
| RAKEDW5 | CHIS2020 RAKED WEIGHT - REPLICATE 5 | 0-2 |
| RAKEDW6 | CHIS2020 RAKED WEIGHT - REPLICATE 6 | 0-3 |
| RAKEDW7 | CHIS2020 RAKED WEIGHT - REPLICATE 7 | 0-3 |
| RAKEDW8 | CHIS2020 RAKED WEIGHT - REPLICATE 8 | 0-3 |
| RAKEDW9 | CHIS2020 RAKED WEIGHT - REPLICATE 9 | 0-4 |
| RAKEDW10 | CHIS2020 RAKED WEIGHT - REPLICATE 10 | 0-4 |
| RAKEDW11 | CHIS2020 RAKED WEIGHT - REPLICATE 11 | 0-4 |
| RAKEDW12 | CHIS2020 RAKED WEIGHT - REPLICATE 12 | 0-5 |
| RAKEDW13 | CHIS2020 RAKED WEIGHT - REPLICATE 13 | 0-5 |
| RAKEDW14 | CHIS2020 RAKED WEIGHT - REPLICATE 14 | 0-5 |
| RAKEDW15 | CHIS2020 RAKED WEIGHT - REPLICATE 15 | 0-6 |
| RAKEDW16 | CHIS2020 RAKED WEIGHT - REPLICATE 16 | 0-6 |
| RAKEDW17 | CHIS2020 RAKED WEIGHT - REPLICATE 17 | 0-6 |
| RAKEDW18 | CHIS2020 RAKED WEIGHT - REPLICATE 18 | 0-7 |
| RAKEDW19 | CHIS2020 RAKED WEIGHT - REPLICATE 19 | 0-7 |
| RAKEDW20 | CHIS2020 RAKED WEIGHT - REPLICATE 20 | 0-7 |
| RAKEDW21 | CHIS2020 RAKED WEIGHT - REPLICATE 21 | 0-8 |
| RAKEDW22 | CHIS2020 RAKED WEIGHT - REPLICATE 22 | 0-8 |
| RAKEDW23 | CHIS2020 RAKED WEIGHT - REPLICATE 23 | 0-8 |
| RAKEDW24 | CHIS2020 RAKED WEIGHT - REPLICATE 24 | 0-9 |

| | | |
|----------|--------------------------------------|------|
| RAKEDW25 | CHIS2020 RAKED WEIGHT - REPLICATE 25 | 0-9 |
| RAKEDW26 | CHIS2020 RAKED WEIGHT - REPLICATE 26 | 0-9 |
| RAKEDW27 | CHIS2020 RAKED WEIGHT - REPLICATE 27 | 0-10 |
| RAKEDW28 | CHIS2020 RAKED WEIGHT - REPLICATE 28 | 0-10 |
| RAKEDW29 | CHIS2020 RAKED WEIGHT - REPLICATE 29 | 0-10 |
| RAKEDW30 | CHIS2020 RAKED WEIGHT - REPLICATE 30 | 0-11 |
| RAKEDW31 | CHIS2020 RAKED WEIGHT - REPLICATE 31 | 0-11 |
| RAKEDW32 | CHIS2020 RAKED WEIGHT - REPLICATE 32 | 0-11 |
| RAKEDW33 | CHIS2020 RAKED WEIGHT - REPLICATE 33 | 0-12 |
| RAKEDW34 | CHIS2020 RAKED WEIGHT - REPLICATE 34 | 0-12 |
| RAKEDW35 | CHIS2020 RAKED WEIGHT - REPLICATE 35 | 0-12 |
| RAKEDW36 | CHIS2020 RAKED WEIGHT - REPLICATE 36 | 0-13 |
| RAKEDW37 | CHIS2020 RAKED WEIGHT - REPLICATE 37 | 0-13 |
| RAKEDW38 | CHIS2020 RAKED WEIGHT - REPLICATE 38 | 0-13 |
| RAKEDW39 | CHIS2020 RAKED WEIGHT - REPLICATE 39 | 0-14 |
| RAKEDW40 | CHIS2020 RAKED WEIGHT - REPLICATE 40 | 0-14 |
| RAKEDW41 | CHIS2020 RAKED WEIGHT - REPLICATE 41 | 0-14 |
| RAKEDW42 | CHIS2020 RAKED WEIGHT - REPLICATE 42 | 0-15 |
| RAKEDW43 | CHIS2020 RAKED WEIGHT - REPLICATE 43 | 0-15 |
| RAKEDW44 | CHIS2020 RAKED WEIGHT - REPLICATE 44 | 0-15 |
| RAKEDW45 | CHIS2020 RAKED WEIGHT - REPLICATE 45 | 0-16 |
| RAKEDW46 | CHIS2020 RAKED WEIGHT - REPLICATE 46 | 0-16 |
| RAKEDW47 | CHIS2020 RAKED WEIGHT - REPLICATE 47 | 0-16 |
| RAKEDW48 | CHIS2020 RAKED WEIGHT - REPLICATE 48 | 0-17 |
| RAKEDW49 | CHIS2020 RAKED WEIGHT - REPLICATE 49 | 0-17 |
| RAKEDW50 | CHIS2020 RAKED WEIGHT - REPLICATE 50 | 0-17 |
| RAKEDW51 | CHIS2020 RAKED WEIGHT - REPLICATE 51 | 0-18 |
| RAKEDW52 | CHIS2020 RAKED WEIGHT - REPLICATE 52 | 0-18 |

| | | |
|-----------|--------------------------------------|------|
| RAKEDW53 | CHIS2020 RAKED WEIGHT - REPLICATE 53 | 0-18 |
| RAKEDW54 | CHIS2020 RAKED WEIGHT - REPLICATE 54 | 0-19 |
| RAKEDW55 | CHIS2020 RAKED WEIGHT - REPLICATE 55 | 0-19 |
| RAKEDW56 | CHIS2020 RAKED WEIGHT - REPLICATE 56 | 0-19 |
| RAKEDW57 | CHIS2020 RAKED WEIGHT - REPLICATE 57 | 0-20 |
| RAKEDW58 | CHIS2020 RAKED WEIGHT - REPLICATE 58 | 0-20 |
| RAKEDW59 | CHIS2020 RAKED WEIGHT - REPLICATE 59 | 0-20 |
| RAKEDW60 | CHIS2020 RAKED WEIGHT - REPLICATE 60 | 0-21 |
| RAKEDW61 | CHIS2020 RAKED WEIGHT - REPLICATE 61 | 0-21 |
| RAKEDW62 | CHIS2020 RAKED WEIGHT - REPLICATE 62 | 0-21 |
| RAKEDW63 | CHIS2020 RAKED WEIGHT - REPLICATE 63 | 0-22 |
| RAKEDW64 | CHIS2020 RAKED WEIGHT - REPLICATE 64 | 0-22 |
| RAKEDW65 | CHIS2020 RAKED WEIGHT - REPLICATE 65 | 0-22 |
| RAKEDW66 | CHIS2020 RAKED WEIGHT - REPLICATE 66 | 0-23 |
| RAKEDW67 | CHIS2020 RAKED WEIGHT - REPLICATE 67 | 0-23 |
| RAKEDW68 | CHIS2020 RAKED WEIGHT - REPLICATE 68 | 0-23 |
| RAKEDW69 | CHIS2020 RAKED WEIGHT - REPLICATE 69 | 0-24 |
| RAKEDW70 | CHIS2020 RAKED WEIGHT - REPLICATE 70 | 0-24 |
| RAKEDW71 | CHIS2020 RAKED WEIGHT - REPLICATE 71 | 0-24 |
| RAKEDW72 | CHIS2020 RAKED WEIGHT - REPLICATE 72 | 0-25 |
| RAKEDW73 | CHIS2020 RAKED WEIGHT - REPLICATE 73 | 0-25 |
| RAKEDW74 | CHIS2020 RAKED WEIGHT - REPLICATE 74 | 0-25 |
| RAKEDW75 | CHIS2020 RAKED WEIGHT - REPLICATE 75 | 0-26 |
| RAKEDW76 | CHIS2020 RAKED WEIGHT - REPLICATE 76 | 0-26 |
| RAKEDW77 | CHIS2020 RAKED WEIGHT - REPLICATE 77 | 0-26 |
| RAKEDW78 | CHIS2020 RAKED WEIGHT - REPLICATE 78 | 0-27 |
| RAKEDW79 | CHIS2020 RAKED WEIGHT - REPLICATE 79 | 0-27 |
| RAKEDW80 | CHIS2020 RAKED WEIGHT - REPLICATE 80 | 0-27 |
| SECTION P | VOTER ENGAGEMENT | P-1 |

| | | |
|------------|---|------|
| AP73V2 | FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS | P-1 |
| AP74V2 | FREQUENCY OF VOTING IN STATE ELECTIONS | P-1 |
| AP75V2 | FREQUENCY OF VOTING IN LOCAL ELECTIONS | P-2 |
| VOTE_ENG2 | VOTER ENGAGEMENT | P-2 |
| AP80 | MAIN REASON DID NOT VOTE | P-3 |
| VOTE_RSNNO | MAIN REASON DID NOT VOTE | P-3 |
| SECTION CV | COVID-19 | CV-1 |
| CV1 | EVER HAD OR THOUGHT HAD COVID-19 | CV-1 |
| CV2 | CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS | CV-1 |
| CV3 | HEALTH PROFESSIONAL SUSPECTED RESPONDENT HAD COVID-19 | CV-2 |
| CV4 | EVER TESTED FOR COVID-19 | CV-2 |
| CV5 | EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19 | CV-3 |
| CV7_1 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB | CV-3 |
| CV7_2 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I | CV-3 |
| CV7_3 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORKING FROM HOME | CV-4 |
| CV7_4 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E | CV-4 |
| CV7_5 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES | CV-4 |
| CV7_6 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE | CV-5 |
| CV7_7 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO | CV-5 |
| CV7_8 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T | CV-5 |
| CV7_9 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER | CV-6 |
| CV7_10 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE | CV-6 |
| CV7_11 | EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT | CV-6 |
| CV8_1 | INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: INTERPERSONAL CON | CV-7 |

| | | |
|-------|---|------|
| CV8_2 | INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: SNAPPING/YELLING | CV-7 |
| CV8_4 | INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: NONE OF THESE | CV-8 |
| CV9 | WOULD GET COVID-19 VACCINE IF AVAILABLE | CV-8 |

SECTION Q: SCREENING INFORMATION

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PUF1Y_ID

LABEL: PUBLIC USE FILE ID - CHIS 1 YEAR DATAFILES

| | | | | |
|--------|---|----------|-------|--------|
| VALUE: | . | 0 - HIGH | FREQ | % |
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: HHSIZE_P1

LABEL: HOUSEHOLD SIZE (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21949 |
| MIN | 1 |
| MAX | 10 |
| MEAN | 2.59 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: ADLTCNT + KIDCNT; TOPCODE = 10

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INTVLNGC_P1

LABEL: LANGUAGE OF INTERVIEW (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|----------------|--|-------|-------|
| 1 | ENGLISH | | 20861 | 95.04 |
| 2 | SPANISH | | 698 | 3.18 |
| 3 | OTHER LANGUAGE | | 390 | 1.78 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: PROXY

LABEL: A PROXY INTERVIEW

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 5 | 0.02 |
| 2 | NO | | 21944 | 99.98 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRTENR

LABEL: SELF-REPORTED HOUSEHOLD TENURE (HH)

| VALUE: | | | FREQ | % |
|--------|-----------------------------|--|-------|-------|
| 1 | OWN | | 15664 | 71.37 |
| 2 | RENT/SOME OTHER ARRANGEMENT | | 6285 | 28.63 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

SECTION A: DEMOGRAPHIC INFORMATION, PART I

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SRAGE_P1

LABEL: SELF-REPORTED AGE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-------|-------|------|-------|
| 18 | 18-25 | YEARS | 1203 | 5.48 |
| 26 | 26-29 | YEARS | 777 | 3.54 |
| 30 | 30-34 | YEARS | 1289 | 5.87 |
| 35 | 35-39 | YEARS | 1580 | 7.20 |
| 40 | 40-44 | YEARS | 1613 | 7.35 |
| 45 | 45-49 | YEARS | 1725 | 7.86 |
| 50 | 50-54 | YEARS | 1853 | 8.44 |
| 55 | 55-59 | YEARS | 1957 | 8.92 |
| 60 | 60-64 | YEARS | 2269 | 10.34 |
| 65 | 65-69 | YEARS | 2514 | 11.45 |
| 70 | 70-74 | YEARS | 2207 | 10.06 |
| 75 | 75-79 | YEARS | 1409 | 6.42 |
| 80 | 80-84 | YEARS | 855 | 3.90 |
| 85 | 85+ | YEARS | 698 | 3.18 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: SRSEX

LABEL: SELF-REPORTED GENDER

| VALUE: | | | FREQ | % |
|--------|--------|--|-------|-------|
| 1 | MALE | | 9575 | 43.62 |
| 2 | FEMALE | | 12374 | 56.38 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: LATIN2TP

LABEL: LATIN/HISPANIC SUBTYPES (2 LVLS)

| VALUE: | | | FREQ | % |
|--------|------------|--|-------|-------|
| -1 | NON-LATINO | | 17632 | 80.33 |
| 1 | MEXICAN | | 3181 | 14.49 |
| 2 | OTHER | | 1136 | 5.18 |

UNIVERSE: ADULTS WHO ARE LATINO OR HISPANIC

INPUT VAR:

NOTES:

VARNAME: OMBSRR_P1

LABEL: OMB/CURRENT DOF RACE - ETHNICITY (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|---|--|-------|-------|
| 1 | HISPANIC | | 4317 | 19.67 |
| 2 | WHITE, NON-HISPANIC (NH) | | 13474 | 61.39 |
| 3 | AFRICAN AMERICAN ONLY, NOT HISPANIC | | 744 | 3.39 |
| 4 | AMERICAN INDIAN/ALASKAN NATIVE ONLY, NH | | 86 | 0.39 |
| 5 | ASIAN ONLY, NH | | 2745 | 12.51 |
| 6 | OTHER/TWO OR MORE RACES | | 583 | 2.66 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACECN_P1

LABEL: RACE - CENSUS 2000 DEFINITION (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -9 | NOT ASCERTAINED | 2 | 0.01 |
| 1 | OTHER SINGLE RACE | 1047 | 4.77 |
| 2 | AMERICAN INDIAN/ALASKAN NATIVE | 293 | 1.33 |
| 3 | ASIAN | 2792 | 12.72 |
| 4 | AFRICAN AMERICAN | 796 | 3.63 |
| 5 | WHITE | 16243 | 74.00 |
| 7 | MORE THAN ONE RACE | 776 | 3.54 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RACEDF_P1

LABEL: FORMER DOF RACE - ETHNICITY (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| 1 | LATINO | 4317 | 19.67 |
| 2 | NON-LATINO OTHER, ONE RACE | 133 | 0.61 |
| 3 | NON-LATINO AMERICAN INDIAN/ALASKAN NATIV | 86 | 0.39 |
| 4 | NON-LATINO ASIAN | 2732 | 12.45 |
| 5 | NON-LATINO AFR. AMER. | 740 | 3.37 |
| 6 | NON-LATINO WHITE | 13381 | 60.96 |
| 8 | NON-LATINO, TWO+ RACES | 560 | 2.55 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON '01 DEPT OF FINANCE DEFIN. CURRENT RACEDOF SEE OMBSRREQ.

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: RACEHP2_P1

LABEL: RACE - UCLA CHPR DEFINITION, UNABRIDGED (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-------------------------------|--|-------|-------|
| 1 | LATINO | | 2328 | 10.61 |
| 2 | OTHER SINGLE/MULTIPLE RACE | | 2244 | 10.22 |
| 3 | AMERICAN INDIAN/ALASKA NATIVE | | 147 | 0.67 |
| 4 | ASIAN | | 2755 | 12.55 |
| 5 | AFRICAN AMERICAN | | 778 | 3.54 |
| 6 | WHITE | | 13697 | 62.40 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT FOR DIRECT COMPARISON TO RACEHPR OF PREVIOUS CYCLES

VARNAME: AA5C

LABEL: ENROLLED MEMBER IN RECOGNIZED TRIBE

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| -9 | NOT ASCERTAINED | | 80 | 0.36 |
| -8 | DON'T KNOW | | 2 | 0.01 |
| -1 | INAPPLICABLE | | 21331 | 97.18 |
| 1 | YES | | 90 | 0.41 |
| 2 | NO | | 446 | 2.03 |

UNIVERSE: ALL ADULTS WHO ARE AMERICAN INDIAN OR ALASKA NATIVE

INPUT VAR:

NOTES: -----

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AA5G

LABEL: IDENTIFY WITH ONE RACE IN PARTICULAR

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| -9 | NOT ASCERTAINED | | 96 | 0.44 |
| -8 | DON'T KNOW | | 5 | 0.02 |
| -7 | REFUSED | | 3 | 0.01 |
| -1 | INAPPLICABLE | | 17611 | 80.24 |
| 1 | YES | | 2050 | 9.34 |
| 2 | NO | | 2184 | 9.95 |

UNIVERSE: MULTI-RACIAL ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: MARIT

LABEL: MARITAL STATUS- 3 CATEGORIES

| VALUE: | | | FREQ | % |
|--------|--------------------------------|--|-------|-------|
| 1 | MARRIED | | 11935 | 54.38 |
| 2 | OTHER/SEP/DIV/LIVING W/PARTNER | | 6255 | 28.50 |
| 3 | NEVER MARRIED | | 3759 | 17.13 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MARIT_45

LABEL: MARITAL STATUS - AGE 45 AND OLDER

| VALUE: | | | FREQ | % |
|--------|---------------------|--|------|-------|
| -1 | INAPPLICABLE | | 6462 | 29.44 |
| 1 | MARRIED | | 8878 | 40.45 |
| 2 | LIVING WITH PARTNER | | 624 | 2.84 |
| 3 | WIDOWED | | 1840 | 8.38 |
| 4 | DIVORCED/SEPARATED | | 2696 | 12.28 |
| 5 | NEVER MARRIED | | 1449 | 6.60 |

UNIVERSE: ALL ADULTS AGE 45 AND OLDER

INPUT VAR:

NOTES:

VARNAME: MARIT2

LABEL: MARITAL STATUS- 4 CATEGORIES

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| 1 | MARRIED | | 11935 | 54.38 |
| 2 | LIVING W/ PARTNER | | 1362 | 6.21 |
| 3 | WID/SEP/DIV | | 4893 | 22.29 |
| 4 | NEVER MARRIED | | 3759 | 17.13 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: INTV_MODE2

LABEL: INTERVIEW MODE (PHONE OR WEB)

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| 1 | PHONE INTERVIEW | | 1760 | 8.02 |
| 2 | WEB INTERVIEW | | 20189 | 91.98 |

UNIVERSE: ALL ADULTS

INPUT VAR: ADULTENDCHANNEL

NOTES:

SECTION B: GENERAL HEALTH CONDITION

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB1

LABEL: GENERAL HEALTH CONDITION

| VALUE: | | | FREQ | % |
|--------|-----------|--|------|-------|
| 1 | EXCELLENT | | 4545 | 20.71 |
| 2 | VERY GOOD | | 8470 | 38.59 |
| 3 | GOOD | | 6288 | 28.65 |
| 4 | FAIR | | 2190 | 9.98 |
| 5 | POOR | | 456 | 2.08 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB17

LABEL: DOCTOR EVER TOLD HAVE ASTHMA

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 3646 | 16.61 |
| 2 | NO | | 18303 | 83.39 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB40

LABEL: STILL HAS ASTHMA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18303 | 83.39 |
| 1 | YES | | 2148 | 9.79 |
| 2 | NO | | 1498 | 6.82 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB41

LABEL: ASTHMA EPISODE/ATTACK IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18303 | 83.39 |
| 1 | YES | | 1167 | 5.32 |
| 2 | NO | | 2479 | 11.29 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ASTCUR

LABEL: CURRENT ASTHMA STATUS

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| 1 | CURRENT ASTHMA | | 2211 | 10.07 |
| 2 | NO CURRENT ASTHMA | | 19738 | 89.93 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AB18

LABEL: TAKING DAILY MEDICATION TO CONTROL ASTHMA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18303 | 83.39 |
| 1 | YES | | 1081 | 4.93 |
| 2 | NO | | 2565 | 11.69 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB43

LABEL: HEALTH PROFESSIONAL EVER GAVE ASTHMA MANAGEMENT PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18303 | 83.39 |
| 1 | YES | | 1968 | 8.97 |
| 2 | NO | | 1678 | 7.64 |

UNIVERSE: ADULTS WHO HAVE BEEN TOLD HAVE ASTHMA

INPUT VAR:

NOTES:

VARNAME: AB22V2

LABEL: DOCTOR EVER TOLD HAVE DIABETES

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2441 | 11.12 |
| 2 | NO | | 19508 | 88.88 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: RECOMMEND USERS TO USE DIABETES CONSTRUCTED VARIABLE DUE TO AB22
MODE DIFFERENCES IN 2019; PREVIOUS VERSION: AB22

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DIABETES

LABEL: DOCTOR EVER TOLD HAVE DIABETES (NON-GESTATIONAL)

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2367 | 10.78 |
| 2 | NO | | 19582 | 89.22 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: ADULTS WITH AB22 IN (2,3) OR AB51=5 ARE CLASSIFIED AS NON-DIABETICS

VARNAME: AB23_P1

LABEL: AGE FIRST TOLD HAVE DIABETES (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19508 | 88.88 |
| 1 | AGES 18 AND UNDER | | 58 | 0.26 |
| 2 | AGES 19-29 | | 117 | 0.53 |
| 3 | AGES 30-39 | | 243 | 1.11 |
| 4 | AGES 40-49 | | 502 | 2.29 |
| 5 | AGES 50-59 | | 747 | 3.40 |
| 6 | AGES 60-69 | | 562 | 2.56 |
| 7 | AGES 70-79 | | 167 | 0.76 |
| 8 | AGES 80 AND OVER | | 45 | 0.21 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DIAMED

LABEL: TAKING INSULIN OR PILLS

| VALUE: | | | FREQ | % |
|--------|------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19508 | 88.88 |
| 1 | TAKING INSULIN & PILLS | | 354 | 1.61 |
| 2 | TAKING INSULIN ONLY | | 227 | 1.03 |
| 3 | TAKING PILLS ONLY | | 1321 | 6.02 |
| 4 | NOT TAKING INSULIN NOR PILLS | | 539 | 2.46 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB51_P1

LABEL: TYPE 1 OR TYPE 2 DIABETES (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19632 | 89.44 |
| 1 | TYPE I | | 199 | 0.91 |
| 2 | TYPE 2 | | 2118 | 9.65 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE TYPE I OR II DIABETES

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB24

LABEL: CURRENTLY TAKING INSULIN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19508 | 88.88 |
| 1 | YES | | 581 | 2.65 |
| 2 | NO | | 1860 | 8.47 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB25

LABEL: CURRENTLY TAKING DIABETIC PILLS TO LOWER BLOOD SUGAR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19508 | 88.88 |
| 1 | YES | | 1675 | 7.63 |
| 2 | NO | | 766 | 3.49 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THEY HAVE DIABETES

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB63

LABEL: LAST EYE EXAM DILATED PUPILS

| VALUE: | | FREQ | % |
|--------|-----------------------|-------|-------|
| -1 | INAPPLICABLE | 19508 | 88.88 |
| 1 | WITHIN THE PAST MONTH | 179 | 0.82 |
| 2 | 1 TO 12 MOS AGO | 1441 | 6.57 |
| 3 | 1 TO 2 YRS AGO | 465 | 2.12 |
| 4 | 2 OR MORE YRS AGO | 275 | 1.25 |
| 5 | NEVER | 81 | 0.37 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

VARNAME: AB112

LABEL: MEDICAL PROVIDERS DEVELOP DIABETES CARE PLAN

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 19508 | 88.88 |
| 1 | YES | 2150 | 9.80 |
| 2 | NO | 291 | 1.33 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD THAT THEY HAVE DIABETES

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AB29V2

LABEL: DOCTOR EVER TOLD HAVE HIGH BLOOD PRESSURE

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| 1 | YES | | 6588 | 30.02 |
| 2 | NO | | 13384 | 60.98 |
| 3 | BORDERLINE HYPERTENSION | | 1977 | 9.01 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AB29

VARNAME: AB34

LABEL: DOCTOR EVER TOLD HAVE ANY KIND OF HEART DISEASE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2127 | 9.69 |
| 2 | NO | | 19822 | 90.31 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AB27_P1

LABEL: # OF TIMES DOC CHECKED FOR HEMOGLOBIN A1C LAST YR (PUF 1 YR RECOD

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 19508 | 88.88 |
| 0 | 0 TIMES | 140 | 0.64 |
| 1 | 1 TIMES | 496 | 2.26 |
| 2 | 2 TIMES | 880 | 4.01 |
| 3 | 3 TIMES | 400 | 1.82 |
| 4 | 4 TIMES | 413 | 1.88 |
| 5 | 5+ TIMES | 112 | 0.51 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES:

VARNAME: AB27_P

LABEL: # OF TIMES DOC CHECKED HEMOGLOBIN A1C LAST YR (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -1 | INAPPLICABLE | 19508 | 88.88 |
| 1 | LESS THAN 1 | 140 | 0.64 |
| 2 | 1-2 | 496 | 2.26 |
| 3 | 2-3 | 880 | 4.01 |
| 4 | 3-4 | 400 | 1.82 |
| 5 | 4-5 | 413 | 1.88 |
| 6 | 5-6 | 32 | 0.15 |
| 7 | 6-13 | 71 | 0.32 |
| 8 | GREATER THAN 13 | 9 | 0.04 |

UNIVERSE: ALL ADULTS WHO HAVE BEEN TOLD HAVE DIABETES

INPUT VAR: AB27

NOTES:

SECTION C: HEALTH BEHAVIORS

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC46

LABEL: # OF TIMES DRANK SWEET FRUIT DRINKS PAST MO

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 300 |
| MEAN | 6.98 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE2

LABEL: # TIMES ATE FRUIT IN PAST MO

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 600 |
| MEAN | 40.03 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AE_FRUIT

LABEL: # OF TIMES EATING FRUIT PER WEEK

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 139 |
| MEAN | 9.30 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE7

LABEL: # OF TIMES ATE VEGETABLES IN PAST MO

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 600 |
| MEAN | 44.02 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE_VEGI

LABEL: # OF TIMES EATING VEGETABLES PER WEEK

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 139 |
| MEAN | 10.25 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AE15

LABEL: SMOKED 100 OR MORE CIGARETTES IN ENTIRE LIFETIME

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 6748 | 30.74 |
| 2 | NO | | 15201 | 69.26 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE15A

LABEL: SMOKES CIGARETTES EVERYDAY, SOME DAYS OR NOT AT ALL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15201 | 69.26 |
| 1 | EVERY DAY | | 780 | 3.55 |
| 2 | SOME DAYS | | 410 | 1.87 |
| 3 | NOT AT ALL | | 5558 | 25.32 |

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME

INPUT VAR:

NOTES:

VARNAME: AD32_P1

LABEL: # OF CIGARETTES PER DAY (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21169 | 96.45 |
| 0 | 0 CIGARETTES | | 17 | 0.08 |
| 1 | 1-5 CIGARETTES | | 165 | 0.75 |
| 6 | 6-10 CIGARETTES | | 282 | 1.28 |
| 11 | 11-15 CIGARETTES | | 105 | 0.48 |
| 16 | 16+ CIGARETTES | | 211 | 0.96 |

UNIVERSE: ALL ADULTS WHO SMOKED AT LEAST 100 CIGARETTES IN LIFETIME AND NOW
SMOKE EVERY DAY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AE16_P1

LABEL: # OF CIGARETTES SMOKED PER DAY IN PAST 30 DAYS (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -1 | INAPPLICABLE | 21539 | 98.13 |
| 0 | 0 CIGARETTES | 37 | 0.17 |
| 1 | 1 CIGARETTE | 85 | 0.39 |
| 2 | 2 CIGARETTES | 78 | 0.36 |
| 3 | 3 CIGARETTES | 49 | 0.22 |
| 4 | 4 CIGARETTES | 18 | 0.08 |
| 5 | 5 CIGARETTES | 45 | 0.21 |
| 6 | 6-10 CIGARETTES | 63 | 0.29 |
| 11 | 11+ CIGARETTES | 35 | 0.16 |

UNIVERSE: ALL ADULTS WHO CURRENTLY DO NOT SMOKE EVERYDAY, BUT ON SOME DAYS

INPUT VAR:

NOTES:

VARNAME: AC58C

LABEL: USUALLY SMOKE MENTHOL OR NON-MENTHOL CIG

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 20759 | 94.58 |
| 1 | YES | 284 | 1.29 |
| 2 | NO | 906 | 4.13 |

UNIVERSE: ADULTS WITH => 100 CIG. IN LIFETIME WHO SMOKE DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES: NOT TRENDABLE WITH AC58B DUE TO WORDING CHANGE

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SMKCUR

LABEL: CURRENT SMOKER

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| 1 | CURRENT SMOKER | | 1190 | 5.42 |
| 2 | NOT CURRENT SMOKER | | 20759 | 94.58 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF RESPONDENT INDICATED NOT SMOKING >=100 CIGARETTES IN LIFETIME,
THEN CONSIDERED TO NOT BE A CURRENT SMOKER

VARNAME: SMOKING

LABEL: CURRENT SMOKING HABITS

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| 1 | CURRENTLY SMOKES | | 1190 | 5.42 |
| 2 | QUIT SMOKING | | 5558 | 25.32 |
| 3 | NEVER SMOKED REGULARLY | | 15201 | 69.26 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: IF RESPONDENT INDICATED NOT SMOKING >=100 CIGARETTES IN LIFETIME,
THEN CATEGORIZED AS SMOKING NO CIGARETTES PER DAY

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: NUMCIG

LABEL: # OF CIGARETTES PER DAY

| VALUE: | | FREQ | % |
|--------|------------------|-------|-------|
| 1 | NONE | 20759 | 94.58 |
| 2 | <=1 CIGARETTES | 151 | 0.69 |
| 3 | 2-5 CIGARETTES | 343 | 1.56 |
| 4 | 6-10 CIGARETTES | 345 | 1.57 |
| 5 | 11-19 CIGARETTES | 131 | 0.60 |
| 6 | 20 OR MORE | 220 | 1.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC49

LABEL: STOP SMOKING ONE DAY OR LONGER TO QUIT PAST YR

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 20759 | 94.58 |
| 1 | YES | 614 | 2.80 |
| 2 | NO | 576 | 2.62 |

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE
DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC50

LABEL: THINK ABOUT QUIT SMOKING IN NEXT 6 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20759 | 94.58 |
| 1 | YES | | 769 | 3.50 |
| 2 | NO | | 421 | 1.92 |

UNIVERSE: ADULTS WHO SMOKED AT LEAST 100 CIG. IN LIFETIME AND SMOKE
DAILY/SOME DAYS PER WEEK (CURRENT SMOKERS)

INPUT VAR:

NOTES:

VARNAME: AC81C

LABEL: EVER SMOKED ELECTRONIC CIGARETTES

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2512 | 11.44 |
| 2 | NO | | 19437 | 88.56 |

UNIVERSE: ALL ADULTS (18+)

INPUT VAR:

NOTES: NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR
TRENDING WITH 2016

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ESMKCUR

LABEL: CURRENT E-CIGARETTE SMOKER

| VALUE: | | | FREQ | % |
|--------|----------------------------------|--|-------|-------|
| 1 | CURRENT E-CIGARETTE SMOKER | | 429 | 1.95 |
| 2 | NOT A CURRENT E-CIGARETTE SMOKER | | 21520 | 98.05 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC81C AC82C

NOTES:

VARNAME: AC82C_P1

LABEL: DAYS USED E-CIGS PAST 30 DAYS (PUF 1 YEAR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | NONE | | 2083 | 9.49 |
| 2 | 1 TO 2 DAYS | | 111 | 0.51 |
| 3 | 3 TO 5 DAYS | | 65 | 0.30 |
| 4 | 6 TO 29 DAYS | | 83 | 0.38 |
| 5 | EVERY DAY | | 170 | 0.77 |

UNIVERSE: ADULTS 18+ WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: NOT TRENDABLE WITH 2014 AND 2015. LIMIT TO ADULTS 18-65 FOR
TRENDING WITH 2016

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC83V4_1

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - QUIT SMOKING

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 559 | 2.55 |
| 2 | NO | | 1953 | 8.90 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_1, AC83B_1, AC83C_1

VARNAME: AC83V4_2

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - REPLACE SMOKING

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 540 | 2.46 |
| 2 | NO | | 1972 | 8.98 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_2, AC83B_2, AC83C_2

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC83V4_3

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - CUT DOWN OR REDUCE SMOKI

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 361 | 1.64 |
| 2 | NO | | 2151 | 9.80 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_3, AC83B_3, AC83C_3

VARNAME: AC83V4_4

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - USED WHERE SMOKING NOT A

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 201 | 0.92 |
| 2 | NO | | 2311 | 10.53 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_4, AC83B_4, AC83C_4

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC83V4_5

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - CURIOSITY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 1363 | 6.21 |
| 2 | NO | | 1149 | 5.23 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_5, AC83B_5, AC83C_5

VARNAME: AC83V4_6

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - NO LINGERING ODOR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 257 | 1.17 |
| 2 | NO | | 2255 | 10.27 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_6, AC83B_6, AC83C_6

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC83V4_7

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - HELPS CONCENTRATE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 73 | 0.33 |
| 2 | NO | | 2439 | 11.11 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_7, AC83B_7, AC83C_7

VARNAME: AC83V4_8

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - MANY FLAVORS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 108 | 0.49 |
| 2 | NO | | 2404 | 10.95 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_8, AC83B_8, AC83C_8

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC83V4_9

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - LESS EXPENSIVE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 65 | 0.30 |
| 2 | NO | | 2447 | 11.15 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_9, AC83B_9, AC83C_9

VARNAME: AC83V4_10

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - HEALTHIER THAN CIGARETTE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 141 | 0.64 |
| 2 | NO | | 2371 | 10.80 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_10, AC83B_10, AC83C_10

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC83V4_11

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - SOCIAL REASONS/ENJOYMENT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 623 | 2.84 |
| 2 | NO | | 1889 | 8.61 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_11, AC83B_11, AC83C_11

VARNAME: AC83V4_12

LABEL: BEST DESCRIBES REASON FOR USING E-CIGS - STRESS, ANXIETY, PAIN RE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 333 | 1.52 |
| 2 | NO | | 2179 | 9.93 |

UNIVERSE: ADULTS 18+ YEARS WHO EVER SMOKED E-CIGARETTES

INPUT VAR:

NOTES: Previous versions: AC83_12, AC83B_12, AC83C_12

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC134V2

LABEL: USED E-CIG FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19437 | 88.56 |
| 1 | YES | | 1355 | 6.17 |
| 2 | NO | | 1157 | 5.27 |

UNIVERSE: ADULTS WHO HAVE EVER USED E-CIGS

INPUT VAR:

NOTES: Previous version: AC134

VARNAME: AC135_P1

LABEL: FREQUENCY OF SMOKELESS TOBACCO PRODUCT USE IN PAST 30 DAYS (PUF 1

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| 1 | 0 DAYS | | 21788 | 99.27 |
| 2 | 1-29 DAYS | | 86 | 0.39 |
| 3 | 30 DAYS OR MORE | | 75 | 0.34 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: AC135 categories collapsed

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC136

LABEL: USED CHEWING TOBACCO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21788 | 99.27 |
| 1 | YES | | 74 | 0.34 |
| 2 | NO | | 87 | 0.40 |

UNIVERSE: ADULTS WHO USED CHEWING TOBACCO AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC137_P1

LABEL: FREQUENCY OF SMOKE CIGARILLO/LITTLE CIGAR USE IN PAST 30 DAYS (PU

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| 1 | 0 DAYS | | 21756 | 99.12 |
| 2 | 1-29 DAYS | | 162 | 0.74 |
| 3 | 30 DAYS OR MORE | | 31 | 0.14 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: AC137 categories collapsed

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC138

LABEL: USED CIGARILLO FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21756 | 99.12 |
| 1 | YES | | 61 | 0.28 |
| 2 | NO | | 132 | 0.60 |

UNIVERSE: ADULTS WHO USED CIGARILLO AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC139_P1

LABEL: FREQUENCY OF BIG CIGAR USE IN PAST 30 DAYS (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| 1 | 0 DAYS | | 21701 | 98.87 |
| 2 | 1-29 DAYS | | 229 | 1.04 |
| 3 | 30 DAYS OR MORE | | 19 | 0.09 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: AC139 CATEGORIES COLLAPSED

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AC140

LABEL: USED BIG CIGAR FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21701 | 98.87 |
| 1 | YES | | 17 | 0.08 |
| 2 | NO | | 231 | 1.05 |

UNIVERSE: ADULTS WHO USED BIG CIGARS AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC141_P1

LABEL: FREQUENCY OF HOOKAH WATER PIPE USE IN PAST 30 DAYS (PUF 1 YR RECO

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| 1 | 0 DAYS | | 21896 | 99.76 |
| 2 | 1-29 DAYS | | 48 | 0.22 |
| 3 | 30 DAYS OR MORE | | 5 | 0.02 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: AC141 CATEGORIES COLLAPSED

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC142

LABEL: USED HOOKAH FLAVORS SUCH AS MINT, FRUIT, CANDY, OR WINE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21896 | 99.76 |
| 1 | YES | | 32 | 0.15 |
| 2 | NO | | 21 | 0.10 |

UNIVERSE: ADULTS WHO USED HOOKAH AT LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES:

VARNAME: AC143

LABEL: HOME RULES CONCERNING SMOKING/VAPING/E-CIG USE

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| 1 | NOT ALLOWED ANYWHERE OR ANYTIME | | 20608 | 93.89 |
| 2 | ALLOWED IN SOME PLACES OR SOMETIMES | | 887 | 4.04 |
| 3 | ALLOWED ANYWHERE AND ANYTIME | | 454 | 2.07 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC144

LABEL: EVER BEEN EXPOSED TO SECONDHAND TOBACCO SMOKE OR E-CIG VAPOR IN C

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 4657 | 21.22 |
| | 2 | NO | 17292 | 78.78 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: FLAVTOB

LABEL: CURRENT (PAST 30 DAYS) USE OF FLAVORED TOBACCO PRODUCTS

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 655 | 2.98 |
| | 2 | NO | 21294 | 97.02 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC134 AC136 AC138 AC140 AC142 AC58C

NOTES: INPUT AC58C CONTAINS DIFFERENT WORDING FROM OTHER INPUT VARIABLES

VARNAME: NONCIGPRO

LABEL: CURRENT (PAST 30 DAYS) USE OF NON-CIGARETTE TOBACCO PRODUCTS

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 945 | 4.31 |
| | 2 | NO | 21004 | 95.69 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC135 AC137 AC139 AC141 AC82C

NOTES: INPUT AC82C CONTAINS DIFFERENT WORDING FROM OTHER INPUT VARIABLES

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC115

LABEL: EVER TRIED MARIJUANA OR HASHISH

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 12100 | 55.13 |
| 2 | NO | | 9849 | 44.87 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AC116_P1

LABEL: HOW LONG SINCE LAST MARIJUANA/HASHISH USE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|---------------------------------|--|------|-------|
| -1 | INAPPLICABLE | | 9849 | 44.87 |
| 1 | WITHIN THE PAST MONTH | | 3532 | 16.09 |
| 2 | MORE THAN 1 MONTH TO A YEAR AGO | | 1718 | 7.83 |
| 3 | MORE THAN 1 YR TO 5 YRS AGO | | 1348 | 6.14 |
| 4 | MORE THAN 5 YRS TO 10 YRS AGO | | 739 | 3.37 |
| 5 | MORE THAN 10 YRS TO 15 YRS AGO | | 442 | 2.01 |
| 6 | MORE THAN 15 YRS AGO | | 4321 | 19.69 |

UNIVERSE: ALL ADULTS WHO HAVE EVER TRIED MARIJUANA OR HASHISH

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC117V2

LABEL: FREQUENCY OF MARIJUANA/HASHISH/THC PRODUCT USE IN PAST 30 DAYS

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -1 | INAPPLICABLE | 18417 | 83.91 |
| 1 | 0 DAYS | 537 | 2.45 |
| 2 | 1-2 DAYS | 734 | 3.34 |
| 3 | 3-5 DAYS | 433 | 1.97 |
| 4 | 6-9 DAYS | 253 | 1.15 |
| 5 | 10-19 DAYS | 445 | 2.03 |
| 6 | 20-29 DAYS | 415 | 1.89 |
| 7 | 30 DAYS OR MORE | 715 | 3.26 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH IN PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC117

VARNAME: AC118V2

LABEL: HOW OFTEN USE TOBACCO WITH MARIJUANA

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 18954 | 86.35 |
| 1 | USUALLY | 160 | 0.73 |
| 2 | SOMETIMES | 458 | 2.09 |
| 3 | NEVER | 2377 | 10.83 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC118

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC119V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - JOINT/BONG/PIPE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18954 | 86.35 |
| 1 | YES | | 1842 | 8.39 |
| 2 | NO | | 1153 | 5.25 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC119

VARNAME: AC120V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - BLUNT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18954 | 86.35 |
| 1 | YES | | 280 | 1.28 |
| 2 | NO | | 2715 | 12.37 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC120

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC121V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - EAT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18954 | 86.35 |
| 1 | YES | | 1499 | 6.83 |
| 2 | NO | | 1496 | 6.82 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC121

VARNAME: AC122V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DRINK

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18954 | 86.35 |
| 1 | YES | | 159 | 0.72 |
| 2 | NO | | 2836 | 12.92 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC122

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC123V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - VAPORIZE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18954 | 86.35 |
| 1 | YES | | 888 | 4.05 |
| 2 | NO | | 2107 | 9.60 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC123

VARNAME: AC124V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - DAB

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18954 | 86.35 |
| 1 | YES | | 243 | 1.11 |
| 2 | NO | | 2752 | 12.54 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC124

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC125V2

LABEL: METHOD OF MARIJUANA USE IN PAST 30 DAYS - OTHER WAY

| VALUE: | | FREQ | % |
|--------|------------------------------------|-------|-------|
| -9 | NOT ASCERTAINED | 23 | 0.10 |
| -8 | DK | 2 | 0.01 |
| -1 | INAPPLICABLE | 19040 | 86.75 |
| 1 | SMOKE IT IN A JOINT, BONG, OR PIPE | 241 | 1.10 |
| 2 | BLUNT | 2332 | 10.62 |
| 3 | EAT IT | 91 | 0.41 |
| 4 | DRINK IT | 30 | 0.14 |
| 5 | VAPORIZE IT | 28 | 0.13 |
| 6 | DAB IT | 3 | 0.01 |
| 7 | OTHER | 150 | 0.68 |
| 8 | NO OTHER WAY OF USE | 9 | 0.04 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC125

VARNAME: AC126V2

LABEL: ANY MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 18954 | 86.35 |
| 1 | YES | 533 | 2.43 |
| 2 | NO | 2462 | 11.22 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC126

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MARTYPEV2

LABEL: METHOD OF TAKING MARIJUANA

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18966 | 86.41 |
| 1 | ONE TYPE | | 368 | 1.68 |
| 2 | MORE THAN ONE TYPE | | 2615 | 11.91 |

UNIVERSE: ALL ADULTS WHO USED MARIJUANA, HASHISH, OR OTHER THC PRODUCT AT
LEAST ONE TIME IN PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: MARTYPE

VARNAME: AC127V2

LABEL: ALL MARIJUANA USE RECOMMENDED BY DOCTOR OR HEALTH CARE PROVIDER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21416 | 97.57 |
| 1 | YES | | 370 | 1.69 |
| 2 | NO | | 163 | 0.74 |

UNIVERSE: ALL ADULTS WHO HAVE USED MARIJUANA OR HASHISH AT LEAST ONE DAY IN
PAST 30 DAYS

INPUT VAR:

NOTES: Previous version: AC127

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ILLIDRUG

LABEL: USED HEROIN, METHAMPHETAMINE, OR PRESCRIPTION DRUG AS NOT DIRECTE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 661 | 3.01 |
| 2 | NO | | 21288 | 96.99 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC128 AC129 AC166 AC167

NOTES:

VARNAME: AC160

LABEL: IMPORTANCE OF GENETICS AND MEDICAL CARE TO HEALTH

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | 1 NOT AT ALL IMPORTANT | | 189 | 0.86 |
| 2 | 2 | | 72 | 0.33 |
| 3 | 3 | | 150 | 0.68 |
| 4 | 4 | | 198 | 0.90 |
| 5 | 5 | | 1349 | 6.15 |
| 6 | 6 | | 894 | 4.07 |
| 7 | 7 | | 2280 | 10.39 |
| 8 | 8 | | 3743 | 17.05 |
| 9 | 9 | | 2212 | 10.08 |
| 10 | 10 EXTREMELY IMPORTANT | | 10857 | 49.46 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AC161

LABEL: IMPORTANCE OF INDIVIDUAL/ENVIRONMENTAL FACTORS TO HEALTH

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | 1 NOT AT ALL IMPORTANT | | 72 | 0.33 |
| 2 | 2 | | 20 | 0.09 |
| 3 | 3 | | 62 | 0.28 |
| 4 | 4 | | 88 | 0.40 |
| 5 | 5 | | 584 | 2.66 |
| 6 | 6 | | 479 | 2.18 |
| 7 | 7 | | 1567 | 7.14 |
| 8 | 8 | | 3592 | 16.37 |
| 9 | 9 | | 2788 | 12.70 |
| 10 | 10 EXTREMELY IMPORTANT | | 12692 | 57.82 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: GENENV

LABEL: MOST IMPORTANT FACTOR TO HEALTH

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| 1 | GENETICS AND MEDICAL CARE | | 3266 | 14.88 |
| 2 | INDIVIDUAL OR ENVIRONMENTAL FACTORS | | 6680 | 30.43 |
| 3 | THEY ARE EQUAL FACTORS | | 12003 | 54.69 |

UNIVERSE: ALL ADULTS

INPUT VAR: AC160 AC161

NOTES:

SECTION D: GENERAL HEALTH, DISABILITY & SEXUAL HEALTH

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: HGHTI_P

LABEL: HEIGHT: INCHES (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 42 |
| MAX | 77 |
| MEAN | 66.65 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: TOPCODE=77; BOTTOMCODE=42

VARNAME: HGHTM_P

LABEL: HEIGHT: METERS (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 1 |
| MAX | 2 |
| MEAN | 1.69 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: TOPCODE=2; BOTTOMCODE=1

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: HEIGHTM_P

LABEL: HEIGHT: METERS - UCLA (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 1 |
| MAX | 2 |
| MEAN | 1.69 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: TOPCODE=2; BOTTOMCODE=1

VARNAME: WEIGHK_P

LABEL: WEIGHT: KG - UCLA (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 41 |
| MAX | 150 |
| MEAN | 78.19 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: TOPCODE=150; BOTTOMCODE=41

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: WGHTK_P

LABEL: WEIGHT: KG (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21949 |
| MIN | 41 |
| MAX | 150 |
| MEAN | 78.19 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: TOPCODE=150; BOTTOMCODE=41

VARNAME: WGHTP_P

LABEL: WEIGHT: LBS (PUF RECODE)

| MEAN STATISTICS | |
|-----------------|--------|
| N | 21949 |
| MIN | 90 |
| MAX | 330 |
| MEAN | 172.37 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: TOPCODE=330; BOTTOMCODE=90

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: BMI_P

LABEL: BODY MASS INDEX (PUF RECODE)

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 12 |
| MAX | 61 |
| MEAN | 27.18 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: SEE WEIGHK_P AND HEIGHM_P FOR BOTTOM AND TOP CODES

VARNAME: RBMI

LABEL: BMI DESCRIPTIVE

| VALUE: | | FREQ | % |
|--------|-----------------------|------|-------|
| 1 | UNDERWEIGHT 0-18.49 | 377 | 1.72 |
| 2 | NORMAL 18.5-24.99 | 8574 | 39.06 |
| 3 | OVERWEIGHT 25.0-29.99 | 7457 | 33.97 |
| 4 | OBES 30.0+ | 5541 | 25.24 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WHOBMI

LABEL: BODY MASS INDEX: WHO DEFINITION

| VALUE: | | | FREQ | % |
|--------|-----------------------------------|--|------|-------|
| 1 | 0 - 18.49 (UNDERWEIGHT) | | 377 | 1.72 |
| 2 | 18.5 - 22.99 (ACCEPTABLE RISK) | | 4835 | 22.03 |
| 3 | 23.0 - 27.49 (INCREASED RISK) | | 8210 | 37.40 |
| 4 | 27.5 OR HIGHER (HIGHER HIGH RISK) | | 8527 | 38.85 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: WORLD HEALTH ORGANIZATION (WHO) BMI CUT-POINTS CORRESPOND TO
INCREASING RISKS FOR CONDITIONS SUCH AS DIABETES AND HEART DISEASE
IN ASIAN POPULATIONS. FOR MORE INFORMATION SEE
http://www.who.int/nutrition/publications/bmi_asia_strategies.pdf

VARNAME: OVRWT

LABEL: OVERWEIGHT OR OBESE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 12998 | 59.22 |
| 2 | NO | | 8951 | 40.78 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AD50

LABEL: BLIND/DEAF OR HAS SEVERE VISION/HEARING PROBLEM

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1365 | 6.22 |
| 2 | NO | | 20584 | 93.78 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AL10

LABEL: HAVE DIFFICULTY CONCENTRATING

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1536 | 7.00 |
| 2 | NO | | 20413 | 93.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AL11

LABEL: HAVE DIFFICULTY DRESSING/BATHING

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 487 | 2.22 |
| 2 | NO | | 21462 | 97.78 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL12

LABEL: HAVE DIFFICULTY DOING ERRANDS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1036 | 4.72 |
| 2 | NO | | 20913 | 95.28 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ169V2

LABEL: RESPONDENT'S PREGNANCY PLANS

| VALUE: | | | FREQ | % |
|--------|-----------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18026 | 82.13 |
| 1 | NO PLAN TO GET PREGNANT | | 2543 | 11.59 |
| 2 | NOT SEXUALLY ACTIVE | | 533 | 2.43 |
| 3 | PLAN TO GET GET PREGNANT | | 375 | 1.71 |
| 4 | CURRENTLY PREGNANT | | 122 | 0.56 |
| 5 | NOT ABLE TO BECOME PREGNANT | | 350 | 1.59 |

UNIVERSE: ADULTS 18-44 BORN FEMALE AT BIRTH

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF40BV2

LABEL: USES OR MALE SEX PARTNER USES BIRTH CONTROL

| VALUE: | | FREQ | % |
|--------|------------------------|-------|-------|
| -1 | INAPPLICABLE | 19098 | 87.01 |
| 1 | YES | 1931 | 8.80 |
| 2 | NO | 741 | 3.38 |
| 3 | NO MALE SEXUAL PARTNER | 179 | 0.82 |

UNIVERSE: HETEROSEXUAL FEMALES 18-44 AND NOT CURRENTLY PREGNANT OR SEXUALLY ACTIVE

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169) PREVIOUS VERSION: AF40B

VARNAME: AJ154BV2_1

LABEL: BIRTH CONTROL METHOD: TUBAL LIGATION

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 20018 | 91.20 |
| 1 | YES | 156 | 0.71 |
| 2 | NO | 1775 | 8.09 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ154BV2_2

LABEL: BIRTH CONTROL METHOD: VASECTOMY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20018 | 91.20 |
| 1 | YES | | 266 | 1.21 |
| 2 | NO | | 1665 | 7.59 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE
OR ARE CURRENTLY PREGNANT (PER AJ169)

VARNAME: AJ154BV2_3

LABEL: BIRTH CONTROL METHOD: IUD

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20018 | 91.20 |
| 1 | YES | | 482 | 2.20 |
| 2 | NO | | 1449 | 6.60 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE
OR ARE CURRENTLY PREGNANT (PER AJ169)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ154BV2_4

LABEL: BIRTH CONTROL METHOD: IMPLANT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20018 | 91.20 |
| 1 | YES | | 109 | 0.50 |
| 2 | NO | | 1822 | 8.30 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169)

VARNAME: AJ154BV2_5

LABEL: BIRTH CONTROL METHOD: BIRTH CONTROL PILLS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20018 | 91.20 |
| 1 | YES | | 534 | 2.43 |
| 2 | NO | | 1397 | 6.36 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ154BV2_6

LABEL: BIRTH CONTROL METHOD: OTHER HORMONAL METHODS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20018 | 91.20 |
| 1 | YES | | 95 | 0.43 |
| 2 | NO | | 1836 | 8.36 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE
OR ARE CURRENTLY PREGNANT (PER AJ169)

VARNAME: AJ154BV2_7

LABEL: BIRTH CONTROL METHOD: CONDOMS (MALE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20018 | 91.20 |
| 1 | YES | | 522 | 2.38 |
| 2 | NO | | 1409 | 6.42 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND
WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45
TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE
OR ARE CURRENTLY PREGNANT (PER AJ169)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ154BV2_8

LABEL: BIRTH CONTROL METHOD: OTHER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20018 | 91.20 |
| 1 | YES | | 3 | 0.01 |
| 2 | NO | | 1928 | 8.78 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169)

VARNAME: AJ154BV2_9

LABEL: BIRTH CONTROL METHOD: OTHER BIRTH CONTROL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20018 | 91.20 |
| 1 | YES | | 32 | 0.15 |
| 2 | NO | | 1899 | 8.65 |

UNIVERSE: FEMALES 18-44 YEARS WHO ARE HETEROSEXUAL, NOT PREGNANT, AND WHO/WHOSE PARTNERS AREN'T STERILIZED

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE HAS EXPANDED FROM 18-45 TO 18-49 YEARS OLD. NOW EXCLUDES THOSE WHO AREN'T SEXUALLY ACTIVE OR ARE CURRENTLY PREGNANT (PER AJ169)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ170V2_P1

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 21208 | 96.62 |
| 1 | TRYING TO GET PREGNANT/WANT A BABY | | 212 | 0.97 |
| 2 | OTHER | | 141 | 0.64 |
| 3 | DON'T BELIEVE IN BIRTH CONTROL | | 30 | 0.14 |
| 4 | WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH | | 253 | 1.15 |
| 5 | NO NEED/DON'T WANT | | 35 | 0.16 |
| 6 | INABILITY TO GET PREGNANT | | 47 | 0.21 |
| 7 | NO SEXUAL PARTNER | | 23 | 0.10 |

UNIVERSE: FEMALES 18-44 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, OR NOT USING
BIRTH CONTROL

INPUT VAR:

NOTES:

VARNAME: AJ171V2_P1

LABEL: EVER TALKED TO DR, PROVIDER, FAMILY PLANNING COUNSELOR ABOUT IUD

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19665 | 89.59 |
| 1 | YES | | 1302 | 5.93 |
| 2 | NO | | 982 | 4.47 |

UNIVERSE: FEMALES 18-44 WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND NOT
USING BIRTH CONTROL

INPUT VAR:

NOTES: Previous version: AJ171_P1

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ179

LABEL: RECEIVED BIRTH CONTROL COUNSELING OR INFO FROM DR IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18232 | 83.07 |
| 1 | YES | | 1175 | 5.35 |
| 2 | NO | | 2542 | 11.58 |

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL AND NOT CURRENTLY PREGNANT

INPUT VAR:

NOTES:

VARNAME: AJ180

LABEL: RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18232 | 83.07 |
| 1 | YES | | 1184 | 5.39 |
| 2 | NO | | 2533 | 11.54 |

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL AND NOT CURRENTLY PREGNANT

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ181_P1

LABEL: TYPE OF MAIN BIRTH CONTROL PRESCRIPTION RECEIVED (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 20765 | 94.61 |
| 1 | PERMANENT METHOD (TUBAL LIGATION, VASECT | 13 | 0.06 |
| 2 | IUD (MIRENA, PARAGARD, SKYLA, KYLEENA, | 222 | 1.01 |
| 3 | IMPLANT (IMPLANON, NEXPLANON, ETC.) | 69 | 0.31 |
| 4 | BIRTH CONTROL PILLS | 733 | 3.34 |
| 5 | OTHER HORMONAL METHODS (INJECTION/DEPO-P | 120 | 0.55 |
| 6 | CONDOMS (MALE) | 22 | 0.10 |
| 91 | OTHER | 5 | 0.02 |

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL, NOT CURRENTLY PREGNANT,
AND RECEIVED BIRTH CONTROL METHOD/PRESCRIPTION

INPUT VAR:

NOTES:

VARNAME: AJ182_P1

LABEL: LOCATION MAIN BIRTH CONTROL RECEIVED (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 20765 | 94.61 |
| 1 | PRIVATE DOCTORS OFFICE | 559 | 2.55 |
| 2 | HMO FACILITY | 163 | 0.74 |
| 3 | HOSPITAL OR HOSPITAL CLINIC | 106 | 0.48 |
| 4 | PLANNED PARENTHOOD | 101 | 0.46 |
| 5 | COUNTY HEALTH DEPARTMENT, FAMILY PLANNIN | 49 | 0.22 |
| 6 | OTHER CLINIC | 38 | 0.17 |
| 7 | PHARMACY | 141 | 0.64 |
| 91 | SOME OTHER PLACE | 27 | 0.12 |

UNIVERSE: ADULT FEMALES < 45 WHO ARE HETEROSEXUAL, NOT CURRENTLY PREGNANT,
AND RECEIVED BIRTH CONTROL METHOD/PRESCRIPTION

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ144B

LABEL: RECEIVED BIRTH CONTROL INFO FROM DR PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 12440 | 56.68 |
| 1 | YES | | 141 | 0.64 |
| 2 | NO | | 9368 | 42.68 |

UNIVERSE: ALL ADULTS BORN MALE AT BIRTH

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2015-2016. UNIVERSE EXPANDED FROM 18-44 TO
18-49 YEARS OLD

VARNAME: AJ172V2

LABEL: CURRENTLY USING BIRTH CONTROL

| VALUE: | | | FREQ | % |
|--------|--------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 12440 | 56.68 |
| 1 | YES | | 2378 | 10.83 |
| 2 | NO | | 5155 | 23.49 |
| 3 | NO FEMALE SEXUAL PARTNER | | 1976 | 9.00 |

UNIVERSE: ADULT MALES

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ172

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ174_1

LABEL: BIRTH CONTROL METHOD: TUBAL LITIGATION

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 274 | 1.25 |
| 2 | NO | | 2104 | 9.59 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

VARNAME: AJ174_2

LABEL: BIRTH CONTROL METHOD: VASECTOMY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 783 | 3.57 |
| 2 | NO | | 1595 | 7.27 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ174_3

LABEL: BIRTH CONTROL METHOD: IUD

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 305 | 1.39 |
| 2 | NO | | 2073 | 9.44 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

VARNAME: AJ174_4

LABEL: BIRTH CONTROL METHOD: IMPLANT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 56 | 0.26 |
| 2 | NO | | 2322 | 10.58 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ174_5

LABEL: BIRTH CONTROL METHOD: BIRTH CONTROL PILLS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 433 | 1.97 |
| 2 | NO | | 1945 | 8.86 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

VARNAME: AJ174_6

LABEL: BIRTH CONTROL METHOD: OTHER HORMONAL METHODS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 53 | 0.24 |
| 2 | NO | | 2325 | 10.59 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ174_7

LABEL: BIRTH CONTROL METHOD: CONDOMS (MALE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 647 | 2.95 |
| 2 | NO | | 1731 | 7.89 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

VARNAME: AJ174_8

LABEL: BIRTH CONTROL METHOD: OTHER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 10 | 0.05 |
| 2 | NO | | 2368 | 10.79 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ174_9

LABEL: BIRTH CONTROL METHOD: OTHER BIRTH CONTROL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19571 | 89.17 |
| 1 | YES | | 34 | 0.15 |
| 2 | NO | | 2344 | 10.68 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND CURRENTLY
USE BIRTH CONTROL

INPUT VAR:

NOTES:

VARNAME: AJ175_P1

LABEL: MAIN REASON YOU ARE NOT CURRENTLY USING BIRTH CONTROL (PUF 1 YR R

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 16794 | 76.51 |
| 1 | TRYING TO GET PREGNANT/WANT A BABY | | 345 | 1.57 |
| 2 | OTHER | | 489 | 2.23 |
| 3 | DON'T BELIEVE IN BIRTH CONTROL | | 194 | 0.88 |
| 4 | WORRIED ABOUT SIDE EFFECTS AND/OR HEALTH | | 212 | 0.97 |
| 5 | NO NEED/DON'T WANT | | 477 | 2.17 |
| 6 | INABILITY TO GET PREGNANT | | 3094 | 14.10 |
| 7 | NO SEXUAL PARTNER | | 344 | 1.57 |

UNIVERSE: ADULT MALES WHO ARE HETEROSEXUAL, SEXUALLY ACTIVE, AND NOT USING
BIRTH CONTROL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ183

LABEL: RECEIVED BIRTH CONTROL METHOD OR RX FROM DR OR CLINIC IN PAST 12

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 12440 | 56.68 |
| 1 | YES | | 126 | 0.57 |
| 2 | NO | | 9383 | 42.75 |

UNIVERSE: ADULTS WITH SEX ASSIGNED MALE AT BIRTH

INPUT VAR:

NOTES:

VARNAME: AJ186

LABEL: RECEIVED ANY HEALTH CARE FROM PLANNED PARENTHOOD IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15487 | 70.56 |
| 1 | YES | | 245 | 1.12 |
| 2 | NO | | 6217 | 28.32 |

UNIVERSE: ADULTS AGE 18-44

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ187

LABEL: RECEIVED ANY HEALTH INFORMATION FROM PLANNED PARENTHOOD IN PAST 1

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15487 | 70.56 |
| 1 | YES | | 390 | 1.78 |
| 2 | NO | | 6072 | 27.66 |

UNIVERSE: ADULTS AGE 18-44

INPUT VAR:

NOTES:

SECTION E: WOMEN'S HEALTH

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AD13

LABEL: CURRENTLY PREGNANT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17839 | 81.27 |
| 1 | YES | | 119 | 0.54 |
| 2 | NO | | 3991 | 18.18 |

UNIVERSE: FEMALES AGES 18-45 YEARS

INPUT VAR:

NOTES:

SECTION F: MENTAL HEALTH

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ29

LABEL: FEEL NERVOUS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALL OF THE TIME | | 250 | 1.14 |
| 2 | MOST OF THE TIME | | 1155 | 5.26 |
| 3 | SOME OF THE TIME | | 5254 | 23.94 |
| 4 | A LITTLE OF THE TIME | | 7794 | 35.51 |
| 5 | NOT AT ALL | | 7491 | 34.13 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ30

LABEL: FEEL HOPELESS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALL OF THE TIME | | 130 | 0.59 |
| 2 | MOST OF THE TIME | | 537 | 2.45 |
| 3 | SOME OF THE TIME | | 2320 | 10.57 |
| 4 | A LITTLE OF THE TIME | | 4260 | 19.41 |
| 5 | NOT AT ALL | | 14697 | 66.96 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ31

LABEL: FELT RESTLESS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALL OF THE TIME | | 291 | 1.33 |
| 2 | MOST OF THE TIME | | 1204 | 5.49 |
| 3 | SOME OF THE TIME | | 4857 | 22.13 |
| 4 | A LITTLE OF THE TIME | | 7047 | 32.11 |
| 5 | NOT AT ALL | | 8545 | 38.93 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ32

LABEL: FEEL DEPRESSED PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALL OF THE TIME | | 95 | 0.43 |
| 2 | MOST OF THE TIME | | 372 | 1.69 |
| 3 | SOME OF THE TIME | | 1573 | 7.17 |
| 4 | A LITTLE OF THE TIME | | 3405 | 15.51 |
| 5 | NOT AT ALL | | 16499 | 75.17 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ33

LABEL: FEEL EVERYTHING AN EFFORT PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALL OF THE TIME | | 368 | 1.68 |
| 2 | MOST OF THE TIME | | 1095 | 4.99 |
| 3 | SOME OF THE TIME | | 2821 | 12.85 |
| 4 | A LITTLE OF THE TIME | | 5828 | 26.55 |
| 5 | NOT AT ALL | | 11832 | 53.91 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ34

LABEL: FEEL WORTHLESS PAST 30 DAYS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALL OF THE TIME | | 158 | 0.72 |
| 2 | MOST OF THE TIME | | 394 | 1.80 |
| 3 | SOME OF THE TIME | | 1204 | 5.49 |
| 4 | A LITTLE OF THE TIME | | 2679 | 12.21 |
| 5 | NOT AT ALL | | 17509 | 79.77 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS30

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE PAST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | YES | | 976 | 4.45 |
| 2 | NO | | 20968 | 95.53 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON DISTRESS>=13

VARNAME: DISTRESS

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21944 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 3.94 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS_P1

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21944 |
| MIN | 0 |
| MAX | 21 |
| MEAN | 3.94 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED
DATA; TOPCODE = 21

VARNAME: AF62

LABEL: ANY MONTH PAST 12 MONTHS FELT WORSE

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| 1 | YES | 4659 | 21.23 |
| 2 | NO | 17285 | 78.75 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF63

LABEL: FEEL NERVOUS WORST MONTH

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 17285 | 78.75 |
| 1 | ALL OF THE TIME | 468 | 2.13 |
| 2 | MOST OF THE TIME | 1279 | 5.83 |
| 3 | SOME OF THE TIME | 1591 | 7.25 |
| 4 | A LITTLE OF THE TIME | 970 | 4.42 |
| 5 | NOT AT ALL | 351 | 1.60 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF64

LABEL: FEEL HOPELESS WORST MONTH

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 17285 | 78.75 |
| 1 | ALL OF THE TIME | 382 | 1.74 |
| 2 | MOST OF THE TIME | 908 | 4.14 |
| 3 | SOME OF THE TIME | 1238 | 5.64 |
| 4 | A LITTLE OF THE TIME | 963 | 4.39 |
| 5 | NOT AT ALL | 1168 | 5.32 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF65

LABEL: FEEL RESTLESS WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 17285 | 78.75 |
| 1 | ALL OF THE TIME | | 394 | 1.80 |
| 2 | MOST OF THE TIME | | 1052 | 4.79 |
| 3 | SOME OF THE TIME | | 1461 | 6.66 |
| 4 | A LITTLE OF THE TIME | | 1099 | 5.01 |
| 5 | NOT AT ALL | | 653 | 2.98 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF66

LABEL: FEEL DEPRESSED WORST MONTH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 17285 | 78.75 |
| 1 | ALL OF THE TIME | | 352 | 1.60 |
| 2 | MOST OF THE TIME | | 827 | 3.77 |
| 3 | SOME OF THE TIME | | 1021 | 4.65 |
| 4 | A LITTLE OF THE TIME | | 1013 | 4.62 |
| 5 | NOT AT ALL | | 1446 | 6.59 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF67

LABEL: FEEL EVERYTHING AN EFFORT WORST MONTH

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 17285 | 78.75 |
| 1 | ALL OF THE TIME | 605 | 2.76 |
| 2 | MOST OF THE TIME | 1046 | 4.77 |
| 3 | SOME OF THE TIME | 1181 | 5.38 |
| 4 | A LITTLE OF THE TIME | 1039 | 4.73 |
| 5 | NOT AT ALL | 788 | 3.59 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

VARNAME: AF68

LABEL: FEEL WORTHLESS WORST MONTH

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 17285 | 78.75 |
| 1 | ALL OF THE TIME | 341 | 1.55 |
| 2 | MOST OF THE TIME | 609 | 2.77 |
| 3 | SOME OF THE TIME | 811 | 3.69 |
| 4 | A LITTLE OF THE TIME | 855 | 3.90 |
| 5 | NOT AT ALL | 2043 | 9.31 |

UNIVERSE: ADULTS WHO FELT WORSE EMOTIONALLY MORE OFTEN IN ANY OF THE
PREVIOUS 12 MOS COMPARED TO CURRENT MO

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF69B

LABEL: EMOTIONS INTERFERE W/WORK WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 18185 | 82.85 |
| 1 | A LOT | | 935 | 4.26 |
| 2 | SOME | | 1860 | 8.47 |
| 3 | NOT AT ALL | | 458 | 2.09 |
| 4 | DOES NOT WORK | | 506 | 2.31 |

UNIVERSE: ADULT 70 OR YOUNGER WHO EXPERIENCED MODERATE PSYCHOLOGICAL
DISTRESS IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF69 (2009)

VARNAME: AF70B

LABEL: EMOTIONS INTERFERE W/CHORES WORST MONTH

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 17831 | 81.24 |
| 1 | A LOT | | 1417 | 6.46 |
| 2 | SOME | | 2157 | 9.83 |
| 3 | NOT AT ALL | | 539 | 2.46 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF70 (2009)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF71B

LABEL: EMOTIONS INTERFERE W/SOCIAL LIFE WORST MONTH

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 17831 | 81.24 |
| 1 | A LOT | 1672 | 7.62 |
| 2 | SOME | 2012 | 9.17 |
| 3 | NOT AT ALL | 429 | 1.95 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF71 (2009)

VARNAME: AF72B

LABEL: EMOTIONS INTERFERE W/RELATIONSHIPS WORST MONTH

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 17831 | 81.24 |
| 1 | A LOT | 1365 | 6.22 |
| 2 | SOME | 2286 | 10.42 |
| 3 | NOT AT ALL | 462 | 2.10 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE PSYCHOLOGICAL DISTRESS IN THE PAST
12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH AF72 (2009)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DSTRS12

LABEL: LIKELY HAS HAD PSYCHOLOGICAL DISTRESS IN THE LAST YEAR

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | YES | | 2001 | 9.12 |
| 2 | NO | | 19943 | 90.86 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON DSTRSYR>=13

VARNAME: DSTRSYR

LABEL: SERIOUS PSYCHOLOGICAL DISTRESS FOR WORST MONTH PAST YR (K6 SCORE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21944 |
| MIN | 0 |
| MAX | 24 |
| MEAN | 4.69 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: BASED ON KESSLER (K6) SCALE; PREVALENCE CALC USING UNADJUSTED DATA

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CHORES2

LABEL: CHORE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 17831 | 81.24 |
| 0 | NONE | | 539 | 2.46 |
| 1 | MODERATE | | 2157 | 9.83 |
| 2 | SEVERE | | 1417 | 6.46 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH CHORES (2009)

VARNAME: SOCIAL2

LABEL: SOCIAL LIFE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 17831 | 81.24 |
| 0 | NONE | | 429 | 1.95 |
| 1 | MODERATE | | 2012 | 9.17 |
| 2 | SEVERE | | 1672 | 7.62 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH SOCIAL (2009)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: WORK2

LABEL: WORK IMPAIRMENT PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 18691 | 85.16 |
| 0 | NONE | | 458 | 2.09 |
| 1 | MODERATE | | 1860 | 8.47 |
| 2 | SEVERE | | 935 | 4.26 |

UNIVERSE: ADULTS 70 OR YOUNGER WHO WORK AND EXPERIENCED MODERATE TO SEVERE
PSYCHOLOGICAL DISTRESS (K6>8) IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH WORK (2009)

VARNAME: FAMILY2

LABEL: FAMILY LIFE IMPAIRMENT PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 17831 | 81.24 |
| 0 | NONE | | 462 | 2.10 |
| 1 | MODERATE | | 2286 | 10.42 |
| 2 | SEVERE | | 1365 | 6.22 |

UNIVERSE: ADULT WHO EXPERIENCED MODERATE TO SEVERE PSYCHOLOGICAL DISTRESS
(K6>8) IN THE PAST 12 MONTHS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH FAMILY (2009)

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF81

LABEL: NEEDED HELP FOR EMOT/MNTL OR ALCOH/DRUG PRBLM IN PAST YR

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | YES | | 4311 | 19.64 |
| 2 | NO | | 17633 | 80.34 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ1

LABEL: INS COVERS TREATMENT FOR MNTL HEALTH PROBLEMS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 17633 | 80.34 |
| 1 | YES | | 3536 | 16.11 |
| 2 | NO | | 614 | 2.80 |
| 3 | NO INSURANCE | | 161 | 0.73 |

UNIVERSE: ALL ADULTS WHO HAVE FELT NEED FOR HELP FOR EMOTIONAL/MENTAL
PROBLEMS OR HAVE SEEN SOMEONE FOR EMOTIONAL/MENTAL HEALTH PROBLEMS
WITHIN PAST YEAR AND HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF107B

LABEL: HOW OFTEN FEEL LACK OF COMPANIONSHIP

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 14306 | 65.18 |
| 1 | HARDLY EVER | | 5107 | 23.27 |
| 2 | SOME OF THE TIME | | 2050 | 9.34 |
| 3 | OFTEN | | 481 | 2.19 |

UNIVERSE: ADULTS 65 OR OLDER

INPUT VAR:

NOTES: Reclaimed from CHIS 2017. New universe in 2019.

VARNAME: AF108B

LABEL: HOW OFTEN FEEL LEFT OUT

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 14306 | 65.18 |
| 1 | HARDLY EVER | | 5846 | 26.63 |
| 2 | SOME OF THE TIME | | 1594 | 7.26 |
| 3 | OFTEN | | 198 | 0.90 |

UNIVERSE: ADULTS 65 OR OLDER

INPUT VAR:

NOTES: Reclaimed from CHIS 2017. New universe in 2019.

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AF109B

LABEL: HOW OFTEN FEEL ISOLATED

| VALUE: | | FREQ | % |
|--------|------------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 14306 | 65.18 |
| 1 | HARDLY EVER | 5372 | 24.47 |
| 2 | SOME OF THE TIME | 1812 | 8.26 |
| 3 | OFTEN | 454 | 2.07 |

UNIVERSE: ADULTS 65 OR OLDER

INPUT VAR:

NOTES: Reclaimed from CHIS 2017. New universe in 2019.

VARNAME: LONELINESS

LABEL: LONELINESS SCALE (UCLA 3-ITEM LONELINESS SCALE)

| MEAN STATISTICS | |
|-----------------|------|
| N | 7638 |
| MIN | 3 |
| MAX | 9 |
| MEAN | 4.01 |

UNIVERSE: ADULTS 65 OR OLDER

INPUT VAR: AF107B AF108B AF109B

NOTES: SCORE BASED ON SUM OF AF107B, AF108B, AND AF109B. SCALE RANGE OF 3 TO 9. HIGHER SCORE INDICATES GREATER LONELINESS. SEE <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2394670/> AND <https://www.campaigntoendloneliness.org/wp-content/uploads/Loneliness-Measure>

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG44

LABEL: HOW OFTEN USE THE INTERNET

| VALUE: | | | FREQ | % |
|--------|-----------------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALMOST CONSTANTLY | | 4443 | 20.24 |
| 2 | MANY TIMES A DAY | | 10295 | 46.90 |
| 3 | A FEW TIMES A DAY | | 4803 | 21.88 |
| 4 | LESS THAN A FEW TIMES A DAY | | 2403 | 10.95 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG45

LABEL: HOW OFTEN USED COMPUTER FOR SOCIAL MEDIA

| VALUE: | | | FREQ | % |
|--------|-----------------------------|--|------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALMOST CONSTANTLY | | 1768 | 8.06 |
| 2 | MANY TIMES A DAY | | 6156 | 28.05 |
| 3 | A FEW TIMES A DAY | | 5825 | 26.54 |
| 4 | LESS THAN A FEW TIMES A DAY | | 8195 | 37.34 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

SECTION G: DEMOGRAPHIC INFORMATION, PART II & CHILD CARE

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH33NEW

LABEL: BORN IN U.S.

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| 1 | BORN IN U.S. | | 17356 | 79.07 |
| 2 | BORN OUTSIDE U.S. | | 4593 | 20.93 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH34NEW

LABEL: MOTHER BORN IN U.S.

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 4633 | 21.11 |
| 1 | BORN IN U.S. | | 14453 | 65.85 |
| 2 | BORN OUTSIDE U.S. | | 2863 | 13.04 |

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH35NEW

LABEL: FATHER BORN IN U.S.

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 4633 | 21.11 |
| 1 | BORN IN U.S. | | 14359 | 65.42 |
| 2 | BORN OUTSIDE U.S. | | 2957 | 13.47 |

UNIVERSE: ALL ADULTS WHO WERE BORN IN THE UNITED STATES

INPUT VAR:

NOTES:

VARNAME: LNGHM_P1

LABEL: LANGUAGE SPOKEN AT HOME (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|----------------------------------|--|-------|-------|
| 1 | ENGLISH | | 16079 | 73.26 |
| 2 | SPANISH | | 574 | 2.62 |
| 3 | CHINESE | | 295 | 1.34 |
| 4 | VIETNAMESE | | 85 | 0.39 |
| 5 | KOREAN | | 128 | 0.58 |
| 6 | OTHER ONE LANGUAGE ONLY | | 265 | 1.21 |
| 8 | ENGLISH & SPANISH | | 2476 | 11.28 |
| 9 | ENGLISH & CHINESE | | 285 | 1.30 |
| 10 | ENGLISH & EUROPEAN LANGUAGE | | 367 | 1.67 |
| 11 | ENGLISH & ANOTHER ASIAN LANGUAGE | | 773 | 3.52 |
| 12 | ENGLISH & ONE OTHER LANGUAGE | | 177 | 0.81 |
| 13 | OTHER LANGUAGES (2+) | | 445 | 2.03 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH37

LABEL: LEVEL OF ENGLISH PROFICIENCY: GENERAL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 16059 | 73.17 |
| 1 | VERY WELL | | 3822 | 17.41 |
| 2 | WELL | | 1272 | 5.80 |
| 3 | NOT WELL | | 653 | 2.98 |
| 4 | NOT AT ALL | | 143 | 0.65 |

UNIVERSE: ALL ADULTS WHO SPEAK LANGUAGE OTHER THAN ENGLISH AT HOME AND/OR
WERE INTERVIEWED IN LANGUAGE OTHER THAN ENGLISH

INPUT VAR:

NOTES:

VARNAME: SPK_ENG

LABEL: ENGLISH USE AND PROFICIENCY

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| 1 | SPEAK ONLY ENGLISH | | 16068 | 73.21 |
| 2 | VERY WELL/WELL | | 5084 | 23.16 |
| 3 | NOT WELL/NOT AT ALL | | 797 | 3.63 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CITIZEN2

LABEL: CITIZENSHIP STATUS (3 LVLS)

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| 1 | US-BORN CITIZEN | | 17356 | 79.07 |
| 2 | NATURALIZED CITIZEN | | 3414 | 15.55 |
| 3 | NON-CITIZEN | | 1179 | 5.37 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: YRUS_P1

LABEL: YEARS LIVED IN THE U.S. (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17356 | 79.07 |
| 1 | <5 YEARS | | 222 | 1.01 |
| 3 | 5-9 YEARS | | 267 | 1.22 |
| 4 | 10-14 YEARS | | 305 | 1.39 |
| 5 | 15+ YEARS | | 3799 | 17.31 |

UNIVERSE: ADULTS BORN IN A COUNTRY OTHER THAN US SAMOA GUAM PUERTO RICO OR
VIRGIN ISLANDS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: PCTLF_P

LABEL: PERCENT LIFE IN US (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | 0-20 | | 458 | 2.09 |
| 2 | 21-40 | | 764 | 3.48 |
| 3 | 41-60 | | 1267 | 5.77 |
| 4 | 61-80 | | 1190 | 5.42 |
| 5 | 81+ | | 18270 | 83.24 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH44

LABEL: SPOUSE LIVING IN SAME HOUSEHOLD

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 8652 | 39.42 |
| 1 | YES | | 13061 | 59.51 |
| 2 | NO | | 236 | 1.08 |

UNIVERSE: ADULTS WHO ARE MARRIED OR LIVING WITH A PARTNER

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH43A

LABEL: LIVING WITH A PARENT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20549 | 93.62 |
| 1 | YES | | 1041 | 4.74 |
| 2 | NO | | 359 | 1.64 |

UNIVERSE: ADULTS UNDER 30 WHO ARE [(MARRIED AND LIVING W/ SPOUSE) OR (LIVING W/ PARTNER AND AT LEAST 3 ALL ADULTS) OR (NOT MARRIED AND LIVING W/ AT LEAST 2 ALL ADULTS)]

INPUT VAR:

NOTES:

VARNAME: AH44A

LABEL: USED PAID CHILDCARE FOR CHILDREN UNDER 14 IN PAST MONTH

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18339 | 83.55 |
| 1 | YES | | 821 | 3.74 |
| 2 | NO | | 2789 | 12.71 |

UNIVERSE: ADULTS LIVING WITH CHILDREN UNDER AGE 14

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH44B

LABEL: AMOUNT PAID FOR ALL CHILD CARE ARRANGEMENTS LAST MONTH

MEAN STATISTICS

| | |
|------|---------|
| N | 821 |
| MIN | 0 |
| MAX | 12000 |
| MEAN | 1105.55 |

UNIVERSE: ADULTS LIVING WITH CHILDREN UNDER AGE 14 WHO PAID FOR CHILD CARE

INPUT VAR:

NOTES:

VARNAME: ACHLDC_P1

LABEL: AMOUNT SPENT ON CHILD CARE PER WEEK (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|----------------|-------|-------|
| -1 | INAPPLICABLE | 21128 | 96.26 |
| 1 | \$0-24/WEEK | 30 | 0.14 |
| 3 | \$25-49/WEEK | 47 | 0.21 |
| 4 | \$50-99/WEEK | 149 | 0.68 |
| 5 | \$100-199/WEEK | 226 | 1.03 |
| 6 | \$200+/WEEK | 369 | 1.68 |

UNIVERSE: ADULTS WHO HAVE CHILDREN UNDER AGE 14 AND PAID FOR CHILDCARE IN
THE PAST MONTH.

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AHEDC_P1

LABEL: EDUCATIONAL ATTAINMENT (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|----------------------------------|--|------|-------|
| 1 | NO FORMAL EDUCATION OR GRADE 1-8 | | 385 | 1.75 |
| 2 | GRADE 9-11 | | 375 | 1.71 |
| 3 | GRADE 12/H.S. DIPLOMA | | 2400 | 10.93 |
| 4 | SOME COLLEGE | | 3392 | 15.45 |
| 5 | VOCATIONAL SCHOOL | | 1270 | 5.79 |
| 6 | AA OR AS DEGREE | | 1614 | 7.35 |
| 7 | BA OR BS DEGREE/SOME GRAD SCHOOL | | 7163 | 32.63 |
| 8 | MA OR MS DEGREE | | 3727 | 16.98 |
| 9 | PH.D. OR EQUIVALENT | | 1623 | 7.39 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG52

LABEL: UNEMPLOYED AND LOOKING FOR JOB FOR MORE THAN MONTH

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17457 | 79.53 |
| 1 | YES | | 707 | 3.22 |
| 2 | NO | | 3785 | 17.24 |

UNIVERSE: ADULT FEMALES < 48 YEARS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG53

LABEL: MAJOR FINANCIAL CRISIS, BANKRUPTCY, OR UNABLE TO PAY BILLS

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 17457 | 79.53 |
| 1 | YES | 432 | 1.97 |
| 2 | NO | 4060 | 18.50 |

UNIVERSE: ADULT FEMALES < 48 YEARS

INPUT VAR:

NOTES:

VARNAME: AG8

LABEL: WORK STATUS OF SPOUSE LAST WEEK

| VALUE: | | FREQ | % |
|--------|--------------------------------------|------|-------|
| -1 | INAPPLICABLE | 9943 | 45.30 |
| 1 | WORKING AT A JOB OR BUSINESS | 5865 | 26.72 |
| 2 | WITH A JOB/BUSINESS, BUT NOT AT WORK | 595 | 2.71 |
| 3 | LOOKING FOR WORK | 298 | 1.36 |
| 4 | NOT WORKING AT A JOB OR BUSINESS | 5248 | 23.91 |

UNIVERSE: ALL ADULTS WHO ARE MARRIED OR HAVE A LEGAL PARTNER

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG9_P1

LABEL: TYPE OF EMPLOYER ON SPOUSE'S MAIN JOB (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14688 | 66.92 |
| 1 | PRIVATE COMPANY/NON-PROFIT ORG | | 4415 | 20.11 |
| 2 | GOVERNMENT | | 1427 | 6.50 |
| 3 | SELF-EMPLOYED/FAMILY BUSINESS/FARM | | 1419 | 6.46 |

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER THAT HAS JOB OR USUALLY WORKS

INPUT VAR:

NOTES:

VARNAME: AG10

LABEL: RESPONDENT USUALLY WORKS

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17457 | 79.53 |
| 1 | YES | | 2503 | 11.40 |
| 2 | NO | | 1336 | 6.09 |
| 3 | LOOKING FOR WORK | | 653 | 2.98 |

UNIVERSE: ALL ADULTS (W/ A JOB OR BUSINESS BUT NOT AT WORK) OR (NOT WORKING AT A JOB OR BUSINESS) OR LOOKING FOR WORK (NOT INCL ALL ADULTS WHO ARE RETIRED OR DISABLED)

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG11

LABEL: SPOUSE USUALLY WORKS

| VALUE: | | FREQ | % |
|--------|------------------|-------|-------|
| -1 | INAPPLICABLE | 16403 | 74.73 |
| 1 | YES | 801 | 3.65 |
| 2 | NO | 4577 | 20.85 |
| 3 | LOOKING FOR WORK | 168 | 0.77 |

UNIVERSE: MARRIED OR HAVE LEGAL PARTNER ALL ADULTS WITH SPOUSE/ PARTNER WHO
IS LOOKING FOR WORK, NOT WORKING, OR REFUSED/DIDN'T KNOW ANSWER TO
QUESTION

INPUT VAR:

NOTES:

VARNAME: WRKST_P1

LABEL: WORKING STATUS (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------------------------------|-------|-------|
| 1 | FULL-TIME EMPLOYMENT (21+ HRS/WEEK) | 10659 | 48.56 |
| 2 | PART-TIME EMPLOYMENT (0-20 HRS/WEEK) | 1871 | 8.52 |
| 3 | OTHER EMPLOYED | 171 | 0.78 |
| 4 | UNEMPLOYED, LOOKING FOR WORK | 840 | 3.83 |
| 5 | UNEMPLOYED, NOT LOOKING FOR WORK | 8408 | 38.31 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: CANNOT BE TRENDED WITH WRKST 2003

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AG22

LABEL: EVER SERVE IN U.S. ARMED FORCES

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2090 | 9.52 |
| 2 | NO | | 19859 | 90.48 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG31

LABEL: HAVE VA SERVICE-CONNECTED DISABILITY RATING

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19859 | 90.48 |
| 1 | YES | | 571 | 2.60 |
| 2 | NO | | 1519 | 6.92 |

UNIVERSE: ADULTS WHO SERVED IN US ARMED FORCES

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: SERVED

LABEL: LENGTH OF TIME SERVED IN ACTIVE DUTY

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19859 | 90.48 |
| 1 | <6 MONS | | 16 | 0.07 |
| 2 | 6 MONS - 2 YRS | | 422 | 1.92 |
| 3 | >2 YRS - 4 YRS | | 712 | 3.24 |
| 4 | >4 YRS - <20 YRS | | 657 | 2.99 |
| 5 | 20+ YRS | | 283 | 1.29 |

UNIVERSE: ALL ADULTS WHO HAVE SERVED IN ACTIVE DUTY

INPUT VAR:

NOTES:

VARNAME: SREDUC

LABEL: SELF-REPORTED EDUC LEVEL OF RESP (ADLTS)

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| 1 | < HIGH SCHOOL EDUCATION | | 760 | 3.46 |
| 2 | HIGH SCHOOL EDUCATION | | 2400 | 10.93 |
| 3 | SOME COLLEGE | | 6276 | 28.59 |
| 4 | COLLEGE DEGREE OR ABOVE | | 12513 | 57.01 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FAMTYP_P

LABEL: FAMILY TYPE (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|---------------------------|--|------|-------|
| 1 | SINGLE ADULT, 21+ | | 8469 | 38.58 |
| 2 | SINGLE YOUNG ADULT, 19-20 | | 240 | 1.09 |
| 3 | MARRIED, NO KIDS | | 7698 | 35.07 |
| 4 | MARRIED WITH KIDS | | 4074 | 18.56 |
| 5 | SINGLE WITH KIDS | | 1340 | 6.11 |
| 6 | SINGLE 18 YEARS OLD | | 128 | 0.58 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.

VARNAME: FAMSIZE2_P1

LABEL: FAMILY SIZE: INCL. ALL SUPT'D BY HH INCOME (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21949 |
| MIN | 1 |
| MAX | 8 |
| MEAN | 2.14 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: MAY INCLUDE INDIVIDUALS NOT IN HOUSEHOLD BUT ARE SUPPORTED BY
HOUSEHOLD INCOME; TOPCODE = 8

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: FAMT4

LABEL: FAMILY TYPE - 4 LVLS

| VALUE: | | | FREQ | % |
|--------|-------------------|--|------|-------|
| 1 | SINGLE, NO KIDS | | 8837 | 40.26 |
| 2 | MARRIED, NO KIDS | | 7698 | 35.07 |
| 3 | MARRIED WITH KIDS | | 4074 | 18.56 |
| 4 | SINGLE WITH KIDS | | 1340 | 6.11 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: "SINGLE" CATEGORIES INCLUDE MARRIED OR NOT LIVING WITH SPOUSE.

SECTION H: HEALTH INSURANCE

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AI1

LABEL: COVERED BY MEDICARE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 7798 | 35.53 |
| 2 | NO | | 14151 | 64.47 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AI4

LABEL: COVERED BY MEDICARE SUPPL POLICY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18558 | 84.55 |
| 1 | YES | | 2124 | 9.68 |
| 2 | NO | | 1267 | 5.77 |

UNIVERSE: ALL ADULTS WITH MEDICARE NOT PROVIDED THROUGH HMO

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH53

LABEL: PAYS ANY PART OF MEDICARE HMO/SUPP PREMIUM

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15366 | 70.01 |
| 1 | YES | | 4865 | 22.17 |
| 2 | NO | | 1718 | 7.83 |

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE
SUPPLEMENT

INPUT VAR:

NOTES:

VARNAME: AH54

LABEL: SOMEONE ELSE PAYS ANY PART MEDICARE HMO/SUPP PREMIUM

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15366 | 70.01 |
| 1 | YES | | 1908 | 8.69 |
| 2 | NO | | 4675 | 21.30 |

UNIVERSE: ALL ADULTS WITH MEDICARE PROVIDED THROUGH HMO OR MEDIGAP/MEDICARE
SUPPLEMENT

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI6

LABEL: COVERED BY MEDI-CAL

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 2409 | 10.98 |
| | 2 | NO | 19540 | 89.02 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH100

LABEL: ANYONE HELP FIND HEALTH PLAN

| | | | FREQ | % |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | 21569 | 98.27 |
| | 1 | YES | 151 | 0.69 |
| | 2 | NO | 229 | 1.04 |

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH103

LABEL: BUY HEALTH PLAN DIRECTLY FROM INS CO/HMO

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18752 | 85.43 |
| 1 | YES | | 1116 | 5.08 |
| 2 | NO | | 2081 | 9.48 |

UNIVERSE: ALL ADULTS WITH HEALTH COVERAGE IN PAST 12 MONTHS (CURRENT AND PAST COVERAGE) PURCHASED DIRECTLY OR THROUGH COVCA, OR UNINSURED ADULTS (CURRENT/PAST 12 MONTHS)

INPUT VAR:

NOTES:

VARNAME: AH104

LABEL: PURCHASE INS DIRECT OR THRU COVERED CA

| VALUE: | | | FREQ | % |
|--------|--------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20848 | 94.98 |
| 1 | INSURANCE COMPANY OR HMO | | 428 | 1.95 |
| 2 | COVERED CALIFORNIA | | 665 | 3.03 |
| 91 | OTHER | | 8 | 0.04 |

UNIVERSE: ADULTS WITH HEALTH COVERAGE OBTAINED DIRECTLY FROM INS. COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH105

LABEL: GET INS THRU EMPLOYER, UNION, SHOP PROGRAM

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19221 | 87.57 |
| 1 | EMPLOYER | | 2320 | 10.57 |
| 2 | UNION | | 139 | 0.63 |
| 3 | SHOP/COVERED CALIFORNIA | | 173 | 0.79 |
| 91 | OTHER | | 96 | 0.44 |

UNIVERSE: ADULTS WITH EMPLOYER BASED COVERAGE AND AT FIRM <= 100 EMPLOYEES

INPUT VAR:

NOTES:

VARNAME: AH107

LABEL: GET SUBSIDY/DISCOUNT ON PLAN PREMIUM

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21284 | 96.97 |
| 1 | YES | | 496 | 2.26 |
| 2 | NO | | 169 | 0.77 |

UNIVERSE: ADULTS WITH COVERED CALIFORNIA COVERAGE NOT OBTAINED THROUGH SHOP

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH110

LABEL: SOURCE OF COVERAGE PURCHASED DIRECTLY

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 20833 | 94.92 |
| 1 | DIRECTLY FROM AN INSURANCE COMPANY OR HM | 202 | 0.92 |
| 2 | THROUGH COVERED CALIFORNIA | 736 | 3.35 |
| 3 | BOTH DIRECT AND COVERED CALIFORNIA | 178 | 0.81 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS, AND WHO TRIED TO BUY INS DIRECTLY FROM INS
COMPANY/HMO/COVERED CA

INPUT VAR:

NOTES:

VARNAME: AH111

LABEL: FIND PLAN WITH NEEDED COVERAGE-COVERED CA

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -1 | INAPPLICABLE | 21035 | 95.84 |
| 1 | VERY DIFFICULT | 157 | 0.72 |
| 2 | SOMEWHAT DIFFICULT | 271 | 1.23 |
| 3 | NOT TOO DIFFICULT | 309 | 1.41 |
| 4 | NOT AT ALL DIFFICULT | 177 | 0.81 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH112

LABEL: FIND PLAN COULD AFFORD-COVERED CA

| VALUE: | | FREQ | % |
|--------|----------------------|-------|-------|
| -1 | INAPPLICABLE | 21035 | 95.84 |
| 1 | VERY DIFFICULT | 288 | 1.31 |
| 2 | SOMEWHAT DIFFICULT | 267 | 1.22 |
| 3 | NOT TOO DIFFICULT | 240 | 1.09 |
| 4 | NOT AT ALL DIFFICULT | 119 | 0.54 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH113

LABEL: ANYONE HELP R FIND HEALTH PLAN-COVERED CA

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 21035 | 95.84 |
| 1 | YES | 314 | 1.43 |
| 2 | NO | 600 | 2.73 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH114

LABEL: WHO HELPED R FIND HEALTH PLAN-COVERED CA

| VALUE: | | | FREQ | % |
|--------|--------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21635 | 98.57 |
| 1 | BROKER | | 144 | 0.66 |
| 2 | FAMILY MEMBER/FRIEND | | 46 | 0.21 |
| 3 | INTERNET | | 5 | 0.02 |
| 4 | CERTIFIED ENROLLMENT COUNSELOR | | 113 | 0.51 |
| 91 | OTHER | | 6 | 0.03 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM COVERED CALIFORNIA AND
RECEIVED HELP TO FIND A PLAN

INPUT VAR:

NOTES:

VARNAME: AH115

LABEL: HAD NEEDED INFO TO PICK HEALTH PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20833 | 94.92 |
| 1 | YES | | 816 | 3.72 |
| 2 | NO | | 300 | 1.37 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH117

LABEL: COST OF SELECTED PLAN IMPORTANT

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20833 | 94.92 |
| 1 | VERY IMPORTANT | | 904 | 4.12 |
| 2 | SOMEWHAT IMPORTANT | | 196 | 0.89 |
| 3 | NOT IMPORTANT | | 16 | 0.07 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH118

LABEL: CARE FROM SPECIFIC DOCTOR THRU PLAN IMPORTANT

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20833 | 94.92 |
| 1 | VERY IMPORTANT | | 515 | 2.35 |
| 2 | SOMEWHAT IMPORTANT | | 321 | 1.46 |
| 3 | NOT IMPORTANT | | 280 | 1.28 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH119

LABEL: CARE FROM SPECIFIC HOSPITAL THRU PLAN IMPORTANT

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20833 | 94.92 |
| 1 | VERY IMPORTANT | | 350 | 1.59 |
| 2 | SOMEWHAT IMPORTANT | | 436 | 1.99 |
| 3 | NOT IMPORTANT | | 330 | 1.50 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH120

LABEL: CHOICE OF DOCTORS THRU PLAN IMPORTANT

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20833 | 94.92 |
| 1 | VERY IMPORTANT | | 495 | 2.26 |
| 2 | SOMEWHAT IMPORTANT | | 365 | 1.66 |
| 3 | NOT IMPORTANT | | 256 | 1.17 |

UNIVERSE: ALL ADULTS WHO ARE UNINSURED OR HAVE BEEN AT SOME POINT IN LAST 12
MOS AND TRIED TO BUY INS DIRECTLY FROM INS COMPANY/HMO/COVERED
CALIFORNIA

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI15

LABEL: MAIN REASON NOT IN EMPLOYER'S HEALTH PLAN

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 20556 | 93.65 |
| 1 | COVERED BY ANOTHER PLAN | 973 | 4.43 |
| 2 | TOO EXPENSIVE | 278 | 1.27 |
| 3 | DIDNT LIKE PLAN OFFERED | 64 | 0.29 |
| 4 | DONT NEED OR BELIEVE IN HEALTH INSURANCE | 15 | 0.07 |
| 5 | IN PROCESS | 22 | 0.10 |
| 6 | DIDNT TAKE UP - OTHER | 23 | 0.10 |
| 7 | RECEIVE EXTRA PAY/BENEFITS NOT TO ENROLL | 3 | 0.01 |
| 91 | OTHER | 15 | 0.07 |

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND DO NOT HAVE EMPLOYER-BASED COVERAGE THOUGH
ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI15A

LABEL: MAIN REASON INELIGIBLE FOR EMPLOYER'S HEALTH PLAN

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 21144 | 96.33 |
| 1 | HAVENT WORKED HERE LONG ENOUGH | 55 | 0.25 |
| 2 | CONTRACT OR TEMP EMPLOYEE | 175 | 0.80 |
| 3 | DONT WORK ENOUGH HOURS PER WEEK | 439 | 2.00 |
| 4 | DOES NOT MEET AGE REQUIREMENTS | 10 | 0.05 |
| 5 | ONLY MANAGEMENT CAN GET HEALTH INSURANCE | 4 | 0.02 |
| 6 | NOT ELIGIBLE - OTHER | 23 | 0.10 |
| 7 | HAS LEFT POSITION/RETIRED/LAID OFF | 61 | 0.28 |
| 91 | OTHER | 38 | 0.17 |

UNIVERSE: ALL ADULTS WHO WORKED IN PAST WEEK OR USUALLY WORK, ARE NOT
SELF-EMPLOYED, AND ARE NOT ELIGIBLE FOR EMPLOYER-BASED HEALTH PLAN

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI37

LABEL: SPOUSE COVERED BY MEDICARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18382 | 83.75 |
| 1 | YES | | 3308 | 15.07 |
| 2 | NO | | 259 | 1.18 |

UNIVERSE: ALL ADULTS WITH SPOUSE/ PARTNER 65 OR OLDER

INPUT VAR:

NOTES:

VARNAME: AI37A

LABEL: SPOUSE COVERED BY MEDICARE SUPPL POLICY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -8 | DON'T KNOW | | 9 | 0.04 |
| -1 | INAPPLICABLE | | 20527 | 93.52 |
| 1 | YES | | 988 | 4.50 |
| 2 | NO | | 425 | 1.94 |

UNIVERSE: ALL ADULTS LIVING WITH SPOUSE AGE 65 OR OVER WITH MEDICARE NOT COVERED BY HMO

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI38

LABEL: SPOUSE COVERED BY MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21244 | 96.79 |
| 1 | YES | | 568 | 2.59 |
| 2 | NO | | 137 | 0.62 |

UNIVERSE: ALL ADULTS COVERED BY MEDI-CAL AND LIVING WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: AI45_P1

LABEL: MAIN REASON SPOUSE NOT IN EMP HEALTH PLAN (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20695 | 94.29 |
| 1 | COVERED BY ANOTHER PLAN | | 894 | 4.07 |
| 2 | TOO EXPENSIVE | | 240 | 1.09 |
| 3 | DIDNT LIKE PLAN OFFERED | | 84 | 0.38 |
| 4 | OTHER REASON | | 36 | 0.16 |

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WITH NO
EMPLOYER-BASED HEALTH INSURANCE IN OWN NAME EVEN THOUGH OFFERED
AND ELIGIBLE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI45A_P1

LABEL: MAIN REASON SPOUSE INELIGIBLE EMP HEALTH PLAN (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|---------------------------------|-------|-------|
| -1 | INAPPLICABLE | 21686 | 98.80 |
| 1 | HAVENT WORKED HERE LONG ENOUGH | 13 | 0.06 |
| 2 | CONTRACT OR TEMP EMPLOYEE | 50 | 0.23 |
| 3 | DONT WORK ENOUGH HOURS PER WEEK | 155 | 0.71 |
| 4 | OTHER REASON | 45 | 0.21 |

UNIVERSE: ALL ADULTS LIVING WITH EMPLOYED SPOUSE (OR USUALLY WORKS) WHOSE
EMPLOYER OFFERS HLTH INSURANCE IN OWN NAME BUT IS NOT ELIGIBLE

INPUT VAR:

NOTES:

VARNAME: AI22C

LABEL: MAIN HEALTH PLAN IS HMO

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 5982 | 27.25 |
| 1 | YES | 9063 | 41.29 |
| 2 | NO | 6904 | 31.45 |

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE
HMO

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI25NEW

LABEL: RX COVERAGE EDITED FOR MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 694 | 3.16 |
| 1 | YES | | 20240 | 92.21 |
| 2 | NO | | 1015 | 4.62 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: ADJUSTED FOR RX COVERAGE UNDER MEDI-CAL AND HEALTHY FAMILIES

VARNAME: AI25

LABEL: COVERED FOR PRESCRIPTION DRUGS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 713 | 3.25 |
| 1 | YES | | 19960 | 90.94 |
| 2 | NO | | 1276 | 5.81 |

UNIVERSE: ALL ADULTS WHO HAVE ANY HEALTH INSURANCE COVERAGE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AI22A_P

LABEL: NAME OF HEALTH PLAN (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|---------------------------------------|--|------|-------|
| -8 | DON'T KNOW | | 221 | 1.01 |
| -1 | INAPPLICABLE | | 5963 | 27.17 |
| 1 | KAISER | | 4444 | 20.25 |
| 2 | BLUE CROSS | | 4615 | 21.03 |
| 3 | UNITED HEALTHCARE (FORMER PACIFICARE) | | 1419 | 6.46 |
| 4 | BLUE SHIELD | | 820 | 3.74 |
| 5 | HEALTH NET | | 812 | 3.70 |
| 6 | AETNA | | 524 | 2.39 |
| 7 | CIGNA HEALTH CARE | | 447 | 2.04 |
| 8 | OTHER | | 2684 | 12.23 |

UNIVERSE: ALL ADULTS WHO HAVE HEALTH INSURANCE COVERAGE OTHER THAN MEDICARE
HMO

INPUT VAR:

NOTES:

VARNAME: HMO

LABEL: HMO STATUS

| VALUE: | | | FREQ | % |
|--------|-----------|--|-------|-------|
| 1 | HMO | | 9926 | 45.22 |
| 2 | NON-HMO | | 11224 | 51.14 |
| 3 | UNINSURED | | 799 | 3.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH71_P1

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$1,000 (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 8271 | 37.68 |
| 1 | YES | | 4899 | 22.32 |
| 2 | NO | | 8779 | 40.00 |

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH
INS

INPUT VAR:

NOTES:

VARNAME: AH72_P1

LABEL: HEALTH PLAN DEDUCTIBLE MORE THAN \$2,000 (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|------|-------|
| -1 | INAPPLICABLE | | 8271 | 37.68 |
| 1 | YES | | 4119 | 18.77 |
| 2 | NO | | 9559 | 43.55 |

UNIVERSE: ALL ADULTS COVERED BY EMPLOYER-BASED OR DIRECTLY PURCHASED HEALTH
PLANS WITH A DEDUCTIBLE < \$2,000

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH73B

LABEL: SPECIAL FUND TO PAY MEDICAL EXPENSES

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 10441 | 47.57 |
| 1 | YES | 3510 | 15.99 |
| 2 | NO | 7998 | 36.44 |

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS
COMPANY/HMO/COVERED CALIFORNIA

INPUT VAR:

NOTES:

VARNAME: AH140

LABEL: REASON FOR NOT HAVING HEALTH INSURANCE IN PAST YEAR RELATED TO EM

| VALUE: | | FREQ | % |
|--------|--------------------|-------|-------|
| -9 | NOT ASCERTAINED | 80 | 0.36 |
| -8 | DON'T KNOW | 1 | 0.00 |
| -1 | INAPPLICABLE | 21747 | 99.08 |
| 1 | LOST JOB | 55 | 0.25 |
| 2 | REDUCTION IN HOURS | 4 | 0.02 |
| 3 | CHANGE IN EMPLOYER | 55 | 0.25 |
| 91 | SOMETHING ELSE | 7 | 0.03 |

UNIVERSE: ADULTS WHO WERE UNINSURED AT ANY TIME IN PAST YEAR DUE TO
EMPLOYMENT-RELATED REASON

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH141

LABEL: REASON FOR NOT CURRENTLY HAVING HEALTH INSURANCE RELATED TO EMPLO

| VALUE: | | FREQ | % |
|--------|--------------------|-------|-------|
| -9 | NOT ASCERTAINED | 30 | 0.14 |
| -1 | INAPPLICABLE | 21864 | 99.61 |
| 1 | LOST JOB | 35 | 0.16 |
| 2 | REDUCTION IN HOURS | 4 | 0.02 |
| 3 | CHANGE IN EMPLOYER | 10 | 0.05 |
| 91 | SOMETHING ELSE | 6 | 0.03 |

UNIVERSE: ADULTS WHO ARE CURRENTLY UNINSURED DUE TO EMPLOYMENT-RELATED REASON

INPUT VAR:

NOTES:

VARNAME: AH74

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 21258 | 96.85 |
| 1 | YES | 348 | 1.59 |
| 2 | NO | 343 | 1.56 |

UNIVERSE: ALL ADULTS WHO WERE UNINSURED AT SOME POINT IN THE LAST 12 MOS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH75

LABEL: TRIED TO FIND HEALTH INSURANCE ON OWN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21236 | 96.75 |
| 1 | YES | | 343 | 1.56 |
| 2 | NO | | 370 | 1.69 |

UNIVERSE: ALL ADULTS WHO WERE UNINSURED IN THE LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AI28

LABEL: HOW LONG SINCE LAST HAD HEALTH INS

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21489 | 97.90 |
| 1 | 1 TO 3 YRS AGO | | 180 | 0.82 |
| 2 | MORE THAN 3 YRS AGO | | 178 | 0.81 |
| 3 | NEVER HAD HEALTH INSURANCE COVERAGE | | 102 | 0.46 |

UNIVERSE: ALL ADULTS WHO WERE NOT COVERED BY HEALTH INSURANCE AT ANY TIME
DURING THE PAST 12 MONTHS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH14

LABEL: PATIENT IN HOSP OVERNIGHT DURING PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1672 | 7.62 |
| 2 | NO | | 20277 | 92.38 |

UNIVERSE: ALL ADULTS WHO WERE NOT HOSPITALIZED FOR ASTHMA DURING THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH101_P

LABEL: PERSON WHO HELPED FIND HEALTH PLAN (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21798 | 99.31 |
| 1 | BROKER | | 113 | 0.51 |
| 2 | FAMILY MEMBER/FRIEND | | 28 | 0.13 |
| 3 | INTERNET | | 3 | 0.01 |
| 4 | OTHER/MULTIPLE REASONS | | 7 | 0.03 |

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO BUY INS DIRECTLY FROM INS COMPANY AND WAS HELPED BY SOMEONE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH98_P1

LABEL: DIFFICULTY FINDING PLAN WITH NEEDED COVERAGE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 21569 | 98.27 |
| 1 | VERY DIFFICULT | | 100 | 0.46 |
| 2 | SOMEWHAT DIFFICULT | | 131 | 0.60 |
| 3 | NOT TOO DIFFICULT/NOT AT ALL DIFFICULT | | 149 | 0.68 |

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

VARNAME: AH99_P1

LABEL: DIFFICULTY FINDING PLAN THAT IS AFFORDABLE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 21569 | 98.27 |
| 1 | VERY DIFFICULT | | 177 | 0.81 |
| 2 | SOMEWHAT DIFFICULT | | 115 | 0.52 |
| 3 | NOT TOO DIFFICULT/NOT AT ALL DIFFICULT | | 88 | 0.40 |

UNIVERSE: ALL ADULTS UNINSURED OR HAVE BEEN IN PAST 12 MOS. AND WHO TRIED TO
BUY INS DIRECTLY FROM INS COMPANY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH126_P1

LABEL: SIGN UP DIRECTLY OR THROUGH EMPLOYER (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|-------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15366 | 70.01 |
| 1 | DIRECTLY | | 3124 | 14.23 |
| 2 | CURRENT EMPLOYER | | 109 | 0.50 |
| 3 | FORMER EMPLOYER | | 1404 | 6.40 |
| 4 | UNION | | 104 | 0.47 |
| 5 | OTHER | | 641 | 2.92 |
| 6 | AARP | | 712 | 3.24 |
| 7 | SPOUSE'S EMPLOYER/UNION | | 489 | 2.23 |

UNIVERSE: ADULTS WITH STANDARD MEDICARE AND MEDICARE SUPPLEMENT/MEDI-GAP

INPUT VAR:

NOTES:

VARNAME: INS

LABEL: CURRENTLY INSURED

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 21150 | 96.36 |
| 2 | NO | | 799 | 3.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS_S

LABEL: SPOUSE CURRENTLY INSURED

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10176 | 46.36 |
| 1 | YES | | 11353 | 51.72 |
| 2 | NO | | 420 | 1.91 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INS12M

LABEL: MOS COVERED BY HEALTH PLANS LAST 12 MOS

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 12 |
| MEAN | 11.55 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UNINSANY

LABEL: UNINSURED IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| -1 | SKIPPED - AGES>=65 | | 7683 | 35.00 |
| 1 | UNINSURED ALL YEAR | | 526 | 2.40 |
| 2 | UNINSURED PART YEAR | | 779 | 3.55 |
| 3 | INSURED ALL YEAR | | 12961 | 59.05 |

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: INS64

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE - UNDER 65

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| -1 | SKIPPED - AGE >= 65 | | 7683 | 35.00 |
| 1 | UNINSURED | | 780 | 3.55 |
| 2 | MEDI-CAL (MEDICAID) | | 1946 | 8.87 |
| 4 | MEDICARE | | 153 | 0.70 |
| 5 | EMPLOYMENT-BASED | | 10132 | 46.16 |
| 6 | PRIVATELY PURCHASED | | 1108 | 5.05 |
| 7 | OTHER PUBLIC | | 147 | 0.67 |

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64_P

LABEL: CURRENT HEALTH COVERAGE - < 65 YRS (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|------------------------|-------|-------|
| -1 | SKIPPED - AGE >= 65 | 7683 | 35.00 |
| 1 | UNINSURED | 780 | 3.55 |
| 2 | MEDI-CAL (MEDICAID) | 1946 | 8.87 |
| 3 | MEDICARE | 153 | 0.70 |
| 4 | EMPLOYMENT-BASED | 10132 | 46.16 |
| 5 | PRIVATELY PURCHASED | 1108 | 5.05 |
| 6 | CHIP/OTHER PUBLIC PRGM | 147 | 0.67 |

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: INS64_S

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR SPOUSE - UNDER 65

| VALUE: | | FREQ | % |
|--------|------------------------------|-------|-------|
| -1 | NO SPOUSE IN HH OR AGE >= 65 | 13743 | 62.61 |
| 1 | UNINSURED | 412 | 1.88 |
| 2 | MEDI-CAL (MEDICAID) | 489 | 2.23 |
| 4 | MEDICARE | 118 | 0.54 |
| 5 | EMPLOYMENT-BASED | 6417 | 29.24 |
| 6 | PRIVATELY PURCHASED | 668 | 3.04 |
| 7 | OTHER PUBLIC | 102 | 0.46 |

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS64S_P

LABEL: SPOUSE'S CURRENT HEALTH COVG - < 65 YRS (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| -1 | SKIPPED - AGE >= 65 | | 13743 | 62.61 |
| 1 | UNINSURED | | 412 | 1.88 |
| 2 | MEDI-CAL (MEDICAID) | | 489 | 2.23 |
| 3 | MEDICARE | | 118 | 0.54 |
| 4 | EMPLOYMENT-BASED | | 6417 | 29.24 |
| 5 | PRIVATELY PURCHASED | | 668 | 3.04 |
| 6 | CHIP/OTHER PUBLIC PRGM | | 102 | 0.46 |

UNIVERSE: ALL ADULTS WITH SPOUSE UNDER 65

INPUT VAR:

NOTES:

VARNAME: INSANY

LABEL: ANY INS IN LAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|------------------------|--|-------|-------|
| 1 | CURRENTLY UNINSURED | | 799 | 3.64 |
| 2 | UNINS. ANY PAST 12 MO | | 564 | 2.57 |
| 3 | INSURED ALL PAST 12 MO | | 20586 | 93.79 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INST_12

LABEL: HEALTH INS COVERAGE IN LAST 12 MOS, INCL CURRENT STATUS:8 LVLS

| VALUE: | | FREQ | % |
|--------|---------------------------------------|------|-------|
| -1 | INAPPLICABLE-AGE>=65 | 7683 | 35.00 |
| 1 | MEDI-CAL (MEDICAID) ONLY | 1671 | 7.61 |
| 2 | EMPLOYER-BASED COVERAGE ONLY (EBI) | 9618 | 43.82 |
| 3 | PRIVATE COVERAGE ONLY | 919 | 4.19 |
| 4 | OTHER COVERAGE ONLY | 281 | 1.28 |
| 5 | ANY 2 OR MORE TYPES (NEVER UNINSURED) | 472 | 2.15 |
| 6 | UNINSURED ONLY | 526 | 2.40 |
| 7 | UNINSURED + EMPLOYER-BASED ONLY | 252 | 1.15 |
| 8 | ANY 1 OR MORE TYPES + UNINSURED | 527 | 2.40 |

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

VARNAME: INS65

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ELDERLY 65+

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -1 | SKIPPED - AGE < 65 | 14266 | 65.00 |
| 1 | MEDICARE + MEDI-CAL (MEDICAID) | 678 | 3.09 |
| 2 | MEDICARE + OTHER | 6137 | 27.96 |
| 3 | MEDICARE ONLY | 436 | 1.99 |
| 4 | OTHER ONLY | 413 | 1.88 |
| 5 | UNINSURED | 19 | 0.09 |

UNIVERSE: ALL ADULTS 65 YEARS AND OVER

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS65_S

LABEL: TYPE OF CURRENT HEALTH COVERAGE FOR SPOUSE 65+

| VALUE: | | | FREQ | % |
|--------|-----------------------------|--|-------|-------|
| -1 | NO SPOUSE IN HH OR AGE < 65 | | 18382 | 83.75 |
| 1 | MEDICARE + MEDICAID | | 142 | 0.65 |
| 2 | MEDICARE + OTHER | | 1047 | 4.77 |
| 3 | MEDICARE ONLY | | 2123 | 9.67 |
| 4 | OTHER ONLY | | 247 | 1.13 |
| 5 | UNINSURED | | 8 | 0.04 |

UNIVERSE: ALL ADULTS WITH SPOUSE 65 YEARS AND OVER

INPUT VAR:

NOTES:

VARNAME: INSTYPE

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES

| VALUE: | | | FREQ | % |
|--------|---------------------|--|-------|-------|
| 1 | UNINSURED | | 799 | 3.64 |
| 2 | MEDICARE & MEDICAID | | 812 | 3.70 |
| 3 | MEDICARE & OTHERS | | 6022 | 27.44 |
| 4 | MEDICARE ONLY | | 704 | 3.21 |
| 5 | MEDICAID | | 1849 | 8.42 |
| 7 | EMPLOYMENT-BASED | | 10472 | 47.71 |
| 8 | PRIVATELY PURCHASED | | 1122 | 5.11 |
| 9 | OTHER PUBLIC | | 169 | 0.77 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INS9TP

LABEL: TYPE OF CURRENT HEALTH COVERAGE SOURCE FOR ALL AGES (9 LVLS)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| 1 | UNINSURED | | 799 | 3.64 |
| 2 | MEDICARE + EMPLOYER-BASED | | 1834 | 8.36 |
| 3 | MEDICARE AND OTHERS (NO EMPLOYER-BASED) | | 5704 | 25.99 |
| 4 | MEDICAID + EMPLOYER-BASED | | 285 | 1.30 |
| 5 | MEDICAID (NO EMPLOYER-BASED) | | 1564 | 7.13 |
| 7 | EMPLOYER BASED (NO MEDICARE OR MEDICAID) | | 10472 | 47.71 |
| 8 | PRIVATE PURCHASE | | 1122 | 5.11 |
| 9 | OTHER PUBLIC | | 169 | 0.77 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: IHS

LABEL: COVERED BY INDIAN HEALTH SERVICES

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 58 | 0.26 |
| 2 | NO | | 21891 | 99.74 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSEM

LABEL: COVERED BY EMPLOYER-BASED PLANS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 12591 | 57.36 |
| 2 | NO | | 9358 | 42.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSEM_S

LABEL: SPOUSE COVERED BY EMPLOYER-BASED PLANS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10176 | 46.36 |
| 1 | YES | | 7543 | 34.37 |
| 2 | NO | | 4230 | 19.27 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSMC

LABEL: COVERED BY MEDICARE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 7538 | 34.34 |
| 2 | NO | | 14411 | 65.66 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: MC_TYPE

LABEL: TYPE OF MEDICARE COVERAGE

| VALUE: | | | FREQ | % |
|--------|---------------------------------------|--|-------|-------|
| -1 | NOT ENROLLED IN MEDICARE | | 14411 | 65.66 |
| 1 | MEDICARE ADVANTAGE | | 4323 | 19.70 |
| 2 | MEDICARE + MEDICARE SUPPLEMENTAL PLAN | | 2082 | 9.49 |
| 3 | OTHER MEDICARE | | 1133 | 5.16 |

UNIVERSE: ADULTS WITH MEDICARE COVERAGE

INPUT VAR: INSMC, AI4, AH123

NOTES:

VARNAME: INSMC_S

LABEL: SPOUSE COVERED BY MEDICARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10176 | 46.36 |
| 1 | YES | | 3444 | 15.69 |
| 2 | NO | | 8329 | 37.95 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSMD

LABEL: COVERED BY MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2662 | 12.13 |
| 2 | NO | | 19287 | 87.87 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSMD_S

LABEL: SPOUSE COVERED BY MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10176 | 46.36 |
| 1 | YES | | 636 | 2.90 |
| 2 | NO | | 11137 | 50.74 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSOG

LABEL: COVERED BY OTHER GOVT PLANS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 45 | 0.21 |
| 2 | NO | | 21904 | 99.79 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSOG_S

LABEL: SPOUSE COVERED BY OTHER GOVT PLANS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10176 | 46.36 |
| 1 | YES | | 105 | 0.48 |
| 2 | NO | | 11668 | 53.16 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: INSLT_P

LABEL: HEALTH INS COVG LAST 12 MOS, W/ CURRENT STATUS (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|---|--|------|-------|
| -1 | INAPPLICABLE-AGE>=65 | | 7683 | 35.00 |
| 1 | MEDI-CAL (MEDICAID) ONLY | | 1671 | 7.61 |
| 2 | EMPLOYER-BASED OR MILITARY ONLY | | 9719 | 44.28 |
| 3 | UNINSURED ONLY | | 526 | 2.40 |
| 4 | PRIVATEDLY PURCHASED ONLY | | 919 | 4.19 |
| 5 | PARTIALLY INSURED WITH MC/HF | | 175 | 0.80 |
| 6 | PARTIALLY INSURED WITH NO MC/HF | | 604 | 2.75 |
| 7 | INSURE ALL YEAR WITH SOME MC/HF | | 164 | 0.75 |
| 8 | HEALTHY FAM ONLY/OTHER INSURED ALL YEAR | | 488 | 2.22 |

UNIVERSE: ALL ADULTS UNDER 65

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSPR

LABEL: COVERED BY PLANS PURCHASED ON OWN

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1174 | 5.35 |
| 2 | NO | | 20775 | 94.65 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: INSPR_S

LABEL: SPOUSE COVERED BY PLANS PURCHASED ON OWN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10176 | 46.36 |
| 1 | YES | | 812 | 3.70 |
| 2 | NO | | 10961 | 49.94 |

UNIVERSE: ALL ADULTS WITH SPOUSE

INPUT VAR:

NOTES:

VARNAME: COVRDCA

LABEL: PRIVATE/EMP BASED COVERAGE FROM COVERED CALIFORNIA

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 869 | 3.96 |
| 2 | NO | | 21080 | 96.04 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: COVRDCA_S

LABEL: SPOUSE WITH PRIVATE/EMPLOYER-BASED COVERAGE FROM COVERED CALIFORNIA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 10176 | 46.36 |
| 1 | YES | | 379 | 1.73 |
| 2 | NO | | 11394 | 51.91 |

UNIVERSE: ALL ADULT RESPONDENTS WITH SPOUSE/PARTNER

INPUT VAR:

NOTES:

VARNAME: INSPS

LABEL: PRIMARY OR SECONDARY COVERAGE

| VALUE: | | | FREQ | % |
|--------|---------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 8357 | 38.07 |
| 1 | PRIMARY | | 10782 | 49.12 |
| 2 | SECONDARY | | 2809 | 12.80 |
| 3 | NOT SPECIFIED AS PRIMARY OR SECONDARY | | 1 | 0.00 |

UNIVERSE: ALL ADULTS COVERED BY EMPLOYMENT-BASED OR DIRECTLY PURCHASED
INSURANCE PLANS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSPTS_S

LABEL: SPOUSE PRIMARY OR SECONDARY COVERAGE

| VALUE: | | | FREQ | % |
|--------|---------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14412 | 65.66 |
| 1 | PRIMARY | | 4388 | 19.99 |
| 2 | SECONDARY | | 3142 | 14.32 |
| 3 | NOT SPECIFIED AS PRIMARY OR SECONDARY | | 7 | 0.03 |

UNIVERSE: ALL ADULTS WITH SPOUSE COVERED BY HIS/HER OWN EMPLOYMENT-BASED OR
DIRECTLY PURCHASED INSURANCE PLANS

INPUT VAR:

NOTES:

VARNAME: OFFTK

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER BASED INS

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|------|-------|
| -1 | UNEMPLOYED OR SELF-EMPLOYED | | 8580 | 39.09 |
| 1 | ACCEPTED EBI | | 9922 | 45.20 |
| 2 | NOT ACCEPT EBI, OFFERED AND ELIGIBLE | | 1363 | 6.21 |
| 3 | WAS OFFERED EBI, NOT ELIGIBLE | | 802 | 3.65 |
| 4 | WAS NOT OFFERED EBI | | 1282 | 5.84 |

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OFFTK_S

LABEL: OFFER, ELIGIBILITY, ACCEPTANCE OF EMPLOYER-BASED INS: SPOUSE

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|-------|-------|
| -1 | UNEMPLOYED OR SELF-EMPLOYED | | 15297 | 69.69 |
| 1 | ACCEPTED EBI | | 4435 | 20.21 |
| 2 | NOT ACCEPT EBI, OFFERED AND ELIGIBLE | | 1076 | 4.90 |
| 3 | WAS OFFERED EBI, NOT ELIGIBLE | | 254 | 1.16 |
| 4 | WAS NOT OFFERED EBI | | 887 | 4.04 |

UNIVERSE: ALL ADULTS WHO ARE WORKING FOR WAGES

INPUT VAR:

NOTES:

VARNAME: AH79B

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS TO CURRENT HEALTH PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 3153 | 14.37 |
| 1 | YES | | 663 | 3.02 |
| 2 | NO | | 18133 | 82.61 |

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH80B

LABEL: REACHED LIMIT OF INS CMPY CONTRIBUTIONS IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21286 | 96.98 |
| 1 | YES | | 351 | 1.60 |
| 2 | NO | | 312 | 1.42 |

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES MEDI-CAL) WHO REPORTED REACHING
LIMIT OF INSURANCE COMPANY

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH81B

LABEL: EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S MEDICAL B

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1899 | 8.65 |
| 2 | NO | | 20050 | 91.35 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH83B

LABEL: AMOUNT OF MEDICAL BILLS HAVING TROUBLE PAYING

| VALUE: | | FREQ | % |
|--------|------------------------------|-------|-------|
| -1 | INAPPLICABLE | 20050 | 91.35 |
| 1 | LESS THAN \$1,000 | 401 | 1.83 |
| 2 | \$1,000 TO LESS THAN \$2,000 | 338 | 1.54 |
| 3 | \$2,000 TO LESS THAN \$4,000 | 447 | 2.04 |
| 4 | \$4,000 TO LESS THAN \$8,000 | 373 | 1.70 |
| 5 | \$8,000 OR MORE | 320 | 1.46 |
| 6 | NONE | 20 | 0.09 |

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH84B

LABEL: UNINSURED AT TIME MEDICAL CARE WAS PROVIDED

| VALUE: | | FREQ | % |
|--------|---|-------|-------|
| -1 | INAPPLICABLE | 20050 | 91.35 |
| 1 | YES | 335 | 1.53 |
| 2 | NO | 1498 | 6.82 |
| 3 | MORE THAN ONE PERSON WITH MEDICAL BILL P 66 | | 0.30 |

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH85B

LABEL: UNABLE TO PAY FOR BASIC NECESSITIES DUE TO MEDICAL BILLS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20050 | 91.35 |
| 1 | YES | | 522 | 2.38 |
| 2 | NO | | 1377 | 6.27 |

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

VARNAME: AH86B

LABEL: TOOK ON CREDIT CARD DEBT B/C OF MEDICAL BILLS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20050 | 91.35 |
| 1 | YES | | 993 | 4.52 |
| 2 | NO | | 906 | 4.13 |

UNIVERSE: ADULTS WHO EVER HAD PROBLEMS PAYING FOR SELF OR HOUSEHOLD FAMILY'S
MEDICAL BILLS IN PAST 12 MOS

INPUT VAR:

NOTES: NOT TRENDABLE W/ CHIS 2009

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INSLMT12M

LABEL: REACHED HEALTH INSURANCE PAYMENT LIMIT IN PAST 12 MONTHS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 3153 | 14.37 |
| 1 | YES | | 351 | 1.60 |
| 2 | NO | | 18445 | 84.04 |

UNIVERSE: CURRENTLY INSURED ADULTS (EXCLUDES ADULTS WITH MEDI-CAL)

INPUT VAR:

NOTES:

VARNAME: AH128

LABEL: AMOUNT RESPONDENT OR FAMILY PAYS EACH MONTH FOR HEALTH INSURANCE

| MEAN STATISTICS | |
|-----------------|--------|
| N | 9686 |
| MIN | 0 |
| MAX | 9000 |
| MEAN | 431.04 |

UNIVERSE: ADULTS COVERED BY EMPLOYER-BASED OR PRIVATELY-PURCHASED INSURANCE
WHO PAY ANY OR ALL OF PREMIUM/COST

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH129

LABEL: AMOUNT EMPLOYER/UNION/PROF ORG CONTRIBUTES TO HEALTH PLAN EACH MO

MEAN STATISTICS

| | |
|------|--------|
| N | 10579 |
| MIN | 0 |
| MAX | 9996 |
| MEAN | 610.08 |

UNIVERSE: ADULTS WHO RECEIVE CONTRIBUTIONS FROM EMPLOYER, UNION, ETC. TO PAY
FOR INSURANCE

INPUT VAR:

NOTES:

VARNAME: AH130

LABEL: HAS MONEY IN HSA ACCOUNT

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 18439 | 84.01 |
| 1 | YES | 3063 | 13.96 |
| 2 | NO | 447 | 2.04 |

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH131_P

LABEL: AMOUNT OF MONEY IN HSA ACCOUNT (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -1 | INAPPLICABLE | 18886 | 86.04 |
| 1 | \$0 | 10 | 0.05 |
| 2 | \$1 - \$999 | 1044 | 4.76 |
| 3 | \$1000 - \$1999 | 697 | 3.18 |
| 4 | \$2000 - \$2999 | 533 | 2.43 |
| 5 | \$3000 - \$3999 | 182 | 0.83 |
| 6 | \$4000 - \$4999 | 90 | 0.41 |
| 7 | \$5,000+ | 507 | 2.31 |

UNIVERSE: ADULTS WHO HAVE MEDICAL EXPENSE ACCOUNTS (HSA)

INPUT VAR:

NOTES:

VARNAME: HSAAMT_P1

LABEL: AMOUNT IN HEALTH SAVINGS ACCOUNTS (PUF RECODE)

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -1 | INAPPLICABLE | 18439 | 84.01 |
| 1 | \$0 | 457 | 2.08 |
| 2 | \$1 - \$999 | 1044 | 4.76 |
| 3 | \$1000 - \$1999 | 697 | 3.18 |
| 4 | \$2000 - \$2999 | 533 | 2.43 |
| 5 | \$3000 - \$3999 | 182 | 0.83 |
| 6 | \$4000 - \$4999 | 90 | 0.41 |
| 7 | \$5000+ | 507 | 2.31 |

UNIVERSE: ADULTS WITH EMPLOYER-BASED COVERAGE OR COVERAGE PURCHASED FROM INS COMPANY/HMO/COVERED CALIFORNIA WITH HEALTH SAVINGS ACCOUNTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH132

LABEL: LENGTH OF TIME RESPONDENT HAS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS

| | |
|------|--------|
| N | 18524 |
| MIN | 1 |
| MAX | 728 |
| MEAN | 135.22 |

UNIVERSE: ADULTS WHO HAD THE SAME HEALTH INSURANCE FOR ALL OF THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AH133

LABEL: # OF MONTHS HAD CURRENT HEALTH INSURANCE PLAN

MEAN STATISTICS

| | |
|------|------|
| N | 3072 |
| MIN | 0 |
| MAX | 12 |
| MEAN | 5.44 |

UNIVERSE: ADULTS WITH A DIFFERENT HEALTH PLAN FROM CURRENT PLAN IN THE PAST
12 MOS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: TCURPLAN

LABEL: TIME ADULT HAS BEEN ENROLLED IN CURRENT PLAN: MONTHS

MEAN STATISTICS

| | |
|------|--------|
| N | 21236 |
| MIN | 0 |
| MAX | 728 |
| MEAN | 118.65 |

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR:

NOTES:

VARNAME: AH134

LABEL: HEALTH INSURANCE BEFORE CURRENT PLAN

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 21889 | 99.73 |
| 1 | MEDI-CAL | 19 | 0.09 |
| 3 | THROUGH CURRENT OR FORMER EMPLOYER/UNION | 18 | 0.08 |
| 5 | PURCHASED DIRECTLY | 12 | 0.05 |
| 6 | COVERED CALIFORNIA | 10 | 0.05 |
| 91 | OTHER HEALTH PLAN | 1 | 0.00 |

UNIVERSE: ADULTS WHO HAD 2 OR MORE DIFFERENT TYPES OF HEALTH PLAN IN THE
PAST 12 MOS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH135

LABEL: OTHER HEALTH INSURANCE BEFORE CURRENT PLAN

| VALUE: | | FREQ | % |
|--------|--|------|-------|
| -1 | INAPPLICABLE | 2828 | 12.88 |
| 1 | MEDI-CAL | 1333 | 6.07 |
| 3 | THROUGH CURRENT OR FORMER EMPLOYER/UNION | 8547 | 38.94 |
| 5 | PURCHASED DIRECTLY | 1301 | 5.93 |
| 6 | COVERED CALIFORNIA | 800 | 3.64 |
| 91 | OTHER HEALTH PLAN | 1994 | 9.08 |
| 95 | NO OTHER HEALTH PLAN | 5146 | 23.45 |

UNIVERSE: ADULTS WITH CURRENT HEALTH PLAN IN ALL OF THE PAST 12 MOS OR
UNINSURED DURING PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: PINSTYPE

LABEL: TYPE OF HEALTH INSURANCE BEFORE CURRENT PLAN

| VALUE: | | FREQ | % |
|--------|--------------------|------|-------|
| -1 | INAPP, NOT INSURED | 713 | 3.25 |
| 1 | MEDI-CAL | 1517 | 6.91 |
| 3 | ESI | 9779 | 44.55 |
| 5 | PRIVATE PURCHASE | 1519 | 6.92 |
| 6 | COVERED CA | 990 | 4.51 |
| 91 | OTHER PLAN | 2285 | 10.41 |
| 95 | NO PREVIOUS PLAN | 5146 | 23.45 |

UNIVERSE: CURRENTLY INSURED ADULTS WHO HAD DIFFERENT HEALTH INSURANCE BEFORE
CURRENT PLAN

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH136

LABEL: LENGTH OF TIME RESPONDENT HAS HAD OTHER HEALTH INSURANCE PLAN

MEAN STATISTICS

| | |
|------|--------|
| N | 14030 |
| MIN | 1 |
| MAX | 726 |
| MEAN | 152.01 |

UNIVERSE: ADULTS WHO HAD A DIFFERENT HEALTH PLAN FROM CURRENT PLAN OR DID NOT HAVE A PRIOR HEALTH PLAN

INPUT VAR:

NOTES:

VARNAME: AH137

LABEL: EVER CHANGED HEALTH INSURANCE PLAN IN PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 713 | 3.25 |
| 1 | YES | 3214 | 14.64 |
| 2 | NO | 18022 | 82.11 |

UNIVERSE: ALL INSURED ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH139

LABEL: SELF-REPORTED SATISFACTION WITH CURRENT HEALTH PLAN

| VALUE: | | | FREQ | % |
|--------|-----------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 713 | 3.25 |
| 1 | VERY SATISFIED | | 11958 | 54.48 |
| 2 | SOMEWHAT SATISFIED | | 7445 | 33.92 |
| 3 | SOMEWHAT DISSATISFIED | | 1283 | 5.85 |
| 4 | VERY DISSATISFIED | | 550 | 2.51 |

UNIVERSE: ADULTS WHO HAVE HEALTH INSURANCE

INPUT VAR:

NOTES:

SECTION J: HEALTH CARE UTILIZATION/ACCESS & DENTAL HEALTH

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AH1V2

LABEL: HAVE USUAL SOURCE OF HEALTH CARE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 19890 | 90.62 |
| 2 | NO | | 2059 | 9.38 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: USE CAUTION WHEN TRENDING WITH AH1 FROM PREVIOUS YEARS; SOME
RESPONSE CATEGORIES NOT OFFERED IN WEB INSTRUMENT IN 2019

VARNAME: AJ80

LABEL: HAS SOMEONE AT DOCTOR'S OFFICE/CLINIC WHO HELPS COORDINATE MEDICA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 16681 | 76.00 |
| 1 | YES | | 4031 | 18.37 |
| 2 | NO | | 1237 | 5.64 |

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF CARE AND HAS PERSONAL DR AND
HAVE ASTHMA OR DIABETES OR HEART DISEASE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH3_P1

LABEL: KIND OF PLACE FOR USUAL SOURCE OF HEALTH CARE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 2059 | 9.38 |
| 1 | DOCTOR'S OFFICE/KAISER/HMO | | 16149 | 73.58 |
| 2 | CLINIC/HEALTH CENTER/HOSPITAL CLINIC | | 3323 | 15.14 |
| 3 | EMERGENCY ROOM | | 94 | 0.43 |
| 4 | OTHER/NO ONE PLACE | | 324 | 1.48 |

UNIVERSE: ALL ADULTS WHO HAVE USUAL SOURCE OF HEALTH INSURANCE/ CARE

INPUT VAR:

NOTES:

VARNAME: USOC

LABEL: USUAL SOURCE OF CARE OTHER THAN ER

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 19796 | 90.19 |
| 2 | NO | | 2153 | 9.81 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL

LABEL: HAVE USUAL PLACE TO GO TO WHEN SICK OR NEEDING HEALTH ADVICE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 19890 | 90.62 |
| 2 | NO | | 2059 | 9.38 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: USUAL_TP

LABEL: USUAL SOURCE OF CARE (7 LVLS)

| VALUE: | | | FREQ | % |
|--------|------------------------------|--|-------|-------|
| 1 | DOC OFFICE/HMO/KAISER | | 16149 | 73.58 |
| 2 | COMMUN/GOV CLIN, COMMUN HOSP | | 3323 | 15.14 |
| 3 | EMERGENCY ROOM | | 94 | 0.43 |
| 5 | SOME OTHER PLACE | | 160 | 0.73 |
| 6 | NO ONE PARTICULAR PLACE | | 164 | 0.75 |
| 7 | NO USUAL SOURCE OF CARE | | 2059 | 9.38 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: USUAL5TP

LABEL: USUAL SOURCE OF CARE (5 LVLS)

| VALUE: | | | FREQ | % |
|--------|------------------------------|--|-------|-------|
| 1 | DOC OFFICE/HMO/KAISER | | 16149 | 73.58 |
| 2 | COMMUN/GOV CLIN, COMMUN HOSP | | 3323 | 15.14 |
| 3 | EMERGENCY ROOM/URGENT CARE | | 94 | 0.43 |
| 4 | OTHER PLACE/NO ONE PLACE | | 324 | 1.48 |
| 5 | NO USUAL SOURCE OF CARE | | 2059 | 9.38 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AH5

LABEL: # OF TIMES SAW MD IN PAST 12 MOS

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 300 |
| MEAN | 4.20 |

UNIVERSE: ALL ADULT

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH6

LABEL: HOW LONG SINCE LAST SAW DOCTOR ABOUT OWN HEALTH

| VALUE: | | FREQ | % |
|--------|---------------------|-------|-------|
| -1 | INAPPLICABLE | 18885 | 86.04 |
| 0 | WITHIN THE PAST YR | 577 | 2.63 |
| 1 | 1 TO 2 YRS AGO | 1387 | 6.32 |
| 2 | 2 TO 5 YRS AGO | 648 | 2.95 |
| 3 | MORE THAN 5 YRS AGO | 384 | 1.75 |
| 4 | NEVER | 68 | 0.31 |

UNIVERSE: ADULT RESPONDENT WHO HAVE NOT SEEN A DOC IN LAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: ACMDNUM

LABEL: # OF DOCTOR VISITS PAST YEAR

| VALUE: | | FREQ | % |
|--------|-------------|------|-------|
| 0 | 0 TIME | 3064 | 13.96 |
| 1 | 1 TIMES | 4011 | 18.27 |
| 2 | 2 TIMES | 3977 | 18.12 |
| 3 | 3 TIMES | 2841 | 12.94 |
| 4 | 4 TIMES | 2160 | 9.84 |
| 5 | 5 TIMES | 1442 | 6.57 |
| 6 | 6 TIMES | 1222 | 5.57 |
| 7 | 7-8 TIMES | 860 | 3.92 |
| 8 | 9-12 TIMES | 1298 | 5.91 |
| 9 | 13-24 TIMES | 744 | 3.39 |
| 10 | 25+ TIMES | 330 | 1.50 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: DOCT_YR

LABEL: VISITED DOCTOR IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 18885 | 86.04 |
| 2 | NO | | 3064 | 13.96 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ77

LABEL: HAVE PERSONAL DOCTOR AS MAIN MEDICAL PROVIDER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 2059 | 9.38 |
| 1 | YES | | 18467 | 84.14 |
| 2 | NO | | 1423 | 6.48 |

UNIVERSE: ADULT WHO USUALLY HAVE A PLACE TO GO WHEN SICK OR NEED ADVICE
ABOUT HEALTH

INPUT VAR:

NOTES: Not trendable with CHIS 2009 AJ77

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ8V3

LABEL: HAD HARD TIME UNDERSTANDING DOCTOR LAST VISIT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19881 | 90.58 |
| 1 | YES | | 131 | 0.60 |
| 2 | NO | | 1937 | 8.83 |

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR

INPUT VAR:

NOTES: Previous versions: AJ8, AJ8B

VARNAME: AJ50V2_P

LABEL: LANGUAGE DOCTOR SPEAKS TO R (PUF RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20013 | 91.18 |
| 1 | ENGLISH | | 1009 | 4.60 |
| 2 | SPANISH | | 516 | 2.35 |
| 3 | VIETNAMESE | | 59 | 0.27 |
| 4 | KOREAN | | 105 | 0.48 |
| 5 | CANTONESE | | 45 | 0.21 |
| 6 | MANDARIN | | 135 | 0.62 |
| 7 | OTHER | | 67 | 0.31 |

UNIVERSE: ALL ADULTS WHO EVER SAW A DR AND DID NOT HAVE HARD TIME
UNDERSTANDING MD AT LAST APPT AND SPEAK LANG OTHER THAN ENGLISH AT
HOME

INPUT VAR:

NOTES: Previous version: AJ50_P

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ9V2

LABEL: MD SPOKE DIFFERENT LANGUAGE REASON WHY DIFFICULT TO UNDERSTAND

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21824 | 99.43 |
| 1 | YES | | 95 | 0.43 |
| 2 | NO | | 30 | 0.14 |

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND HAD A HARD TIME
UNDERSTANDING DOCTOR

INPUT VAR:

NOTES: Previous version: AJ9

VARNAME: AJ10V2

LABEL: NEEDED SOMEONE ELSE TO HELP UNDERSTAND DOCTOR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20940 | 95.40 |
| 1 | YES | | 118 | 0.54 |
| 2 | NO | | 891 | 4.06 |

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND DIDN'T HAVE HARD TIME
UNDERSTANDING DOCTOR SPEAKING TO THEM IN ENGLISH

INPUT VAR:

NOTES: Previous version: AJ10

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ11V2

LABEL: WHO HELPED YOU UNDERSTAND DOCTOR

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 21831 | 99.46 |
| 1 | MINOR CHILD (UNDER AGE 18) | 1 | 0.00 |
| 2 | AN ADULT FAMILY MEMBER OF FRIEND OF MINE | 36 | 0.16 |
| 3 | NON-MEDICAL OFFICE STAFF | 15 | 0.07 |
| 4 | MEDICAL STAFF INCLUDING NURSES / DOCTORS | 27 | 0.12 |
| 5 | PROFESSIONAL INTERPRETER (BOTH IN PERSON | 30 | 0.14 |
| 6 | OTHER (PATIENTS, SOMEONE ELSE) | 2 | 0.01 |
| 7 | DID NOT HAVE SOMEONE TO HELP | 7 | 0.03 |

UNIVERSE: ALL ADULTS WHO HAVE EVER SEEN A DOCTOR AND HAD A HARD TIME
UNDERSTANDING THE DOCTOR ON LAST VISIT AND NEEDED SOMEONE ELSE'S
HELP TO UNDERSTAND

INPUT VAR:

NOTES: Previous version: AJ11

VARNAME: AH16

LABEL: DELAY/NOT GET PRESCRIPTION IN PAST 12 MO

| VALUE: | | FREQ | % |
|--------|-----|-------|-------|
| 1 | YES | 1982 | 9.03 |
| 2 | NO | 19967 | 90.97 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: -----

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ19

LABEL: COST/NO INSUR DELAYED GETTING PRESCRIPTION

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19967 | 90.97 |
| 1 | YES | | 706 | 3.22 |
| 2 | NO | | 1276 | 5.81 |

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET TRTMENT MD PRESCRIBED IN LAST
12 MOS

INPUT VAR:

NOTES:

VARNAME: AH22

LABEL: DELAY/NOT GET OTHER MEDICAL CARE IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 3961 | 18.05 |
| 2 | NO | | 17988 | 81.95 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ20

LABEL: COST/NO INSR DELAYED GETTING NEEDED CARE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17988 | 81.95 |
| 1 | YES | | 1078 | 4.91 |
| 2 | NO | | 2883 | 13.13 |

UNIVERSE: ALL ADULTS WHO DELAYED/DID NOT GET NEEDED MEDICAL CARE IN LAST 12
MOS

INPUT VAR:

NOTES:

VARNAME: AJ102

LABEL: SOUGHT APPNT W/DOC IN 2 DAYS PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 376 | 1.71 |
| 1 | YES | | 7178 | 32.70 |
| 2 | NO | | 14395 | 65.58 |

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ103

LABEL: HOW OFTEN GET APPNT IN 2 DAYS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14771 | 67.30 |
| 1 | NEVER | | 739 | 3.37 |
| 2 | SOMETIMES | | 1755 | 8.00 |
| 3 | USUALLY | | 2419 | 11.02 |
| 4 | ALWAYS | | 2265 | 10.32 |

UNIVERSE: ALL ADULTS WHO ARE INSURED/ HAVE USUAL SOURCE OF CARE AND WHO
TRIED TO GET A DOC APPT. WITH/IN TWO DAYS

INPUT VAR:

NOTES:

VARNAME: TIMAPPT

LABEL: ABLE TO GET AN APPOINTMENT IN A TIMELY WAY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 14771 | 67.30 |
| 1 | YES | | 6439 | 29.34 |
| 2 | NO | | 739 | 3.37 |

UNIVERSE: INSURED ADULTS/ADULTS WITH USUAL SOURCE OF CARE WHO NEEDED DR.
APPT. WITHIN 2 DAYS IN PAST YEAR

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ105

LABEL: KNOW RIGHTS TO INTERPRETOR DURING MED VISIT

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 21148 | 96.35 |
| 1 | YES | | 601 | 2.74 |
| 2 | NO | | 195 | 0.89 |

UNIVERSE: ALL ADULTS WHO SPEAK ENGLISH NOT WELL OR NOT AT ALL

INPUT VAR:

NOTES:

VARNAME: AJ114

LABEL: TIME SINCE LAST DOC VISIT FOR ROUTINE CHECK-UP

| VALUE: | | | FREQ | % |
|--------|-------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 68 | 0.31 |
| 0 | ONE YEAR AGO OR LESS | | 15838 | 72.16 |
| 1 | MORE THAN 1 UP TO 2 YEARS AGO | | 3529 | 16.08 |
| 2 | MORE THAN 2 UP TO 5 YEARS AGO | | 1379 | 6.28 |
| 3 | MORE THAN 5 YEARS AGO | | 866 | 3.95 |
| 4 | NEVER | | 269 | 1.23 |

UNIVERSE: ADULTS EVER SEEN DOCTOR FOR OWN HEALTH

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ115_P1

LABEL: # OF DAYS MISS WORK DUE TO ILLNESS, INJURY, OR DISABILITY (PUF 1

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| 0 | 0 DAYS | | 15058 | 68.60 |
| 1 | 1 DAYS | | 889 | 4.05 |
| 2 | 2 DAYS | | 1378 | 6.28 |
| 3 | 3 DAYS | | 1041 | 4.74 |
| 4 | 4-5 DAYS | | 1437 | 6.55 |
| 5 | 6-10 DAYS | | 959 | 4.37 |
| 6 | 11-15 DAYS | | 331 | 1.51 |
| 7 | 16-20 DAYS | | 117 | 0.53 |
| 8 | 21-25 DAYS | | 54 | 0.25 |
| 9 | 26-30 DAYS | | 126 | 0.57 |
| 10 | 31-35 DAYS | | 13 | 0.06 |
| 11 | 36-40 DAYS | | 27 | 0.12 |
| 12 | 41-45 DAYS | | 38 | 0.17 |
| 13 | 46-50 DAYS | | 18 | 0.08 |
| 14 | 51-55 DAYS | | 4 | 0.02 |
| 15 | 56-60 DAYS | | 64 | 0.29 |
| 16 | 61-65 DAYS | | 9 | 0.04 |
| 17 | 66-70 DAYS | | 7 | 0.03 |
| 18 | 71-75 DAYS | | 7 | 0.03 |
| 19 | 76-80 DAYS | | 10 | 0.05 |
| 20 | 81-85 DAYS | | 2 | 0.01 |
| 21 | 86-90 DAYS | | 70 | 0.32 |
| 22 | 91-95 DAYS | | 1 | 0.00 |
| 23 | 96-100 DAYS | | 17 | 0.08 |
| 24 | 101-105 DAYS | | 1 | 0.00 |
| 25 | 106-110 DAYS | | 3 | 0.01 |
| 26 | 111-115 DAYS | | 1 | 0.00 |
| 27 | 116-120 DAYS | | 26 | 0.12 |
| 28 | 121-125 DAYS | | 3 | 0.01 |
| 29 | 126-130 DAYS | | 4 | 0.02 |
| 30 | 131-364 DAYS | | 109 | 0.50 |
| 31 | 365 DAYS | | 125 | 0.57 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ129

LABEL: EVENTUALLY RECEIVED MED CARE THAT WAS DELAYED

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17988 | 81.95 |
| 1 | YES | | 1583 | 7.21 |
| 2 | NO | | 2378 | 10.83 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR

INPUT VAR:

NOTES:

VARNAME: AJ131_P1

LABEL: MAIN REASON FOR DELAYING NEEDED CARE (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--|--|-------|-------|
| -1 | INAPPLICABLE | | 18925 | 86.22 |
| 1 | COULDN'T GET APPOINTMENT | | 574 | 2.62 |
| 2 | COST, INSURANCE (NOT COVRD/ACCPTD, NO INS) | | 152 | 0.69 |
| 5 | TRANSPORTATION PROBLEMS | | 65 | 0.30 |
| 6 | HOURS NOT CONVENIENT | | 103 | 0.47 |
| 9 | I DIDN'T HAVE TIME | | 493 | 2.25 |
| 12 | DID NOT THINK SERIOUS ENOUGH/NEEDED | | 120 | 0.55 |
| 13 | NOT SATISFIED WITH HEALTH CARE RECEIVED | | 47 | 0.21 |
| 14 | OTHER REASON | | 1399 | 6.37 |
| 15 | ANXIETY, FEAR, AVOIDANCE OF MEDICAL CARE | | 71 | 0.32 |

UNIVERSE: ADULTS WHO DELAYED/DID NOT GET OTHER NEEDED MEDICAL CARE IN PAST YR DUE TO OTHER REASON (NOT DUE TO COST/LACK OF INSURANCE)

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CARE_PV

LABEL: HAD A PREVENTIVE CARE VISIT IN PAST YEAR

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 15838 | 72.16 |
| | 2 | NO | 6111 | 27.84 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RN_FORGO

LABEL: REASONS FORGONE NECESSARY CARE

| | | | FREQ | % |
|--------|----|--------------------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | 17988 | 81.95 |
| | 1 | COST | 986 | 4.49 |
| | 2 | COULDN'T GET APPOINTMENT | 574 | 2.62 |
| | 3 | DIDN'T HAVE TIME | 596 | 2.72 |
| | 4 | OTHERS | 1805 | 8.22 |

UNIVERSE: ADULTS WHO DELAYED NEEDED MEDICAL CARE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FORGO

LABEL: HAD TO FORGO NECESSARY CARE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2378 | 10.83 |
| 2 | NO | | 19571 | 89.17 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AG1

LABEL: TIME SINCE LAST VISIT TO DENTIST/SPECIALIST

| VALUE: | | | FREQ | % |
|--------|-------------------------------------|--|-------|-------|
| 0 | HAVE NEVER VISIT | | 266 | 1.21 |
| 1 | 6 MONTHS AGO OR LESS | | 11964 | 54.51 |
| 2 | MORE THAN 6 MONTHS UP TO 1 YEAR AGO | | 4638 | 21.13 |
| 3 | MORE THAN 1 YEAR UP TO 2 YEARS AGO | | 2269 | 10.34 |
| 4 | MORE THAN 2 YEARS UP TO 5 YEARS AGO | | 1637 | 7.46 |
| 5 | MORE THAN 5 YEARS AGO | | 1175 | 5.35 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ167

LABEL: ROUTINE CHECKUP/CLEANING OR SPECIFIC PROBLEM

| VALUE: | | | FREQ | % |
|--------|-----------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 266 | 1.21 |
| 1 | ROUTINE CHECKUP OR CLEANING | | 15793 | 71.95 |
| 2 | SPECIFIC PROBLEM | | 3300 | 15.03 |
| 3 | BOTH | | 2590 | 11.80 |

UNIVERSE: ADULTS WHO HAVE EVER BEEN TO THE DENTIST

INPUT VAR:

NOTES:

VARNAME: AJ168

LABEL: CONDITION OF TEETH

| VALUE: | | | FREQ | % |
|--------|----------------------|--|------|-------|
| 1 | EXCELLENT | | 2810 | 12.80 |
| 2 | VERY GOOD | | 7197 | 32.79 |
| 3 | GOOD | | 6869 | 31.30 |
| 4 | FAIR | | 3381 | 15.40 |
| 5 | POOR | | 1205 | 5.49 |
| 6 | HAS NO NATURAL TEETH | | 487 | 2.22 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AG3

LABEL: HAVE ANY KIND OF DENTAL INSURANCE

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 15432 | 70.31 |
| | 2 | NO | 6517 | 29.69 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ136

LABEL: NEEDED TO SEE MED SPECIALIST PAST YR

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 10387 | 47.32 |
| | 2 | NO | 11562 | 52.68 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ137

LABEL: HAD TROUBLE FINDING SPECIALTY DR PAST 12 MOS

| | | | FREQ | % |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | 11562 | 52.68 |
| | 1 | YES | 1004 | 4.57 |
| | 2 | NO | 9383 | 42.75 |

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ138

LABEL: NOT ACCEPTED AS NEW PATIENT BY SPECIALIST PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11562 | 52.68 |
| 1 | YES | | 701 | 3.19 |
| 2 | NO | | 9686 | 44.13 |

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

VARNAME: AJ139

LABEL: INSURANCE NOT ACCEPTED BY SPECIALIST PAST YR

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11698 | 53.30 |
| 1 | YES | | 808 | 3.68 |
| 2 | NO | | 9443 | 43.02 |

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ133

LABEL: HAD TROUBLE FINDING GENERAL DOC PAST 12 MOS

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 1101 | 5.02 |
| | 2 | NO | 20848 | 94.98 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ134

LABEL: NOT ACCEPTED AS NEW PATIENT BY DOC PAST YR

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 1080 | 4.92 |
| | 2 | NO | 20869 | 95.08 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ135

LABEL: INSURANCE NOT ACCEPTED BY DOC PAST YR

| | | | FREQ | % |
|--------|----|--------------|-------|-------|
| VALUE: | -1 | INAPPLICABLE | 713 | 3.25 |
| | 1 | YES | 970 | 4.42 |
| | 2 | NO | 20266 | 92.33 |

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: PC_INS

LABEL: PRIMARY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS INS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 713 | 3.25 |
| 1 | YES | | 970 | 4.42 |
| 2 | NO | | 20266 | 92.33 |

UNIVERSE: CURRENTLY INSURED ADULTS

INPUT VAR:

NOTES:

VARNAME: PC_NEWP

LABEL: PRIMARY CARE: DIFFICULTY FINDING A PROVIDER ACCEPTING NEW PATIENT

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1080 | 4.92 |
| 2 | NO | | 20869 | 95.08 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: SC_INS

LABEL: SPECIALTY CARE: HAVE DIFFICULTY FINDING A PROVIDER THAT ACCEPTS I

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11698 | 53.30 |
| 1 | YES | | 808 | 3.68 |
| 2 | NO | | 9443 | 43.02 |

UNIVERSE: INSURED ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

VARNAME: SC_NEWP

LABEL: SPECIALTY CARE: DIFFICULTY FINDING PROVIDER ACCEPTING NEW PATIENT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 11562 | 52.68 |
| 1 | YES | | 701 | 3.19 |
| 2 | NO | | 9686 | 44.13 |

UNIVERSE: ADULTS NEEDING SPECIALTY CARE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AH12V2

LABEL: VISITED EMERGENCY ROOM FOR OWN HEALTH IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 3375 | 15.38 |
| 2 | NO | | 18574 | 84.62 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AH12

VARNAME: AH95_P1

LABEL: # TIMES VISITED ER IN PAST 12 MOS (PUF 1 YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18574 | 84.62 |
| 0 | 0 TIMES | | 46 | 0.21 |
| 1 | 1 TIMES | | 2209 | 10.06 |
| 2 | 2 TIMES | | 641 | 2.92 |
| 3 | 3 TIMES | | 237 | 1.08 |
| 4 | 4 TIMES | | 113 | 0.51 |
| 5 | 5+ TIMES | | 129 | 0.59 |

UNIVERSE: ALL ADULTS WHO VISITED ER FOR OWN HEALTH IN PAST 12 MOS

INPUT VAR:

NOTES: -----

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: ER

LABEL: ER VISIT WITHIN THE PAST YEAR

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 3375 | 15.38 |
| 2 | NO | | 18574 | 84.62 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AJ152V2

LABEL: RECEIVED CARE WHILE AT ANOTHER HEALTH FACILITY FROM HEALTH PROVID

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2863 | 13.04 |
| 2 | NO | | 19086 | 86.96 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ152

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ153V2_1

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: SKIN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 743 | 3.39 |
| 2 | NO | | 2120 | 9.66 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_1

VARNAME: AJ153V2_2

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: EYE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 241 | 1.10 |
| 2 | NO | | 2622 | 11.95 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_2

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ153V2_4

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: OTHER

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 34 | 0.15 |
| 2 | NO | | 2829 | 12.89 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_4

VARNAME: AJ153V2_5

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: DISEASE CARE/MGMT

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 342 | 1.56 |
| 2 | NO | | 2521 | 11.49 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_5; INCLUDES CANCER CARE RESPONSES

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ153V2_6

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: FLU, COLD, ALLERGIES, INFECTION

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 203 | 0.92 |
| 2 | NO | | 2660 | 12.12 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_6

VARNAME: AJ153V2_7

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: INJURY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 113 | 0.51 |
| 2 | NO | | 2750 | 12.53 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_7

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ153V2_8

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: ARTHRITIS, JOINT, BACK, MUS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 233 | 1.06 |
| 2 | NO | | 2630 | 11.98 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_8

VARNAME: AJ153V2_9

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: TESTS, RESULTS, FOLLOW-UP

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 154 | 0.70 |
| 2 | NO | | 2709 | 12.34 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_9

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ153V2_10

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: CHECK-UPS, GENERAL QUESTION

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 317 | 1.44 |
| 2 | NO | | 2546 | 11.60 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_10

VARNAME: AJ153V2_11

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: NOT FEELING WELL, OTHER HEA

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 401 | 1.83 |
| 2 | NO | | 2462 | 11.22 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER HEALTH FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: PREVIOUS VERSION: AJ153_11

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ153V2_13

LABEL: HEALTH PROBLEM FOR TELE-MEDICAL CARE: COVID-RELATED PROBLEM

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19086 | 86.96 |
| 1 | YES | | 62 | 0.28 |
| 2 | NO | | 2801 | 12.76 |

UNIVERSE: ADULTS WHO RECEIVED MEDICAL CARE THROUGH VIDEO/PHONE WHILE AT
ANOTHER FACILITY IN PAST 12 MONTHS

INPUT VAR:

NOTES: ADDED IN 2020 DUE TO COVID-19 PANDEMIC

VARNAME: AJ176

LABEL: DELAYED/DIDN'T GET A MEDICINE WHILE INSURED BY CURRENT PLAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20035 | 91.28 |
| 1 | YES | | 1533 | 6.98 |
| 2 | NO | | 381 | 1.74 |

UNIVERSE: ADULTS WITH INSURANCE IN THE PAST 12 MOS

INPUT VAR:

NOTES: -----

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ177

LABEL: DELAYED/DIDN'T GET OTHER MEDICAL CARE WHILE INSURED BY CURRENT PL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18169 | 82.78 |
| 1 | YES | | 2467 | 11.24 |
| 2 | NO | | 1313 | 5.98 |

UNIVERSE: ADULTS WITH INSURANCE IN THE PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AJ87

LABEL: PROVIDE CARE TO FAM/FRND W/ILLNESS/DISABILITY PAST YR

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | YES | | 5495 | 25.04 |
| 2 | NO | | 16449 | 74.94 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ101V2

LABEL: CURRENTLY PROVIDE CARE

| | | FREQ | % |
|--------|-----------------|-------|-------|
| VALUE: | -1 INAPPLICABLE | 16454 | 74.96 |
| | 1 YES | 2769 | 12.62 |
| | 2 NO | 2726 | 12.42 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ201_P1

LABEL: AGE OF CARE RECIPIENT (PUF 1 YR RECODE)

| | | FREQ | % |
|--------|------------------|-------|-------|
| VALUE: | -2 PROXY SKIPPED | 5 | 0.02 |
| | -1 INAPPLICABLE | 16449 | 74.94 |
| | 1 0-17 | 133 | 0.61 |
| | 2 18-44 | 509 | 2.32 |
| | 3 45-64 | 820 | 3.74 |
| | 4 65-84 | 2507 | 11.42 |
| | 5 85+ | 1526 | 6.95 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CAREYRS

LABEL: AGE OF PERSON WHO RESPONDENT GIVES CARE TO (AJ201 RECODE)

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | 0-17 | | 133 | 0.61 |
| 2 | 18-44 | | 509 | 2.32 |
| 3 | 45-64 | | 820 | 3.74 |
| 4 | 65-74 | | 1088 | 4.96 |
| 5 | 75+ | | 2945 | 13.42 |

UNIVERSE: ADULTS CURRENTLY PROVIDING/PROVIDED CARE TO OTHERS

INPUT VAR: AJ201

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ90

LABEL: RELATIONSHIP WITH PERSON YOU PROVIDE MOST HELP TO

| VALUE: | | FREQ | % |
|--------|--------------------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | HUSBAND | 416 | 1.90 |
| 2 | WIFE | 317 | 1.44 |
| 3 | SPOUSE/PARTNER | 116 | 0.53 |
| 4 | FATHER/FATHER-IN-LAW | 746 | 3.40 |
| 5 | MOTHER/MOTHER-IN-LAW | 1750 | 7.97 |
| 6 | BROTHER/BROTHER-IN-LAW | 156 | 0.71 |
| 7 | SISTER/SISTER-IN-LAW | 224 | 1.02 |
| 8 | GRANDFATHER | 65 | 0.30 |
| 9 | GRANDMOTHER | 180 | 0.82 |
| 10 | SON/SON-IN-LAW | 192 | 0.87 |
| 11 | DAUGHTER/DAUGHTER-IN-LAW | 152 | 0.69 |
| 12 | OTHER RELATIVE | 290 | 1.32 |
| 13 | FRIEND/NEIGHBOR | 738 | 3.36 |
| 14 | OTHER NON-RELATIVE | 153 | 0.70 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNES OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ193

LABEL: FINANCIAL STRESS DUE TO CAREGIVING

| VALUE: | | | FREQ | % |
|--------|----------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | EXTREMELY STRESSFUL | | 256 | 1.17 |
| 2 | SOMEWHAT STRESSFUL | | 687 | 3.13 |
| 3 | A LITTLE STRESSFUL | | 1309 | 5.96 |
| 4 | NOT AT ALL STRESSFUL | | 3243 | 14.78 |

UNIVERSE: ADULTS WHO PROVIDED CAREGIVING TO A FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

VARNAME: AJ91B_1

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: ALONE

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 1616 | 7.36 |
| 2 | NO | | 3879 | 17.67 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ91B_2

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH YOU

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 1893 | 8.62 |
| 2 | NO | 3602 | 16.41 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ91B_3

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: WITH SOME OTHER FAMILY M

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 1581 | 7.20 |
| 2 | NO | 3914 | 17.83 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ91B_4

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: IN A NURSING HOME

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 203 | 0.92 |
| 2 | NO | 5292 | 24.11 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ91B_5

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: IN AN ASSISTED-LIVING FA

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 401 | 1.83 |
| 2 | NO | 5094 | 23.21 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ91B_6

LABEL: DURING PAST 12 MOS CARE RECIPIENT LIVED: IN SOME OTHER LIVING SIT

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 470 | 2.14 |
| 2 | NO | | 5025 | 22.89 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_1

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: ALZHEIMER'S, CONFUSION,

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 1164 | 5.30 |
| 2 | NO | | 4331 | 19.73 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_2

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: ARTHRITIS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 809 | 3.69 |
| 2 | NO | | 4686 | 21.35 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_3

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: BACK PROBLEMS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 873 | 3.98 |
| 2 | NO | | 4622 | 21.06 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_4

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: BROKEN BONES

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 288 | 1.31 |
| 2 | NO | | 5207 | 23.72 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_5

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: CANCER

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 629 | 2.87 |
| 2 | NO | | 4866 | 22.17 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_6

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: DIABETES

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 695 | 3.17 |
| 2 | NO | | 4800 | 21.87 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_7

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: FEEBLE, UNSTEADY, FALLIN

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 1232 | 5.61 |
| 2 | NO | | 4263 | 19.42 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_8

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: LUNG DISEASE, EMPHYSEMA,

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 414 | 1.89 |
| 2 | NO | 5081 | 23.15 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_9

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: MENTAL ILLNESS, EMOTIONA

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 816 | 3.72 |
| 2 | NO | 4679 | 21.32 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_10

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: MOBILITY PROBLEM

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 1631 | 7.43 |
| 2 | NO | 3864 | 17.60 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_11

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: OLD AGE, AGING

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 2175 | 9.91 |
| 2 | NO | 3320 | 15.13 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_12

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: STROKE

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 516 | 2.35 |
| 2 | NO | | 4979 | 22.68 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_13

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: SURGERY, WOUNDS

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 730 | 3.33 |
| 2 | NO | | 4765 | 21.71 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_14

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: OTHER

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 306 | 1.39 |
| 2 | NO | | 5189 | 23.64 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_15

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: NEUROLOGICAL, AUTOIMMUNE

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 351 | 1.60 |
| 2 | NO | | 5144 | 23.44 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_16

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: VISION, HEARING PROBLEM

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 118 | 0.54 |
| 2 | NO | 5377 | 24.50 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ194_17

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: BLOOD, ORGAN, MUSCULAR,

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 189 | 0.86 |
| 2 | NO | 5306 | 24.17 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ194_18

LABEL: DISABILITY OR ILLNESS OF CARE RECIPIENT: COVID-RELATED ISSUE

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 45 | 0.21 |
| 2 | NO | 5450 | 24.83 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES: ADDED IN 2020 DUE TO COVID-19 PANDEMIC

VARNAME: AJ197

LABEL: HAVE SUPPORT/SERVICES NEEDED TO CARE FOR CARE RECIPIENT

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 21584 | 98.34 |
| 1 | YES | 301 | 1.37 |
| 2 | NO | 64 | 0.29 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY AND WERE PAID

INPUT VAR:

NOTES: -----

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ199

LABEL: SUFFERED PHYSICAL/MENTAL HEALTH PROBLEMS CARING FOR CARE RECIPIENT

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 783 | 3.57 |
| 2 | NO | 4712 | 21.47 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ200_1

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: NO CHANGE

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 3511 | 16.00 |
| 2 | NO | 1984 | 9.04 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200_2

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: CHANGED JOB

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 61 | 0.28 |
| 2 | NO | 5434 | 24.76 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ200_3

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TOOK 2ND JOB/INCREASE

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 29 | 0.13 |
| 2 | NO | 5466 | 24.90 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200_4

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: REDUCED WORK HOURS/UN

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 260 | 1.18 |
| 2 | NO | | 5235 | 23.85 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ200_5

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: TEMPORARY LEAVE/SICK/

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 118 | 0.54 |
| 2 | NO | | 5377 | 24.50 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200_6

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: QUIT JOB/LAID OFF

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 111 | 0.51 |
| 2 | NO | 5384 | 24.53 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ200_7

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: RETIRED/RETIRED EARLY

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 417 | 1.90 |
| 2 | NO | 5078 | 23.14 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200_8

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: PAID FAMILY LEAVE

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 55 | 0.25 |
| 2 | NO | 5440 | 24.78 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ200_9

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: DOES NOT WORK

| VALUE: | | FREQ | % |
|--------|---------------|-------|-------|
| -2 | PROXY SKIPPED | 5 | 0.02 |
| -1 | INAPPLICABLE | 16449 | 74.94 |
| 1 | YES | 1253 | 5.71 |
| 2 | NO | 4242 | 19.33 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AJ200_10

LABEL: CHANGE IN JOB STATUS DUE TO CARE RECIPIENT: OTHER

| VALUE: | | | FREQ | % |
|--------|---------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| -1 | INAPPLICABLE | | 16449 | 74.94 |
| 1 | YES | | 30 | 0.14 |
| 2 | NO | | 5465 | 24.90 |

UNIVERSE: ADULTS WHO HELPED FAMILY MEMBER/FRIEND WHO HAS SERIOUS OR CHRONIC
ILLNESS OR DISABILITY

INPUT VAR:

NOTES:

VARNAME: AJ93

LABEL: # HRS SPENT HELPING CARE RECIPIENT IN TYPICAL WEEK

| MEAN STATISTICS | |
|-----------------|-------|
| N | 5495 |
| MIN | 0 |
| MAX | 125 |
| MEAN | 13.19 |

UNIVERSE: ADULTS WHO PROVIDE CARE FOR LONG-TERM ILLNESS OR DISABLED FAMILY
MEMBER OR FRIEND

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AJ191

LABEL: PAID FOR ANY HOURS HELPED CARE RECIPIENT

| | | | FREQ | % |
|--------|----|---------------|-------|-------|
| VALUE: | -2 | PROXY SKIPPED | 5 | 0.02 |
| | -1 | INAPPLICABLE | 16449 | 74.94 |
| | 1 | YES | 382 | 1.74 |
| | 2 | NO | 5113 | 23.29 |

UNIVERSE: ADULTS WHO DO OR HAVE EVER PROVIDED CARE FOR LONG-TERM ILLNESS OR
DISABLED FAMILY MEMBER OR FRIEND

INPUT VAR:

NOTES:

SECTION K: EMPLOYMENT, INCOME, POVERTY STATUS & FOOD SECURITY

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK1

LABEL: WORK STATUS LAST WEEK

| VALUE: | | FREQ | % |
|--------|-------------------------------------|-------|-------|
| 1 | WORKING AT A JOB/BUSINESS | 10365 | 47.22 |
| 2 | WITH A JOB/BUSINESS BUT NOT AT WORK | 803 | 3.66 |
| 3 | LOOKING FOR WORK | 946 | 4.31 |
| 4 | NOT WORKING JOB/BUSINESS (UNEMP) | 9835 | 44.81 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: NOTE ADDED TO QUESTIONNAIRE TO CLARIFY HOW TO RESPOND FOR WORKED
REMOVED FROM HOME

VARNAME: AK2_P1

LABEL: MAIN REASON FOR NOT WORKING LAST WEEK (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------------------------|-------|-------|
| -1 | INAPPLICABLE | 10365 | 47.22 |
| 1 | TAKING CARE OF HOUSE OR FAMILY | 923 | 4.21 |
| 2 | ON PLANNED VACATION | 113 | 0.51 |
| 3 | COULDN'T FIND A JOB | 529 | 2.41 |
| 4 | GOING TO SCHOOL/STUDENT | 412 | 1.88 |
| 5 | RETIRED | 6446 | 29.37 |
| 6 | PHYSICAL DISABILITY | 646 | 2.94 |
| 7 | UNABLE TO WORK TEMPORARILY | 424 | 1.93 |
| 8 | ON LAYOFF OR STRIKE | 362 | 1.65 |
| 10 | OFF SEASON | 182 | 0.83 |
| 11 | SICK | 74 | 0.34 |
| 91 | OTHER | 1473 | 6.71 |

UNIVERSE: ALL ADULTS WITH A JOB BUT NOT AT WORK LAST WEEK, LOOKING FOR WORK,
OR NOT WORKING AT A JOB LAST WEEK

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK3_P1V2

LABEL: # OF USUAL HRS WORKED PER WEEK (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 8967 | 40.85 |
| 1 | <= 0 | 452 | 2.06 |
| 2 | 1 - 9 | 575 | 2.62 |
| 3 | 10 - 19 | 722 | 3.29 |
| 4 | 20 - 29 | 1191 | 5.43 |
| 5 | 30 - 39 | 1464 | 6.67 |
| 6 | 40 - 49 | 6082 | 27.71 |
| 7 | 50 - 59 | 1673 | 7.62 |
| 8 | 60 - 69 | 607 | 2.77 |
| 9 | 70 - 79 | 122 | 0.56 |
| 10 | 80+ | 94 | 0.43 |

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

VARNAME: AK4

LABEL: TYPE OF EMPLOYER AT MAIN JOB

| VALUE: | | FREQ | % |
|--------|---------------------------------|------|-------|
| -1 | INAPPLICABLE | 9022 | 41.10 |
| 1 | PRIVATE COMPANY, NON-PROFIT ORG | 7749 | 35.30 |
| 2 | GOVERNMENT | 2841 | 12.94 |
| 3 | SELF-EMPLOYED | 2037 | 9.28 |
| 4 | FAMILY BUSINESS OR FARM | 300 | 1.37 |

UNIVERSE: ALL ADULTS WITH A JOB OR WHO USUALLY WORK (EXCLUDING THOSE WHO ARE LESS THAN 65 AND DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: INDMAIN2

LABEL: MAIN INDUSTRY - RECODE (CENSUS 2010. IND. CLASSIFICATION SCH.)

| VALUE: | | FREQ | % |
|--------|--|------|-------|
| -8 | DK | 2 | 0.01 |
| -7 | REFUSED | 6 | 0.03 |
| -1 | INAPPLICABLE | 9582 | 43.66 |
| 1 | AGRICULTURE, FORESTRY, FISHING, HUNTING, | 150 | 0.68 |
| 2 | CONSTRUCTION | 412 | 1.88 |
| 3 | MANUFACTURING | 852 | 3.88 |
| 4 | WHOLESALE TRADE | 190 | 0.87 |
| 5 | RETAIL TRADE | 803 | 3.66 |
| 6 | TRANSPORTATION, WAREHOUSING, AND UTILITI | 482 | 2.20 |
| 7 | INFORMATION | 345 | 1.57 |
| 8 | FINANCE AND INSURANCE, REAL ESTATE, RENT | 787 | 3.59 |
| 9 | PROFESSIONAL, SCIENTIFIC, MANAGEMENT, AD | 2042 | 9.30 |
| 10 | EDUCATIONAL SERVICES, HEALTH CARE AND SO | 3826 | 17.43 |
| 11 | ARTS, ENTERTAINMENT, RECREATION, ACCOMMO | 695 | 3.17 |
| 12 | OTHER SERVICES, EXCEPT PUBLIC ADMINISTRA | 502 | 2.29 |
| 13 | PUBLIC ADMINISTRATION | 1006 | 4.58 |
| 14 | MILITARY | 118 | 0.54 |
| 99 | COULD NOT BE CODED | 149 | 0.68 |

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES: MAJORITY OF CASES WERE AUTOCODED USING NIOSH INDUSTRY AND
OCCUPATION COMPUTERIZED CODING SYSTEM (NIOCCS). RECORDS THAT DID
NOT MATCH BOTH I&O RESPONSES ON NIOCCS WERE CODED BY THE US CENSUS
NATIONAL PROCESSING CENTER . FOR MORE INFORMATION SEE: WWW.CDC.G

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: IND_FLAG3

LABEL: CENSUS INDUSTRY CODE - CODING METHOD

| VALUE: | | FREQ | % |
|--------|--------------------------------------|------|-------|
| -9 | NOT ASCERTAINED | 8 | 0.04 |
| -1 | INAPPLICABLE | 9582 | 43.66 |
| 1 | MANUALLY CODED BY U.S. CENSUS BUREAU | 4199 | 19.13 |
| 2 | AUTO-CODE BY NIOCSS | 8160 | 37.18 |

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: OCCMAIN2

LABEL: MAIN OCCUPATION - RECODE (CENSUS 2010 OCC. CLASSIFICATION SCH.)

| VALUE: | | FREQ | % |
|--------|--|------|-------|
| -7 | REFUSED | 5 | 0.02 |
| -1 | INAPPLICABLE | 9519 | 43.37 |
| 1 | MANAGEMENT, BUSINESS, AND FINANCIAL OCCU | 2218 | 10.11 |
| 2 | COMPUTER, ENGINEERING, AND SCIENCE OCCUP | 1432 | 6.52 |
| 3 | EDUCATION, LEGAL, COMMUNITY SERVICE, ART | 2403 | 10.95 |
| 4 | HEALTHCARE PRACTITIONERS AND TECHNICAL O | 953 | 4.34 |
| 5 | SERVICE OCCUPATIONS | 1402 | 6.39 |
| 6 | SALES AND RELATED OCCUPATIONS | 847 | 3.86 |
| 7 | OFFICE AND ADMINISTRATIVE SUPPORT OCCUPA | 1501 | 6.84 |
| 8 | FARMING, FISHING, AND FORESTRY OCCUPATIO | 71 | 0.32 |
| 9 | CONSTRUCTION AND EXTRACTION OCCUPATIONS | 232 | 1.06 |
| 10 | INSTALLATION, MAINTENANCE, AND REPAIR OC | 211 | 0.96 |
| 11 | PRODUCTION OCCUPATIONS | 385 | 1.75 |
| 12 | TRANSPORTATION AND MATERIAL MOVING OCCUP | 424 | 1.93 |
| 13 | MILITARY SPECIFIC OCCUPATIONS | 70 | 0.32 |
| 99 | COULD NOT BE CODED | 276 | 1.26 |

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: OCC_FLAG3

LABEL: CENSUS OCCUPATION CODE - CODING METHOD

| VALUE: | | FREQ | % |
|--------|--------------------------------------|------|-------|
| -9 | NOT ASCERTAINED | 5 | 0.02 |
| -1 | INAPPLICABLE | 9519 | 43.37 |
| 1 | MANUALLY CODED BY U.S. CENSUS BUREAU | 4218 | 19.22 |
| 2 | AUTO-CODE BY NIOCSS | 8207 | 37.39 |

UNIVERSE: ADULTS WITH JOB/USUALLY WORKING (EXCLUDES ADULTS < 65 AND
DISABLED OR RETIRED LAST WEEK)

INPUT VAR:

NOTES:

VARNAME: AK7_P1V2

LABEL: LENGTH OF TIME WORKING AT MAIN JOB (PUF 1 YR RECODE VERSION 2)

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 8967 | 40.85 |
| 1 | < 1 YEAR | 1288 | 5.87 |
| 2 | < 2 YEARS | 1148 | 5.23 |
| 3 | <5 YEARS | 2691 | 12.26 |
| 4 | <10 YEARS | 2399 | 10.93 |
| 5 | <20 YEARS | 2852 | 12.99 |
| 6 | 20+ YEARS | 2604 | 11.86 |

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AKWKLNG

LABEL: TIME AT MAIN JOB

| VALUE: | | FREQ | % |
|--------|--------------|------|-------|
| -1 | INAPPLICABLE | 8967 | 40.85 |
| 0 | <1 YEAR | 608 | 2.77 |
| 1 | 1 YEAR | 1453 | 6.62 |
| 2 | 2 YEARS | 1148 | 5.23 |
| 3 | 3 YEARS | 979 | 4.46 |
| 4 | 4 YEARS | 779 | 3.55 |
| 5 | 5 YEARS | 819 | 3.73 |
| 6 | 6-9 YEARS | 1677 | 7.64 |
| 7 | 10-14 YEARS | 1657 | 7.55 |
| 8 | 15-19 YEARS | 1203 | 5.48 |
| 9 | 20-29 YEARS | 1628 | 7.42 |
| 10 | 30+ YEARS | 1031 | 4.70 |

UNIVERSE: ALL ADULTS EXCEPT FOR (THOSE WHO ARE LOOKING FOR WORK OR NOT
WORKING LAST WEEK) OR (THOSE WHO USUALLY WORK ZERO HOURS)

INPUT VAR:

NOTES:

VARNAME: AK8

LABEL: # PEOPLE WORKING FOR EMPLOYER/YOU

| VALUE: | | FREQ | % |
|--------|---------------|------|-------|
| -1 | INAPPLICABLE | 9022 | 41.10 |
| 1 | 1 OR 2 | 1770 | 8.06 |
| 2 | 3 - 9 | 1106 | 5.04 |
| 3 | 10 - 24 | 932 | 4.25 |
| 4 | 25 - 50 | 772 | 3.52 |
| 5 | 51 - 100 | 662 | 3.02 |
| 6 | 101 - 200 | 612 | 2.79 |
| 7 | 201 - 999 | 1195 | 5.44 |
| 8 | 1,000 OR MORE | 5878 | 26.78 |

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK AND ARE NOT GOV. EMPLOYEE

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10_P

LABEL: RESPONDENT'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

| | |
|------|---------|
| N | 12982 |
| MIN | 0 |
| MAX | 30000 |
| MEAN | 7342.86 |

UNIVERSE: ALL ADULTS WHO CURRENTLY/USUALLY WORK

INPUT VAR:

NOTES: TOPCODE=30,000

VARNAME: AK20_P1

LABEL: # OF HRS PER WEEK SPOUSE USUALLY WORKS (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 14688 | 66.92 |
| 0 | 0 HOURS | 207 | 0.94 |
| 1 | 1-9 HOURS | 246 | 1.12 |
| 2 | 10-19 HOURS | 329 | 1.50 |
| 3 | 20-29 HOURS | 469 | 2.14 |
| 4 | 30-40 HOURS | 3874 | 17.65 |
| 5 | 41-49 HOURS | 510 | 2.32 |
| 6 | 50-59 HOURS | 1022 | 4.66 |
| 7 | 60-69 HOURS | 457 | 2.08 |
| 8 | 70-79 HOURS | 78 | 0.36 |
| 9 | 80+ HOURS | 69 | 0.31 |

UNIVERSE: ALL ADULTS WHOSE SPOUSE IS CURRENTLY WORKING/USUALLY WORKING OR
HAS JOB/BUSINESS BUT NOT AT WORK

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK22_P1

LABEL: HH TOTAL ANN. INC BEFORE TAXES IN PREVIOUS YEAR (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|-----------------|------|-------|
| 1 | LESS THAN 10000 | 817 | 3.72 |
| 2 | 10,000-19,999 | 1269 | 5.78 |
| 3 | 20,000-29,999 | 1400 | 6.38 |
| 4 | 30,000-39,999 | 1435 | 6.54 |
| 5 | 40,000-49,999 | 1284 | 5.85 |
| 6 | 50,000-59,999 | 1332 | 6.07 |
| 7 | 60,000-69,999 | 1265 | 5.76 |
| 8 | 70,000-79,999 | 1393 | 6.35 |
| 9 | 80,000-89,999 | 1100 | 5.01 |
| 10 | 90,000-99,999 | 1020 | 4.65 |
| 11 | 100,000-109,999 | 1340 | 6.11 |
| 12 | 110,000-119,999 | 680 | 3.10 |
| 13 | 120,000-129,000 | 1029 | 4.69 |
| 14 | 130,000-139,000 | 553 | 2.52 |
| 15 | 140,000-149,999 | 494 | 2.25 |
| 16 | 150,000-159,999 | 862 | 3.93 |
| 17 | 160,000-169,999 | 448 | 2.04 |
| 18 | 170,000-179,000 | 388 | 1.77 |
| 19 | OVER 180,000 | 3840 | 17.50 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK10A_P

LABEL: SPOUSE'S EARNINGS LAST MONTH (PUF RECODE)

MEAN STATISTICS

| | |
|------|---------|
| N | 7054 |
| MIN | 0 |
| MAX | 30000 |
| MEAN | 7743.35 |

UNIVERSE: ALL ADULTS WHOSE SPOUSE WORKS MORE THAN 0 HOURS PER WEEK

INPUT VAR:

NOTES: TOPCODE=30,000

VARNAME: AK32V2

LABEL: HH INCOME SUPPORTS SOMEONE LIVING IN U.S. BUT NOT LIVING IN HH (I

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1834 | 8.36 |
| 2 | NO | | 20115 | 91.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Previous version: AK32

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK33V2_P1

LABEL: # OF PERSONS SUPPORTED BY HH INCOME NOT IN HH (INCLUDES SINGLE PE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20115 | 91.64 |
| 1 | 1 | | 1220 | 5.56 |
| 2 | 2 | | 420 | 1.91 |
| 3 | 3 | | 194 | 0.88 |

UNIVERSE: ALL ADULTS WHOSE HH INCOME SUPPORTS SOMEONE IN U.S. BUT NOT IN
HOUSEHOLD

INPUT VAR:

NOTES: TOPCODE = 3; PREVIOUS VERSION: AK33_P1

VARNAME: AM1

LABEL: HOW OFTEN FOOD DIDN'T LAST, COULDN'T AFFORD MORE, PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|----------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17683 | 80.56 |
| 1 | OFTEN TRUE | | 298 | 1.36 |
| 2 | SOMETIMES TRUE | | 1065 | 4.85 |
| 3 | NEVER TRUE | | 2903 | 13.23 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM2

LABEL: HOW OFTEN COULDN'T AFFORD TO EAT BALANCED MEALS

| VALUE: | | | FREQ | % |
|--------|----------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17683 | 80.56 |
| 1 | OFTEN TRUE | | 369 | 1.68 |
| 2 | SOMETIMES TRUE | | 1151 | 5.24 |
| 3 | NEVER TRUE | | 2746 | 12.51 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

VARNAME: AM3

LABEL: ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17683 | 80.56 |
| 1 | YES | | 772 | 3.52 |
| 2 | NO | | 3494 | 15.92 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL OR LESS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM3A

LABEL: HOW OFTEN ALL ADULTS CUT/SKIPPED MEALS IN PAST 12 MOS FOR MONEY

| VALUE: | | | FREQ | % |
|--------|---------------------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 21177 | 96.48 |
| 1 | ALMOST EVERY MONTH | | 250 | 1.14 |
| 2 | SOME MONTHS BUT NOT EVERY MONTH | | 348 | 1.59 |
| 3 | ONLY IN 1 OR 2 MONTHS | | 174 | 0.79 |

UNIVERSE: ALL ADULTS W/ TOTAL ANNUAL HOUSEHOLD INCOME 200% FPL OR LESS AND
SKIPPED MEALS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AM4

LABEL: ATE LESS THAN SHOULD BECAUSE OF MONEY IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17683 | 80.56 |
| 1 | YES | | 849 | 3.87 |
| 2 | NO | | 3417 | 15.57 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM5

LABEL: HOW OFTEN HUNGRY BUT DIDN'T EAT B/C OF MONEY IN PAST 12 MOS

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 17683 | 80.56 |
| 1 | YES | 539 | 2.46 |
| 2 | NO | 3727 | 16.98 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS 200% FPL

INPUT VAR:

NOTES:

VARNAME: FSLEV

LABEL: FOOD SECURITY STATUS LEVEL

| VALUE: | | FREQ | % |
|--------|----------------------------|-------|-------|
| -1 | INAPPLICABLE - >=200% FPL | 17761 | 80.92 |
| 1 | FOOD SECURITY | 2836 | 12.92 |
| 2 | FOOD INSECURITY W/O HUNGER | 896 | 4.08 |
| 3 | FOOD INSECURITY W/ HUNGER | 456 | 2.08 |

UNIVERSE: ALL ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: FSLEVCB

LABEL: FOOD SECURITY STATUS (2 LVLS)

| VALUE: | | | FREQ | % |
|--------|-----------------------|----------------|-------|-------|
| -1 | INAPPLICABLE - | >=200% FPL | 17761 | 80.92 |
| 1 | FOOD SECURITY | | 2836 | 12.92 |
| 2 | FOOD INSECURITY WITH/ | WITHOUT HUNGER | 1352 | 6.16 |

UNIVERSE: ADULTS WHOSE POVERTY LEVEL IS LESS THAN 200% FPL (INCL PROXIES)

INPUT VAR:

NOTES:

VARNAME: POVGWD_P1

LABEL: FAMILY POVERTY THRESHOLD LEVEL (PUF 1 YR RECODE)

| MEAN STATISTICS | |
|-----------------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 6 |
| MEAN | 3.93 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: POVLL2_P1V2

LABEL: POVERTY LEVEL AS TIMES OF 100% FPL (PUF RECODE V2)

MEAN STATISTICS

| | |
|------|-------|
| N | 21949 |
| MIN | 0 |
| MAX | 6 |
| MEAN | 4.18 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: POVLL

LABEL: POVERTY LEVEL

| VALUE: | | FREQ | % |
|--------|--------------------|-------|-------|
| 1 | 0-99% FPL | 1769 | 8.06 |
| 2 | 100-199% FPL | 2419 | 11.02 |
| 3 | 200-299% FPL | 2498 | 11.38 |
| 4 | 300% FPL AND ABOVE | 15263 | 69.54 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ELGMAGI3

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (2 LVLS)

| VALUE: | | FREQ | % |
|--------|---------------------------|-------|-------|
| -9 | NOT ASCERTAINED | 1 | 0.00 |
| -5 | INSURED | 13486 | 61.44 |
| -1 | INAPPLICABLE-AGES>=65 | 7683 | 35.00 |
| 1 | MEDI-CAL (MEDICAID) ELIG. | 193 | 0.88 |
| 3 | NOT ELIG. | 586 | 2.67 |

UNIVERSE: UNINSURED ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON
MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION
TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: ELGMAGI4

LABEL: MEDI-CAL ELIGIBILITY FOR UNINSURED: ACA MAGI (3 LVLS)

| VALUE: | | FREQ | % |
|--------|---------------------------|-------|-------|
| -9 | NOT ASCERTAINED | 1 | 0.00 |
| -5 | INSURED | 13486 | 61.44 |
| -1 | INAPPLICABLE - AGES >=65 | 7683 | 35.00 |
| 1 | MEDI-CAL (MEDICAID) ELIG. | 193 | 0.88 |
| 3 | NOT ELIG.-CIT./PR | 499 | 2.27 |
| 4 | NOT ELIG.-OTHER | 87 | 0.40 |

UNIVERSE: UNINSURED ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON
MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION
TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: ELGMAGI5

LABEL: MEDI-CAL ELIG FOR INDIVIDUALS <65 YRS:ACA MAGI(3 LVLS)

| VALUE: | | FREQ | % |
|--------|---------------------|-------|-------|
| -9 | NOT ASCERTAINED | 3 | 0.01 |
| -1 | SKIPPED - AGES >=65 | 7683 | 35.00 |
| 1 | MEDI-CAL ELIG. | 2445 | 11.14 |
| 3 | NOT ELIG.-CIT./PR | 11519 | 52.48 |
| 4 | NOT ELIG.-OTHER | 299 | 1.36 |

UNIVERSE: ALL ADULTS UNDER AGE 65

INPUT VAR:

NOTES: CONSTRUCTED FROM REVISED MEDI-CAL ELIGIBILITY CRITERIA BASED ON
MODIFIED ADJUSTED GROSS INCOME, EFFECTIVE JAN.2014; CAUTION
TRENDING W/ 2013 AND PRIOR MEDI-CAL ELIGIBILITY

VARNAME: ELDER_IDX

LABEL: ELDERLY SINGLES/COUPLE INCOME BELOW CNTY COST OF LIVING THRESHOLD

| VALUE: | | FREQ | % |
|--------|--------------|-------|-------|
| -1 | INAPPLICABLE | 14564 | 66.35 |
| 1 | YES | 1531 | 6.98 |
| 2 | NO | 5854 | 26.67 |

UNIVERSE: ADULTS 65 OR OVER LIVING ALONE OR W/ SPOUSE OR PARTNER

INPUT VAR:

NOTES: OFFICIAL INDEX ASSESSES INCOME INADEQUACY FOR SINGLES/COUPLES
LIVING ALONE ONLY. CURRENT CHIS MEASURE MAY INCLUDE ELDERLY
SINGLES/COUPLES LIVING WITH OTHERS IN A HOUSEHOLD. FOR MORE
INFORMATION PLEASE SEE: <http://healthpolicy.ucla.edu/programs/health-disp>

SECTION L: PUBLIC PROGRAM PARTICIPATION

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL2V2

LABEL: RECEIVING TANF OR CALWORKS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17683 | 80.56 |
| 1 | YES | | 289 | 1.32 |
| 2 | NO | | 3977 | 18.12 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL2

VARNAME: AL5V2

LABEL: RECEIVING FOOD STAMP BENEFITS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17683 | 80.56 |
| 1 | YES | | 1002 | 4.57 |
| 2 | NO | | 3264 | 14.87 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL5

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL6V2

LABEL: RECEIVING SSI (SUPPLEMENTAL SECURITY INCOME)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17683 | 80.56 |
| 1 | YES | | 513 | 2.34 |
| 2 | NO | | 3753 | 17.10 |

UNIVERSE: ALL ADULTS WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS
THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL6

VARNAME: AL22

LABEL: RECEIVING SOCIAL SECURITY DISABILITY INS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19464 | 88.68 |
| 1 | YES | | 463 | 2.11 |
| 2 | NO | | 2022 | 9.21 |

UNIVERSE: ALL ADULTS UNDER 65 WHO ARE RETIRED, DISABLED, OR DO NOT USUALLY
WORK

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL18AV2

LABEL: RECVD SOCIAL SECURITY OR PENSION LAST MONTH

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20093 | 91.54 |
| 1 | YES | | 1423 | 6.48 |
| 2 | NO | | 433 | 1.97 |

UNIVERSE: (ALL ADULTS 65 OR OLDER WHO ARE NOT MARRIED OR LIVING WITH PARTNER OR OVER 50 WHO ARE MARRIED AND LIVING WITH SPOUSE) AND TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR:

NOTES: PREVIOUS VERSION: AL18A

VARNAME: AL40V2_P1

LABEL: LENGTH OF TIME HAD MEDI-CAL (PUF 1YR RECODE)

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19923 | 90.77 |
| 1 | <1 YEAR | | 161 | 0.73 |
| 2 | 1-2 YEARS | | 136 | 0.62 |
| 3 | 2-3 YEARS | | 201 | 0.92 |
| 4 | 3-4 YEARS | | 158 | 0.72 |
| 5 | 4-5 YEARS | | 137 | 0.62 |
| 6 | 5-6 YEARS | | 200 | 0.91 |
| 7 | 6-7 YEARS | | 100 | 0.46 |
| 8 | 7-8 YEARS | | 97 | 0.44 |
| 9 | 8-9 YEARS | | 77 | 0.35 |
| 10 | 9-10 YEARS | | 32 | 0.15 |
| 11 | 10+ YEARS | | 727 | 3.31 |

UNIVERSE: ADULTS WHO CURRENTLY HAVE OR USED TO HAVE MEDI-CAL AND WHOSE TOTAL ANNUAL HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL

INPUT VAR:

NOTES: Previous version: AL40_P1

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL86

LABEL: WAIT TIME WITH COUNTY OFFICE ABOUT MEDICAL BENEFITS IN PAST 12 MO

| VALUE: | | FREQ | % |
|--------|-----------------------------------|-------|-------|
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | 5 MINUTES OR LESS | 190 | 0.87 |
| 2 | MORE THAN 5, UP TO 15 MINUTES | 276 | 1.26 |
| 3 | MORE THAN 15, UP TO 30 MINUTES | 271 | 1.23 |
| 4 | MORE THAN 30 MINUTES | 412 | 1.88 |
| 5 | NEVER CONTACTED THE COUNTY OFFICE | 877 | 4.00 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL87

LABEL: METHOD OF CONTACTING COUNTY OFFICE

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 20800 | 94.77 |
| 1 | VISITED OFFICE IN PERSON | 304 | 1.39 |
| 2 | CALLED OFFICE | 628 | 2.86 |
| 3 | DIRECTLY CONTACTED ELIGIBILITY WORKER | 99 | 0.45 |
| 4 | ONLINE | 63 | 0.29 |
| 5 | MAIL | 46 | 0.21 |
| 6 | ASSISTANCE FROM FAMILY, FRIEND, COMMUNIT | 2 | 0.01 |
| 91 | OTHER | 7 | 0.03 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE
COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL88

LABEL: LENGTH OF TIME COUNTY REP TO TAKE CARE OF R'S PROBLEM

| VALUE: | | FREQ | % |
|--------|---------------------------------|-------|-------|
| -1 | INAPPLICABLE | 20800 | 94.77 |
| 1 | A WEEK OR LESS | 606 | 2.76 |
| 2 | MORE THAN 1 WEEK UP TO 2 WEEKS | 284 | 1.29 |
| 3 | MORE THAN 2 WEEKS UP TO A MONTH | 140 | 0.64 |
| 4 | MORE THAN A MONTH | 119 | 0.54 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE
COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL89

LABEL: COUNTY REP ANSWER ALL OF R'S QUESTIONS

| VALUE: | | FREQ | % |
|--------|----------------------------|-------|-------|
| -1 | INAPPLICABLE | 20800 | 94.77 |
| 1 | STRONGLY AGREE | 370 | 1.69 |
| 2 | AGREE | 506 | 2.31 |
| 3 | NEITHER AGREE NOR DISAGREE | 171 | 0.78 |
| 4 | DISAGREE | 69 | 0.31 |
| 5 | STRONGLY DISAGREE | 33 | 0.15 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE
COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL90

LABEL: COUNTY REP TREATED R WITH RESPECT

| VALUE: | | FREQ | % |
|--------|----------------------------|-------|-------|
| -1 | INAPPLICABLE | 20800 | 94.77 |
| 1 | STRONGLY AGREE | 434 | 1.98 |
| 2 | AGREE | 529 | 2.41 |
| 3 | NEITHER AGREE NOR DISAGREE | 138 | 0.63 |
| 4 | DISAGREE | 31 | 0.14 |
| 5 | STRONGLY DISAGREE | 17 | 0.08 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RECENTLY CONTACTED THE
COUNTY OFFICE REGARDING MEDI-CAL BENEFITS IN PAST 12 MOS

INPUT VAR:

NOTES:

VARNAME: AL91_1

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: REDUCE WAIT TIMES

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 770 | 3.51 |
| 2 | NO | 896 | 4.08 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL91_2

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: SPEND MORE TIME WITH R

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 165 | 0.75 |
| 2 | NO | 1501 | 6.84 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_3

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: EXPLAIN THINGS BETTER

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 406 | 1.85 |
| 2 | NO | 1260 | 5.74 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL91_4

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: TELL R THE NEXT STEPS

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 431 | 1.96 |
| 2 | NO | 1235 | 5.63 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_5

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: NO IMPROVEMENTS

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 513 | 2.34 |
| 2 | NO | 1153 | 5.25 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL91_6

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE LOCATIONS/STAFF

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 8 | 0.04 |
| 2 | NO | 1658 | 7.55 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_7

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: ADD MORE WAYS TO REACH STAFF

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 10 | 0.05 |
| 2 | NO | 1656 | 7.54 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL91_8

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: BETTER ATTITUDE

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| -9 | NOT ASCERTAINED | | 310 | 1.41 |
| -8 | DON'T KNOW | | 41 | 0.19 |
| -7 | REFUSED | | 9 | 0.04 |
| -1 | INAPPLICABLE | | 19923 | 90.77 |
| 1 | YES | | 27 | 0.12 |
| 2 | NO | | 1639 | 7.47 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_9

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: SIMPLIFIED/UP-TO-DATE SYSTEM/ONL

| VALUE: | | | FREQ | % |
|--------|-----------------|--|-------|-------|
| -9 | NOT ASCERTAINED | | 310 | 1.41 |
| -8 | DON'T KNOW | | 41 | 0.19 |
| -7 | REFUSED | | 9 | 0.04 |
| -1 | INAPPLICABLE | | 19923 | 90.77 |
| 1 | YES | | 18 | 0.08 |
| 2 | NO | | 1648 | 7.51 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL91_10

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: IMPROVE KNOWLEDGE/SKILLS OF STAF

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 13 | 0.06 |
| 2 | NO | 1653 | 7.53 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL91_11

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: EXPAND MEDICAL COVERAGE/SERVICES

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 14 | 0.06 |
| 2 | NO | 1652 | 7.53 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL91_12

LABEL: AREAS COUNTY OFFICE CAN IMPROVE: OTHERS

| VALUE: | | FREQ | % |
|--------|-----------------|-------|-------|
| -9 | NOT ASCERTAINED | 310 | 1.41 |
| -8 | DON'T KNOW | 41 | 0.19 |
| -7 | REFUSED | 9 | 0.04 |
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | YES | 24 | 0.11 |
| 2 | NO | 1642 | 7.48 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL92

LABEL: SATISFACTION RATING OF COUNTY OFFICE

| VALUE: | | FREQ | % |
|--------|-----------------------------------|-------|-------|
| -1 | INAPPLICABLE | 19923 | 90.77 |
| 1 | VERY SATISFIED | 504 | 2.30 |
| 2 | SOMEWHAT SATISFIED | 616 | 2.81 |
| 3 | NEITHER SATISFIED OR DISSATISFIED | 394 | 1.80 |
| 4 | SOMEWHAT DISSATISFIED | 149 | 0.68 |
| 5 | VERY DISSATISFIED | 73 | 0.33 |
| 6 | NOT APPLICABLE | 290 | 1.32 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL93

LABEL: RENEWED MEDI-CAL IN PAST 12 MOS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19923 | 90.77 |
| 1 | YES | | 1154 | 5.26 |
| 2 | NO | | 872 | 3.97 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL

INPUT VAR:

NOTES:

VARNAME: AL94

LABEL: HAVE ISSUES RENEWING MEDI-CAL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20795 | 94.74 |
| 1 | YES | | 153 | 0.70 |
| 2 | NO | | 1001 | 4.56 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RENEWED MEDI-CAL IN PAST
12 MOS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AL95_P1

LABEL: TEMPORARILY LOST COVERAGE OR HAD TO REAPPLY (PUF 1 YR RECODE)

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 20948 | 95.44 |
| 1 | YES, LOST COVERAGE FOR ANY PERIOD OF TIM | 74 | 0.34 |
| 2 | YES, HAD TO REAPPLY | 92 | 0.42 |
| 3 | NONE OF THE ABOVE | 835 | 3.80 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND THEN RENEWED MEDI-CAL IN PAST
12 MOS WITHOUT PROBLEMS

INPUT VAR:

NOTES:

VARNAME: AL96

LABEL: COVERAGE PRIOR TO MEDI-CAL

| VALUE: | | FREQ | % |
|--------|--------------------|-------|-------|
| -1 | INAPPLICABLE | 20076 | 91.47 |
| 1 | UNINSURED | 832 | 3.79 |
| 2 | EMPLOYER-BASED | 381 | 1.74 |
| 3 | PRIVATE | 118 | 0.54 |
| 4 | COVERED CALIFORNIA | 210 | 0.96 |
| 5 | OTHER | 332 | 1.51 |

UNIVERSE: ADULTS WHOSE HOUSEHOLD INCOME IS EQUAL TO OR LESS THAN 200% FPL
AND HAVE/USED TO HAVE MEDI-CAL AND DID NOT HAVE PROBLEMS RENEWING
MEDI-CAL IN PAST 12 MOS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: SSNCIT_YN

LABEL: ASKED FOR SSN OR CITIZENSHIP TO GET MEDICAL SERVICES/SCHOOL ENROL

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 17356 | 79.07 |
| 1 | YES | | 536 | 2.44 |
| 2 | NO | | 4057 | 18.48 |

UNIVERSE: ADULTS NOT BORN IN US OR TERRITORIES

INPUT VAR: AH33 AL100 AL101 AL102 AL103

NOTES:

SECTION M: HOUSING & COMMUNITY INVOLVEMENT

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM37

LABEL: CURRENTLY PAYING OFF HOME MORTGAGE OR LOAN

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 15652 | 71.31 |
| 1 | YES | | 2919 | 13.30 |
| 2 | NO | | 3378 | 15.39 |

UNIVERSE: ALL ADULTS WHO ARE >= 65 AND OWN HOME

INPUT VAR:

NOTES:

VARNAME: AJ178

LABEL: DOCTOR'S OFFICE CONNECTS FAMILY WITH COMMUNITY-BASED SERVICES

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 13900 | 63.33 |
| 1 | YES | | 988 | 4.50 |
| 2 | NO | | 7061 | 32.17 |

UNIVERSE: ADULTS WHO HAVE USUAL SOURCE OF CARE AND HOUSEHOLD INCOME <= 400
FPL

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AK23

LABEL: LIVE IN HOUSE, DUPLEX, BUILDING WITH 3+ UNITS, OR MOBILE HOME

| VALUE: | | | FREQ | % |
|--------|-------------------------------|--|-------|-------|
| 1 | HOUSE | | 16432 | 74.86 |
| 2 | DUPLEX | | 819 | 3.73 |
| 3 | BUILDING WITH 3 OR MORE UNITS | | 3931 | 17.91 |
| 4 | MOBILE HOME | | 767 | 3.49 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM39

LABEL: VOLUNTEER IN ORG DEALING W/COMM PROB PAST YR

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 3418 | 15.57 |
| 2 | NO | | 18531 | 84.43 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: Reclaimed from CHIS 2016

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM44

LABEL: CONFIDENT TO EXPRESS VIEWS IN FRONT OF PEERS

| VALUE: | | | FREQ | % |
|--------|----------------------|--|------|-------|
| 1 | DEFINITELY COULD NOT | | 1173 | 5.34 |
| 2 | PROBABLY COULD NOT | | 2427 | 11.06 |
| 3 | MAYBE COULD | | 4425 | 20.16 |
| 4 | PROBABLY COULD | | 6750 | 30.75 |
| 5 | DEFINITELY COULD | | 7174 | 32.68 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM45

LABEL: CAN CONTACT ELECTED OFFICIAL IN COMMUNITY

| VALUE: | | | FREQ | % |
|--------|----------------------|--|------|-------|
| 1 | DEFINITELY COULD NOT | | 927 | 4.22 |
| 2 | PROBABLY COULD NOT | | 1913 | 8.72 |
| 3 | MAYBE COULD | | 4071 | 18.55 |
| 4 | PROBABLY COULD | | 6396 | 29.14 |
| 5 | DEFINITELY COULD | | 8642 | 39.37 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM48

LABEL: ACTIVE MEMBER IN COMMUNITY POLITICAL GROUP (NOT POLITICAL PARTY)

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2669 | 12.16 |
| 2 | NO | | 19280 | 87.84 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK25

LABEL: OWN OR RENT HOME

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -9 | NOT ASCERTAINED | | 473 | 2.15 |
| -8 | DON'T KNOW | | 3 | 0.01 |
| -7 | REFUSED | | 8 | 0.04 |
| 1 | OWN | | 15339 | 69.88 |
| 2 | RENT | | 5304 | 24.17 |
| 3 | OTHER ARRANGEMENT | | 822 | 3.75 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM19

LABEL: PEOPLE IN NEIGHBORHOOD WILLING TO HELP EACH OTHER

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | STRONGLY AGREE | | 5345 | 24.35 |
| 2 | AGREE | | 13584 | 61.89 |
| 3 | DISAGREE | | 2541 | 11.58 |
| 4 | STRONGLY DISAGREE | | 474 | 2.16 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AM20

LABEL: PEOPLE IN NEIGHBORHOOD DO NOT GET ALONG

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | STRONGLY AGREE | | 311 | 1.42 |
| 2 | AGREE | | 1792 | 8.16 |
| 3 | DISAGREE | | 13649 | 62.19 |
| 4 | STRONGLY DISAGREE | | 6192 | 28.21 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AM21

LABEL: PEOPLE IN NEIGHBORHOOD CAN BE TRUSTED

| VALUE: | | | FREQ | % |
|--------|-------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | STRONGLY AGREE | | 4195 | 19.11 |
| 2 | AGREE | | 15126 | 68.91 |
| 3 | DISAGREE | | 2239 | 10.20 |
| 4 | STRONGLY DISAGREE | | 384 | 1.75 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: AK28

LABEL: HOW OFTEN FEEL SAFE IN NEIGHBORHOOD

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| -2 | PROXY SKIPPED | | 5 | 0.02 |
| 1 | ALL OF THE TIME | | 9911 | 45.15 |
| 2 | MOST OF THE TIME | | 10604 | 48.31 |
| 3 | SOME OF THE TIME | | 1277 | 5.82 |
| 4 | NONE OF THE TIME | | 152 | 0.69 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

**SECTION N: DEMOGRAPHIC INFO. PART III,
GEOGRAPHIC INFO.**

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: UR_CLRT2

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS)

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | URBAN | | 17374 | 79.16 |
| 2 | RURAL | | 4575 | 20.84 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR_IHS

LABEL: RURAL AND URBAN - IHS

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | URBAN | | 13480 | 61.42 |
| 2 | RURAL | | 8469 | 38.58 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR_OMB

LABEL: RURAL AND URBAN - OMB

| VALUE: | | | FREQ | % |
|--------|------------------|--|-------|-------|
| 1 | METROPOLITAN | | 20272 | 92.36 |
| 2 | NON-METROPOLITAN | | 1677 | 7.64 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_RHP

LABEL: RURAL AND URBAN - RHP

| VALUE: | | | FREQ | % |
|--------|-------|--|-------|-------|
| 1 | URBAN | | 19098 | 87.01 |
| 2 | RURAL | | 2851 | 12.99 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: UR_BG6

LABEL: RURAL AND URBAN - CLARITAS (BY BLOCK GROUP) (6 LVLS)

| VALUE: | | | FREQ | % |
|--------|----------|--|------|-------|
| 1 | URBAN | | 7424 | 33.82 |
| 2 | 2ND CITY | | 1084 | 4.94 |
| 3 | MIXED | | 3952 | 18.01 |
| 4 | SUBURBAN | | 4914 | 22.39 |
| 5 | TOWN | | 2560 | 11.66 |
| 6 | RURAL | | 2015 | 9.18 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: UR_CLRT6

LABEL: RURAL AND URBAN - CLARITAS (BY ZIPCODE) (6 LVLS)

| VALUE: | | | FREQ | % |
|--------|----------|--|------|-------|
| 1 | URBAN | | 7424 | 33.82 |
| 2 | 2ND CITY | | 1084 | 4.94 |
| 3 | MIXED | | 3952 | 18.01 |
| 4 | SUBURBAN | | 4914 | 22.39 |
| 5 | TOWN | | 2559 | 11.66 |
| 6 | RURAL | | 2016 | 9.18 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: SIMILAR TO UR_CLRT4; 'SUBURBAN' AND '2ND CITY' CATEGORIES FROM PREVIOUS 4-LEVEL VARIABLE NOW REDISTRIBUTED INTO 'SUBURBAN', '2ND CITY', AND 'MIXED'.

VARNAME: UR_TRACT6

LABEL: RURAL AND URBAN - CLARITAS (BY CENSUS TRACT) (6 LVLS)

| VALUE: | | | FREQ | % |
|--------|----------|--|------|-------|
| 1 | URBAN | | 7739 | 35.26 |
| 2 | 2ND CITY | | 1078 | 4.91 |
| 3 | MIXED | | 3788 | 17.26 |
| 4 | SUBURBAN | | 4706 | 21.44 |
| 5 | TOWN | | 2646 | 12.06 |
| 6 | RURAL | | 1992 | 9.08 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

SECTION O: FULL DESIGN & REPLICATE WEIGHT SERIES 0-80

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW0

LABEL: CHIS2020 RAKED WEIGHT - FULL SAMPLE

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW1

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 1

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW2

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 2

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW3

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 3

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW4

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 4

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW5

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 5

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW6

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 6

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW7

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 7

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW8

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 8

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW9

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 9

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW10

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 10

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW11

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 11

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW12

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 12

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW13

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 13

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW14

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 14

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW15

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 15

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW16

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 16

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW17

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 17

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW18

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 18

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW19

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 19

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW20

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 20

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW21

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 21

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW22

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 22

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW23

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 23

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW24

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 24

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW25

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 25

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW26

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 26

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW27

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 27

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW28

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 28

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW29

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 29

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW30

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 30

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW31

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 31

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW32

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 32

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW33

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 33

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW34

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 34

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW35

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 35

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW36

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 36

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW37

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 37

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW38

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 38

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW39

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 39

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW40

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 40

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW41

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 41

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW42

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 42

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW43

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 43

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW44

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 44

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW45

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 45

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW46

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 46

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW47

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 47

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW48

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 48

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW49

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 49

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW50

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 50

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW51

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 51

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW52

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 52

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW53

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 53

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW54

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 54

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW55

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 55

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW56

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 56

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW57

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 57

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW58

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 58

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW59

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 59

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW60

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 60

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW61

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 61

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW62

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 62

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW63

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 63

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW64

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 64

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW65

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 65

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW66

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 66

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW67

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 67

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW68

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 68

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW69

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 69

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW70

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 70

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW71

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 71

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW72

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 72

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW73

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 73

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW74

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 74

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW75

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 75

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW76

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 76

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW77

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 77

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: RAKEDW78

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 78

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW79

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 79

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: RAKEDW80

LABEL: CHIS2020 RAKED WEIGHT - REPLICATE 80

| VALUE: | . | 0 - HIGH | FREQ | % |
|--------|---|----------|-------|--------|
| | | | 21949 | 100.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

SECTION P: VOTER ENGAGEMENT

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: AP73V2

LABEL: FREQUENCY OF VOTING IN PRESIDENTIAL ELECTIONS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 1191 | 5.43 |
| 1 | ALWAYS | | 17584 | 80.11 |
| 2 | SOMETIMES | | 1973 | 8.99 |
| 3 | NEVER | | 1201 | 5.47 |

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES: PREVIOUS VERSION: AP73

VARNAME: AP74V2

LABEL: FREQUENCY OF VOTING IN STATE ELECTIONS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 1191 | 5.43 |
| 1 | ALWAYS | | 15941 | 72.63 |
| 2 | SOMETIMES | | 3357 | 15.29 |
| 3 | NEVER | | 1460 | 6.65 |

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES: PREVIOUS VERSION: AP74

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AP75V2

LABEL: FREQUENCY OF VOTING IN LOCAL ELECTIONS

| VALUE: | | | FREQ | % |
|--------|-----------|--|-------|-------|
| 1 | ALWAYS | | 13791 | 62.83 |
| 2 | SOMETIMES | | 4815 | 21.94 |
| 3 | NEVER | | 3343 | 15.23 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES: PREVIOUS VERSION: AP75

VARNAME: VOTE_ENG2

LABEL: VOTER ENGAGEMENT

| VALUE: | | | FREQ | % |
|--------|--------------------|--|-------|-------|
| -1 | INAPPLICABLE | | 1179 | 5.37 |
| 1 | ALWAYS ENGAGED | | 13340 | 60.78 |
| 2 | FREQUENTLY ENGAGED | | 2642 | 12.04 |
| 3 | SOMETIMES ENGAGED | | 3771 | 17.18 |
| 4 | NEVER ENGAGED | | 1017 | 4.63 |

UNIVERSE: ADULTS WITH US CITIZENSHIP

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: AP80

LABEL: MAIN REASON DID NOT VOTE

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 13505 | 61.53 |
| 1 | I DISLIKE POLITICS | 864 | 3.94 |
| 2 | VOTING HAS LITTLE TO DO WITH THE WAY REA | 335 | 1.53 |
| 3 | I DID NOT LIKE ANY OF THE CANDIDATES ON | 691 | 3.15 |
| 4 | MY ONE VOTE IS NOT GOING TO AFFECT HOW T | 327 | 1.49 |
| 5 | I WAS NOT INFORMED ENOUGH ABOUT THE CAND | 2207 | 10.06 |
| 6 | I DID NOT SEE A DIFFERENCE BETWEEN THE C | 228 | 1.04 |
| 7 | I WAS NOT INTERESTED IN WHAT WAS HAPPENI | 313 | 1.43 |
| 8 | I JUST DID NOT THINK ABOUT DOING IT. | 644 | 2.93 |
| 9 | I FORGOT OR WAS TOO LAZY | 933 | 4.25 |
| 10 | I HAD TO WORK OR WAS TOO BUSY TO VOTE | 589 | 2.68 |
| 11 | I DID NOT HAVE TRANSPORTATION | 83 | 0.38 |
| 12 | AGAINST RELIGIOUS/OTHER BELIEFS OR MY RE | 79 | 0.36 |
| 13 | COVID | 9 | 0.04 |
| 91 | OTHER | 1142 | 5.20 |

UNIVERSE: ADULTS WHO DO NOT ALWAYS VOTE IN ALL PRESIDENTIAL, STATE, LOCAL
ELECTIONS

INPUT VAR:

NOTES: NEW COVID CATEGORY ADDED IN 2020

VARNAME: VOTE_RSNNO

LABEL: MAIN REASON DID NOT VOTE

| VALUE: | | FREQ | % |
|--------|--|-------|-------|
| -1 | INAPPLICABLE | 13505 | 61.53 |
| 1 | TOO BUSY OR FORGOT | 2166 | 9.87 |
| 2 | DON'T LIKE OR CARE ABOUT POLITICS | 1868 | 8.51 |
| 3 | VOTING DOESN'T MAKE A DIFFERENCE | 662 | 3.02 |
| 4 | DON'T KNOW ENOUGH ABOUT CANDIDATES/ISSUE | 2435 | 11.09 |
| 5 | OTHER | 1304 | 5.94 |
| 6 | COVID | 9 | 0.04 |

UNIVERSE: ADULTS WHO SOMETIMES OR NEVER VOTE IN ELECTIONS

INPUT VAR: AP80

NOTES:

SECTION CV: COVID-19

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV1

LABEL: EVER HAD OR THOUGHT HAD COVID-19

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 2373 | 10.81 |
| 2 | NO | | 19576 | 89.19 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV2

LABEL: CONTACTED HEALTH PROFESSIONAL ABOUT COVID-19 CONCERNS

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 19576 | 89.19 |
| 1 | YES | | 992 | 4.52 |
| 2 | NO | | 1381 | 6.29 |

UNIVERSE: ADULTS WHO HAD OR THOUGHT HAD COVID-19

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV3

LABEL: HEALTH PROFESSIONAL SUSPECTED RESPONDENT HAD COVID-19

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 20961 | 95.50 |
| 1 | YES | | 326 | 1.49 |
| 2 | NO | | 662 | 3.02 |

UNIVERSE: ADULTS WHO HAD OR THOUGHT HAD COVID-19 AND CONTACTED A HEALTH
PROFESSIONAL

INPUT VAR:

NOTES:

VARNAME: CV4

LABEL: EVER TESTED FOR COVID-19

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 3143 | 14.32 |
| 2 | NO | | 18806 | 85.68 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY

VARNAME: CV5

LABEL: EVER RECEIVED POSITIVE TEST RESULT FOR COVID-19

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 18806 | 85.68 |
| 1 | YES | | 126 | 0.57 |
| 2 | NO | | 3017 | 13.75 |

UNIVERSE: ADULTS WHO WERE EVER TESTED FOR COVID-19

INPUT VAR:

NOTES:

VARNAME: CV7_1

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: LOST JOB

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1658 | 7.55 |
| 2 | NO | | 20291 | 92.45 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7_2

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: REDUCED JOB HOURS OR I

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 3437 | 15.66 |
| 2 | NO | | 18512 | 84.34 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV7_3

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: WORKING FROM HOME

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 5105 | 23.26 |
| | 2 | NO | 16844 | 76.74 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7_4

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CONTINUED WORK AS AN E

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 3367 | 15.34 |
| | 2 | NO | 18582 | 84.66 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7_5

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: CHILDCARE DIFFICULTIES

| | | | FREQ | % |
|--------|---|-----|-------|-------|
| VALUE: | 1 | YES | 451 | 2.05 |
| | 2 | NO | 21498 | 97.95 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV7_6

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING RE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1190 | 5.42 |
| 2 | NO | | 20759 | 94.58 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7_7

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: DIFFICULTIES PAYING FO

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 1309 | 5.96 |
| 2 | NO | | 20640 | 94.04 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7_8

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: TREATED UNFAIRLY DUE T

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 287 | 1.31 |
| 2 | NO | | 21662 | 98.69 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV7_9

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: OTHER

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 439 | 2.00 |
| 2 | NO | | 21510 | 98.00 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7_10

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: NONE OF THESE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 9629 | 43.87 |
| 2 | NO | | 12320 | 56.13 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

VARNAME: CV7_11

LABEL: EVER EXPERIENCED DUE TO COVID-19 OUTBREAK: INCREASED MENTAL HEALT

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 146 | 0.67 |
| 2 | NO | | 21803 | 99.33 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV8_1

LABEL: INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: INTERPERSONAL CON

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 3677 | 16.75 |
| 1 | YES | | 2458 | 11.20 |
| 2 | NO | | 15814 | 72.05 |

UNIVERSE: ADULTS IN HOUSEHOLDS WITH 2+ ADULTS OR 1 ADULT AND 1+
CHILDREN/TEENS

INPUT VAR:

NOTES:

VARNAME: CV8_2

LABEL: INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: SNAPPING/YELLING

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 3677 | 16.75 |
| 1 | YES | | 2614 | 11.91 |
| 2 | NO | | 15658 | 71.34 |

UNIVERSE: ADULTS IN HOUSEHOLDS WITH 2+ ADULTS OR 1 ADULT AND 1+
CHILDREN/TEENS

INPUT VAR:

NOTES:

2020 CALIFORNIA HEALTH INTERVIEW SURVEY
ADULT SURVEY DATA DICTIONARY-----
VARNAME: CV8_4

LABEL: INCREASE IN HH DURING COVID STAY-AT-HOME ORDER: NONE OF THESE

| VALUE: | | | FREQ | % |
|--------|--------------|--|-------|-------|
| -1 | INAPPLICABLE | | 3677 | 16.75 |
| 1 | YES | | 14295 | 65.13 |
| 2 | NO | | 3977 | 18.12 |

UNIVERSE: ADULTS IN HOUSEHOLDS WITH 2+ ADULTS OR 1 ADULT AND 1+
CHILDREN/TEENS

INPUT VAR:

NOTES:

VARNAME: CV9

LABEL: WOULD GET COVID-19 VACCINE IF AVAILABLE

| VALUE: | | | FREQ | % |
|--------|-----|--|-------|-------|
| 1 | YES | | 17766 | 80.94 |
| 2 | NO | | 4183 | 19.06 |

UNIVERSE: ALL ADULTS

INPUT VAR:

NOTES:
