GADMTools - Graphics

jp.decorps@epiconcept.fr - Epiconcept 2019-03-18

Epiconcept is made up of a team of doctors, epidemiologists, data scientists and digital specialists. For more than 20 years, Epiconcept has been contributing to the improvement of public health programs by providing software, epidemiological studies, counseling, evaluation and training to better prevent, detect and treat people.

Epiconcept delivers software and services in the following areas :

- Software for managing public health programs,
- Secure cloud solutions for health data collection, reporting and processing,
- The implementation of research projects on measuring the effectiveness and impact of vaccines,
- Services in the field of epidemiology (protocols, analyzes, training, etc.),
- Expertise in data analysis,
- Counseling, coaching and assistance to project owners for public health programs,
- Training (short introductory modules, training through long-term practice).

To achieve such goals Epiconcept:

- Recognized research organization,
- Certified datacenter for hosting personal health data,
- Training organisation.

Epiconcept relies on:

- Its expertise in epidemiology
- Its IT expertise,
- Ethical values rooted in practice (responsibility and quality of services, data security and confidentiality, scientific independence, etc.),
- Capabilities to answer and anticipate tomorrow's challenges (Research evaluation, e-health, Big Data, IoT, etc.),
- A desire to build long-term relationships with its clients and partners.

Its current customers and partners include some of the greatest names in the world such as: Santé Publique France (and many public health organizations around the world), WHO, eCDC, AFD, MSF, World Bank, etc.

Graphics


functions

Function	Description
choropleth classDots	Draw a choropleth on selected regions Plot dots on a map with values between different fixed
dots	classestries Plot dots on a map
isopleth gadm_showNorth gadm_showScale	Draw an isopleth on selected regions Display a north arrow on a plot Display a scale on a plot

Display a north arrow on a plot

```
library(GADMTools)
data("Corsica")


plotmap(Corsica) %>% gadm_showNorth("tl")
```



Display a scale on a plot

```
library(GADMTools)
data("Corsica")

plotmap(Corsica) %>% gadm_showNorth("tl") %>% gadm_showScale("bl")
```



Plotting dots on a map

```
# Preparing data.frame
# -------
data("Corsica")

Corse <- gadm_union(Corsica, 0)
Cantons <- listNames(Corsica, 4)
L <- length(Cantons)
Pop <- floor(runif(L, min=15200, max=23500))

longitude <- runif(6, min=8.74, max = 9.25)
latitude <- runif(6, min=41.7, max = 42.6)
Cases <- floor(runif(6, 25, 80))

Type <- rep(c("TYPE A", "TYPE B", "TYPE C"), 6, length.out = 6)
DAT <- data.frame(longitude, latitude, Cases)</pre>
```




Figure 1: Simple dots

```
# Classified dots
#-----
dots(Corse, points = DAT,
    palette = "Reds",
    value="Cases")
```




Figure 2: Classified dots




Figure 3: Typed dots

Plotting proportionals dots

```
# Test of propDots with default parameters
# -----
propDots(Corse,
    data = DAT,
    value="Cases",
    color = "blue")
```




Figure 4: propDots





Figure 5: propDots with provided breaks



 $Figure \ 6: \ propDots$

Plotting dots with classified size

```
library(GADMTools)
classDots(Corse, DAT, color="blue", value = "Cases", steps = 4)
```




Figure 7: classDots

Plotting density

```
library(GADMTools)
isopleth(Corse, data = DAT, palette = "Blues")
```




Figure 8: Isopleth

Plotting a choropleth

 $\mbox{\tt \#\#}$ Warning: Column `NAME_4` joining character vector and factor, coercing into $\mbox{\tt \#\#}$ character vector




Figure 9: Choropleth

fast.choropleth()

Parameter	Description
\mathbf{x}	Object GADMWrapper
data	data.frame - data to plot
value	String - the name of the column in the data.frame we want to plot (eg: an incidence in epidemiology studies)
breaks	
steps	Integer - number of breaks. Default $= 5$. If breaks is NOT NULL this value is used internally with $cut()$.
adm.join	String - the name in GADM spdf dataset which will be joined with a column of the data.
$_{ m legend}$	String - legend title. Default NULL.
labels	String vector labels for the legend. Default NULL
$\mathbf{palette}$	String - An RColorBrewer palette name or a String vector vector of colors. Default NULL.
title	String - Title of the plot. Default is an empty string.

Chlamydia incidence by Belgian district (2003)




Figure 10: drawing a fast.choropleth

Example

```
MAP <- gadm_sp_loadCountries("BEL", level = 3, simplify=0.01)
DAT = read.csv2("BE_clamydia_incidence.csv")
# Rewriting District names
DAT$district <- as.character(DAT$district)</pre>
DAT[7,1] = "Brussel"
DAT[20,1] <- "Liège"
DAT[22,1] = "Marche-en-Famenne"
DAT[27,1] = "Neufchâteau"
DAT <- rename(DAT, NAME_3 = district)</pre>
fast.choropleth(MAP, DAT,
                adm.join = "NAME_3",
                value = "rate03",
                steps = 4,
                breaks = "jenks",
                palette="Greens",
                legend = "Incidence",
                title="Chlamydia incidence by Belgian district (2003)")
```