

Dan Morgan


graphic designer

LOGO

02

The red and blue ServiTech "leaf" logo takes inspiration from the "Double Circle Coop" logo created by the Consumers Cooperative Association (CCA) in 1957, which later became Farmland Industries in 1967.

It has proven to be a well designed and durable logo that can be used across a wide variety of media from large signs to favicons in the leaf-only version.



SERVITECH.COM

FEBRUARY 2025

COLOR PALETTE

03

The red and blue ServiTech "leaf" logo takes inspiration from the "Double Circle Coop" logo created by the Consumers Cooperative Association (CCA) in 1957.

The red upper part and blue lower part of the leaf are a specific red and blue to match the intentions of the coop logo designer evoking the intertwined nature of member-owned cooperatives.

The specific definitions and specifications for the two main colors are detailed here for all type of media and applications.

RGB – 227 47 61
Hex – E32F3D
CMYK – 5 96 79 1
PMS (Vinyl) – 200C
PMS (Other) – 187C

RGB – 26 97 172
Hex – 1A61AC
CMYK – 91 65 1 0
PMS (Vinyl) – 294C
PMS (Other) – 293S

RGB – 35 31 32
Hex – 231F20
CMYK – 0 0 0 100

RGB – 255 255 255
Hex – FFFFFF
CMYK – 0 0 0 0

SERVITECH.COM

FEBRUARY 2025

TYPOGRAPHY

04

HELVETICA

The popular and timeless Grotesk-style typeface *Helvetica* has served us well through the years.

We use *Helvetica Neue* in a lot of our internal forms and documents due to its readability and ubiquity across operating systems and software.

The lowercase words "servi" and "tech" in center of the ServiTech leaf are set in more recent variant, *Helvetica New* (bold) with a horizontal spacing of 32% and centered.

Our most recent marketing materials are also set in Helvetica Now giving everything a light, modern look.



Helvetica Now Light
Helvetica Now Regular
Helvetica Now Bold
Helvetica Now Black

TYPOGRAPHY

05

MONTERRAT

The new ServiTech.com website as well as the new employee internet portal all use the open source sans serif the Montserrat typeface.

It is designed for use on digital devices to be readable at small point sizes with a variety of weights and styles to be flexible and attractive to employees and customers alike.

Montserrat is also used throughout this Brand Guideline document.

Montserrat Thin
Montserrat Extralight
Montserrat Light
Montserrat Regular
Montserrat Medium
Montserrat Semibold
Montserrat Bold
Montserrat ExtraBold
Montserrat Black

SOFTWARE STYLE GUIDE



ServiTech Software Style Guide

Colors

ServiTech Blue: #1A61AC
ServiTech Red: #E32F3D
Standard text: #000000

Gray placeholder text: #6F6F6F
Lighter gray placeholder text: #F7F7F7

Text in solid blue and red buttons: #FFFFFF

Dividing lines color: #D9D9D9

Typography

Montserrat
fonts.google.com/specimen/Montserrat
Base size: 16px = 1.0 rem

Service Name (Desktop)

Size: 1.5 rem
Weight: 500

Service Name (Mobile)

Size: 1.125 rem
Weight: 500

Subheading

Size: 1.0 rem
Weight: 500

Form Label

Size: 0.8 rem
Weight: 400

Form Text

Size: 0.8 rem
Weight: 400
Filled text color: #000000
Placeholder text color: #6F6F6F

Placeholder text color: #6F6F6F

Submit Cancel

Montserrat 16px or 1.0 rem

Service Name (Desktop)

Service Name (Mobile)

Subheading

Form Label

Filled text color: #000000

Form Label

Placeholder text color: #6F6F6F



ServiTech Software Style Guide

Primary Button

Height: 48px or 3.0 rem
Background color: #1A61AC
Button text height: 0.8 rem
Button text weight: 500
Button text color: #FFFFFF
Border: None

Secondary Button

Height: 48px or 3.0 rem
Background color: #EEEEEF
Button text height: 0.8 rem
Button text weight: 400
Button text color: #000000
Border: None

Tertiary Button

Height: 48px or 3.0 rem
Background color: #FFFFFF
Button text height: 0.8 rem
Button text weight: 400
Button text color: #000000 or #FF0000
Border: #000000 or #FF0000

Form Fields and Pulldown Menus

Height: 36px or 2.25 rem
Background color: #F7F7F7
Placeholder text height: 0.9 rem
Placeholder text color: #6F6F6F

Header Bar (Desktop)

Height: 70px
Drop shadow:

- spread: 0px
- distance: 1px
- blur: 4px

Logo inset 50px.
Logo is 50px by 78

Send Submit

Other Print

Cancel Cancel

Placeholder text color: #6F6F6F

Pulldown menu



ServiTech Software Style Guide

Standard Pill Button

Height: 32px or 2.0 rem
Background color: #EEEEEF
Button text height: 0.8 rem
Button text weight: 400
Button text color: #007AFF
Border: None

Secondary Pill Button

Height: 32px or 2.0 rem
Background color: #EEEEEF
Button text height: 0.8 rem
Button text weight: 400
Button text color: #FF0000
Border: None

Tertiary Pill Button

Height: 32px or 2.0 rem
Background color: #FFFFFF
Button text height: 0.8 rem
Button text weight: 400
Button text color: #000000
Border: #000000

Tertiary Pill Button with Icon

Height: 32px or 2.0 rem
Background color: #FFFFFF
Button text height: 0.8 rem
Button text weight: 400
Button text color: #000000
Border: #000000

<https://icons.getbootstrap.com/>

Edit Add





Edit Add

Cancel Print

Email Print

Filter Export

Choose Export Type



CONFERENCE SCHEDULE



Professional Development Conference

January 9-11, 2024
Kearney, Nebraska

Tuesday

Noon-5:00 PM.....Check in
1:00-5:00 PM.....Technical questions and answer session (Steve Bryan, Matt Wildman, and APS members answer questions about mapping, technology, etc.)
5:00-10:00 PM.....Social Night at the Big Apple; food, bowling, pool, bar, food, prizes, etc. The food for the evening will be catered by 'The Brisket Place'. There will be BBQ brisket and pulled pork along with excellent side dishes.

The Big Apple is only a few blocks away from the hotel but there will be a bus to shuttle folks back and forth starting at 5. We will share the facility with a bowling league but the sports bar and GO CARTS will be all ours.

Wednesday

7:00 AM.....Breakfast
8:00-8:10 AM.....Welcome from Ryan Hassebrook, CEO
8:10-9:00 AM.....Crop Service: Building on a Stable Foundation — Ryan Hassebrook
9:05-10:35 AM.....Update on Pesticide and Fertilizer Future — Gail Stratman (FMC)
10:35-10:50 AM.....Break
10:50-11:50 AM.....Conservation Ag, Carbon Markets, Etc. — Amy Cole (Farm Journal)
11:50-12:10 PM.....Years-of-service recognition, beginning of the lunch period
Noon-1:00 PM.....Lunch
1:00-5:00 PM.....Breakout sessions

Time	Stateroom D	Stateroom E	Ballroom 1
1:00-1:50 PM	Controlling Rootworms with Nematodes Dr. Elston Shields	Carbon Sampling and Associated Info Prof. Peter Tomlinson (KSU)	Tarspot Update Tamra Jackson Ziems (UNL)
2:00-2:50 PM	Controlling Rootworms with Nematodes Dr. Elston Shields	Carbon Sampling and Associated Info Prof. Peter Tomlinson (KSU)	Tarspot Update Tamra Jackson Ziems (UNL)
3:00-3:10 PM	Break	Break	Break
3:10-4:00 PM	Correct Nozzling for Various herbicides Brady Kappler (BASF)	Pigweed Phenotyping TJ Sims (Syngenta)	401(k) Information for Newer Employees 40 and Under Dustin Kuhn (Merill Lynch)
4:00-5:00 PM	Correct Nozzling for Various herbicides Brady Kappler (BASF)	Pigweed Phenotyping TJ Sims (Syngenta)	401(k) Information for Older Employees 40 and Over Dustin Kuhn (Merill Lynch)

Wednesday

5:30-6:30 PM.....Photos and social
6:30-9:00 PM.....Banquet
7:30 PM.....Keynote speaker: Dan Mears (Kansas City Chiefs mascot "KC Wolf")
8:30 PM.....Annual awards

Thursday

7:00 AM.....Breakfast
8:00-11:00 AM.....Breakout sessions

Time	Stateroom D	Stateroom E	Ballroom 1
8:00-8:50 AM	45 Years of Change in Crop Consulting Orvin Bontrager	Tips to be a Top Agronomist Travis Kinnison	Do I Really Need to Lime? Fred Vocasek
9:00-9:50 AM	45 Years of Change in Crop Consulting Orvin Bontrager	Chris Lobmeyer (Conservation Agronomist, ServiTech)	Hayden Geis (Agrilan)
10:00-11:00 AM	In House	In House	In House

11:00-11:30 AM.....ServiTech board Q&A session
11:30-Noon.....Final wrap up

Scan this to view program updates and more.



Sponsors



CORTEVATM
agriscience



PROVALUE INSURANCE



MERRILL
A BANK OF AMERICA COMPANY





Water is the fuel that powers your crop. As irrigation costs continue to rise, you should have a fuel gauge.

Soil Moisture Management

Sensor driven irrigation management has shown potential ROI of up to \$50 per acre in row crops according to University of Nebraska research—with even more significant ROI potential in high value crops such as vegetables.

- ServiTech soil moisture management is the gauge for your irrigation and soil moisture decisions, based on real time field data.
- Customizable crop stress alerts to your phone, tablet, or computer
- Includes field imagery and soil texture analysis for accurate water holding capacity of your field




Know exactly where to look when you go to the field.



Field Imagery

What does the crop look like in the far corner of the field? Know exactly where the trouble spots are while there's still time to fix them.

- Know week-to-week crop vigor changes
- Identify recurring problem areas from year-to-year with historical imagery
- Predict yield variations in-season
- Identify dry and immature areas of the field to aid in harvest




Track the weather in your fields, not the nearest airport.

Weather Station

Receive stress alerts, wind advisories, and monitor rainfall. Know the exact spraying conditions before heading to the field.

- Know the exact spraying conditions before heading to the field
- Receive crop stress alerts based on in-field conditions
- Know about sudden weather changes instantly
- Keep a backup record of all local weather conditions for environmental and other reporting requirements



It rained in your area last night. How much did your field get?

Rainfall Measurement

Monitor rainfall and soil moisture together to know the amount and benefits of last night's rain.

- Bridge tells you "when", "how much", and "how fast" the rainfall came, not just the amount since the last time you remembered to dump the gauge
- How much did it rain last night? How much did it rain per hour? Did it rain so hard, it ran off into the ditch and didn't infiltrate? Did you lose nitrogen with that hard rain? ServiTech Bridge helps you answer those questions




Helping You Grow
servitech.com • 620.801.4158

Version 7.5

DIGITAL ADVERTISING

What are your fall soil fertility goals?



Call your local ServiTech
agronomist for assistance.
(800) 557-7509

What do you look for in a rewarding career?




Apply now!




Do you utilize yield data to its full extent?



Call your local
ServiTech agronomist
for assistance
(800) 557-7509





The Ultimate HD Agronomy Experience

- Stand count flight**
 - Population map
 - Weed map
 - Full imagery report
- Tassel count flight**
 - Harvestable ear estimate map
 - In-season stress indicators
 - Full imagery report
- 911 On-Demand Flight**
 - Poor stand diagnosis
 - Wind & hail damage
 - Disease issues
 - Irrigation challenges

 Contact your local ServiTech agronomist for more information.
Visit us at servitech.com or call 800.557.7509 



Expert nutrition just got easier.

ServiTech and Dairyland Labs: Science you trust. Service you expect.

- Feed and forage testing by NIR or wet chemistry
- Reports available from ServiTech or Dairyland
- Convenient lab locations save on shipping cost and time

 **ServiTech Laboratories**
Dodge City, KS Hastings, NE Amarillo, TX
(800) 557-7509

 **DAIRYLAND**
Laboratories, Inc.




ServiTech CropView

The Ultimate HD Agronomy Experience

Let ServiTech's expert agronomists leverage ultra high definition drone imagery and in-field knowledge in a uniquely blended service for your farm, providing real insights and actionable recommendations.

 Contact your local ServiTech agronomist for more information.
Visit us at servitech.com or call 800.557.7509 

CORPORATE WEBSITES



main marketing site



knowledge base



TRADE SHOW BOOTHS

me *website*

dan@danmorgandesigns.com

instagram

email

A diagram illustrating the components of the email address 'dan@danmorgandesigns.com'. The address is centered. Above it, 'me' is positioned over 'dan' and 'website' is positioned over 'danmorgandesigns.com', with horizontal brackets connecting them. Below the address, 'instagram' is positioned under 'danmorgandesigns.com' with a horizontal bracket. A large horizontal bracket spans the entire address, with 'email' centered below it. Vertical lines connect the labels to their respective parts of the address.