



HTML och CSS

<Lektion class="nio">

Utbildare: Mahmud Al Hakim

NACKADEMIN

Lektionstillfällets mål

Mål med lektionen

- Arbeta med CSS-Layouter (del 3 av 3)
- Arbeta med flexbox
- CSS Grid
- Skapa multikolumnlayout
- Att läsa:
 - https://www.w3schools.com/css/css3_flexbox.asp
 - https://www.w3schools.com/css/css_grid.asp

Kort summering av föregående lektion


Föregående lektion:

- Vi har jobbat med Mobile-First och Responsive Web.
- Vi har gått igenom grunderna i Bootstrap.

Flexbox (Flexible Box)


- Flexbox (Flexible Box) är en layoutmodell från W3C
<https://www.w3.org/TR/css-flexbox/>
- Vi har hittills jobbat med följande s.k. "layout modes"
 - Tabeller (OBS! Används enbart för tabulär data).
 - Block, inline och inline-block.
 - Positionering för explicit placering av element.
 - Floatmodellen.
- Flexbox är en nyare modell som gör det enklare att designa flexibel och responsiv layoutstruktur utan att använda positionering eller float.

Flexbox – Grundläggande terminologi



An illustration of the various directions and sizing terms as applied to a **row** flex container.
<https://www.w3.org/TR/css-flexbox/>

Flexbox container




<https://css-tricks.com/snippets/css/a-guide-to-flexbox/>


Flexbox container – Exempel

```
.container {  
    display: flex;  
    border: 1px dotted purple;  
}  
  
.container > div {  
    background-color: orange;  
    margin: 10px;  
    padding: 10px;  
}
```

```
<div class="container">  
    <div>Item 1</div>  
    <div>Item 2</div>  
    <div>Item 3</div>  
</div>
```




flex-direction




flex-direction:row

```
.container {  
    display: flex;  
    flex-direction: row; /* default */  
    border: 1px dotted purple;  
}
```




flex-direction:row-reverse

```
.container {  
    display: flex;  
    flex-direction: row-reverse;  
    border: 1px dotted purple;  
}
```




flex-direction:column

```
.container {  
  display: flex;  
  flex-direction: column;  
  width: 100px;  
  border: 1px dotted purple;  
}
```



flex-direction:column-reverse

```
.container {  
  display: flex;  
  flex-direction: column-reverse;  
  width: 100px;  
  border: 1px dotted purple;  
}
```



justify-content

flex-start




flex-end



center



space-between



space-around




space-evenly




justify-content:center

```
.container {  
  display: flex;  
  justify-content: center;  
  border: 1px dotted purple;  
}
```




justify-content:space-between

```
.container {  
    display: flex;  
    justify-content: space-between;  
    border: 1px dotted purple;  
}
```




align-items




align-items:center

```
.container {  
  display: flex;  
  align-items: center;  
  border: 1px dotted purple;  
}  
  
<div class="container">  
  <div>Item 1</div>  
  <div>Item 2<br>Item 2</div>  
  <div>Item 3<br>Item 3<br>Item 3</div>  
</div>
```




align-items:flex-start

```
.container {  
  display: flex;  
  align-items: flex-start;  
  border: 1px dotted purple;  
}
```




align-items:flex-end

```
.container {  
  display: flex;  
  align-items: flex-end;  
  border: 1px dotted purple;  
}
```




align-items:stretch

```
.container {  
  display: flex;  
  align-items: stretch;  
  border: 1px dotted purple;  
}
```




flex-wrap



<https://css-tricks.com/snippets/css/a-guide-to-flexbox/>


flex-wrap:wrap

```
.container {  
    display: flex;  
    flex-wrap: wrap;  
    width: 200px;  
    border: 1px dotted purple;  
}
```




flex-wrap:wrap-reverse

```
.container {  
    display: flex;  
    flex-wrap: wrap-reverse;  
    width: 200px;  
    border: 1px dotted purple;  
}
```




align-content


flex-start




flex-end




space-between




center



stretch




space-around




align-content:flex-start

```
.container {  
    display: flex;  
    flex-wrap: wrap;  
    align-content: flex-start;  
    border: 1px dotted purple;  
    height: 300px; width: 500px;  
}  
.container > div {  
    background-color: orange;  
    margin: 10px; padding: 10px;  
    width: 50px; height: 50px;  
}
```




align-content:center

```
.container {  
    display: flex;  
    flex-wrap: wrap;  
    align-content: center;  
    border: 1px dotted purple;  
    height: 300px; width: 500px;  
}  
.container > div {  
    background-color: orange;  
    margin: 10px; padding: 10px;  
    width: 50px; height: 50px;  
}
```




align-content:flex-end

```
.container {  
    display: flex;  
    flex-wrap: wrap;  
    align-content: flex-end;  
    border: 1px dotted purple;  
    height: 300px; width: 500px;  
}  
.container > div {  
    background-color: orange;  
    margin: 10px; padding: 10px;  
    width: 50px; height: 50px;  
}
```




align-content:space-between

```
.container {  
    display: flex;  
    flex-wrap: wrap;  
    align-content: space-between;  
    border: 1px dotted purple;  
    height: 300px; width: 500px;  
}  
.container > div {  
    background-color: orange;  
    margin: 10px; padding: 10px;  
    width: 50px; height: 50px;  
}
```




align-content:space-around

```
.container {  
    display: flex;  
    flex-wrap: wrap;  
    align-content: space-around;  
    border: 1px dotted purple;  
    height: 300px; width: 500px;  
}  
.container > div {  
    background-color: orange;  
    margin: 10px; padding: 10px;  
    width: 50px; height: 50px;  
}
```




align-content:stretch

```
.container {  
    display: flex;  
    flex-wrap: wrap;  
    align-content: stretch;  
    border: 1px dotted purple;  
    height: 300px; width: 500px;  
}  
.container > div {  
    background-color: orange;  
    margin: 10px; padding: 10px;  
    width: 50px;  
}
```



order



<https://css-tricks.com/snippets/css/a-guide-to-flexbox/>


Order – Exempel

```
.container {  
    display: flex;  
}  
.container > div {  
    background-color: orange;  
    margin: 10px; padding: 10px;  
    font-size: 50px;  
}  
.item1 {  
    order: 1;  
}  
.item5{  
    order: -1;  
}
```

```
<body class="container">  
    <div class="item1">1</div>  
    <div class="item2">2</div>  
    <div class="item3">3</div>  
    <div class="item4">4</div>  
    <div class="item5">5</div>  
</body>
```



flex-grow



<https://css-tricks.com/snippets/css/a-guide-to-flexbox/>


flex-grow – Exempel

```
.container {  
    display: flex;  
}  
  
.container > div {  
    background-color: orange;  
    margin: 10px; padding: 10px;  
    font-size: 50px;  
}  
  
<body class="container">  
    <div class="item1">1</div>  
    <div class="item2">2</div>  
    <div class="item3">3</div>  
</body>  
  
.item1 {  
    flex-grow: 1;  
}  
  
.item2 {  
    flex-grow: 3;  
}  
  
.item3 {  
    flex-grow: 1;  
}
```

Egenskapen flex


```
.container {  
    display: flex;  
}  
  
.container > div {  
    background-color: orange;  
    margin: 10px;  
    padding: 10px;  
    font-size: 50px;  
    flex: 25%;  
}
```

```
<body class="container">  
    <div>1</div>  
    <div>2</div>  
    <div>3</div>  
    <div>4</div>  
</body>
```




“Perfect Centering”

```
body {  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  border: 10px solid black;  
  box-sizing: border-box;  
  height: 100vh;  
}  
  
img {  
  max-width: 100%;  
  height: auto;  
}  
  
<body>  
    
</body>
```



CSS Grid – En layoutmodell som byggs upp med ett rutnät.



Grid Container

```
.grid-container {  
    display: grid;  
}  
  
.grid-item {  
    background-color: orange;  
    border: 1px solid black;  
    font-size: 50px;  
}
```

```
<div class="grid-container">  
    <div class="grid-item">1</div>  
    <div class="grid-item">2</div>  
    <div class="grid-item">3</div>  
</div>
```



grid-template-columns

```
.grid-container {  
    display: grid;  
    grid-template-columns: 200px auto 200px;  
}
```



grid-template-columns – The fr Unit

```
.grid-container {  
  display: grid;  
  grid-template-columns: 1fr 2fr 1fr;  
}
```



grid-template-columns – repeat()

```
.grid-container {  
  display: grid;  
  grid-template-columns: repeat(3, 1fr);  
}
```




grid-template-rows

```
.grid-container {  
    display: grid;  
    grid-template-columns: 200px auto 200px;  
    grid-template-rows: 80px 200px;  
}
```

1	2	3
4	5	6


justify-content:center

```
.grid-container {  
    display: grid;  
    grid-template-columns: 200px auto 200px;  
    justify-content: center;  
    border: 1px solid orchid;  
}
```




justify-content:space-between

```
.grid-container {  
    display: grid;  
    grid-template-columns: 200px auto 200px;  
    justify-content: space-between;  
    border: 1px solid orchid;  
}
```




align-content: center

```
.grid-container {  
    display: grid;  
    grid-template-columns: 200px auto 200px;  
    align-content: center;  
    height: 200px;  
    border: 1px solid orchid;  
}
```



Grid Gaps


```
.grid-container {  
    display: grid;  
    grid-template-columns: auto auto;  
    grid-column-gap: 20px;  
    grid-row-gap: 20px;  
    /* grid-gap: 20px; */  
}
```



grid-column-start & grid-column-end


```
.grid-container {  
    display: grid;  
    grid-template-columns: auto auto auto;  
    grid-gap: 20px;  
}  
  
.grid-item {  
    background-color: orange;  
    border: 1px solid black;  
    font-size: 50px;  
    text-align: center;  
}
```

```
.item1 {  
    grid-column-start: 1;  
    grid-column-end: 3;  
}  
  
.item6 {  
    grid-column-start: 1;  
    grid-column-end: 4;  
}
```



grid-row-start & grid-row-end


```
.grid-container {  
    display: grid;  
    grid-template-columns: auto auto auto;  
    grid-gap: 20px;  
}  
  
.grid-item {  
    background-color: orange;  
    border: 1px solid black;  
    font-size: 50px;  
    text-align: center;  
}
```



grid-column (shorthand property)

```
.grid-container {  
  display: grid;  
  grid-template-columns: auto auto auto;  
  grid-gap: 20px;  
}  
.item2 {  
  grid-column: 2/4; /* 2/span 2 */  
}
```


```
<div class="grid-container">  
  <div class="grid-item">1</div>  
  <div class="grid-item item2">2</div>  
  <div class="grid-item">3</div>  
  <div class="grid-item">4</div>  
  <div class="grid-item">5</div>  
</div>
```



grid-row (shorthand property)

```
.grid-container {  
  display: grid;  
  grid-template-columns: auto auto auto;  
  grid-gap: 20px;  
}  
.item1 {  
  grid-row: 1/3; /* 1/span 2 */  
}
```


```
<div class="grid-container">  
  <div class="grid-item item1">1</div>  
  <div class="grid-item">2</div>  
  <div class="grid-item">3</div>  
  <div class="grid-item">4</div>  
  <div class="grid-item">5</div>  
</div>
```



grid-area (shorthand property)

```
.grid-container {  
  display: grid;  
  grid-template-columns: auto auto auto;  
  grid-gap: 20px;  
}
```


```
.item1 {  
  grid-row: 1/2/3/3;  
  /* grid-row-start: 1;  
   grid-column-start: 2;  
   grid-row-end: 3;  
   grid-column-end: 3; */  
}
```



grid-template-areas

```
.grid-container {  
  display: grid;  
  grid-template-areas:  
    "header header header"  
    "menu   main   main"  
    "menu   footer footer";  
}  
  
.header { grid-area: header; }  
.menu  { grid-area: menu; }  
.main   { grid-area: main; }  
.footer { grid-area: footer; }
```

```
<div class="grid-container">  
  <div class="header">Header</div>  
  <div class="menu">Menu</div>  
  <div class="main">Main</div>  
  <div class="footer">Footer</div>  
</div>
```



<http://cssgr.id>

Lorem ipsum dolor sit amet, idque mollis consetetur at vis, eam at sale atqui. Sapientem qualisque reprehendunt eu his, ne sit oratio accusam. In has occurreret vulputate, etiam sadipscing ut per, his ad regione singulis scriptorem. Sit an erroribus adipiscing. No amet ridens pri, duo persecuti adolescens no. 1

Lorem ipsum dolor sit amet, idque mollis consetetur at vis, eam at sale atqui. Sapientem qualisque reprehendunt eu his, ne sit oratio accusam. In has occurreret vulputate, etiam sadipscing ut per, his ad regione singulis scriptorem. Sit an erroribus adipiscing. No amet ridens pri, duo persecuti adolescens no. 2

Lorem ipsum dolor sit amet, idque mollis consetetur at vis, eam at sale atqui. Sapientem qualisque reprehendunt eu his, ne sit oratio accusam. In has occurreret vulputate, etiam sadipscing ut per, his ad regione singulis scriptorem. Sit an erroribus adipiscing. No amet ridens pri, duo persecuti adolescens no. 3

Lorem ipsum dolor sit amet, idque mollis consetetur at vis, eam at sale atqui. Sapientem qualisque reprehendunt eu his, ne sit oratio accusam. In has occurreret vulputate, etiam sadipscing ut per, his ad regione singulis scriptorem. Sit an erroribus adipiscing. No amet ridens pri, duo persecuti adolescens no. 4

C S S G R . I D

4 Number of Items

2 Number of Columns

10 Grid Gap (px)

1200 Max width of grid (px)

Use Lorem Ipsum?

Get Code

Reset

Övningar – <https://flexboxfroggy.com/#sv>

FLEXBOX FROGGY

Nivå 1 av 24 ▶

Välkommen till Flexbox Froggy, ett spel där du hjälper Froggy och vänner genom att skriva CSS-kod! Guida grodan till blombladen till höger genom att använda **justify-content** attributet, vilket justerar objekten horisontellt och accepterar följande värden:

- **flex-start**: Objekt justeras till vänster i containern.
- **flex-end**: Objekt justeras till höger i containern.
- **center**: Objekt justeras i mitten av containern.
- **space-between**: Objekt justeras med lika utrymme mellan varandra.
- **space-around**: Objekt justeras med lika utrymme runt omkring varandra.

Till exempel, **justify-content: flex-end;** flyttar grodan till höger.



Övningar – <https://cssgridgarden.com/#sv>

GRID GARDEN

Nivå 1 av 28 ▶

Välkommen till Grid Garden där du kan skriva CSS kod för att odla din trädgård med morötter! Vattna bara dom områden som har morötter genom att använda egenskapen `grid-column-start`.

T.ex. `grid-column-start: 3;` kommer vattna området som startar på tredje vertikala gridlinjen, vilket är samma sak som att säga den tredje vertikala gridlinjen från vänster.

```
1 #garden {  
2   display: grid;  
3   grid-template-columns: 20% 20% 20% 20% 20%;  
4   grid-template-rows: 20% 20% 20% 20% 20%;  
5 }  
6  
7 #water {  
8   [REDACTED]  
9 }  
10  
11  
12  
13  
14
```

Nästa



Övningar från W3Schools – Flexbox

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_flex-direction_column

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_flex-direction_column-reverse

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_flex-direction_row

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_flex-direction_row-reverse

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_flex-wrap_wrap

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_flex-wrap_nowrap

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_flex-wrap_wrap-reverse

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_flex-flow_row_wrap

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_justify-content_center

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_align-items_center

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_align-items_baseline

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_order_2

https://www.w3schools.com/css/tryit.asp?filename=trycss3_flexbox_align-self_center

Övningar från W3Schools – Grid

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_container

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_grid-template-columns1

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_grid-template-columns2

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_grid-template-rows

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_justify-content_space-evenly

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_justify-content_space-around

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_justify-content_space-between

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_align-content_center

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_align-content_end

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_grid-column

https://www.w3schools.com/css/tryit.asp?filename=trycss_grid_grid-row1

Summering av dagens lektion

- **Vi har jobbat med Flexbox och Grid.**
- Reflektioner kring dagens lektion?
 - Vad tar du med dig från dagens lektion?
 - Finns det något som var extra svårt att förstå?
 - Finns det något som vi behöver repetera?
 - Hur upplevde du dagens arbetsmetoder?

Framåtblick inför nästa lektion

- Under nästa lektion kommer vi att arbeta med Sitemap och Wireframes/designskiss