




WWW.OCTAVOSYSTEMS.COM

OSD32MP1 BREAKOUT MODULE

OCTAVO SYSTEMS DEVELOPMENT BOARD PART NUMBER "OSD32MP1-BRK, VER 1"








THANKS TO OUR ELECTRONICS MANUFACTURING COLLABORATORS

**THIS OSD32MP1 BREAKOUT MODULE IS OPEN SOURCE HARDWARE
DESIGNED AND MANUFACTURED BY ALLIED COMPONENT WORKS, LLC**
WWW.ALLIEDCOMPONENTWORKS.COM
IN COOPERATION WITH CUSTOM ELECTRONICS COMPANY, INC.
WWW.CUSTOMELECTRONICSCO.COM

Copyright (C) 2020, Octavo Systems, LLC
Including contributions Copyright (C) 2020, Allied Component Works, LLC
Copyright and related rights are licensed under the Solderpad Hardware License, Version 2.0 (the "License"); you may not use any element of this design except in compliance with the License. You may obtain a copy of the License at <https://solderpad.org/licenses/SHL-2.0>
Unless required by applicable law or agreed to in writing, software, hardware, and other materials distributed under this License are distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and limitations.

Additional Notices To Users -
This device is intended for scientific and engineering test and evaluation only. Furthermore, this device is a component and is not intended to operate independently of a larger system of components. The user shall assume all responsibility for proper configuration and operation of the device in a system configuration. This device has NOT been tested for electromagnetic compatibility in any system configuration, because such configurations are beyond the scope of the component design and beyond the control of the manufacturer. However, operation of any system would still generally be subject to the following two conditions -
A) The system may not cause harmful interference.
B) The system must accept any interference received, including interference that my cause undesired operation.
Finally, while this device is assembled with "RoHS compliant" materials, it still should not be disposed of with ordinary refuse, and instead it should be presented for proper recycling.














TITLE:			OSD32MP1 BREAKOUT MODULE		<div>Allied Component Works 18908 Premiere Court Gaithersburg, MD 20879 (301) 366-0142</div> <div> ALLIED COMPONENT WORKS</div>
DRAWING:	OSD19001_BRK_X2	REVISION:	X2		
MODIFIED:	4/15/2020	SHEET	1 OF 4		
CAD FILE:	OSD19001_BRK_X2.SchDoc				






BOARD FEATURES FOR ASSEMBLY



TITLE: OSD32MP1 BREAKOUT MODULE (CORE)		Allied Component Works 18908 Premiere Court Gaithersburg, MD 20879 (301) 366-0142	
DRAWING: OSD19001_BRK_X2	REVISION: X2		
MODIFIED: 4/15/2020	SHEET 2 OF 4		
CAD FILE: OSD19001_CORE.SchDoc			





TITLE: OSD32MP1 BREAKOUT MODULE (USB)		Allied Component Works 18908 Premiere Court Gaithersburg, MD 20879 (301) 366-0142  ALLIED COMPONENT WORKS
DRAWING: OSD19001_BRK_X2	REVISION: X2	
MODIFIED: 4/15/2020	SHEET 4 OF 4	
CAD FILE: OSD19001_USB.SchDoc		