



U.S. Department
of Transportation
**Federal Aviation
Administration**

800 Independence Ave., S.W.
Washington, D.C. 20591

CORRECTED COPY

The FAA is reissuing the July 30, 2015, grant of exemption of Exemption No. 12232. A correction was made to add the Pulse Aerospace Vapor 55 to the Airworthiness Certification section and to Condition No. 1. Below is the amended Exemption No. 12232 that includes the aforementioned change. We made the correction in our records as of August 24, 2015.

July 30, 2015

Exemption No. 12232
Regulatory Docket No. FAA–2015–1916

Mr. Kenny McLean
CDS Corporation
1924 Barnwell Street
Columbia, SC 29201

Dear Mr. McLean:

This letter is to inform you that we have granted your request for exemption. It transmits our decision, explains its basis, and gives you the conditions and limitations of the exemption, including the date it ends.

By letter dated April 14, 2015, you petitioned the Federal Aviation Administration (FAA) for an exemption. You requested to operate an unmanned aircraft system (UAS) to conduct aerial photography, cinematography, photogrammetry, mapping, crop surveying, and inspections.

See Appendix A for the petition submitted to the FAA describing the proposed operations and the regulations that the petitioner seeks an exemption.

The FAA has determined that good cause exists for not publishing a summary of the petition in the Federal Register because the requested exemption would not set a precedent, and any delay in acting on this petition would be detrimental to the petitioner.

Airworthiness Certification

The UAS proposed by the petitioner are the DJI Inspire 1, DJI Phantom 2 Vision, and the Pulse Aerospace Vapor 55.

In accordance with the statutory criteria provided in Section 333 of Public Law 112–95 in reference to 49 U.S.C. § 44704, and in consideration of the size, weight, speed, and limited operating area associated with the aircraft and its operation, the Secretary of Transportation has determined that this aircraft meets the conditions of Section 333. Therefore, the FAA finds that relief from 14 CFR part 21, *Certification procedures for products and parts, Subpart H—Airworthiness Certificates*, and any associated noise certification and testing requirements of part 36, is not necessary.

The Basis for Our Decision

You have requested to use a UAS for aerial data collection¹. The FAA has issued grants of exemption in circumstances similar in all material respects to those presented in your petition. In Grants of Exemption Nos. 11062 to Astraesus Aerial (*see* Docket No. FAA–2014–0352), 11109 to Clayco, Inc. (*see* Docket No. FAA–2014–0507), 11112 to VDOS Global, LLC (*see* Docket No. FAA–2014–0382), and 11213 to Aeryon Labs, Inc. (*see* Docket No. FAA–2014–0642), the FAA found that the enhanced safety achieved using an unmanned aircraft (UA) with the specifications described by the petitioner and carrying no passengers or crew, rather than a manned aircraft of significantly greater proportions, carrying crew in addition to flammable fuel, gives the FAA good cause to find that the UAS operation enabled by this exemption is in the public interest.

Having reviewed your reasons for requesting an exemption, I find that—

- They are similar in all material respects to relief previously requested in Grant of Exemption Nos. 11062, 11109, 11112, and 11213;
- The reasons stated by the FAA for granting Exemption Nos. 11062, 11109, 11112, and 11213 also apply to the situation you present; and
- A grant of exemption is in the public interest.

Our Decision

In consideration of the foregoing, I find that a grant of exemption is in the public interest. Therefore, pursuant to the authority contained in 49 U.S.C. 106(f), 40113, and 44701,

¹ Aerial data collection includes any remote sensing and measuring by an instrument(s) aboard the UA. Examples include imagery (photography, video, infrared, etc.), electronic measurement (precision surveying, RF analysis, etc.), chemical measurement (particulate measurement, etc.), or any other gathering of data by instruments aboard the UA.

delegated to me by the Administrator, Mr. Kenny McLean is granted an exemption from 14 CFR §§ 61.23(a) and (c), 61.101(e)(4) and (5), 61.113(a), 61.315(a), 91.7(a), 91.119(c), 91.121, 91.151(a)(1), 91.405(a), 91.407(a)(1), 91.409(a)(1) and (2), and 91.417(a) and (b), to the extent necessary to allow the petitioner to operate a UAS to perform aerial data collection. This exemption is subject to the conditions and limitations listed below.

Conditions and Limitations

In this grant of exemption, Mr. Kenny McLean is hereafter referred to as the operator.

Failure to comply with any of the conditions and limitations of this grant of exemption will be grounds for the immediate suspension or rescission of this exemption.

1. Operations authorized by this grant of exemption are limited to the DJI Inspire 1, the DJI Phantom 2 Vision, and the Pulse Aerospace Vapor 55 when weighing less than 55 pounds including payload. Proposed operations of any other aircraft will require a new petition or a petition to amend this exemption.
2. Operations for the purpose of closed-set motion picture and television filming are not permitted.
3. The UA may not be operated at a speed exceeding 87 knots (100 miles per hour). The exemption holder may use either groundspeed or calibrated airspeed to determine compliance with the 87 knot speed restriction. In no case will the UA be operated at airspeeds greater than the maximum UA operating airspeed recommended by the aircraft manufacturer.
4. The UA must be operated at an altitude of no more than 400 feet above ground level (AGL). Altitude must be reported in feet AGL.
5. The UA must be operated within visual line of sight (VLOS) of the PIC at all times. This requires the PIC to be able to use human vision unaided by any device other than corrective lenses, as specified on the PIC's FAA-issued airman medical certificate or U.S. driver's license.
6. All operations must utilize a visual observer (VO). The UA must be operated within the visual line of sight (VLOS) of the PIC and VO at all times. The VO may be used to satisfy the VLOS requirement as long as the PIC always maintains VLOS capability. The VO and PIC must be able to communicate verbally at all times; electronic messaging or texting is not permitted during flight operations. The PIC must be designated before the flight and cannot transfer his or her designation for the duration of the flight. The PIC must ensure that the VO can perform the duties required of the VO.

7. This exemption and all documents needed to operate the UAS and conduct its operations in accordance with the conditions and limitations stated in this grant of exemption, are hereinafter referred to as the operating documents. The operating documents must be accessible during UAS operations and made available to the Administrator upon request. If a discrepancy exists between the conditions and limitations in this exemption and the procedures outlined in the operating documents, the conditions and limitations herein take precedence and must be followed. Otherwise, the operator must follow the procedures as outlined in its operating documents. The operator may update or revise its operating documents. It is the operator's responsibility to track such revisions and present updated and revised documents to the Administrator or any law enforcement official upon request. The operator must also present updated and revised documents if it petitions for extension or amendment to this grant of exemption. If the operator determines that any update or revision would affect the basis upon which the FAA granted this exemption, then the operator must petition for an amendment to its grant of exemption. The FAA's UAS Integration Office (AFS-80) may be contacted if questions arise regarding updates or revisions to the operating documents.
8. Any UAS that has undergone maintenance or alterations that affect the UAS operation or flight characteristics, e.g., replacement of a flight critical component, must undergo a functional test flight prior to conducting further operations under this exemption. Functional test flights may only be conducted by a PIC with a VO and must remain at least 500 feet from other people. The functional test flight must be conducted in such a manner so as to not pose an undue hazard to persons and property.
9. The operator is responsible for maintaining and inspecting the UAS to ensure that it is in a condition for safe operation.
10. Prior to each flight, the PIC must conduct a pre-flight inspection and determine the UAS is in a condition for safe flight. The pre-flight inspection must account for all potential discrepancies, e.g., inoperable components, items, or equipment. If the inspection reveals a condition that affects the safe operation of the UAS, the aircraft is prohibited from operating until the necessary maintenance has been performed and the UAS is found to be in a condition for safe flight.
11. The operator must follow the UAS manufacturer's maintenance, overhaul, replacement, inspection, and life limit requirements for the aircraft and aircraft components.
12. Each UAS operated under this exemption must comply with all manufacturer safety bulletins.
13. Under this grant of exemption, a PIC must hold either an airline transport, commercial, private, recreational, or sport pilot certificate. The PIC must also hold a

current FAA airman medical certificate or a valid U.S. driver's license issued by a state, the District of Columbia, Puerto Rico, a territory, a possession, or the Federal government. The PIC must also meet the flight review requirements specified in 14 CFR § 61.56 in an aircraft in which the PIC is rated on his or her pilot certificate.

14. The operator may not permit any PIC to operate unless the PIC demonstrates the ability to safely operate the UAS in a manner consistent with how the UAS will be operated under this exemption, including evasive and emergency maneuvers and maintaining appropriate distances from persons, vessels, vehicles and structures. PIC qualification flight hours and currency must be logged in a manner consistent with 14 CFR § 61.51(b). Flights for the purposes of training the operator's PICs and VOs (training, proficiency, and experience-building) and determining the PIC's ability to safely operate the UAS in a manner consistent with how the UAS will be operated under this exemption are permitted under the terms of this exemption. However, training operations may only be conducted during dedicated training sessions. During training, proficiency, and experience-building flights, all persons not essential for flight operations are considered nonparticipants, and the PIC must operate the UA with appropriate distance from nonparticipants in accordance with 14 CFR § 91.119.
15. UAS operations may not be conducted during night, as defined in 14 CFR § 1.1. All operations must be conducted under visual meteorological conditions (VMC). Flights under special visual flight rules (SVFR) are not authorized.
16. The UA may not operate within 5 nautical miles of an airport reference point (ARP) as denoted in the current FAA Airport/Facility Directory (AFD) or for airports not denoted with an ARP, the center of the airport symbol as denoted on the current FAA-published aeronautical chart, unless a letter of agreement with that airport's management is obtained or otherwise permitted by a COA issued to the exemption holder. The letter of agreement with the airport management must be made available to the Administrator or any law enforcement official upon request.
17. The UA may not be operated less than 500 feet below or less than 2,000 feet horizontally from a cloud or when visibility is less than 3 statute miles from the PIC.
18. If the UAS loses communications or loses its GPS signal, the UA must return to a pre-determined location within the private or controlled-access property.
19. The PIC must abort the flight in the event of unpredicted obstacles or emergencies.
20. The PIC is prohibited from beginning a flight unless (considering wind and forecast weather conditions) there is enough available power for the UA to conduct the intended operation and to operate after that for at least five minutes or with the reserve power recommended by the manufacturer if greater.

21. Air Traffic Organization (ATO) Certificate of Waiver or Authorization (COA). All operations shall be conducted in accordance with an ATO-issued COA. The exemption holder may apply for a new or amended COA if it intends to conduct operations that cannot be conducted under the terms of the attached COA.
22. All aircraft operated in accordance with this exemption must be identified by serial number, registered in accordance with 14 CFR part 47, and have identification (N-Number) markings in accordance with 14 CFR part 45, Subpart C. Markings must be as large as practicable.
23. Documents used by the operator to ensure the safe operation and flight of the UAS and any documents required under 14 CFR §§ 91.9 and 91.203 must be available to the PIC at the Ground Control Station of the UAS any time the aircraft is operating. These documents must be made available to the Administrator or any law enforcement official upon request.
24. The UA must remain clear and give way to all manned aviation operations and activities at all times.
25. The UAS may not be operated by the PIC from any moving device or vehicle.
26. All Flight operations must be conducted at least 500 feet from all nonparticipating persons, vessels, vehicles, and structures unless:
 - a. Barriers or structures are present that sufficiently protect nonparticipating persons from the UA and/or debris in the event of an accident. The operator must ensure that nonparticipating persons remain under such protection. If a situation arises where nonparticipating persons leave such protection and are within 500 feet of the UA, flight operations must cease immediately in a manner ensuring the safety of nonparticipating persons; and
 - b. The owner/controller of any vessels, vehicles or structures has granted permission for operating closer to those objects and the PIC has made a safety assessment of the risk of operating closer to those objects and determined that it does not present an undue hazard.

The PIC, VO, operator trainees or essential persons are not considered nonparticipating persons under this exemption.

27. All operations shall be conducted over private or controlled-access property with permission from the property owner/controller or authorized representative. Permission from property owner/controller or authorized representative will be obtained for each flight to be conducted.
28. Any incident, accident, or flight operation that transgresses the lateral or vertical boundaries of the operational area as defined by the applicable COA must be reported

to the FAA's UAS Integration Office (AFS-80) within 24 hours. Accidents must be reported to the National Transportation Safety Board (NTSB) per instructions contained on the NTSB Web site: www.nts.gov.

If this exemption permits operations for the purpose of closed-set motion picture and television filming and production, the following additional conditions and limitations apply.

29. The operator must have a motion picture and television operations manual (MPTOM) as documented in this grant of exemption.
30. At least 3 days before aerial filming, the operator of the UAS affected by this exemption must submit a written Plan of Activities to the local Flight Standards District Office (FSDO) with jurisdiction over the area of proposed filming. The 3-day notification may be waived with the concurrence of the FSDO. The plan of activities must include at least the following:
 - a. Dates and times for all flights;
 - b. Name and phone number of the operator for the UAS aerial filming conducted under this grant of exemption;
 - c. Name and phone number of the person responsible for the on-scene operation of the UAS;
 - d. Make, model, and serial or N-Number of UAS to be used;
 - e. Name and certificate number of UAS PICs involved in the aerial filming;
 - f. A statement that the operator has obtained permission from property owners and/or local officials to conduct the filming production event; the list of those who gave permission must be made available to the inspector upon request;
 - g. Signature of exemption holder or representative; and
 - h. A description of the flight activity, including maps or diagrams of any area, city, town, county, and/or state over which filming will be conducted and the altitudes essential to accomplish the operation.
31. Flight operations may be conducted closer than 500 feet from participating persons consenting to be involved and necessary for the filming production, as specified in the exemption holder's MPTOM.

Unless otherwise specified in this grant of exemption, the UAS, the UAS PIC, and the UAS operations must comply with all applicable parts of 14 CFR including, but not limited to, parts 45, 47, 61, and 91.

This exemption terminates on July 31, 2017, unless sooner superseded or rescinded.

Sincerely,

/s/

John S. Duncan

Director, Flight Standards Service

Enclosures

April 14, 2015

CDS Corporation
Kenny McLean
1924 Barnwell Street
Columbia, SC 29201
(803) 779-9237
Email: Kenny@CDSCorp.com

U.S. Department of Transportation, Docket Management System
West Building Ground Floor, Room W12-140
1200 New Jersey Ave., SE
Washington, DC 20590

RE: Exemption Request Section 333 of the FAA Reform Act of 2012

Attachments: 1) DJI Phantom 2 Vision User Manual
2) DJI Inspire 1 User Manual
3) Pulse Aero Vapor 55 Brochure

References: 1) FAA Exemption No. 11405, Regulatory Docket No. FAA-2015-0118 in the matter of Bryan Cherry
2) FAA Exemption No. 11138, Regulatory Docket No. FAA-2014-0481 in the matter of the petition of DOUGLAS TRUDEAU
3) FAA Exemption No. 11136, Regulatory Docket No. FAA-2014-0508 in the matter of the petition of ADVANCED AVIATION SOLUTIONS LLC
4) FAA Exemption No. 11080 Regulatory Docket No. FAA-2014-0355 in the matter of the petition of FLYING CAM INC

Dear Sir or Madam,

In accordance with the FAA's *Guidelines for Submitting a Petition for Exemption under section 333 of the FAA Modernization and Reform Act of 2012*, I, Kenny McLean, petitioner, request exemption from the following sections of Title 14, Code of Federal Regulations §§

61.113(a); 61.113(b); 91.119(c); 91.121; 91.151(a); 91.405(a); 91.407(a)(1); 91.409(a)(1); 91.409(a)(2); 91.417(a) & (b);

In order to operate small unmanned aircraft systems (UAS) commercially in airspace regulated by the Federal Aviation Administration (FAA) for the purposes of aerial photography, cinematography, photogrammetry, mapping, crop surveying, inspections and other flight operations that could be performed safely and more cost effectively with the use of small UAS at low altitude within the U.S. national airspace system as compared to a manned aircraft. Operations will be performed only at the request of and with the authorization and permission of clients or their authorized agents in

order to facilitate commerce and raise awareness of the beneficial uses of small unmanned air systems. So long as such operations are conducted within and under the conditions outlined herein or as may be established by the FAA as required by Section 333. The conditions identified and proposed by the petitioner are drawn from references 13.

The FARs

The petitioner seeks exemption from the above mentioned FARs for the following reasons;

61.113(a) & (b); The petitioner requests relief in order to facilitate the utilization of pilots, who hold a PRIVATE PILOT (or greater) certificate. Any pilots operating under this exemption would be required to comply with any conditions as set forth and in a similar fashion to the previously granted exemptions.

91.119(c) As discussed in Exemption 11138 (DOUGLAS TRUDEAU), operations conducted closer than 500 feet to the ground may require that the UA be operated closer than 500 feet to essential persons, or objects that would not be possible without additional relief. The petitioner requests modification, waiver or exemption and clarification concerning the terms “congested areas” and “densely populated”. The petitioner requests waiver for this condition to allow reasonable and responsible operations in areas of subdivisions and neighborhoods if required.

91.121 As discussed in Exemption 11138 (DOUGLAS TRUDEAU) is inapplicable since the UAS does not have an altimeter and instead utilizes electronic GPS with a barometric sensor for altitude information.

91.151(a) As discussed in Exemption 11136 (ADVANCED AVIATION SOLUTIONS LLC) prior relief has been granted for manned aircraft to operate at less than the prescribed minimums, including Exemption Nos. 2689, 5745, and 10650. In addition, similar UAS specific relief has been granted in Exemption Nos. 8811, 10808, and 10673 for daytime, VFR conditions. The UAS provides battery power remaining as a percentage to the PIC. Information provided in the operating documents discusses procedures regarding remaining battery power management. Those documents contain a condition in which the PIC will initiate a landing procedure when battery remaining reaches a specified remaining level. Given the limitations on proposed operations and the location of those proposed operations, the FAA found that a reduced minimum power reserve for flight in daytime VFR conditions was reasonable.

91.405(a); 91.407(a)(1); 91.409 (a)(1) & (2); 91.417(a) & (b) As discussed in Exemption 11138 (DOUGLAS TRUDEAU), the petitioner proposes to inspect and ensure that the UAS is in a condition for safe flight in accordance with the operating documents. The FAA found that adherence to the petitioner’s operating documents and the conditions and limitations specified, describing the requirements for maintenance, inspection, and recordkeeping, were sufficient to ensure that safety would not be adversely affected.

The UAS Systems

The DJI Phantom 2 Vision is a highly successful consumer grade small quadrotor in the quadcopter configuration with an advertised weight of less than 42 Ounces (1200g) designed primarily to carry aloft a high definition camera. It has an advertised maximum speed of less than

30 knots (15m/s) and a maximum climb rate of less than 1200 fpm (6 m/s). It is powered by four electric motors with a distance between motors of less than 14 inches (350mm) It utilizes an internal inertial measuring unit (IMU) with integrated barometric sensor augmented with global positioning system (GPS) to maintain its geospatial orientation and position. It is controlled primarily through an FCC certified radio control (RC) unit. Real time video and telemetry information is transmitted back to a ground control station allowing the operator and/or PIC to monitor battery level, GPS signal strength, altitude (AGL), distance from PIC, camera imagery, and control camera angle. It has failsafe modes of operation for either loss of RC or GPS signal. Altitude can be limited by the onboard flight controller and maximum altitude can be preprogrammed by the PIC. Battery life limits flight times to approximately 25 minutes. The onboard flight controller will warn the pilot via telemetry and external lighting cues before reaching a low battery state. An automatic termination of flight and landing will be initiated when the battery reaches a predetermined low state. It is anticipated that flights will usually last less than 20 minutes. More information is available in attachment 1 or <http://www.dji.com/product/phantom-2-vision/spec>.

The DJI Inspire 1 is a high end consumer grade small rotorcraft in the quadrotor configuration with an advertised weight of less than 103 Ounces (2935g) designed primarily to carry aloft a high definition camera. It has an advertised maximum speed of less than 40 knots (22m/s) and a maximum climb rate of less than 1000 fpm (5 m/s). It is powered by four electric motors with a distance between motors of less than 18 inches (450mm) It utilizes an internal inertial measuring unit (IMU) with integrated barometric sensor augmented with global positioning system (GPS) to maintain its geospatial orientation and position. It is controlled primarily through an FCC certified radio control (RC) unit. Real time video and telemetry information is transmitted back to a ground control station allowing the operator and/or PIC to monitor battery level, GPS signal strength, altitude (AGL), distance from PIC, and camera imagery. It has failsafe modes of operation for either loss of RC or GPS signal. Altitude can be limited by the onboard flight controller and maximum altitude can be preprogrammed by the PIC. Battery life limits flight times to approximately 20 minutes. The onboard flight controller will warn the pilot via telemetry and external lighting cues before reaching a low battery state. An automatic termination of flight and landing will be initiated when the battery reaches a predetermined low state. It is anticipated that flights will usually last less than 15 minutes. More information is available in attachment 2 or <http://www.dji.com/product/inspire-1/spec>.

The Pulse Aero Vapor 55 is a battery powered, high end professional grade small rotorcraft in the single rotor configuration with a maximum takeoff weight of less than 55 lbs and operational weight of 30 lbs (16kg). The Vapor 55 is configured primarily to carry aloft various payloads including a high definition camera and LiDaR equipment. It has an advertised cruise speed of 22 knots (12m/s) with a maximum vertical speed of 394 fpm (2m/s). It is powered by electric motor with a two stage transmission and Lithium Polymer battery. It utilizes an multi axis internal inertial measuring unit (IMU) augmented with GPS/GLONASS to maintain precision geospatial orientation and position. It is controlled primarily through an FCC certified radio control (RC) unit. Real time telemetry information is transmitted back to a ground control station (GCS) allowing the operator and/or PIC to monitor battery level, GPS signal strength, altitude (AGL), distance from PIC. It has failsafe modes of operation for either loss of RC or GPS signal. The Vapor 55 has an autorotate

feature that can engage in the event of a loss of motor drive that will allow for a controlled descent. Battery life limits flight times to approximately 60 minutes. The onboard flight controller will warn the pilot via telemetry before reaching a low battery state. It is anticipated that flights will usually last less than 40 minutes. More information is available in attachment 3 or <http://pulseaero.com/products/vapor-helicopter-uas.php>.

Risk mitigation

The petitioner has reviewed FAA exemptions reference's 13 *Conditions and Limitations* section and believes that the procedures specified therein are reasonable and will be utilized in order to manage and mitigate risk and ensure public safety. A preflight checklist will be utilized to ensure that the UA airworthiness will be verified before launch. Airworthiness will be maintained by performance of routine inspections before each flight, maintaining flight and maintenance logs. The petitioner request that in a manner similar to reference 4, he be allowed to operate within 5 miles of an airport provided that;

"The UA may not operate in Class B, C, or D airspace without written approval from the FAA. The UA may not operate within 5 nautical miles of the geographic center of a nontowered airport as denoted on a current FAA published aeronautical chart unless a letter of agreement with that airport's management is obtained, and the operation is conducted in accordance with a NOTAM as required by the operator's COA. The letter of agreement with the airport management must be made available to the Administrator upon request."

Operations within 5 miles of an airport are not anticipated to be routine but the petitioner is requesting a mechanism to facilitate such activities without requesting a new and separate exemption(s) should the need arise. Operations within class B airspace are not requested due to the lack of mode C transponder.

Public interest

Use of the UAS in lieu of a manned aircraft would enhance safety and reduce the environmental impact as compared to similar operations conducted with manned aircraft of greater proportions, carrying a crew and flammable fuel. Additionally, use of the UAS in order to facilitate commerce could lead to economic growth. Operations for this petition will enable service for property owners or their designees seeking an enhanced perspective for characteristics, amenities, and benefits of their desired photographic subjects that cannot be displayed through ground level videography/photography. Aerial photography is a valuable marketing tool that can lead to increased commerce and enhance personal photography. Crop surveying applications could lead to decreased use of pesticides and fertilizer and conservation of water as well as increased crop yields and decreased costs. Aerial surveying and inspections can increase work site efficiency, improve volumetric estimations and reduce risks. The petitioner will provide clients with photographic data for these purposes on a 'for hire' basis acting as an independent contractor. A visual observer will be utilized. Liability insurance will be maintained. Flight data including UAS flight time, incident, accident, and details concerning any deviations from normal operations will be

available to FAA for use in collecting data regarding the use of UAS as part of this application. This data may be submitted to FAA if requested.

Conclusion

The petitioner is requesting this exemption for the purposes of aerial photography, cinematography, photogrammetry, mapping, crop surveying, inspections and other flight operations. The petitioner's business model is based on the idea of offering information processing and management solutions which are enhanced by utilization of UAV systems. The petitioner's market research shows pent up demand for these services currently exists in the mining, stockpile management, right-of-way management, agriculture and new markets that are emerging. The primary purpose of seeking this exemption is to expand the business capability to offer the above services while remaining in compliance. The petitioner has over 50 hours of experience in the UAV models listed herein, over 30 years experience in general and holds a Private Pilot airman certificate.

Respectfully submitted,

Kenny McLean
CDS Corporation
803-779-9237