

Latihan 1 : Membuat Class Sederhana

```
<?php
// File: Mahasiswa.php
class Mahasiswa {
    // Properti
    public $nama;
    public $nim;
    public $jurusan;

    // Constructor
    public function __construct($nama, $nim, $jurusan) {
        $this->nama = $nama;
        $this->nim = $nim;
        $this->jurusan = $jurusan;
    }

    // Method
    public function getInfo() {
        return "Nama: $this->nama, NIM: $this->nim, Jurusan:
$this->jurusan";
    }

    public function setJurusan($jurusan) {
        $this->jurusan = $jurusan;
    }
}

// Instansiasi objek
$mhs1 = new Mahasiswa("Budi Santoso", "20240001", "Sistem Informasi");
$mhs2 = new Mahasiswa("Ani Wijaya", "20240002", "Teknik Informatika");

echo $mhs1->getInfo() . "<br>";
echo $mhs2->getInfo() . "<br>";

$mhs1->setJurusan("Manajemen Informatika");
echo $mhs1->getInfo() . "<br>";

?>
```

Latihan 2 : Studi Kasus Product

```
<?php
// File: Product.php

class Product {
    private $nama;
    private $harga;
    private $stok;

    public function __construct($nama, $harga, $stok) {
        $this->nama = $nama;
        $this->harga = $harga;
        $this->stok = $stok;
    }

    public function getInfo() {
        return "Produk: $this->nama<br>" .
            "Harga: Rp " . number_format($this->harga, 0, ',', '.') .
            "<br>" .
            "Stok: $this->stok unit<br>";
    }

    public function kurangStok($jumlah) {
        if ($jumlah <= $this->stok) {
            $this->stok -= $jumlah;
            return true;
        }
        return false;
    }
}

// Penggunaan
$produk = new Product("Laptop Asus", 12000000, 10);
echo $produk->getInfo();

if ($produk->kurangStok(3)) {
    echo "Pembelian berhasil! Stok tersisa: " . $produk->stok . "<br>";
} else {
    echo "Stok tidak mencukupi!<br>";
}

?>
```

Latihan 3 : Class Mobil dengan 3 Objek

```
<?php
// File: Mobil.php

class Mobil {
    public $merek;
    public $warna;
    public $kecepatan;
    public $tahun;

    public function __construct($merek, $warna, $kecepatan, $tahun) {
        $this->merek = $merek;
        $this->warna = $warna;
        $this->kecepatan = $kecepatan;
        $this->tahun = $tahun;
    }

    public function getInfo() {
        return "Mobil $this->merek ($this->tahun) berwarna $this->warna,
kecepatan $this->kecepatan km/jam";
    }

    public function percepat($tambahan) {
        $this->kecepatan += $tambahan;
        return "Kecepatan sekarang: $this->kecepatan km/jam";
    }

    public function rem($pengurangan) {
        $this->kecepatan -= $pengurangan;
        if ($this->kecepatan < 0) $this->kecepatan = 0;
        return "Kecepatan sekarang: $this->kecepatan km/jam";
    }
}

// Membuat 3 objek berbeda
$mobil1 = new Mobil("Toyota Avanza", "Putih", 80, 2020);
$mobil2 = new Mobil("Honda Civic", "Hitam", 120, 2022);
$mobil3 = new Mobil("Suzuki Ertiga", "Silver", 60, 2019);

echo $mobil1->getInfo() . "<br>";
echo $mobil2->getInfo() . "<br>";
echo $mobil3->getInfo() . "<br>";

echo $mobil1->percepat(20) . "<br>";
```

```
echo $mobil1->rem(50) . "<br>;
```

```
?>
```