```
import components.simplereader.SimpleReader;
import components.simplereader.SimpleReader1L;
import components.simplewriter.SimpleWriter;
import components.simplewriter.SimpleWriter1L;
import components.utilities.FormatChecker;

/**
 * Project #3: Pseudoscience. The program prompts the user to enter a number and
 * then approximates it using four other numbers of personal meaning within 1%
 * relative error.
 *
 * @author Danny Kan (kan.74@osu.edu)
 * @version 02022022
 */

public final class ABCDGuesser1 {

  /**
   * Private constructor so this utility class cannot be instantiated.
   */
  private ABCDGuesser1() {
  }

  /**
   * Prints dashes to the length of characters in a string.
   *
   * @param str
   *          user input string
   * @param out
   *          the output stream
   */
  private static void printDash(String str, SimpleWriter out) {
    out.print(str + "\n");

    for (int i = 0; i < str.length(); i++) {
      out.print("-");
    }

    out.print("\n");
  }

  /**
   * Repeatedly asks the user for a positive real number until the user enters
   * one. Returns the positive real number.
```

```
 *
 * @param in
 *          the input stream
 * @param out
 *          the output stream
 * @return a positive real number entered by the user
 */
private static double getPositiveDouble(SimpleReader in, SimpleWriter out) {
   out.print("Enter your selection here: ");
   String userInput = in.nextLine();
   double mu = 0.0;
   boolean valid = true;
   while (valid) {
      if (FormatChecker.canParseDouble(userInput)) {
         double userValue = Double.parseDouble(userInput);
         if (userValue > 0.0) {
            mu = userValue;
            valid = false;
         } else {
            out.print("Your selection MUST be a positive real number."
                  + "\n");
            out.print("Enter your selection here: ");
            userInput = in.nextLine();
         }
      } else {
         out.print(
               "Input string cannot be parsed. Your selection MUST be a positive real number."
                     + "\n");
         out.print("Enter your selection here: ");
         userInput = in.nextLine();
      }
   }
   return mu;
}

/**
 * Repeatedly asks the user for a positive real number not equal to 1.0
 * until the user enters one. Returns the positive real number.
 *
 * @param in
 *          the input stream
 * @param out
 *          the output stream
 * @return a positive real number not equal to 1.0 entered by the user
```

```
     */
    private static double getPositiveDoubleNotOne(SimpleReader in,
        SimpleWriter out) {
      String userInput = in.nextLine();
      double value = 0.0;
      boolean valid = true;
      while (valid) {
        if (FormatChecker.canParseDouble(userInput)) {
          double userValue = Double.parseDouble(userInput);
          if (userValue > 0.0 && userValue != 1.0) {
            value = userValue;
            valid = false;
          } else {
            out.print(
                "Your selection MUST be a positive real number not equal to 1."
                    + "\n");
            out.print("Enter your selection here: ");
            userInput = in.nextLine();
          }
        } else {
          out.print(
              "Input string cannot be parsed. Your selection MUST be a positive real number not
equal to 1."
                  + "\n");
          out.print("Enter your selection here: ");
          userInput = in.nextLine();
        }
      }
      return value;
    }

    /**
     * Main method.
     *
     * @param args
     *          the command line arguments
     */
    public static void main(String[] args) {
      SimpleReader in = new SimpleReader1L();
      SimpleWriter out = new SimpleWriter1L();

      /*
       * initialize an array.
       */
```

```
      double[] myArray = { -5, -4, -3, -2, -1, (double) -1 / 2,
            (double) -1 / 3, (double) -1 / 4, 0, (double) 1 / 4,
            (double) 1 / 3, (double) 1 / 2, 1, 2, 3, 4, 5 };

      String str1 = "Select any positive real-valued universal physical or mathematical constant.";
      /**
       * method call.
       */
      printDash(str1, out);

      double mu = getPositiveDouble(in, out);

      for (int i = 0; i < 3; i++) {
         out.print("\n");
      }

      String str2 = "Select any 4 positive real numbers not equal to 1 that have personal
meaning.";
      /**
       * method call.
       */
      printDash(str2, out);

      /**
       * prompt the user to enter values.
       */
      out.print("Enter your selection here: w = ");
      double wValue = getPositiveDoubleNotOne(in, out);
      out.print("Enter your selection here: x = ");
      double xValue = getPositiveDoubleNotOne(in, out);
      out.print("Enter your selection here: y = ");
      double yValue = getPositiveDoubleNotOne(in, out);
      out.print("Enter your selection here: z = ");
      double zValue = getPositiveDoubleNotOne(in, out);

      int i = 0, length = myArray.length;
      final double RELATIVE_ERROR = 0.01;
      double a = 0.0, b = 0.0, c = 0.0, d = 0.0, bestApprox = 0.0;
      while (i < length) {
         int j = 0;
         while (j < length) {
            int k = 0;
            while (k < length) {
               int l = 0;
```

```
            while (l < length) {
               double current = Math.pow(wValue, myArray[i])
                     * Math.pow(xValue, myArray[j])
                     * Math.pow(yValue, myArray[k])
                     * Math.pow(zValue, myArray[l]);
               if (Math.abs(mu - current) / mu < RELATIVE_ERROR) {
                  bestApprox = current;
                  a = myArray[i];
                  b = myArray[j];
                  c = myArray[k];
                  d = myArray[l];
               }
               l++;
            }
            k++;
         }
         j++;
      }
      i++;
   }

   for (int j = 0; j < 3; j++) {
      out.print("\n");
   }

   String str3 = "Results --->";
   printDash(str3, out);
   out.print("Best exponent combination: a = " + a + ", b = " + b
         + ", c = " + c + ", d = " + d + "\n");
   out.print("Best approximation: " + bestApprox + "\n");
   final int CONVERSION = 100;
   double error = CONVERSION * (Math.abs(mu - bestApprox) / mu);
   out.print("Relative error: " + error + "%");

   /**
    * close input and output streams.
    */
   in.close();
   out.close();
  }
}
```