

Incident report analysis

Instructions

As you continue through this course, you may use this template to record your findings after completing an activity or to take notes on what you've learned about a specific tool or concept. You can also use this chart as a way to practice applying the NIST framework to different situations you encounter.

Summary	The company experienced a DDoS attack that disrupted its internal network for about two hours. The attacker flooded the network with ICMP packets through a poorly configured firewall, making it difficult for employees to access network resources.
Identify	The attack was an ICMP Flood DDoS attack. It involved sending too many ICMP packets into the company's network, causing network services to become unavailable Affected systems: • Internal company network. • Network servers and services. • Firewall and network infrastructure. • Employee access to company resources The attack was made possible by a poorly configured firewall.
Protect	The company should:

	• Review and properly configure firewall settings. • Limit the number of incoming ICMP packets. • Block suspicious IP addresses. • Regularly update network devices and security software. • Train employees on basic cybersecurity practices.
Detect	The company should: • Regularly monitor incoming and outgoing network traffic. • Use IDS/IPS tools to detect suspicious activities. • Set alerts for unusual increases in network traffic. • Monitor user accounts for unauthorized access. • Regularly review network logs for unusual activities.
Respond	The security team should: • Quickly identify and isolate affected systems. • Block suspicious traffic and IP addresses. • Temporarily disable non-essential services if necessary. • Check network logs to understand how the attack happened. • Inform the relevant team members about the incident. • Document the incident and improve security measures.

Recover	The company should: ● Restore affected network services. ● Check that all systems are working properly. ● Recover any affected data from available backups. ● Test the network to ensure it is secure. ● Review the incident and improve recovery procedures. ● Continue monitoring the network after recovery.

Reflections/Notes: