

Appendix

1 Transmitter City Ratios

Algorithm 1 Assign Transmitter City Ratios

Require: transmitter, teachers, students, bios

```
1: city_count  $\leftarrow$  {key: city  $\mapsto$  value: count}
2: shared_s  $\leftarrow$  students who share a city with transmitter
3: shared_t  $\leftarrow$  teachers who share a city with transmitter
4: non_shared  $\leftarrow$  teachers and students who don't share a city with
   transmitter
5: transmitter_cities  $\leftarrow$  cities of transmitter from bios
6: foreach student  $\in$  shared_s do
7:   student_cities  $\leftarrow$  cities of student from bios
8:   common_cities  $\leftarrow$  Intersection[transmitter_cities,
   student_cities]
9:   foreach city  $\in$  common_cities do
10:     city_count[city] += edge count of transmitter student
11:   end foreach
12: end foreach
13: foreach student  $\in$  shared_t do
14:   teacher_cities  $\leftarrow$  cities of teacher from bios
15:   common_cities  $\leftarrow$  Intersection[transmitter_cities,
   teacher_cities]
16:   foreach city  $\in$  common_cities do
17:     city_count[city] += edge count of transmitter teacher
18:   end foreach
19: end foreach
20: foreach  $\rho \in$  non_shared do
21:   foreach city  $\in$  transmitter_cities do
22:     city_count[city] += edge count of {transmitter,  $\rho$ } edge
23:   end foreach
24: end foreach
25: city_ratios  $\leftarrow$  divide each value in city_count by total count
```

2 Transmission Space Assignment

Algorithm 2 Place Transmission in Space

Require: teacher_cities, teacher_city_ratios, student_cities,
num_transmissions

```
1: space  $\leftarrow$  {key: city  $\mapsto$  value: count}
2: common_cities  $\leftarrow$  Intersection[teacher_cities, student_cities]
3: len_common_cities  $\leftarrow$  Length[common_cities]
4: switch len_common_cities do
5:   case == 1 :                                /* Share one city */
6:     space[common_city] += num_transmissions
7:   end case
8:   case > 1 :                                /* Share more than one city */
9:     foreach city  $\in$  common_cities do
10:      ratio  $\leftarrow$  teacher_city_ratios[city]
11:      space[city] += num_transmissions * ratio
12:    end foreach
13:  end case
14:  case == 0 :                                /* Share no cities */
15:    foreach city  $\in$  teacher_cities do
16:      ratio  $\leftarrow$  teacher_city_ratios[city]
17:      space[city] += num_transmissions * ratio
18:    end foreach
19:  end case
20: end switch
```

$$\text{let: teacher}_1\text{: cities}_{t_1} = \{c_1, c_2, c_3\} \quad (1)$$

$$\text{ratios}_{t_1} = [c_1 \rightarrow r_1, c_2 \rightarrow r_2, c_3 \rightarrow r_3],$$

$$\text{student}_1\text{: cities}_{s_1} = \{c_1, c_5, c_6\},$$

$$\text{student}_2\text{: cities}_{s_2} = \{c_1, c_2, c_6\},$$

$$\text{student}_3\text{: cities}_{s_3} = \{c_5, c_7\},$$

$$\text{s.t. } \sum_{i=1}^3 r_i = 1 \implies 0 \leq (r_i)_{1 \leq i \leq 3} \leq 1 \ \& \ c_i \in \text{city_corpus}.$$

$$\text{let: teacher}_1\text{student}_1, \text{count} = V_{t_1 \rightarrow s_1}, \quad (2)$$

$$\text{teacher}_1\text{student}_2, \text{count} = V_{t_1 \rightarrow s_2},$$

$$\text{teacher}_1\text{student}_3, \text{count} = V_{t_1 \rightarrow s_3}.$$

$$\text{case 1: one city shared} \quad (3)$$

$$\text{cities}_{t_1} \cap \text{cities}_{s_1} = \{c_1\} = X,$$

$$\text{since } |X| = 1:$$

$$V_{t_1 \rightarrow s_1} \text{ placed in } c_1.$$

$$\text{case 2: more than one city shared} \quad (4)$$

$$\text{cities}_{t_1} \cap \text{cities}_{s_2} = \{c_1, c_2\} = Y,$$

$$\text{since } |Y| = 2 > 1:$$

$$[V_{t_1 \rightarrow s_2} * \frac{r_1}{(r_1 + r_2)}] \text{ placed in } c_1,$$

$$[V_{t_1 \rightarrow s_2} * \frac{r_2}{(r_1 + r_2)}] \text{ placed in } c_2.$$

$$\text{case 3: no cities shared} \quad (5)$$

$$\text{cities}_{t_1} \cap \text{cities}_{s_3} = \{\} = Z,$$

$$\text{since } |Z| = 0:$$

$$V_{t_1 \rightarrow s_3} \text{ get placed in the teacher's cities, i.e.}$$

$$[r_1 * V_{t_1 \rightarrow s_3}] \text{ in } c_1, [r_2 * V_{t_1 \rightarrow s_3}] \text{ in } c_2, \text{ and } [r_3 * V_{t_1 \rightarrow s_3}] \text{ in } c_3.$$

3 Transmission Time Assignment

Algorithm 3 Place Transmission in Time Span

Require: teacher_bio, student_bio

```
1: const_lifespan = 80
2: const_childhood = 20
3: death_date_teacher ← death date from teacher_bio
4: death_date_student ← death date from student_bio
5: if birth_date ∈ teacher_bio then
6:   birth_date_teacher ← birth date from teacher_bio
7: else
8:   birth_date_teacher ← death_date_teacher
   – const_lifespan
9: end if
10: if birth_date ∈ student_bio then
11:   birth_date_teacher ← birth date from student_bio
12: else
13:   birth_date_student ← death_date_student
   – const_lifespan
14: end if
15: upper_bound ← min(death_date_teacher, death_date_student)
16: lower_bound ← max(birth_date_teacher, birth_date_student)
17: if upper_bound – lower_bound > const_childhood then
18:   lower_bound += const_childhood
19: end if
20: time_span ← (lower_bound, upper_bound)
```
