


Two charges, $+q$ and $-q$, are a distance r apart. As the charges are slowly moved together, the total field energy

$$\frac{\epsilon_0}{2} \int E^2 d\tau$$


- A. increases
- B. decreases
- C. remains constant




A parallel-plate capacitor has $+Q$ on one plate, $-Q$ on the other. The plates are isolated so the charge Q cannot change. As the plates are pulled apart, the total electrostatic energy stored in the capacitor:

- A. increases
- B. decreases
- C. remains constant.

CONDUCTORS




A point charge $+q$ sits outside a **solid neutral conducting copper sphere** of radius A . The charge q is a distance $r > A$ from the center, on the right side. What is the E-field at the center of the sphere? (Assume equilibrium situation).




- A. $|E| = kq/r^2$, to left
- B. $kq/r^2 > |E| > 0$, to left
- C. $|E| > 0$, to right
- D. $E = 0$
- E. None of these

In the previous question, suppose **the copper sphere is charged**, total charge $+Q$. (We are still in static equilibrium.) What is now the magnitude of the E-field at the center of the sphere?




- A. $|E| = kq/r^2$
- B. $|E| = kQ/A^2$
- C. $|E| = k(q - Q)/r^2$
- D. $|E| = 0$
- E. None of these! / it's hard to compute

We have a large copper plate with uniform surface charge density. Imagine the Gaussian surface drawn below. Calculate the E-field a small distance s above the conductor surface.



- A. $|E| = \frac{\sigma}{\epsilon_0}$
- B. $|E| = \frac{\sigma}{2\epsilon_0}$
- C. $|E| = \frac{\sigma}{4\epsilon_0}$
- D. $|E| = \frac{1}{4\pi\epsilon_0} \frac{\sigma}{s^2}$
- E. $|E| = 0$


A neutral copper sphere has a spherical hollow in the center. A charge $+q$ is placed in the center of the hollow. What is the total charge on the outside surface of the copper sphere? (Assume Electrostatic equilibrium.)



- A. Zero
- B. $-q$
- C. $+q$
- D. $0 < q_{outer} < +q$
- E. $-q < q_{outer} < 0$


A long coax has total charge $+Q$ on the OUTER conductor. The INNER conductor is neutral.

What is the sign of the potential difference, $\Delta V = V(c) - V(0)$, between the center of the inner conductor ($s = 0$) and the outside of the outer conductor?




- A. Positive
- B. Negative
- C. Zero

Given a pair of very large, flat, conducting capacitor plates with surface charge densities $+/ - \sigma$, what is the E field in the region between the plates?




- A. $\sigma/2\epsilon_0$
- B. σ/ϵ_0
- C. $2\sigma/\epsilon_0$
- D. $4\sigma/\epsilon_0$
- E. Something else

Given a pair of very large, flat, conducting capacitor plates with total charges $+Q$ and $-Q$. Ignoring edges, what is the equilibrium distribution of the charge?





- A. Throughout each plate
- B. Uniformly on both side of each plate
- C. Uniformly on top of $+Q$ plate and bottom of $-Q$ plate
- D. Uniformly on bottom of $+Q$ plate and top of $-Q$ plate
- E. Something else

You have two very large parallel plate capacitors, both with the same area and the same charge Q . Capacitor #1 has twice the gap of Capacitor #2. Which has more stored potential energy?



- A. #1 has twice the stored energy
- B. #1 has more than twice
- C. They both have the same
- D. #2 has twice the stored energy
- E. #2 has more than twice.



A parallel plate capacitor is attached to a battery which maintains a constant voltage difference V between the capacitor plates. While the battery is attached, the plates are pulled apart. The electrostatic energy stored in the capacitor

- A. increases.
- B. decreases.
- C. stays constant.