## Is "The Wave" at the stadium a transverse wave or a longitudinal wave?

- A. Transverse
- B. Longitudinal
- C. Neither

## A sound wave is a:

- A. transverse wave
- B. longitudinal wave
- C. it's not a wave at all

A wave on a stretched drum head is an example of a:

A. transverse wave

B. longitudinal wave

C. it's not a wave at all

## **ANNOUNCEMENTS**

- Quiz next Friday (Maxwell Ampere + Poynting Vector)
  - Determine the electric and magnetic field in a situation where there is a displacement current
  - Discuss the direction of the Poynting vector and how it relates to conservation of energy

The electric field for a plane wave is given by:

$$\mathbf{E}(\mathbf{r},t) = \mathbf{E}_0 e^{i(\mathbf{k}\cdot\mathbf{r} - \omega t)}$$

The vector **k** tells you:

- A. The direction of the electric field vector.
- B. The speed of the traveling wave.
- C. The direction the plane wave moves.
- D. A direction perpendicular to the direction the plane wave moves
- E. None of these/MORE than one of these/???

The electric field for a plane wave is given by:

$$\mathbf{E}(\mathbf{r},t) = \mathbf{E}_0 e^{i(\mathbf{k}\cdot\mathbf{r} - \omega t)}$$

Suppose  $\mathbf{E}_0$  points in the +x direction. Which direction is this wave moving?

- A. The *x* direction.
- B. The radial (r) direction
- C. A direction perpendicular to both  ${\bf k}$  and  ${\bf x}$
- D. The k direction
- E. None of these/MORE than one of these

A wave is moving in the +z direction:


$$f(x, y, z, t) = Re \left[ Ae^{i(kz - \omega t + \delta)} \right]$$

The value of f at the point  $(0, 0, z_0, t)$  and the point at  $(x, y, z_0, t)$  are related how?

$$f_1 = f(0, 0, z_0, t) \text{ vs.} f_2 = f(x, y, z_0, t)$$

 $A. f_1 = f_2$  always

B.  $f_1 > \text{or} < \text{or} = f_2$  depending on the value of x, y



The electric field of an E/M wave is described by:

$$\mathbf{E} = E_0 \sin(kx - \omega t)\hat{\mathbf{y}}$$

What is the direction of the magnetic field?

$$A. +x$$

$$C.-x$$

$$D. +z$$

You have this solution to Maxwell's equations in vacuum:

$$\widetilde{\mathbf{E}}(x, y, z, t) = \widetilde{\mathbf{E}}_0 \exp[i(\mathbf{k} \cdot \mathbf{r} - \omega t)]$$

If this wave travels in the y direction, is polarized in the x direction, and has a complex phase of 0, what is the x component of the physical wave?

$$A. E_x = E_0 \cos(kx - \omega t)$$

$$B. E_x = E_0 \cos(ky - \omega t)$$

$$C. E_x = E_0 \cos(kz - \omega t)$$

$$D. E_x = E_0 \cos (k_x x + k_y y - \omega t)$$

E. Something else

The electric fields of two EM waves in vacuum are both described by:

$$\mathbf{E} = E_0 \sin(kx - \omega t)\hat{\mathbf{y}}$$

The "wave number" k of wave 1 is larger than that of wave 2,  $k_1 > k_2$ . Which wave has the larger frequency f?

A. Wave 1

B. Wave 2

C. impossible to tell