OLEADEV

DEVELOPMENT ADVISORY

HIGHEST & BEST USE
ANALYSIS

80 Lanark Ave + 82 Lanark Ave + 84 Lanark Ave + 86 Lanark Ave + 88 Lanark Ave + 90 Lanark

City of Toronto, Ontario, Canada

April 2026



PROJECT AT A GLANCE

Lot Area:	**19,861.5 sf (1845 m²)**	Total GFA:	**443,607.294 sf**
FSI:	**22.34×**	Storeys:	**29F (89.9m)**
Units:	**551 residential**	Comm. GFA:	**19,862 sf**
Total Revenue:	**$382.36M**	Total Cost:	**$292.54M**
Margin:	**$89.81M (30.7% on cost)**	IRR:	**14.2%**

Confidential — Prepared by OleaDev Development Advisory

1. SITE ANALYSIS



1.1 Location & Context

The subject property is located at 1621 Eglinton Avenue West, York, Ontario M6E 2H1, Canada. Site coordinates: 43.69674, -79.44392. The lot encompasses approximately 19,862 square feet (1845 m²) and is situated within the City of Toronto.

The surrounding area should be assessed through a site visit and review of the City of Toronto Official Plan land use designations, zoning by-law provisions, and any applicable secondary plans or area-specific policies. The proximity to transit, existing built form context, and infrastructure capacity are key factors in determining the highest and best use.

1.2 Lot Dimensions & Configuration

Dimension	Imperial	Metric
North Frontage	195'	59.4m
West Side — Upper Depth	137'	41.8m
West Side — Lower Depth	59'	18.0m
East Side — Step (N-S)	98'	29.9m
East Side — Step Width	0'	0.0m
South Frontage	195'	59.4m
Total Lot Area	19,861.5 sf	1845 m²

The lot configuration provides an opportunity for a podium-and-tower massing strategy. The primary frontage accommodates a mid-rise podium while the secondary frontage supports a taller tower element. Multiple street frontages enable separation of residential access from commercial servicing.

2. ZONING & PLANNING FRAMEWORK

2.1 Zoning Designation

The subject property is zoned Commercial Residential (CR) under City of Toronto Zoning By-law 569-2013, the harmonized zoning by-law that consolidated the former municipalities' zoning regulations. The CR zone permits a broad range of uses including apartment buildings, retail stores, restaurants, personal service shops, offices, day nurseries, community centres, and places of worship.

Key as-of-right permissions under the CR zone:

- Residential Use: Apartment buildings, including mixed-use with ground-floor commercial
- Maximum Density: Subject to site-specific zoning provisions and Official Plan policies
- Height: Governed by applicable planning framework and site-specific by-law amendments
- Minimum Setbacks: Front 3.0m, Rear 7.5m, Side 5.5m residential / 0m commercial (verify with site-specific zoning)
- Angular Plane: 45-degree angular plane from rear lot line abutting residential zones
- Amenity Space: Minimum 4.0 m² per dwelling unit (indoor) + 4.0 m² per unit (outdoor)
- Parking: Category 1 rates apply — 0.7-1.0 spaces/unit residential, visitor parking at 0.1/unit

2.2 Site-Specific Zoning Analysis

Run the AI Zoning Analysis from the AI tab to populate this section with site-specific compliance details, zoning exceptions, and planning framework analysis based on the project geocoordinates.

2. ZONING & PLANNING FRAMEWORK (Continued)

2.4 Angular Plane & Shadow Analysis

The proposed massing has been designed to comply with the angular plane requirements through a stepped building form. The podium () establishes a F streetwall along the primary frontage with ground-floor commercial space at 15 ft (4.6m) floor-to-floor height.

The tower element (Podium at 6F, Tower at 29F) is set back from the podium edge to reduce visual bulk and shadow impact on the south-facing residential properties along the secondary street. The step-back distance of 3' (0.9m) exceeds the minimum 3.0m requirement.

Shadow Impact Assessment: At the proposed height of 89.9m (29 storeys), the building will cast shadows primarily to the north and northwest during morning hours (March/September equinox). The shadow path at the summer solstice (June 21) will clear the southern residential properties by approximately 11:30am. The podium-and-tower massing strategy minimizes shadow duration on the most sensitive receptors compared to a uniform mid-rise slab form.

2.5 Comparable Precedents

The following 25 development applications in the vicinity of the subject site provide strong precedent for the proposed density, height, and mixed-use program:

Address	Developer	Storeys	Units	FSI	Status
838 ROSELAWN AVE	—	35	472	—	Under Review
836 ROSELAWN AVE	—	35	472	—	Under Review
165 ELM RIDGE DR	—	19	—	—	Built
605 OAKWOOD AVE	—	4	30	—	Under Review
603 OAKWOOD AVE	—	4	30	—	Under Review
155 ELM RIDGE DR	—	19	—	—	Built
601 OAKWOOD AVE	—	5	30	—	Appeal Received
1603 EGLINTON AVE W	—	8	219	—	Built
1607 EGLINTON AVE W	—	8	219	—	Built
16 STAYNER AVE	—	37	886	—	Under Review
18 BENNER AVE	—	38	966	—	Under Review
20 BENNER AVE	—	38	966	—	Under Review
1 ROMAR CRES	—	37	886	—	Under Review
3 ROMAR CRES	—	37	886	—	Under Review
7 ROMAR CRES	—	37	886	—	Cancelled
1603 Eglinton Ave W / 66 Lanark Ave	Empire Communities	16	219	—	Built
1685 Eglinton Ave W	Shelborne Capital	37	416	13.7×	OMB Appeal
1711 Eglinton Ave W	Shelborne Capital	39	423	13.8×	OMB Appeal
645-655 Northcliffe Blvd	Stanford Homes	42	336	—	SPA Submitted
1812 Eglinton Ave W	DMJ Eglinton Dev.	50	503	16.4×	Under Review
1818 Eglinton Ave W	KingSett Capital	50	687	—	Under Review
1890-1896 Eglinton Ave W	—	9	194	0.6×	NOAC Issued
1928 Eglinton Ave W	—	8	27	—	Closed
740 Eglinton Ave W	—	—	—	—	Closed
2204 Eglinton Ave W	City of Toronto	6	—	—	Under Review

Key observations from the comparable set:

• 165 ELM RIDGE DR at 19 storeys and ? units is a completed project nearby, establishing a baseline for as-built density on this corridor.

• 20 active/proposed development applications in the area signal significant intensification pressure. The tallest proposal is 1812 Eglinton Ave W at 50 storeys with 503 units.

• The largest project by unit count is 18 BENNER AVE with 966 units, indicating the market can absorb significant residential inventory in

3. BUILDING MASSING



3.1 Volume Breakdown

Volume	Storeys	Floor Plate	Total GFA	GF Comm.
Podium	6F	19,862 sf	119,172 sf	Yes
Tower	29F	18,354 sf	532,266 sf	No

Metric	Value
Total Gross Floor Area	443,607.294 sf (41211 m²)
Floor Space Index (FSI)	22.34×
Maximum Height	89.9m (29 storeys)
Residential GFA	423,745.294 sf
Commercial GFA (Ground Floor)	19,862 sf
Net Sellable Residential	352,455 sf (83.2% efficiency)

4. UNIT MIX & PROGRAM

4.1 Residential Unit Schedule

Unit Type	Avg Size	Count	Mix %	Total NSA
Studio	425 sf	75	13.6%	31,875 sf
1-Bedroom	550 sf	204	37.0%	112,200 sf
1-Bed+Den	630 sf	101	18.3%	63,630 sf
2-Bedroom	775 sf	103	18.7%	79,825 sf
2-Bed+Den	875 sf	37	6.7%	32,375 sf
3-Bedroom	1050 sf	31	5.6%	32,550 sf
TOTAL	—	551	100%	352,455 sf

The unit mix is designed to meet market demand along the the area corridor, with a focus on smaller units (studio and 1-bedroom) that appeal to young professionals, transit commuters, and first-time buyers attracted by the Crosstown LRT. The 2-bedroom and larger units (31.0% of total mix) cater to downsizing empty-nesters and small families.

4.2 Ground Floor Commercial

Tenant Category	Area (sf)	Rent ($/sf NNN)	NOI	Cap Rate	Value
Grocery Anchor	12,398	$25	$309,960	6.0%	$5.17M
CRU Retail / F&B	3,542	$30	$106,272	6.0%	$1.77M
Service / Personal	1,771	$25	$44,280	6.5%	$681K

The ground floor commercial program assumes a grocery-anchored retail mix, reflecting the neighbourhood demand for walkable daily-needs retail along the the corridor. Net leasable commercial area of 17,712 sf after lobby, loading, and mechanical deductions.

5. DEVELOPMENT PRO-FORMA

5.1 Revenue

Source	Amount	$/sf GFA
Residential Sales (551 units)	$362.37M	$817
Commercial Value (Cap Rate)	$7.62M	$17
Parking (165 stalls @ $60,000/ea)	$9.90M	
Lockers (309 @ $8,000/ea)	$2.47M	
TOTAL GROSS REVENUE	$382.36M	$862

5.2 Development Costs

Category	Amount	$/sf GFA	% of Total
Land Acquisition	$10.60M	$24	3.6%
Hard Construction Costs	$177.44M	$400	60.7%
Soft Costs (incl. DCs)	$85.12M	$192	29.1%
Financing & Time Costs	$19.38M	$44	6.6%
TOTAL DEVELOPMENT COST	$292.54M	$659	100%

5.3 Returns Summary

Metric	Value
Developer Margin	$89.81M
Margin on Cost	30.7%
Margin on Revenue	23.5%
Project IRR (Unlevered)	14.2%
NPV @ 8.0% discount	$23.42M
Equity Multiple	1.88×

6. COST SUMMARY

6.1 Hard & Soft Costs

Category	Amount
Hard Costs ($400/sf × 443,607 sf)	$177.44M
Soft Costs (30.0% of Hard)	$85.12M
Financing	$19.38M
TOTAL PROJECT COST	$292.54M

7. DCF MODEL & RISK ANALYSIS

7.1 Cash Flow Summary (63-Month Project)

Metric	Value
Pre-Development	15 months
Active Construction	27 months
Absorption Period	21 months
Total Project Timeline	63 months
Project IRR (Unlevered)	14.2%
NPV @ 8.0% Discount Rate	$23.42M
Equity Multiple	1.88×
Peak Equity Requirement	$81.02M

7.2 Monte Carlo Risk Analysis (3,000 Simulations)

	P10 (Bear Case)	P25	Median	Mean	P75	P90 (Bull Case)
IRR	1.9%	4.0%	6.3%	6.5%	8.8%	11.3%
Margin	7.1%		23.7%	24.0%		41.4%

Prob. Viable (>15%)

74.8%

Value at Risk (P10)

7.1%

7.3 Key Risk Drivers (Tornado)

Rank	Variable	Impact on Margin
1	Hard Cost Escalation	±9.1%
2	Residential $/sf	±8.4%
3	Interest Rate	±3.7%
4	Timeline Delay Factor	±2.0%
5	Absorption Rate (months)	±0.7%
6	Pre-Sale Velocity	±0.4%

8. RECOMMENDATIONS & CONCLUSIONS

8.1 Development Recommendation

Based on the analysis presented herein, OleaDev recommends proceeding with a Zoning By-law Amendment (ZBA) and Site Plan Approval (SPA) application for the proposed mixed-use development. The project yields a developer margin of 30.7% on cost, exceeding the industry-standard 15% threshold for project viability. The Monte Carlo simulation confirms a 74.8% probability of achieving the target return under a range of market conditions.

8.2 Key Risk Factors

• Construction Cost Escalation: Toronto is experiencing sustained construction cost inflation of 4-8% annually. A 10% escalation in hard costs would reduce the margin by approximately 6.1%.

• Interest Rate Environment: The Bank of Canada policy rate influences construction financing costs. Each 100 bps increase in the overnight rate adds approximately $1.38M to project costs.

• Absorption Risk: Pre-sale velocity determines the timing of deposit collections and construction financing availability. A slower absorption rate extends the project timeline and increases carrying costs.

• Municipal Approvals: The ZBA and SPA process typically requires 12-24 months in Toronto. Delays in approvals directly impact the IRR through extended pre-development carrying costs and potential DC escalation.

• Development Charge Indexing: Toronto DCs are indexed semi-annually. The current analysis uses 2026 rates; a 5.0% annual escalation over a 2-year approval period would add approximately $2.46M to the DC burden.

8.3 Next Steps

1. Engage planning consultant for pre-application consultation with City of Toronto
2. Commission Phase 1 Environmental Site Assessment (ESA)
3. Prepare and submit ZBA and SPA applications
4. Engage structural engineer for shoring design and below-grade parking layout
5. Initiate pre-sales marketing program (target 70% pre-sale threshold for construction financing)
6. Secure construction financing commitment (target LTC of 65% at prime + 200 bps)
7. Tender construction contract with fixed-price GMP structure