HR of Neutrophil Engraftment with HHV–6 positivity

Study	logHR S	E(logHR)	Hazard Ratio	HR	95%-CI	Weight
Savolainen H 2005	-0.1549	0.2990		0.86	[0.48; 1.54]	8.4%
Zerr DM 2005	-0.1230	0.3335			[0.46; 1.70]	6.8%
Balsat M 2019	-0.0969	0.2263		0.91	[0.58; 1.41]	14.7%
Gomes de Oliveira PG 2	016 -0.0746	0.2822		0.93	[0.53; 1.61]	9.5%
Ishiyama K 2011	-0.0334	0.6455		0.97	[0.27; 3.43]	1.8%
Olson AL 2014	-0.0210	0.1860	- i	0.98	[0.68; 1.41]	21.8%
Ogata M 2006	0.0152	0.2831		1.02	[0.58; 1.77]	9.4%
Inazawa N 2017	0.0378	0.4336		1.04	[0.44; 2.43]	4.0%
Tormo N 2010	0.1537	0.1923	- - - - - - - - - - 	1.17	[0.80; 1.70]	20.4%
Wang LR 2006	0.8254	0.4981	-	2.28	[0.86; 6.06]	3.0%
Random effects model			<u> </u>	1.01	[0.85; 1.20]	100.0%
		0.2	0.5 1 2	5		

Heterogeneity: $I^2 = 0\%$, $\tau^2 = 0$, p = 0.91