

Win-Build-Send Platform

User Documentation & Role Quick-Start Guide

A printable handbook for every user level. It opens with a one-page quick-start card for each role, followed by the complete user guide covering every task the platform supports.

Inside this document

- Part I - Role Quick-Start Cards (one page per role)
- Part II - Complete User Guide (task-by-task, by role/level)
- Appendices - Permission reference & common questions

Generated 2026-09-08 - Access is governed by role, scope and per-group configuration. Every sensitive action is audited and self-approval is blocked by segregation of duties.

PART I

Role Quick-Start Cards

One page per role: the handful of tasks you'll do most often and how to do them. Tear off your card; the full detail is in Part II.

One page per role — the few things you'll do most, and how. Keep your card handy; the full detail lives in the **User Guide**.

Member — Quick Start

You can: participate, invite, give, learn, and track your progress.

First 5 minutes

1. **Sign in** (accept your invite link if you were invited) and **enrol MFA**.
2. Open **my home** — your points, rank, streaks, badges and groups.
3. **Join a group** from the directory (some join instantly, some need approval).

Do the core things

- **Refer someone:** create your **referral link** and share it — sign-ups are credited to you automatically. Track it under **referrer analytics**.
- **Attend an event:** register, then **check in** (QR / kiosk / code). You may attend events across groups.
- **Give to a cause:** open a cause, watch its **progress bar**, and **contribute** (works inside a live stream too). Money confirms via the provider.
- **Learn: enrol** in a course and complete lessons; **request a certificate** where offered.
- **Engage:** post/comment/react in the feed, and fill in **feedback** forms.

Remember

- Your total is the **sum of everything you do across all groups**.
 - Need more access? **Submit an access request** (scope + reason + duration).
-

Event Organizer — Quick Start

You hold: `event.create`, `attendance.check_in`, `stream.create`, `stream.moderate`, `meeting.manage`, `venue.manage`, plus ticket/logistics/ expense/feedback/certificate/media management.

Run an event, start to finish

1. **Create** the event (group, mode, times) → submit **schedule** for approval if required → **publish**.
2. **Set up entry:** ticket types, promo codes; add a **venue** or configure **virtual access**.
3. **At the door: QR check-in**, a **kiosk** for self check-in, or **manual**; offline scans reconcile later.
4. **Go live (optional):** create a stream → add destinations → **provision** → **go live** → **end/archive**. Run polls, moderate chat, attach **in-stream giving**.
5. **Afterwards:** open **feedback forms**, **issue certificates**, **review media**, **submit expenses**, and roll up the **event report**.

Watch for

- Metrics are **honest** (exact vs estimated); relay problems raise an **incident** with a documented bypass.
 - **Expenses you submit** are approved by Finance — you can't approve your own.
-

Course Author / Instructor — Quick Start

You hold: `course.create` (and optionally `course.completion.override`).

Build a course

1. **Create** the course (title, group).
 2. **Add lessons** and a **syllabus**.
 3. **Publish** so members can **enrol**.
 4. **Correct records** only when justified via **completion override** (audited).
-

Notification Manager — Quick Start

You hold: `notification.send`.

Send an announcement

1. Check the **preference centre** — members' channel choices are enforced.
 2. **Compose a campaign** (audience, channel, content).
 3. Large/sensitive **broadcasts** may need **approval** before sending.
 4. **Send** and track delivery (providers have documented fallbacks).
-

Community Moderator — Quick Start

You hold: `community.moderate`, `stream.moderate`, `gamification.manage`.

Keep things healthy

- Work the **moderation queue** — review **reports**, take **actions** (all logged).
- Moderate **live chat**, polls and reactions during streams.
- Configure **achievements / streaks / ranks / activity catalog** and run ****group**

campaigns**; disable definitions without losing history.

Reporting Analyst — Quick Start

You hold: `report.view`, `report.export`.

Get the numbers

- Open **dashboards** for the org and groups you can see.
 - **Export** data sets (e.g. CSV) and capture **snapshots**.
 - Read/export only — you can't change operational data, which keeps reports trusted.
-

Finance Officer — Quick Start

You hold: `contribution.refund.approve`, `contribution.manage`, `integration.connection.approve`, `event.expense.approve`.

Approve money movements (you're the checker)

- **Refunds:** review a request → **approve/reject**. You ****can't approve one you requested****.
 - **Contributions:** manage causes and **reconcile** — ledger rows are immutable; corrections are new entries.
 - **Expenses:** **approve / reimburse / reconcile** against the event budget.
 - **Provider connections:** you're the **approval gate** before a payment/notification connection goes active.
-

Integrations (Provider Configuration) — Quick Start

You hold: `provider.configure`.

Onboard a provider

- **Conforming provider → no-code profile:** create → certify (draft → ...→ active) →

create a **connection**, add **credentials**, **test**, **activate**.

- **Non-conforming provider → custom adapter:** register allowlisted class →

contract-test (signs on pass) → **security review** → **approve** (different person) → **activate** (publishes to the catalogue). See `custom-adapter-sdk.md`.

- **Reliability:** watch the **fallback matrix** and **reset circuits** after a fix.

Organization Administrator — Quick Start

You hold: everything, incl. `admin.manage`, `access.role.manage`, `access.policy.manage`, `access.assignment.manage`, `identity.manage`.

The high-frequency tasks

- **Grant access:** assign a **role**, **scoped** org-wide or to a group + its descendants. Add **ABAC policies** for fine rules (default-deny).
 - **Turn features on:** set **per-group config** on the top group of a branch — children **inherit** it (default is OFF).
 - **Identity:** run account **lifecycle** and **merges** (maker-checker) with reason + audit.
 - **Structure:** create/move groups; **archive** / **reactivate** / **dissolve** / **merge** with reasons.
 - **Sponsor reassignment:** approve moves (checker $\neq$ submitter); history is never rewritten.
 - **Oversee:** read the **audit log** and analyst reports.
-

Special Access (anyone) — Quick Start

- **Access request:** ask for more — scope + reason + **duration**; it **expires** and can be **renewed/revoked**. No self-approval.
- **Delegation:** hand a permission you hold to someone for a period (e.g. leave).
- **Break-glass:** emergencies only — strong MFA + reason, narrow & brief, **reviewed afterwards**.

PART II

Complete User Guide

The full reference, organised by who you are. Start with Everyone, then jump to the section for your role.

Welcome to the WBS platform. This guide is organised by **who you are** (your role/level) and shows you **how to do the things that role can do**. Start with Everyone (#part-1--everyone-getting-started), then jump to the section for your role.

How access works (read this first). What you can *do* is decided by three things working together: 1. **Your role(s)** — a bundle of permissions (e.g. *Event Organizer*). 2. **Your scope** — which group(s) a role applies to. A role can be granted org-wide or for one group and its sub-groups. 3. **Feature configuration** — many features are switched on **per group**, and settings are **inherited** from parent groups. If a feature looks missing, it may simply be turned off for your group (see Admins (#part-9--organization-administrator)). Every sensitive action is **audited**, and approval steps enforce **segregation of duties** — the person who *requests* something can never be the person who *approves* it.

Roles at a glance

Level	Role	What it's for
1	Member	Everyone. Participate, give, refer, learn, see your progress.
2	Event Organizer	Plan and run events, streams, meetings, tickets, logistics.
2	Notification Manager	Send announcements and campaigns.
2	Community Moderator	Keep feeds and live chat healthy; manage gamification.
2	Reporting Analyst	View and export dashboards and reports.
3	Finance Officer	Approve refunds, contributions, expenses, provider connections.
4	Organization Administrator	Full control: roles, policies, identity, settings, group config.
★	Special access	Time-boxed access requests, delegation, and break-glass.

A person can hold **several roles at once** (e.g. a Member who is also an Event Organizer for one group). Your effective abilities are the **union** of all your roles within their scopes.

Part 1 — Everyone (getting started)

1.1 Create your account & sign in

- **Register:** submit your details on the sign-up form. Depending on your organisation's policy you may need to verify email and/or phone, and minors may be gated by an age policy.

- **Invited by your group?** You'll receive a **set-password / accept-invite** link. Open it, choose a password, and your account activates.

- **Sign in:** use the **Login** page. If you have multi-factor turned on, you'll be prompted for your **MFA** code after your password.

- **Social sign-in:** you can sign in with a linked Google/Microsoft account, and link or unlink social logins later from your profile.

Password rules: at least **12 characters** with a mix of character types, and your password is checked against a **known-breach list** — if it's been exposed in a breach you'll be asked to pick another. (Your organisation can tune this.)

1.2 Turn on multi-factor authentication (MFA)

1. Go to your security settings and choose **Enrol authenticator (TOTP)**.
2. Scan the QR/secret into your authenticator app.
3. Enter the 6-digit code to **confirm**. Save the **recovery codes** somewhere safe.

After this, sign-in asks for a code, and sensitive actions may require you to have a recent strong-MFA verification.

1.3 Manage your sessions & profile

- **See "who am I":** your profile shows your identity, roles, and groups.
- **Active sessions:** view every device/session signed in as you, and **revoke**

any you don't recognise.

- **API tokens:** if you integrate scripts, you can mint **scoped, hashed** API tokens and rotate/refresh them. Treat them like passwords.

1.4 Your home dashboard

Your **dashboard ("my home")** is self-scoped — it shows *your* points, rank, streaks, badges, group memberships, and recent activity. No special permission is needed; it's just for you.

1.5 Join and take part in groups

- **Browse groups:** public group landing pages list the directory and each group's page.

- **Membership:** you can belong to **multiple groups**, each with a type/role (e.g. member, volunteer). Some groups admit you instantly; others require **approval** —

you'll see your request move from *pending* to *approved*.

- **Leave a group** at any time from your memberships list.

Important — you're not limited to your own groups. You may attend any event you're allowed into and give to **any** group's cause. Credit for what you do is attributed to the **receiving** group (the event's or cause's group); if there's no receiving group, it falls back to your own primary group, and otherwise to the organisation. Your personal total is the **sum of everything you do across all groups**.

1.6 The Win-Build-Send activities you can do as a member

Win — invite & refer

- **Create a referral link:** generate your personal cloaked invite link.
- **Share it:** when someone opens [/\(your link\)](#) and signs up, the conversion is

attributed to you automatically.

- **See your impact:** view your **referrer analytics** and your **sponsor chain**.

Build — show up & grow

- **Attend events:** RSVP/register, then **check in** at the event (QR code, a kiosk, or a code the organiser gives you). You can attend events across groups.

- **Give to a cause:** open a cause, see its **progress bar**, and **contribute**.

Giving during a live stream works **without leaving the stream page**. You'll get confirmation once the payment provider confirms the money — nothing is faked.

- **Learn: enrol** in a course, work through lessons, and complete it.
- **Request a certificate:** where an event/course offers one, request your

certificate; each has a public **verification** page so it can be trusted.

Send — participate & follow up

- **Community feed:** create posts, comment, and react. **Report** anything that breaks the rules.

- **Give feedback:** fill in event feedback forms and quizzes.
- **Follow-ups:** if your group runs follow-up care, your interactions (outcomes, needs, next steps) are recorded and count as Build/Send activity.

1.7 See your progress (gamification)

- **Points & leaderboards:** you earn points for participating; leaderboards rank you **org-wide and within each group**.

- **Achievements, streaks, ranks:** unlock badges, keep streaks alive, and climb ranks. Group **campaigns/projects** may offer time-boxed targets with their own awards.

1.8 Need more access?

If you need to do something your role doesn't allow, **submit an access request** (see Special Access ([#part-8--special-access-everyone-can-request](#))). You state the scope, reason, and how long you need it; an approver decides.

Part 2 — Event Organizer

You plan and run events end to end. Your permissions include `event.create`, `attendance.check_in`, `stream.create`, `stream.moderate`, `meeting.manage`, `venue.manage`, and the ticket/logistics/expense/feedback/certificate/media management rights.

2.1 Create and schedule an event

1. **Create the event** (title, group, mode — in-person / virtual / hybrid, times). It's credited to the **event's group**.
2. **Schedule approval:** if your organisation requires it, submit the schedule for approval (`event.schedule.approve` holder signs off).
3. **Publish** when ready — the event becomes visible/RSVP-able.

2.2 Venues & virtual access

- **Manage venues:** add/edit venues (address, capacity) for in-person events.
- **Virtual access:** for online events, configure the join/embed access.

2.3 Tickets & orders

- **Ticket types:** create tiers with prices/quantities.
- **Promo codes & holds:** issue promo codes and place ticket holds.
- **Orders:** track the order lifecycle (checkout → paid → reconciled) and issue

refunds where policy allows.

2.4 Attendance & check-in

- **QR check-in:** attendees show a QR; scan to check in.
- **Kiosk mode:** set up a **kiosk** for self check-in at the door.
- **Manual check-in:** check someone in by hand when needed.
- **Offline scans:** captured offline and reconciled later — nobody is turned away

by a bad signal.

- **Cross-group attendance:** someone from another group can attend; the system keeps one active attendance and attributes it to the right group.

2.5 Logistics

Plan the operational side: **catering, seating, staff, suppliers, resources, needs**, and a logistics **plan/projection** you can refresh as numbers change.

2.6 Live streaming

1. **Create a stream** and add one or more **destinations** (YouTube, Twitch, Facebook, custom RTMP...).
2. **Provision** the destinations, then **go live**, and **end/archive** when done.
3. **Console & co-hosts:** run the broadcast console, invite **co-hosts**, issue

co-host tokens, and manage **overlays**.

4. **Engagement:** run **polls**, watch **reactions**, and moderate **live chat**

(chat is always platform-native, audited and moderated).

5. **In-stream giving:** attach a **cause + giving widget** so viewers can give without leaving the page.

6. **Honest metrics & relay health:** viewer numbers are tagged as exact or estimated (never fabricated). If the relay degrades, an **incident** opens with alerts and a documented **bypass** procedure — metrics are marked degraded rather than pretending everything is fine.

2.7 Meetings/webinars

Manage meetings on providers like Zoom, Google Meet, or Teams. The platform creates the real meeting and issues per-user join links; provider presence is used as **candidate evidence** for attendance, never auto-marked.

2.8 After the event

- **Feedback forms & quizzes:** build forms, add questions, open/close them, and **review** scored responses; view **aggregates**.

- **Certificates:** issue/request certificates for attendees; each is verifiable.

- **Media:** upload event media — it's scanned and EXIF-stripped by default and goes through a **review** step before it's shown.

- **Expenses:** submit event expenses ([event.expense.submit](#)); a Finance Officer approves and reconciles them.

- **Event report:** roll up a per-group event report snapshot.

Part 3 — Notification Manager

You hold `notification.send`. You reach members with the right message on the right channel.

How to send:

1. **Preference centre:** members control which channels they accept — respect it; the platform enforces it.

2. **Compose a campaign** (audience, channel — email/SMS/push, content).

3. **Broadcasts** that are large or sensitive may need **approval**

(`notification.broadcast.approve`) before they go out.

4. **Send** and track delivery.

Notifications go out through configured providers with documented **fallbacks**, so a single provider outage doesn't silently drop messages.

Part 3b — Course Author / Instructor

Holders of `course.create` build learning content; `course.completion.override` lets you correct a learner's completion record.

How to build a course:

1. **Create the course** (title, description, group).
2. **Add lessons** and a **syllabus**.
3. **Publish** it so members can **enrol** and work through lessons.
4. **Track learners:** view enrolments; where justified, **override a completion**

(e.g. credit prior learning) — the override is audited.

Members enrol and complete lessons themselves (see Everyone → Learn (#16-the-winbuildsend-activities-you-can-do-as-a-member)).

Part 4 — Community Moderator

You hold `community.moderate`, `stream.moderate`, and `gamification.manage`.

Moderate the feed

- Review **reported** posts/comments in the moderation queue.
- Take **moderation actions** (hide, warn, remove) — each action is recorded.

Moderate live streams

- Moderate **live chat**, manage polls/reactions, and step in on a broadcast when needed.

Manage gamification

- Configure **achievements, streaks, ranks**, and **activity categories/catalog**; create and run **group campaigns/projects**. You can disable definitions without destroying history.
-

Part 5 — Reporting Analyst

You hold `report.view` and `report.export`.

- **Dashboards:** open reporting dashboards for the org and for groups you can see.
- **Export:** export data sets/reports (e.g. CSV) for offline analysis.
- **Snapshots:** capture point-in-time report snapshots where offered.

Your access is **read/export only** — you can't change operational data, which keeps reporting trustworthy.

Part 6 — Finance Officer

You hold `contribution.refund.approve`, `contribution.manage`, `integration.connection.approve`, and `event.expense.approve`. You're the **checker** on money movements.

6.1 Refunds (maker-checker)

1. Someone **requests** a refund (`contribution.refund.request`).
2. You **review** it and **approve** or reject. ****You cannot approve a refund you requested**** — segregation of duties is enforced.
3. Approved refunds are executed against the provider; history is never rewritten.

6.2 Contributions & causes

- **Manage causes** and contribution records.
- **Reconcile** incoming contributions; posted ledger rows are immutable —

corrections are new entries, not edits.

6.3 Event expenses

Review submitted expenses, **approve/reimburse**, and **reconcile** them against the event budget.

6.4 Approve provider connections

When someone configures a **payment/notification provider connection**, you're the approval step (`integration.connection.approve`) before it can go active — so money and messaging only flow through reviewed, approved integrations.

Part 7 — Integrations (Provider Configuration)

Anyone with `provider.configure` manages how the platform talks to outside providers. Two paths, depending on the provider:

7.1 No-code: connector profiles (conforming providers)

If a provider fits a certified protocol family, onboard it as a **connector profile** — pure configuration, no code:

1. **Create the profile** (family, canonical operation, approved host, field mappings). The server **validates** it against a safe, finite vocabulary.
2. Move it along the **certification path**: draft → sandbox-verified → security-review → finance-review → approved → active.
3. **Connect**: create a **connection**, add **credentials** (stored encrypted, never shown again), **test**, **submit**, and **activate**.

7.2 Custom-adapter SDK (non-conforming providers)

If a provider can't be expressed as a profile, it's added as a **versioned, signed, reviewed module** — an extension of the catalogue, *not* runtime code injection. Full details in ``docs/custom-adapter-sdk.md``. Lifecycle:

1. **Register** an allowlisted adapter class — its declared **manifest** (capabilities, hosts, credentials) is validated.
2. **Contract-test** it — the SDK conformance suite must pass; on pass the manifest is **signed**.
3. **Advance** to security review, then **approve** (a *different* person than the submitter — segregation of duties).
4. **Activate** — the manifest is **published to the shared catalogue** and the rest of the platform uses it exactly like a built-in provider.
5. **Revoke** if needed; the published entry is deprecated and history preserved.

7.3 Reliability

- **Fallback matrix**: see, per feature, the primary provider path and its documented fallback.
- **Circuits**: watch provider **circuit-breaker** health and **reset** a circuit after you've fixed the underlying issue.

Part 8 — Special Access (everyone can request)

These workflows let you get *more* access safely and temporarily.

8.1 Access requests (the normal way to get more)

1. **Submit a request:** state the **scope** (which group/permission), a **reason**, and a **duration**.
2. An approver with `access.request.approve` **approves/rejects**. They ****can't** approve their own** request.
3. Approved access is **time-boxed** — it **expires** automatically. You can **renew** before it lapses, and it can be **revoked** early.

8.2 Delegation of authority

If you hold a permission, you can **delegate** it to someone else for a period — useful when you go on leave. You can only delegate what you actually hold, and the delegation is recorded and expires.

8.3 Break-glass (emergencies only)

For genuine emergencies, holders of `access.break_glass` can invoke **break-glass** access: it requires **strong MFA and a reason**, grants narrow access briefly, and is **reviewed after the fact** (`access.break_glass.review`). Not for routine use.

Part 9 — Organization Administrator

You hold **all** permissions, including `admin.manage`, `access.role.manage`, `access.policy.manage`, `access.assignment.manage`, and `identity.manage`. You configure the platform and delegate authority to others.

9.1 Roles & assignments (RBAC)

- **Role catalogue:** create/edit roles and the permissions inside them (`access.role.manage`). The system enforces sensible org-wide coverage.
- **Assign roles:** grant a role to a person, **scoped** org-wide or to a specific group and its descendants (`access.assignment.manage`). Assignments can have effective windows and expire.

9.2 Fine-grained rules (ABAC)

Beyond roles, add **ABAC policies** (`access.policy.manage`) — declarative conditions (e.g. require strong MFA, restrict by attribute). Policies are **data, not code**, and the engine is **default-deny**: if nothing grants access, it's denied.

9.3 Identity administration

With `identity.manage` you run the **account lifecycle** (prospect → active → suspended/locked → deactivated → anonymised/merged), always with a **reason**, **approval**, and audit. **Merges are maker-checker** — the requester can't approve their own merge. Suspending/locking an account revokes its sessions and tokens.

9.4 Settings, feature flags & group configuration

This is how you turn features on/off:

- **Org settings & feature flags:** set organisation-wide settings and flags (`admin.manage`).
- **Per-group configuration:** set a config value on a group, and **resolve** the **effective** value for a group. Config is **inheritance-aware** — a child group inherits its ancestors' settings unless it overrides them. **Default is OFF**: a feature does nothing until a group in the ancestry enables it.
- **Rule of thumb:** to enable a capability for a branch of the org, set it on the top group of that branch; every group beneath inherits it.

9.5 Group lifecycle & structure

- **Create/move groups** (`group.create`, `group.move`) to shape the hierarchy.
- **Lifecycle:** **archive** ⇌ **reactivate**, or terminally **dissolve** / **merge** groups — each with a stated reason and evidence. Dissolve is refused while a group still has active children or members; merge re-parents children and transfers members safely.
- **Group profiles & approvals:** update group profiles and approve group changes

`group.change.approve`).

9.6 Sponsor (referral) reassignment — maker-checker

Moving a member to a different sponsor is a **reviewed** action:

1. Someone **submits** a reassignment (member, new sponsor, reason, effective date).

The request shows the **before/after** sponsor chain and a **descendant-impact** assessment.

2. A holder of `sponsor.reassign.approve` **approves** — and ****can't approve one they submitted. Approval re-checks eligibility (no cycles/self-sponsor), performs the move, and** recalculates only the affected, non-final metrics******.

3. **History is never rewritten** — past attribution, ledgers, certificates and closed-season results stay intact.

9.7 Oversight

- **Audit log:** every sensitive action is recorded in an append-only, tamper-evident (hash-chained) log.
- **Reports:** use analyst dashboards/exports to monitor the whole organisation.

Appendix A — Permission → what it lets you do

Permission	Lets you...
referral.link.create	Create your personal referral/invite links
group.create / group.move	Create groups / move them in the hierarchy
group.change.approve	Approve group profile/structure changes
event.create	Create events
event.schedule.approve	Approve an event's schedule
attendance.check_in	Check attendees in (QR/kiosk/manual)
event.tickets.manage / event.logistics.manage	Manage tickets/orders / logistics
event.expense.submit / event.expense.approve	Submit / approve event expenses
event.feedback.manage	Build & review feedback forms/quizzes
event.certificate.manage	Issue/manage certificates
event.media.manage	Manage & review event media
contribution.refund.request / contribution.refund.approve	Request / approve refunds
contribution.manage	Manage causes & contributions
integration.connection.approve	Approve provider connections
provider.configure	Configure providers, profiles & custom adapters
notification.send / notification.broadcast.approve	Send / approve broadcasts
course.create / course.completion.override	Build courses / override completion

stream.create / stream.moderate	Run streams / moderate them
meeting.manage	Manage meetings/webinars
venue.manage	Manage venues
community.moderate	Moderate community content
gamification.manage	Configure points/achievements/ranks/campaigns
report.view / report.export	View / export reports
access.request.approve	Approve access requests
access.assignment.manage	Assign roles to people
access.role.manage / access.policy.manage	Manage roles / ABAC policies
access.break_glass / access.break_glass.review	Invoke / review emergency access
identity.manage	Run account lifecycle & merges
admin.manage	Org settings, flags, group configuration

Appendix B — Common questions

- **"I can't see a feature I expect."** It's probably **turned off for your group**.

Ask an admin to enable it on your group (or an ancestor). Remember default is OFF.

- **"Why was I denied?"** The engine is **default-deny**; you either lack the permission, the **scope** (wrong group), or a **policy** (e.g. strong MFA) isn't satisfied. The denial message names the reason.

- **"Can I approve my own request/refund/merge/reassignment?"** No — ****segregation**

of duties** blocks self-approval everywhere.

- **"Will editing history change past results?"** No. Ledgers, attribution, certificates and closed seasons are immutable; corrections are new records.

- **"I belong to Group A — can I give to Group B's cause?"** Yes. Credit goes to the **receiving** group; your personal total sums everything you do across all groups.