

Layer 1 — Phase 1 Sweep Score (AI-estimated, no real data yet)

Claude scores 4 pillars from web search results alone, then combines them:

Prospect Score = (Creative Investment × 0.15)
+ (Budget Level × 0.25)
+ (Growth Signals × 0.30)
+ (Storytelling Gap × 0.30)

Pillar	Weight	What it measures
Creative Investment	15%	Are they spending on video now?
Budget Level	25%	Can they afford \$15K–\$100K production?
Growth Signals	30%	Fundraising, scaling, expanding?
Storytelling Gap	30%	How weak/generic is their current content?

hot = true if score ≥ 7.5.

Layer 2 — Phase 2 Deep Dive Score (verified real data)

After pulling actual social/website data, the app builds a social_context block and feeds it to Claude for re-scoring. This is where the socials actually matter.

Per-Platform Scores (_build_social_section)

These are **hardcoded base scores** depending on whether data was successfully pulled:

Platform	Score if Found	Score if Blocked/Missing	Data Source
Instagram	6.0	0	instaloader (verified)
TikTok	4.0	0	Tavily search
X/Twitter	4.0	0	Tavily search
Facebook	4.0	0	Tavily search
LinkedIn	4.0	4.0 (always)	Hardcoded — not verified
YouTube	Dynamic (see below)	0	yt-dlp verified

YouTube Score Formula (the only truly dynamic per-platform score):

yt_score = 5.0 # base if channel found

```
# + video count bonus
if videos >= 100: yt_score += 2.0
elif videos >= 30: yt_score += 1.0
elif videos >= 10: yt_score += 0.5

# + subscriber count bonus
if subs >= 500K: yt_score += 2.0
elif subs >= 100K: yt_score += 1.5
elif subs >= 10K: yt_score += 1.0
elif subs >= 1K: yt_score += 0.5

yt_score = min(10.0, yt_score) # capped
```

Overall Social Score:

```
python
overall_social_score = (ig_score + tt_score + yt_score) / 3
```

Note: X, Facebook, and LinkedIn are **excluded** from this average — only IG, TikTok, and YouTube roll up.

What gets fed to Claude for final scoring

`_fmt_social_context` packages everything into a block in this order:

1. **Website copy** (Tavily-extracted, up to 2,000 chars)
2. **Meta Ad Library** — active ad count, oldest ad date, platforms, ad copy samples
3. **Instagram** — followers, bio, caption samples (top by engagement)
4. **TikTok** — handle, content samples
5. **X/Twitter** — handle, post samples
6. **Facebook** — post samples
7. **YouTube transcripts** — up to 20 verified snippets

Claude then re-scores all 4 pillars and also outputs the **Storytelling Framework sub-scores** (s06):

- `people_score`, `plot_score`, `places_score`, `purpose_score` → averaged into `composite_score`

The Known Bug (from your project notes)

When a site like `ibanez.com` blocks SSL extraction, `website_content` comes back empty. If social data also fails, Claude gets no evidence and scores everything `0/0/0/0` — which then overwrites the Phase 1 sweep scores. The score preservation fallback (`result.get('prospect_score')` or `row['prospect_score']`) only kicks in if the score is falsy (exactly 0), so it should theoretically protect — but it's

fragile if Claude returns a very low non-zero score instead.