



Modelling Financial Markets

Chapter 17: Bubbles and Crashes



Daniel Traian PELE

Bucharest University of Economic Studies

IDA Institute Digital Assets

Blockchain Research Center

AI4EFin Artificial Intelligence for Energy Finance

Romanian Academy, Institute for Economic Forecasting

MSCA Digital Finance

Acronyms used in this material

- ▣ ADF: Augmented Dickey–Fuller (test)
- ▣ AI: Artificial Intelligence
- ▣ AR: AutoRegressive (model)
- ▣ BET: Bucharest Exchange Trading (index)
- ▣ BET-FI: BET Financial Investment companies index
- ▣ BSADF: Backward Sup Augmented Dickey–Fuller (statistic)
- ▣ BVB: Bursa de Valori Bucureşti (the Bucharest Stock Exchange)
- ▣ CI: Confidence Interval
- ▣ EM: Expectation-Maximisation (algorithm)
- ▣ ES: Expected Shortfall
- ▣ FWER: Family-Wise Error Rate
- ▣ GARCH: Generalised AutoRegressive Conditional Heteroskedasticity
- ▣ GSADF: Generalised Sup Augmented Dickey–Fuller (test)
- ▣ JLS: Johansen–Ledoit–Sornette (model)
- ▣ LPPL: Log-Periodic Power Law
- ▣ LPPLS: Log-Periodic Power Law Singularity (model)
- ▣ LR: Likelihood Ratio (test)
- ▣ MC: Monte Carlo (simulation)
- ▣ NVIDIA: NVIDIA Corporation (company name, US chip designer)
- ▣ OLS: Ordinary Least Squares
- ▣ PSY: Phillips–Shi–Yu (bubble test and date-stamping procedure)
- ▣ PWY: Phillips–Wu–Yu (bubble test and date-stamping procedure)
- ▣ SADF: Sup Augmented Dickey–Fuller (test)
- ▣ SE: Standard Error
- ▣ SRISK: Systemic RISK (capital shortfall measure)
- ▣ US: United States

Outline

Motivation

What Is a Bubble?

Run-Ups and Crashes in the Data

Testing for Explosive Behaviour

The Log-Periodic Power Law (LPPLS)

Regime-Switching Models

Crypto and AI Bubbles

AI for Scientific Discovery

Summary

References

Why Study Bubbles?

The question of this chapter

- ▣ Prices sometimes rise far faster than any plausible change in fundamentals, then lose most of their value
- ▣ Can we **detect** such episodes with statistics, and can we do it **in real time**?
- ▣ Can we say **when** they end?

What we do in this chapter

- ▣ Define a bubble: price minus the present value of future cash flows
- ▣ Test for explosive prices and date-stamp the episodes (PSY)
- ▣ Fit the LPPLS bubble model and check its crash-time forecasts honestly
- ▣ Describe booms and busts with regime-switching models; apply all tools to crypto and AI stocks

Three Historical Lessons



Hendrik Gerritsz Pot, *Flora's Wagon of Fools* (c. 1637), a satire of the tulip trade

Image: Hendrik Gerritsz Pot (c. 1637); public domain;
Wikimedia Commons

- **Tulips, 1636–1637:** contracts on rare bulbs traded at very high prices until the market stopped in February 1637; part of the path fits the fundamentals of a new luxury good [Garber \(1990\)](#)
 - ▶ Lesson 1: calling something a bubble requires a model of the fundamental value
- **South Sea and Mississippi, 1720:** shares rose several-fold within months, then collapsed; a financial innovation, easy credit and a story about future profits [Kindleberger & Aliber \(2005\)](#)
 - ▶ Lesson 2: bubbles come with credit and with high turnover [Scheinkman & Xiong \(2003\)](#)
- **1929:** a boom partly financed with borrowed money ended in the October crash; Kindleberger's sequence (after Minsky): displacement, boom, euphoria, distress, panic [Kindleberger & Aliber \(2005\)](#)
 - ▶ Lesson 3: we need tests that work on a single time series, in real time, before the panic

Data Used in This Chapter

Series	Frequency	Period	Use
S&P Composite, real price and dividend	monthly	1871–2024	price-dividend ratio
49 US industry portfolios	monthly	1926–2026	run-ups and crashes
Nasdaq 100, S&P 500	daily, monthly	1990–2026	dot-com, AI
BET, BET-FI	daily, monthly	1997–2026	Bucharest Stock Exchange
Bitcoin, Ethereum, Dogecoin	daily, weekly	2014–2026	crypto booms
NVIDIA, Cisco, Tesla, GameStop, Strategy	daily, monthly	1990–2026	single stocks

- Closing values up to 18 September 2026; stocks adjusted for dividends and splits; weekly and monthly series use the last price of the period
- Sources: shillerdata.com for the S&P Composite; [Kenneth French Data Library](https://ken.fra.hawaii.edu/) for industries

Fundamental Value

- No-arbitrage with required return r : $P_t = \frac{\mathbb{E}_t[P_{t+1} + D_{t+1}]}{1 + r}$, with D the dividend
 - ▶ $\mathbb{E}_t$: expectation given the information available at t
- Solving forward gives the **fundamental value**: $F_t = \sum_{i \geq 1} \frac{\mathbb{E}_t[D_{t+i}]}{(1 + r)^i}$
 - ▶ Gordon case, dividends growing at $g < r$: $F_t = D_{t+1}/(r - g)$
- But $P_t = F_t + B_t$ also solves the equation whenever $\mathbb{E}_t[B_{t+1}] = (1 + r) B_t$
- B_t is the **rational bubble**: investors pay for it because they expect to resell it at a higher price [Blanchard & Watson \(1982\)](#)

Why a Rational Bubble Must Explode

- From $\mathbb{E}_t[B_{t+1}] = (1+r)B_t$: $\mathbb{E}_t[B_{t+h}] = (1+r)^h B_t$, an **explosive** path
 - ▶ The bubble grows faster than dividends ($r > g$), so its share of the price rises over time
- A negative bubble would eventually push the expected price below zero: rational bubbles are positive [Diba & Grossman \(1988\)](#)
- A bubble cannot start in a rational market: if it is zero today it must stay zero, so a bubble must exist from the first trade [Diba & Grossman \(1988\)](#)
- **Testable implication**: if dividends are at most $I(1)$, then without a bubble the price and the price-dividend ratio are **not explosive**
- $I(1)$: integrated of order one, a random walk with stationary increments


Transversality: Where the Bubble Term Comes From

- Substitute the pricing equation into itself h times: $P_t = \sum_{i=1}^h \frac{\mathbb{E}_t[D_{t+i}]}{(1+r)^i} + \frac{\mathbb{E}_t[P_{t+h}]}{(1+r)^h}$ (law of iterated expectations)
- Let $h \rightarrow \infty$: $P_t = F_t + B_t$ with $B_t = \lim_{h \rightarrow \infty} \mathbb{E}_t[P_{t+h}]/(1+r)^h$
- **Transversality condition:** $\lim_{h \rightarrow \infty} \mathbb{E}_t[P_{t+h}]/(1+r)^h = 0$; it holds $\Leftrightarrow B_t = 0 \Leftrightarrow P_t = F_t$
 - ▶ A bubble is the failure of transversality: the price contains a value that is never paid out as dividends
- Shift the limit one period: $\mathbb{E}_t[B_{t+1}] = \lim_h \mathbb{E}_t[P_{t+1+h}]/(1+r)^h = (1+r) B_t$, the martingale condition of the previous slides
- Seminar 17, Exercise A1 derives the general solution and why $B_t \geq 0$ rules out a bubble that starts from zero [Diba & Grossman \(1988\)](#)

Bubbles That Burst: Blanchard and Watson

- Each period the bubble survives with probability π and collapses with probability $1 - \pi$ [Blanchard & Watson \(1982\)](#)
 - ▶ $B_{t+1} = \frac{1+r}{\pi} B_t + \varepsilon_{t+1}$ with probability π , $B_{t+1} = \varepsilon_{t+1}$ otherwise
- Expected growth is still r ; while it survives the bubble grows faster, at $(1+r)/\pi - 1$, to pay for the crash risk
- Expected lifetime: $1/(1-\pi)$ periods, a geometric waiting time
- Simulation on the next slide: $r = 1\%$ per period, $\pi = 0.97$: growth 4.1% per period while alive, expected life 33.3 periods

A Simulated Rational Bubble



- Fundamental value D_t/r with random-walk dividends; the bubble restarts from a small value after each collapse

Reading the Simulated Bubble

- In 400 periods the bubble grew large and burst 4 times; at its largest the price was 2.06 times the fundamental value
- Each episode: slow start, faster-than-fundamental growth, a sudden fall back to the fundamental value
- Between episodes the price tracks fundamentals: a test on the whole sample sees mostly “normal” data
- This is why the tests of this chapter look at **sub-samples** (windows) rather than at the full sample [Evans \(1991\)](#)

Bubbles Beyond Rational Expectations



Robert J. Shiller, Nobel Prize 2013

Photo: Presidential Office Building, Taiwan (2017);

CC BY 2.0; Wikimedia Commons

- **Feedback and narratives:** rising prices attract new buyers, “new era” stories spread by word of mouth [Shiller \(2015\)](#)
- **Disagreement and short-sale limits:** the price includes the option to resell to a more optimistic buyer [Scheinkman & Xiong \(2003\)](#)
- **Riding the bubble:** informed traders stay in as long as others do, since no one can burst it alone [Abreu & Brunnermeier \(2003\)](#), [Brunnermeier & Nagel \(2004\)](#)
- All three give prices that grow faster than fundamentals for a while: the explosive signature we will test

Fama: Are Bubbles Even Identifiable?

- Fama's objection: a "bubble" is only a bubble if its end is predictable; otherwise it may be a rational reaction to news [Fama \(2014\)](#)
- New technologies raise the uncertainty about future profits and can justify high, volatile prices [Pástor & Veronesi \(2009\)](#)
- Two questions we can answer with data
 - ▶ Do sharp run-ups predict crashes, or low returns? (next section)
 - ▶ Is the price path explosive, and since when? (explosiveness tests)

Recap: What Is a Bubble?


- Bubble = price minus fundamental value, the present value of expected cash flows
- A rational bubble must grow at the required return: its path is explosive, and it is positive
- Bursting bubbles grow even faster while alive; they look normal between episodes
- Behavioural bubbles (feedback, disagreement, riding) share the explosive signature

Nine Episodes: Run-Up and Crash

Episode	Peak	2-year run-up	Max. fall	Trough	Back at peak
Nasdaq 100, 2000	27 Mar 2000	+288%	−83%	Oct 2002	Nov 2015
Cisco, 2000	27 Mar 2000	+592%	−89%	Oct 2002	Aug 2021
BET, 2007	24 Jul 2007	+97%	−83%	Feb 2009	Mar 2021
Bitcoin, 2017	16 Dec 2017	+4186%	−83%	Dec 2018	Nov 2020
Ethereum, 2018	13 Jan 2018	+124004%	−94%	Dec 2018	Feb 2021
Bitcoin, 2021	8 Nov 2021	+667%	−77%	Nov 2022	Mar 2024
Dogecoin, 2021	7 May 2021	+26897%	−92%	Jun 2022	not yet
GameStop, 2021	27 Jan 2021	+2218%	−88%	Apr 2024	not yet
Tesla, 2021	4 Nov 2021	+1837%	−74%	Jan 2023	Dec 2024

- Peak: highest daily close in the episode; run-up: price change over the two years before the peak; maximum fall: to the lowest close within four years
- BET 2007: the only episode without a spectacular run-up in the last two years, yet with one of the deepest falls

Run-Ups and Crashes Aligned at the Peak



□ Daily prices two years before and after each peak, peak = 100, log scale

Reading the Aligned Episodes


- ▣ Two-year run-ups differ enormously, from +97% (BET) to +124004% (Ethereum); the falls are much more alike, 74–94%
- ▣ The shape is similar: an accelerating rise (convex on the log scale), a sharp top, a deep fall
- ▣ Acceleration on a log scale means the growth rate itself rises: this is the **explosive** behaviour the tests look for
- ▣ Selection bias: we picked these episodes because they crashed; many run-ups did not

Bubbles for Fama: The Question

- Greenwood, Shleifer and You look at **all** US industries since 1926, not at famous episodes only [Greenwood, Shleifer & You \(2019\)](#)
- **Run-up**: value-weighted industry return over the past 2 years above a threshold (e.g. 100%), both raw and net of the market
 - ▶ New episode only if the last one in the same industry started more than 24 months earlier
- **Crash**: a drawdown of at least 40% from a previous high within the next 2 years
- Our replication: 49 industries of the [Kenneth French Data Library](#), 54 854 industry-months, 1926–2026

What Do Sharp Run-Ups Predict?

Bubbles for Fama, 49 US industries 1926-2026: two-year run-ups above the threshold, raw and net of the market



- 95% CI: bootstrap over calendar years, because run-ups cluster in time (1928–1936, 1999–2001)

 MFM_ch17_bubbles_for_fama

Reading Bubbles for Fama

- After a run-up above 100% (127 episodes in 42 industries), a 40% crash followed in 40% of cases
 - ▶ 95% CI [27%, 54%], against 14% for a random industry-month
 - ▶ Effective sample size: the run-ups fall in 52 calendar years and overlap; the year-block bootstrap SE (7.0 percentage points) exceeds the binomial SE (4.3), a design effect of 2.6, i.e. about 49 independent observations
 - ▶ Above 150%: 53% ($n = 59$)
- But the mean return over the next 2 years stays positive: 19% after a 100% run-up, CI [2%, 36%]
 - ▶ Unconditional mean: 28%; the difference is not significant
- Run-ups raise the **risk** of a crash, not the predictable loss: some keep rising, some collapse
- This matches Greenwood, Shleifer and You: price run-ups alone do not give a profitable timing signal [Greenwood, Shleifer & You \(2019\)](#)

The Dot-Com Bubble



The Pets.com sock puppet, mascot of an online pet-supply retailer that listed and closed in 2000

Photo: Atomic Taco (2013); CC BY-SA 2.0; Wikimedia

[Commons](#)

- Nasdaq 100: +288% in the two years to its closing high of 27 Mar 2000, then −83% to Oct 2002
- Cisco: +592% in two years, then −89%; back at the peak only in Aug 2021
- Hedge funds rode the bubble and cut positions before the fall [Brunnermeier & Nagel \(2004\)](#)
- Yet the internet did change the economy: a technology revolution can create both value and a bubble [Pástor & Veronesi \(2009\)](#)


Recap: Episodes

- ▣ Famous bubbles share a shape: accelerating rise, sharp top, deep fall
- ▣ Across all US industries, run-ups above 100% are followed by a 40% crash about 40% of the time vs 14% unconditionally
- ▣ Average returns after run-ups stay positive: run-ups signal risk, not a sure loss
- ▣ Next: formal tests of explosive behaviour on a single series

Right-Tailed ADF and Collapsing Bubbles

- Regression on the log price y_t : $\Delta y_t = a + b y_{t-1} + \varepsilon_t$; $ADF = \hat{b}/SE(\hat{b})$; here with a constant and no lagged Δy
- Bubble test: $H_0 : b = 0$ (unit root) vs $H_1 : b > 0$ (explosive root), the **right tail**; the left-tail Dickey–Fuller table does not apply [Phillips, Wu & Yu \(2011\)](#)
- Evans: a bubble that collapses periodically makes the **full-sample** series look stationary or like a random walk: low power [Evans \(1991\)](#)
- Solution: run the ADF regression on many **windows** and take the largest statistic
 - ▶ SADF (Phillips, Wu and Yu): windows start at the first observation and grow [Phillips, Wu & Yu \(2011\)](#)
 - ▶ GSADF (Phillips, Shi and Yu): windows may start and end anywhere [Phillips, Shi & Yu \(2015a\)](#)

Evans Bubble: Full Sample vs Windows



- 400 simulated periods; BSADF (defined below) against its 95% critical value from 2000 random-walk paths


Reading the Evans Simulation

- ▣ Full-sample right-tailed ADF: -5.16 vs 95% critical value -0.09 : no rejection, the bubble is invisible
- ▣ SADF 1.26 (critical value 1.46) and GSADF 4.08 (critical value 2.21)
- ▣ BSADF crosses its critical value in most bursts, but only 2 bursts last long enough to be date-stamped
- ▣ Short explosive bursts are filtered out by the minimum-duration rule: the price paid for fewer false alarms

Why the Full-Sample ADF Fails: the Leverage of Collapses

- OLS slope: $\hat{b} = \sum_t \tilde{y}_{t-1} \Delta y_t / \sum_t \tilde{y}_{t-1}^2$, with $\tilde{y}_{t-1}$ the demeaned lagged log price
- Expansion: $\Delta y_t > 0$ while $\tilde{y}_{t-1}$ rises above its mean: positive terms
- Collapse: the most negative Δy_t occurs at the highest $\tilde{y}_{t-1}$: a few terms of the largest size and the opposite sign
- Blanchard–Watson in logs, collapse to a level c with probability $1 - \pi$: $\mathbb{E}[\Delta y_t | y_{t-1}] = \pi \ln \frac{1+r}{\pi} + (1 - \pi)(c - y_{t-1})$, slope $-(1 - \pi) < 0$: apparent mean reversion although $\mathbb{E}_t B_{t+1} = (1 + r)B_t$ [Evans \(1991\)](#)
- Windows that contain the expansion but not the collapse have $\hat{b} > 0$: a supremum over windows restores the power [Phillips, Shi & Yu \(2015b\)](#)

Three Ways to Choose Windows



- r_0 : the smallest window, as a fraction of the sample; each bar is one ADF regression

SADF, GSADF and BSADF: Definitions

- $ADF_{r_1}^{r_2}$: the ADF statistic on the window from fraction r_1 to fraction r_2 of the sample
- $SADF(r_0) = \sup_{r_2 \in [r_0, 1]} ADF_{r_0}^{r_2}$ Phillips, Wu & Yu (2011)
- $GSADF(r_0) = \sup_{r_2 \in [r_0, 1]} \sup_{r_1 \in [0, r_2 - r_0]} ADF_{r_1}^{r_2}$ Phillips, Shi & Yu (2015a)
- Backward SADF at the end point r_2 : $BSADF_{r_2} = \sup_{r_1 \in [0, r_2 - r_0]} ADF_{r_1}^{r_2}$; $GSADF = \sup_{r_2} BSADF_{r_2}$
 - $BSADF_{r_2}$ uses only data up to r_2 : it can be computed **in real time**
- Minimum window rule: $r_0 = 0.01 + 1.8/\sqrt{T}$, e.g. $T = 440$ months: $r_0 = 0.096$, 42 months Phillips, Shi & Yu (2015a)

Date-Stamping: When Did It Start and End?

- **Origination:** the first date at which BSADF exceeds its critical value Phillips, Shi & Yu (2015a)
 - ▶ The critical value sequence cv_{r_2} : 95% quantile of $BSADF_{r_2}$ under the null, date by date
- **Termination:** the first later date at which BSADF falls back below its critical value
- **Minimum duration:** the end is searched only after $\hat{r}_e + \delta \ln(T)/T$ (PSY, eq. 8), δ depending on the frequency Phillips, Shi & Yu (2015a)
 - ▶ Here $\delta = 1$, the $\ln T$ rule of PWY, in whole periods: $L = \lceil \ln T \rceil$; $T = 440$: $\ln T = 6.09$, so 7 months
- PWY date-stamping uses the recursive ADF_0^2 instead: it may miss a second bubble after a collapse Phillips, Shi & Yu (2015b)

Limit Theory (1): the Null Distribution

- Null model: $y_t = d T^{-\eta} + y_{t-1} + \varepsilon_t$, $\eta > 1/2$, ε_t iid $(0, \sigma^2)$: a random walk with an asymptotically negligible drift [Phillips, Shi & Yu \(2015a\)](#)
- By the functional central limit theorem and continuous mapping (PSY, Theorem 1, eq. 5), with $r_w = r_2 - r_1$ and W a standard Brownian motion:
 - ▶ $\text{ADF}_{r_1}^2 \Rightarrow \frac{\frac{1}{2} r_w [W(r_2)^2 - W(r_1)^2 - r_w] - \int_{r_1}^{r_2} W dr [W(r_2) - W(r_1)]}{r_w^{1/2} \left\{ r_w \int_{r_1}^{r_2} W^2 dr - \left(\int_{r_1}^{r_2} W dr \right)^2 \right\}^{1/2}}$
- σ and d disappear: the limit is pivotal. SADF and GSADF are suprema of the same functional, so their critical values depend only on r_0 and the deterministic terms
- $r_1 = 0$, $r_2 = 1$ gives the Dickey–Fuller limit with a constant: its 95% quantile is negative (simulated: -0.06), far from 1.645
- The drift and intercept specification changes the limit and the size [Phillips, Shi & Yu \(2014\)](#)


Limit Theory (2): Mildly Explosive Alternatives

- Alternative: $y_t = \rho_T y_{t-1} + \varepsilon_t$ with $\rho_T = 1 + c/k_T$, $c > 0$, $k_T \rightarrow \infty$, $k_T = o(T)$; PSY use $k_T = T^\alpha$, $\alpha \in (0, 1)$
 - ▶ Closer to 1 than any fixed explosive root, farther than a local-to-unity root $1 + c/T$: the “mild” speed of real bubbles
- Phillips and Magdalinos: $\frac{\rho_T^T}{\rho_T^2 - 1} (\hat{\rho}_T - \rho_T) \Rightarrow \mathcal{C}$, a standard Cauchy law, without Gaussian errors [Phillips & Magdalinos \(2007\)](#)
 - ▶ Rate $k_T \rho_T^T$: exponentially fast; the ADF statistic diverges to $+\infty$
- Hence SADF and GSADF diverge too (for GSADF any window of at least $r_0 T$ observations inside the bubble suffices): the tests are consistent, power $\rightarrow 1$ [Phillips, Shi & Yu \(2015b\)](#)
- Finite samples: power depends on c , α and the duration; short bursts may stay below the bar, as in the Evans simulation

Limit Theory (3): Consistent Date-Stamping

- Crossing times (PSY, eqs. 7–8): $\hat{r}_e = \inf\{r_2 \geq r_0 : \text{BSADF}_{r_2} > \text{scv}_{r_2}^{\beta_T}\}$,
 $\hat{r}_f = \inf\{r_2 \geq \hat{r}_e + \delta \ln(T)/T : \text{BSADF}_{r_2} < \text{scv}_{r_2}^{\beta_T}\}$
- $\text{scv}_{r_2}^{\beta_T}$: the $100(1 - \beta_T)\%$ quantile of BSADF on $\lfloor Tr_2 \rfloor$ observations
 - Consistency, $(\hat{r}_e, \hat{r}_f) \rightarrow_p (r_e, r_f)$, needs $\frac{1}{\text{scv}^{\beta_T}} + \frac{\text{scv}^{\beta_T}}{T^{1-\alpha/2}} \rightarrow 0$ (PSY, eq. 11)
- The critical value must diverge, so that the false-alarm probability vanishes ($\beta_T \rightarrow 0$), but slower than $T^{1-\alpha/2}$, so that true bubbles are still found; e.g. growing like $\ln T$ [Phillips, Shi & Yu \(2015a\)](#)
- In practice β_T is fixed at 5% at every date: each date keeps a 5% false-alarm chance, and over hundreds of dates a false alarm becomes likely (size study below)

Null Distributions and Critical Values



- Random walk with a small drift, $y_t = T^{-1} + y_{t-1} + \varepsilon_t$, 2000 paths of $T = 440$ Phillips, Shi & Yu (2015a)

Reading the Null Distributions

- ▣ A single ADF: 95% critical value -0.06 (negative!); SADF: 1.41; GSADF: 2.19
- ▣ Taking a supremum over more windows shifts the distribution to the right: more windows, higher bar
- ▣ The GSADF bar is the price of searching over about 80 000 windows: it controls the chance of a false alarm somewhere in the sample
- ▣ Critical values depend on T , r_0 and the lag order: simulate them for each application

Changing Volatility: Wild Bootstrap

- ▣ Monte Carlo critical values assume shocks with constant variance; real prices have volatility clusters and shifts
- ▣ A burst of volatility can mimic explosiveness and inflate the rejection rate [Harvey et al. \(2016\)](#)
- ▣ **Wild bootstrap:** multiply the observed, demeaned changes Δy_t by random signs $w_t = \pm 1$, rebuild the path, recompute BSADF [Phillips & Shi \(2020\)](#)
 - ▶ The bootstrap null keeps the volatility pattern of the data but has no explosive root
- ▣ Validity: the bootstrap data have a unit root by construction and inherit the time pattern of $\text{Var}(\Delta y_t)$; demeaning removes the drift, as in the null model [Harvey et al. \(2016\)](#)

Size of GSADF When Volatility Changes: Monte Carlo


Null model, no bubble	GSADF, MC cv	GSADF, wild cv	False episode, MC	False episode, wild
Constant volatility	4.1%	3.9%	49.1%	51.9%
Volatility $\times 3$ at $T/2$	32.0%	4.1%	63.8%	49.6%
Volatility $\times 1/3$ at $T/2$	4.3%	6.1%	48.0%	54.8%
GARCH(1,1), $\alpha = 0.10$, $\beta = 0.88$	16.6%	6.8%	58.1%	52.8%

- Rejection rates at the nominal 5% level; $y_t = T^{-1} + y_{t-1} + e_t$, $T = 400$, $w_0 = 40$; 1 000 paths per row, each with its own wild bootstrap (199 replications); Monte Carlo error ± 1.4 points
- MC cv: Monte Carlo critical values under constant variance; false episode: BSADF above its pointwise 95% critical value for at least $\lceil \ln T \rceil = 6$ periods somewhere in the sample

Reading the Size Study

- ▣ Constant volatility: both critical values keep the size close to 5% (4.1% and 3.9%)
- ▣ A late rise in volatility is mistaken for explosiveness: 32.0% rejections with Monte Carlo critical values, 4.1% with the wild bootstrap [Harvey et al. \(2016\)](#)
- ▣ Persistent GARCH volatility: 16.6% vs 6.8%; the wild bootstrap removes most, not all, of the distortion
- ▣ A fall in volatility does not inflate the size: the danger is high variance in the most recent windows
- ▣ Last two columns: even without a bubble and with constant volatility, 49.1% of the paths contain a false date-stamped episode: the size is controlled date by date, not over the sample

S&P 500 Price-Dividend Ratio, 1871–2024




- Real price over real dividend, monthly, 1 865 observations; minimum window 96 months; 1 000 Monte Carlo paths

Reading the Price-Dividend Ratio

- $GSADF = 3.41$ vs 95% critical value 2.39 (99%: 2.88): explosive episodes exist; the full-sample ADF (-1.11) sees none
- Date-stamped episodes: Aug 1917–Jun 1918; Nov 1928–Sep 1929; May 1997–Aug 2001
- The dot-com episode is the dominant one: the ratio peaked at 91.2 in May 2000, against a long-run mean of 29.8
 - ▶ 1917–1918 is an accelerating **fall** of the ratio: real prices fell faster than real dividends; explosive, but not a bubble
- 1879–1880, 1929, 1955, 1987 and 2008–2009: BSADF crossed the critical value, but for fewer than 8 months in a row: filtered out by the minimum duration
- Explosiveness in a ratio can come from the denominator: always check both price and dividend

Nasdaq 100: GSADF vs PWY Date-Stamping




- Monthly log closes 1990–2026, $T = 440$, minimum window 42 months; 2 000 Monte Carlo paths

Reading the Nasdaq 100

- $GSADF = 2.57$ (95% critical value 2.19); $SADF = 2.14$ (critical value 1.41)
- BSADF episodes: Jun 1995–Jun 1996; Aug 1996–Jul 1998; Sep 1998–Oct 2000; Apr 2020–May 2022; May 2023–ongoing
 - ▶ PWY (fixed start) episodes: Apr 1997–Nov 1997; Jan 1998–Jul 1998; Sep 1998–Oct 2000
- The recursive ADF starts in 1990 and is dragged down by the long flat period after 2000: it misses the post-2020 episodes that BSADF finds
- The dot-com signal started in Jun 1995, 57 months before the peak of Mar 2000

Bitcoin: Explosive Episodes



- Weekly log closes 2014–2026, $T = 626$, minimum window 51 weeks; Monte Carlo critical values


Reading Bitcoin

- GSADF = 3.85: Monte Carlo 95% critical value 2.27, wild bootstrap 2.82: rejected either way
- Monte Carlo episodes: Apr 2017–Jun 2018; Dec 2020–May 2021
 - ▶ Wild bootstrap episodes: May 2017–Jan 2018; Dec 2020–Feb 2021
- 2017: signal from Apr 2017, 8 months before the peak of 16 Dec 2017; it ended 6 months after the peak
- The 2024–2025 rise to new highs is **not** flagged: steady growth is not the same as explosive acceleration

Date-Stamping Is a Multiple Test


- BSADF is compared with its 95% critical value at each of the 626 weeks of the Bitcoin sample: hundreds of dependent tests
- Family-wise error rate (FWER): the probability of at least one false alarm over the whole monitoring window
 - ▶ 2 000 random walks with the Bitcoin T and w_0 : at least one crossing in 95% of paths, at least one “episode” of $\lceil \ln T \rceil$ weeks in 59%
- Phillips and Shi: bootstrap the **maximum** of BSADF over τ_b consecutive dates; its 95% quantile caps the FWER at 5% over any window of τ_b dates [Phillips & Shi \(2020\)](#)
 - ▶ Residuals of $\Delta y_t = a + e_t$, drawn with replacement and multiplied by $N(0, 1)$ weights; paths of $w_0 + \tau_b - 1$ changes; 999 replications
 - ▶ Here $\tau_b = 104$ weeks (two years); for comparison, the pointwise rule gives a crossing within the last 104 weeks in 42% of null paths

Bitcoin: Pointwise vs Family-Wise Critical Values



- Family-wise critical value 1.75, against pointwise Monte Carlo values of at most 0.71: a much higher bar
- Episodes with family-wise control: Oct 2017–Jan 2018; the 2020–2021 episode found with pointwise values does not survive: only the late-2017 acceleration is robust to multiplicity

BET: The 2007 Boom and 2025




- Monthly log closes of the official BET, 1997–2026, $T = 348$, minimum window 37 months

Reading the BET

- $GSADF = 2.90$ vs 95% critical value 2.21; episodes: Aug 2002–Jun 2003; Nov 2003–Oct 2007; Oct 2008–Mar 2009; Oct 2025–ongoing
- 2003–2007: the run-up before and around Romania's accession to the European Union (January 2007); BET then fell 83% from its peak of 24 Jul 2007 [Pele & Mazurencu-Marinescu \(2012\)](#)
- Herding and LPPL patterns on the Bucharest Stock Exchange in that period: [Pele, Mazurencu & Nijkamp \(2013\)](#)
- The current episode (from Oct 2025) is still open: explosive does not mean it will crash; it means the rise is accelerating

GameStop, January 2021



□ Daily log closes 2020–2021, $T = 504$, minimum window 45 days

 MFM_ch17_bet_gamestop

Reading GameStop



A GameStop store, 3 February 2021, a week after the peak

Photo: Will Buckner (2021); CC BY 2.0; Wikimedia Commons

- $GSADF = 7.34$, far above its critical value 2.21
- Episodes: 31 Aug 2020–9 Sep 2020; 13 Jan 2021–3 Feb 2021; 8 Mar 2021–22 Mar 2021
- The January signal came on 13 Jan 2021, 14 days before the closing high of 27 Jan 2021
- A short squeeze, not a slow bubble: the explosive phase lasted weeks, and daily data are needed to see it

Real Time vs Hindsight

Episode	First signal Peak	Lead (months)	Rise after signal	Fall after peak
Nasdaq 100, monthly	Jun 1995 / Mar 2000	57	+774%	−76%
BET, monthly	Nov 2003 / Jul 2007	44	+429%	−83%
Bitcoin 2017, weekly	Apr 2017 / Dec 2017	8	+1381%	−83%
Bitcoin 2021, weekly	Dec 2020 / Apr 2021	4	+157%	−75%
GameStop, daily	13 Jan 2021 / 27 Jan 2021	0.5	+1007%	−88%

- First signal: start of the chain of BSADF episodes that leads to the peak; peak: highest close of that chain; rise: from the signal date to the peak; fall: to the lowest close within 2 years (GameStop: 1 year)
 - ▶ Bitcoin 2021: the explosive chain peaked at the local high of 13 Apr 2021 and ended in May 2021; the all-time high of 8 Nov 2021 (episodes table) came after a deep fall and a slower recovery that BSADF did not flag
- In real time the tests **warn early**, but the lead ranges from 2 weeks to almost 5 years, and selling at the first signal would have missed most of the rise: they do not time the crash [Phillips, Shi & Yu \(2015b\)](#)

Real-Time Monitoring: Newer Procedures

- Repeating a one-shot test every period inflates the false-positive rate; Astill et al. compare monitoring statistics with the maximum over a training period, so the false-positive rate is set for a chosen monitoring horizon, robust to time-varying volatility [Astill et al. \(2018\)](#)
- Bubbles and crashes: after a bubble is detected, monitor for the crash with the sign of the mean of Δy_t (explosive vs stationary regime); never signals a crash before it starts [Whitehouse, Harvey & Leybourne \(2023\)](#)
- Earlier detection: alternative variance standardisations keep the false-detection probability of existing procedures but find bubbles sooner (applied to Bitcoin and housing) [Whitehouse, Harvey & Leybourne \(2025\)](#)
- Collapse phase: PSY applied to the reversed sample dates the crisis and the recovery [Phillips & Shi \(2018\)](#)
- Alternatives to sup-ADF: a Chow-type break test from random walk to explosive has the highest power in Homm and Breitung [Homm & Breitung \(2012\)](#); recursive tests with a start-point search [Harvey, Leybourne & Sollis \(2015\)](#)

Recap: Explosiveness Tests

- ▣ Right-tailed ADF on log prices or ratios; bubbles show up as $b > 0$ in some windows
- ▣ GSADF tests for at least one episode; BSADF date-stamps them in real time, with a minimum duration
- ▣ Critical values by simulation; wild bootstrap when volatility changes
- ▣ Explosive does not mean irrational: fundamentals can accelerate too; the price-dividend ratio controls for dividends

Crashes as Critical Points



Didier Sornette, ETH Zurich

Photo: Didier Sornette (2012); CC BY-SA 3.0
(Germany); Wikimedia Commons

- Johansen, Ledoit and Sornette (JLS): imitation among traders makes the **hazard rate** of a crash rise as a critical time t_c approaches [Johansen, Ledoit & Sornette \(2000\)](#)
- Rational investors stay in only if the price grows fast enough to pay for the rising crash risk
- Result: **faster-than-exponential** growth, decorated by oscillations that speed up near t_c
- t_c is the most probable end of the bubble, not a certain crash date [Sornette \(2017\)](#)

The LPPLS Equation

- $\ln p(t) = A + B(t_c - t)^m + C(t_c - t)^m \cos(\omega \ln(t_c - t) - \phi), \quad t < t_c$
- A : log price at t_c ; $B < 0$: the super-exponential trend for a rising bubble; $0 < m < 1$: power-law exponent
 - ▶ The growth rate $-Bm(t_c - t)^{m-1}$ rises without bound as $t \rightarrow t_c$
- C, ω, ϕ : amplitude, angular log-frequency and phase of the log-periodic oscillations
- Seven parameters: A, B, C, ϕ and the nonlinear t_c, m, ω
- LPPL: the log-periodic power law pattern; LPPLS: the model with the finite-time singularity at t_c


Calibration: Filimonov and Sornette

- Rewrite the cosine: $C \cos(\omega \ln(t_c - t) - \phi) = C_1 \cos(\omega \ln(t_c - t)) + C_2 \sin(\omega \ln(t_c - t))$ [Filimonov & Sornette \(2013\)](#)
 - ▶ A, B, C_1, C_2 are now **linear**: for given (t_c, m, ω) they come from OLS
- Search only over (t_c, m, ω) : a grid, then a Nelder–Mead refinement of the sum of squared residuals
- Search space of Shu and Zhu (Section 2.3, eq. 11): $m \in [0, 1]$, $\omega \in [1, 50]$, $t_c \in [t_2, t_2 + (t_2 - t_1)/3]$, damping $\frac{m|B|}{\omega|C|} \geq 1$, which keeps the crash hazard rate non-negative [Shu & Zhu \(2020\)](#)
- Many local minima remain: different windows and starting points give different t_c [Geraskin & Fantazzini \(2013\)](#)

Qualified Fits: The Filter

- A fit on $[t_1, t_2]$ is **qualified** if it passes all conditions of Shu and Zhu (Section 2.3, eq. 12), and $B < 0$ for a rising bubble [Shu & Zhu \(2020\)](#)
 - ▶ $m \in [0.01, 0.99]$, $\omega \in [2, 25]$, $t_c \in [t_2, t_2 + (t_2 - t_1)/5]$
 - ▶ Number of oscillations (half-periods) $O = \frac{\omega}{\pi} \ln \frac{t_c - t_1}{t_c - t_2} \geq 2.5$, so the oscillations are not noise
 - ▶ Largest relative error of the fitted price $\max_t |\hat{p}_t - p_t|/p_t \leq 0.15$
 - ▶ Lomb periodogram of the detrended residual $(t_c - t)^{-m}(\ln p_t - A - B(t_c - t)^m)$: log-periodicity significant at 10%
 - ▶ Residual $\ln \hat{p}_t - \ln p_t$ is AR(1): Dickey–Fuller and Phillips–Perron reject a unit root at 10%
- $[t_1, t_2]$: the estimation window; the filter is applied to each window separately

LPPLS on Bitcoin, 2017




- Fit on daily log prices from 1 January to 15 November 2017; the path after 15 November is out of sample

Reading the Bitcoin Fit

- ▣ The fit follows the 2017 rise and its oscillations closely: $m = 0.95$, $\omega = 10.54$, $B = -2.62$
- ▣ Estimated t_c : 21 Dec 2017; actual peak: 16 Dec 2017, i.e. 5 days earlier
- ▣ The fit fails relative error ≤ 0.15 : it does **not** pass the filter, even though it looks convincing
- ▣ A good in-sample fit is not evidence of a forecasting ability: we must look at many fits made in real time

How Stable Is the Critical Time?



- Each point: one fit on a window with fixed start, ending on the date on the horizontal axis (every 7 days)


Reading the Critical-Time Paths

- Bitcoin: before the peak (20 fits) t_c ranged from Oct 2017 to Feb 2018; mean absolute error 48 days
 - ▶ Within 30 days of the true peak: 20% of the fits
- Nasdaq 100: before the peak (30 fits) t_c ranged from Dec 1999 to Sep 2000; mean absolute error 70 days
 - ▶ t_c keeps moving ahead as data arrive, and locks onto the peak only **after** the peak
- Qualified fits before the peak: 0% (Bitcoin) and 0% (Nasdaq 100): the filter rejects all these single-window fits
- Demos and Sornette: the birth of a bubble is easier to diagnose than its burst [Demos & Sornette \(2017\)](#)

The LPPLS Confidence Indicator

- At each date t_2 , fit many windows $[t_2 - L, t_2]$ and report the **share of qualified fits** [Demirer et al. \(2019\)](#)
 - ▶ Grid of Shu and Zhu (Section 2.3): 141 windows, L from 750 down to 50 observations in steps of 5; t_2 every 5 observations; data up to t_2 only [Shu & Zhu \(2020\)](#)
 - ▶ Daily closes; Bitcoin trades every day, so one observation is one calendar day
- A high share means the bubble signature is robust to the choice of window
- Honest evaluation: is a signal followed by a fall of at least 20% within 90 days more often than no signal?
 - ▶ Fall measured from the price on the signal date

Bitcoin: Real-Time Confidence Indicator



- Top: indicator every 5 days, 2016–2026, share of the 141 windows with a qualified fit; bottom: share of all windows passing each condition separately

Reading the Confidence Indicator

- Bitcoin: the indicator was positive on 14% of the 2017 dates, 3% in 2021 and 12% in other years; maximum 0.18 in Dec 2020
- After a signal, a 20% fall within 90 days followed in 22% of cases, vs 36% without a signal (727 dates)
 - ▶ Nasdaq 100, 1997–2026: 4% after a signal vs 11% without (1494 dates)
- The raw difference is not yet evidence: signals come in runs and the 90-day outcome windows overlap (test on the next slide)

Is the Indicator Better than Chance? A Test

- $H_0: P(\text{fall} \geq 20\% \text{ within 90 days} \mid \text{signal}) = P(\cdot \mid \text{no signal})$; statistic $\Delta = \hat{p}_{\text{on}} - \hat{p}_{\text{off}}$
- Dates 5 days apart share up to 85 of their 90 outcome days: the two-sample z-test, which assumes independent dates, understates the standard error
- Circular block bootstrap of the (signal, outcome) pairs, blocks of 90 days, 9 999 replications; linear probability regression with Newey–West standard errors
 - ▶ Bitcoin: $\Delta = -14.5$ points, 95% CI $[-29.1, 3.3]$; block SE 8.2 vs independent-data SE 4.9; regression $p = 0.07$
 - ▶ The same test for the Nasdaq 100, with a power calculation: Seminar 17, Exercise B6
- The interval does not lie above zero: in our data a signal does **not** announce a large fall more often than no signal

LPPL in the Cryptocurrency and Romanian Markets

- ▣ Bucharest Stock Exchange: herding and log-periodic patterns before the 2007–2008 crash [Pele, Mazurencu & Nijkamp \(2013\)](#); crash modelling for the BVB [Pele & Mazurencu-Marinescu \(2012\)](#)
- ▣ Cryptocurrencies: a fundamental value from Metcalfe's law (network size) combined with LPPL bubbles [Pele & Mazurencu-Marinescu-Pele \(2019\)](#), [Conda et al. \(2026\)](#)
- ▣ Dogecoin 2021: LPPL together with sentiment from social media [Pele \(2025\)](#)
- ▣ Common lesson: LPPL describes the acceleration well; the crash date remains the weak point

Recap: LPPLS

- Faster-than-exponential growth with accelerating oscillations towards a critical time t_c
- Filimonov–Sornette: four linear parameters by OLS, three nonlinear by search
- Single fits look convincing but t_c moves with the window; many fits fail the filter
- Always evaluate in real time, with inference robust to overlapping outcomes: in our data the confidence indicator had no significant edge for predicting 20% falls


The Markov-Switching Model

- Weekly log return $r_t = \mu_{s_t} + \sigma_{s_t}\varepsilon_t$, $\varepsilon_t \sim N(0, 1)$, regime $s_t \in \{1, 2\}$ unobserved [Hamilton \(1989\)](#)
 - ▶ Each regime has its own mean μ and volatility σ : a calm and a turbulent regime
- Regimes follow a Markov chain: $p_{ij} = P(s_t = j \mid s_{t-1} = i)$; expected duration of regime i : $1/(1 - p_{ii})$
- Estimation by maximum likelihood with the Hamilton filter, which updates $P(s_t = j \mid r_1, \dots, r_t)$ week by week
- **Filtered** probability: uses data up to t (real time); **smoothed**: uses the whole sample (hindsight)
 - ▶ A worked filter step is in Seminar 17, Exercise A5

Estimation: Hamilton Filter, Kim Smoother, EM

- Log-likelihood by prediction and update: $\ell(\theta) = \sum_t \ln \sum_j P(s_t = j \mid \mathcal{F}_{t-1}) \varphi(r_t; \mu_j, \sigma_j^2)$, $\mathcal{F}_t$ = returns up to t [Hamilton \(1989\)](#)
- Kim smoother, backwards: $P(s_t = j \mid \mathcal{F}_T) = P(s_t = j \mid \mathcal{F}_t) \sum_k p_{jk} \frac{P(s_{t+1} = k \mid \mathcal{F}_T)}{P(s_{t+1} = k \mid \mathcal{F}_t)}$ [Kim \(1994\)](#)
- EM algorithm: with smoothed $\xi_{tj} = P(s_t = j \mid \mathcal{F}_T)$ and $\xi_{t,ij} = P(s_{t-1} = i, s_t = j \mid \mathcal{F}_T)$, the M-step is weighted least squares [Hamilton \(1990\)](#)
 - ▶ $\hat{\mu}_j = \frac{\sum_t \xi_{tj} r_t}{\sum_t \xi_{tj}}$, $\hat{\sigma}_j^2 = \frac{\sum_t \xi_{tj} (r_t - \hat{\mu}_j)^2}{\sum_t \xi_{tj}}$, $\hat{p}_{ij} = \frac{\sum_{t \geq 2} \xi_{t,ij}}{\sum_{t \geq 2} \xi_{t-1,i}}$
- The likelihood has several local maxima (and regime labels can switch): start from many random values; we use 20
- Standard errors from the inverse numerical Hessian; they assume the number of regimes is known

Nasdaq 100: Two Regimes




- Weekly log returns 1990–2026, 1 915 weeks; regime means and variances both switch

Nasdaq 100: Estimated Regimes

Regime	$\hat{\mu}$ (% per week)	SE	$\hat{\sigma}$ (%)	$\hat{p}_{ij}$	Duration (weeks)
Calm	0.43	0.06	2.30	0.987	75.4
Turbulent	-0.32	0.27	5.40	0.957	23.5

- Calm regime: positive drift, low volatility, 76% of the weeks; turbulent: volatility more than twice as high, negative (insignificant) mean
- The turbulent spell around the 2000 peak began in Jun 1998 (smoothed probability above 0.5); in real time the filtered probability was already 0.99 at the end of March 2000
- The last phase of the dot-com bubble was already turbulent: prices kept rising while volatility jumped

Bitcoin: Two Regimes



- Weekly log returns 2014–2026, 626 weeks


Reading the Bitcoin Regimes

- Calm: $\hat{\mu} = 0.26\%$ per week, $\hat{\sigma} = 2.93\%$, duration 3.8 weeks
 - ▶ Turbulent: $\hat{\mu} = 1.20\%$ (SE 0.58), $\hat{\sigma} = 11.22\%$, duration 6.3 weeks, 62% of the weeks
- Unlike equities, Bitcoin's turbulent regime has the **higher** mean: booms are as turbulent as busts
- Regimes are short and switch often: they describe volatility states, not bubble phases
- A three-regime model is compared in Seminar 17, Exercise B8

How Many Regimes? A Non-Standard Test

- H_0 : one regime (iid Normal returns) vs H_1 : two Markov regimes; $LR = 2(\hat{\ell}_2 - \hat{\ell}_1)$
- Why not χ^2 : under H_0 the second mean and variance are not identified and p_{11}, p_{22} lie on the boundary; the scores can be identically zero [Hansen \(1992\)](#)
 - ▶ Hansen: bounds on the standardised LR via empirical-process theory [Hansen \(1992\)](#); Carrasco, Hu and Ploberger: an optimal test needing only the estimate under H_0 , with bootstrap critical values [Carrasco, Hu & Ploberger \(2014\)](#)
- Practical route, **parametric bootstrap**: simulate from the fitted H_0 model, refit both models, recompute LR; 199 replications; $p = (1 + \#\{LR^* \geq LR\})/(B + 1)$
- Same logic for two vs three regimes (Seminar 17, B8): the null model is then the fitted two-regime chain

Bootstrap Null Distributions of the LR Statistic



- One vs two regimes: Bitcoin LR = 123.2 (bootstrap 95% value 11.8, $p = 0.005$); Nasdaq 100 LR = 475.7 (11.1, $p = 0.005$)
- Two vs three regimes, Bitcoin: LR = 29.6, bootstrap 95% value 15.0 vs naive χ^2_6 value 12.6; $p = 0.005$
- One regime is rejected for both series; a third Bitcoin regime is also supported. Caveat: the one-regime null is Normal, so fat tails alone can favour two regimes


Recap: Regimes

- Two regimes with different mean and volatility, linked by a Markov chain; one regime is rejected by a parametric-bootstrap LR test, not by χ^2 [Hamilton \(1989\)](#)
- Nasdaq 100: long calm regime (about 75.4 weeks), shorter turbulent one; the 2000 top happened in the turbulent regime; Bitcoin: short regimes, the volatile one with the higher mean
- Regimes date turbulence in real time (filtered probabilities only) but ignore the price level: a slow, calm bubble stays in the calm regime
- Combine with explosiveness tests: BSADF says “the price is accelerating”, the regime says “risk has changed”; both feed VaR and ES by regime (Chapters 7–8)

Are Crypto-Assets Bubbles?

- No dividends: the fundamental value of Bitcoin is hard to define; one estimate puts it at zero [Cheah & Fry \(2015\)](#)
- Alternative: value from network adoption (Metcalf's law), with LPPL bubbles on top [Pele & Mazurencu-Marinescu-Pele \(2019\)](#)
- Crypto-assets increasingly behave like an alternative asset class, not a pure bubble [Pele et al. \(2023\)](#)
- Without a fundamental value we can still test the price: is it explosive, and when?

Explosive Episodes, 2014–2026



□ Weekly log closes; each series tested on its own full history with its own Monte Carlo critical values; rising episodes only

 MFM_ch17_crypto_ai


Reading the Timeline

- Crypto: Bitcoin Apr 2017–Jun 2018; Dec 2020–May 2021; Ethereum Apr 2017–Oct 2017; Nov 2017–Feb 2018; Jan 2021–May 2021; Dogecoin Jan 2021–Jul 2021
 - ▶ Crypto booms cluster in time: 2017 and late 2020–2021, across all three coins
- Strategy, a company that holds Bitcoin: Dec 2020–May 2021; Apr 2025–Jul 2025; Tesla: Nov 2013–May 2014; May 2014–Oct 2014; Jul 2020–Mar 2022
- NVIDIA: May 2016–Nov 2018; May 2020–Jun 2022; Jan 2023–ongoing
- GameStop, weekly: the January 2021 squeeze lasted only 3 weeks, shorter than the minimum duration: the weekly test misses what the daily test sees

Explosive Up or Explosive Down?

- ▣ $b > 0$ means that the deviations grow; it does not say in which direction
- ▣ An accelerating **fall** also gives $b > 0$: large negative changes at low prices
- ▣ Examples in our data: BET, October 2008–March 2009; Nasdaq 100 after the 2000 peak
- ▣ Always report the price change over each episode; the charts shade rising and falling episodes differently

Dot-Com vs AI



- Monthly closes, rebased to 100 at the first explosive signal of each episode (BSADF, monthly data)

Reading Dot-Com vs AI

- Cisco: first signal Nov 1998, peak after 16 months at 4.1 times the signal price
 - ▶ NVIDIA: first signal Feb 2023; 43 months later at 9.6 times the signal price, and the episode is still open
- Nasdaq 100 from Jun 1995: peak after 57 months at 8.2 times the signal level
 - ▶ Nasdaq 100 from May 2023: 2.1 times the signal level after 40 months: so far a slower rise than in the 1990s
- NVIDIA's price path is at least as explosive as Cisco's; the index is much less so
- Open question for Seminar 17, Part C: is this explosiveness in prices or also in earnings?

Is There an AI Bubble? What the Tests Can Say

- Monthly BSADF flags NVIDIA (Mar 2016–Nov 2018; Feb 2020–May 2022; Feb 2023–ongoing) and the Nasdaq 100 (current episode from May 2023)
- The tests cannot separate a bubble from explosive fundamentals: fast-growing expected profits of a new technology can also make prices explosive [Pástor & Veronesi \(2009\)](#)
- History: Cisco's dividend-adjusted share price returned to its March 2000 level only in Aug 2021
- What we can say: prices are in an explosive phase, crash risk is elevated (Bubbles for Fama), the timing is unknown

Recap: Crypto and AI

- ▣ Crypto booms of 2017 and 2021 are clearly explosive; the 2024–2025 rise is not
- ▣ Frequency matters: short squeezes need daily data, long booms monthly data
- ▣ Explosive can mean up or down: always check the direction
- ▣ AI stocks are in an explosive phase; the tests cannot say whether fundamentals justify it

An Open Question

Can bubble alarms be raised in real time with a controlled false-alarm rate, and do they carry crash information?

- BSADF date-stamping runs one right-tailed test per date: the size is controlled date by date, not over the whole monitoring period
 - ▶ Live research: monitoring rules for bubbles *and* crashes with controlled false alarms Whitehouse, Harvey & Leybourne (2023); real-time “econometric thermometers” for housing Shi & Phillips (2023)
- Formal version, for an alarm A_t and a crash $C_{t,h}$ (a fall of at least 20% within $h = 90$ days):
 $H_0: P(C_{t,h} | A_t = 1) = P(C_{t,h} | A_t = 0)$, H_1 : larger after an alarm
 - ▶ Falsified if the hit rate after alarms does not exceed the rate without alarms, under inference that respects overlapping windows
- Identification: explosive prices need not be a bubble
 - ▶ Explosive expected cash flows of a new technology leave the same signature Pástor & Veronesi (2009); run-ups raise crash risk without predictable average losses Greenwood, Shleifer & You (2019)

The Discovery Loop, Step by Step (1/2)

- **Literature:** map what is known, then verify every reference
 - ▶ “Which papers control the false-alarm rate of sequential bubble monitoring, and what size and power do they report? Give DOI and simulation design.”
 - ▶ Resolve each DOI on Crossref and find the simulation table the answer quotes; search with Semantic Scholar, Elicit or Google Scholar
- **Hypotheses:** competing explanations, each with its own observable
 - ▶ “For the current NVIDIA episode, list competing explanations (rational bubble, explosive expected cash flows, falling discount rate) and the observable each one predicts.”
 - ▶ E.g. a bubble predicts an explosive price-to-earnings ratio; explosive cash flows predict explosive earnings with a stable ratio
- **Data and code:** on the course data, replicating a known number first
 - ▶ “Implement GSADF with $r_0 = 0.01 + 1.8/\sqrt{T}$ on weekly Bitcoin closes from data/market and simulate its 95% critical value.”
 - ▶ Replicate first: GSADF = 3.85 and critical value 2.27 on 626 weeks, as in this chapter

The Discovery Loop, Step by Step (2/2)

- **Robustness**, fixed before the alarms are evaluated
 - ▶ “Pre-register the evaluation of the alarm: horizons 30/60/90/180 days, crash thresholds 10/20/30%, inference robust to overlapping windows, Holm correction over the 12 cells.”
 - ▶ Twelve cells tried and one reported is data snooping; twelve cells pre-registered and corrected is a test
- **Critique**: ask the assistant to attack the result
 - ▶ “Act as a referee: why could an alarm-crash association be an artefact of overlapping windows, look-ahead or the choice of assets?”
 - ▶ Expect: dependent observations inflate significance; full-sample critical values; famous episodes only, the selection that Greenwood, Shleifer & You (2019) avoid
- **Report**: hit rates with valid p -values, all 12 cells, the alarms that failed
 - ▶ The prompts that shaped the design go into AI_USE.md

What the Researcher Must Check

- **Full-sample information in date-stamping:** critical values, lag order or detrending fitted on the whole sample
 - ▶ Test: cut the sample at t and recompute; the flag at t must not change
- **Wrong tail:** left-tail ADF critical values (about -2.86) used against an explosive alternative
 - ▶ Test: on simulated random walks the right-tailed test must reject in about 5% of the paths
- **Changing volatility:** Monte Carlo critical values under constant variance distort the size
 - ▶ Test: wild bootstrap critical values; for Bitcoin 2.82 instead of 2.27
- **Multiplicity:** many dates, assets and windows; some alarm is almost certain
 - ▶ Test: run the monitoring rule on simulated random walks and count the paths with at least one alarm
- **Overlapping outcomes:** 90-day windows overlap, so Fisher's exact test or a χ^2 test overstates significance
 - ▶ Test: block bootstrap or circular rotations of the alarm series, which keep the dependence of both series

Mini-Case: Does the LPPLS Alarm Predict Crashes?

- A typical assistant proposal: “a positive LPPLS confidence indicator announces a crash; compare hit rates with Fisher’s exact test”; alarms come in runs and outcomes overlap, so we test by circular rotations
- Bitcoin (727 dates, every 5 days): a fall of 20% within 90 days after 22% of alarms vs 36% without
 - ▶ Difference -14.5 percentage points; one-sided $p = 0.96$ from 676 rotations of the alarm series
 - ▶ Nasdaq 100: 4% vs 11%, difference -7.1 points, $p = 0.97$
- Pre-registered grid of 4 horizons $\times$ 3 thresholds: smallest raw p is 0.76 (Bitcoin) and 0.69 (Nasdaq 100)
 - ▶ No cell rejects H_0 at 5%, before or after the Holm correction
- Interpretation: the indicator dates accelerating rises but carries no information about the timing of large falls in our data

Your Turn: a Project Seed

- **Question:** can a monitoring rule for Bitcoin, the Nasdaq 100 and NVIDIA keep the probability of any false alarm at 5% over the whole period and still warn before large falls?
- **Replicate first:** GSADF = 3.85 for weekly Bitcoin, then the crash probability after run-ups above 100% in [Greenwood, Shleifer & You \(2019\)](#) (ours: 40%)
 - ▶ Extend: calibrate the alarm threshold by simulation over the whole monitoring period [Whitehouse, Harvey & Leybourne \(2023\)](#); evaluate the alarms with rotations or a block bootstrap
- **Deliverables:** a pre-registered grid committed before the evaluation, a notebook that regenerates every number, false-alarm rates and hit rates with valid p -values
- **AI log:** prompts that shaped the design in AI_USE.md; each wrong claim (left-tail critical values, a full-sample flag) and the test that caught it in AI_ERRORS.md ([templates](#))

Summary

- ▣ A bubble is price minus fundamental value; rational bubbles must be explosive, and bursting bubbles hide from full-sample tests
- ▣ GSADF tests for explosive episodes, BSADF date-stamps them in real time; with a late volatility rise Monte Carlo critical values reject 32.0% of true nulls, the wild bootstrap 4.1%; date-stamping needs family-wise control
- ▣ Across our episodes the tests warned months before the peak, but did not time the crash
- ▣ LPPLS describes the acceleration; its critical time moves with the window, and the confidence indicator is judged by a dependence-robust test of hit rates
- ▣ Sharp run-ups raise crash risk without predictable average losses: a risk-management signal, not a trading rule

Which Tool When?

Question	Tool
Has there been any explosive episode? When did it start and end?	GSADF with simulated critical values BSADF date-stamping, minimum duration $[\ln T]$; family-wise critical values for long monitoring
Volatility changes a lot (crypto, crises) Is the rise accelerating super-exponentially?	Wild bootstrap critical values LPPLS confidence indicator over many windows
Has the risk state changed? How likely is a crash after a run-up?	Markov-switching filtered probabilities Run-up conditioning across many assets (Bubbles for Fama)

Coming Next: Systemic Risk (Chapter 18)

- When a bubble bursts, losses spread through banks and markets: contagion and systemic risk
- CoVaR and SRISK measure how much one institution adds to the risk of the system
- Further reading: [Franke, Härdle & Hafner \(2019\)](#), [Kindleberger & Aliber \(2005\)](#), [Shiller \(2015\)](#), [Sornette \(2017\)](#)

Further Study on Quantinar

Advanced courses on quantinar.com

- ☐  Cryptocurrency: Speculative Asset and Medium of Exchange
- ☐  Are Cryptos becoming alternative Assets?
- ☐  Statistics of Financial Markets

Code and data

- ☐ Quantlets: github.com/danpele/MFM/tree/main/Quantlets/Ch_17

References (1/4)

- ▣ Abreu, D., Brunnermeier, M.K. (2003). [Bubbles and crashes](#). *Econometrica*, 71(1), 173–204.
- ▣ Astill, S., Harvey, D.I., Leybourne, S.J., Sollis, R., Taylor, A.M.R. (2018). [Real-time monitoring for explosive financial bubbles](#). *Journal of Time Series Analysis*, 39(6), 863–891.
- ▣ Blanchard, O.J., Watson, M.W. (1982). [Bubbles, rational expectations and financial markets](#). NBER Working Paper 945.
- ▣ Brunnermeier, M.K., Nagel, S. (2004). [Hedge funds and the technology bubble](#). *Journal of Finance*, 59(5), 2013–2040.
- ▣ Carrasco, M., Hu, L., Ploberger, W. (2014). [Optimal test for Markov switching parameters](#). *Econometrica*, 82(2), 765–784.
- ▣ Cheah, E.-T., Fry, J. (2015). [Speculative bubbles in Bitcoin markets? An empirical investigation into the fundamental value of Bitcoin](#). *Economics Letters*, 130, 32–36.
- ▣ Conda, A., Ginavar, A., Pele, D.T., Mazurencu-Marinescu-Pele, M. (2026). [Cryptocurrency market analysis: insights from Metcalfe's law and log-periodic power laws](#). In *Handbook of Blockchain Analytics*, Springer, 63–79.
- ▣ Demirer, R., Demos, G., Gupta, R., Sornette, D. (2019). [On the predictability of stock market bubbles: evidence from LPPLS confidence multi-scale indicators](#). *Quantitative Finance*, 19(5), 843–858.
- ▣ Demos, G., Sornette, D. (2017). [Birth or burst of financial bubbles: which one is easier to diagnose?](#). *Quantitative Finance*, 17(5), 657–675.
- ▣ Diba, B.T., Grossman, H.I. (1988). [Explosive rational bubbles in stock prices?](#). *American Economic Review*, 78(3), 520–530.
- ▣ Evans, G.W. (1991). [Pitfalls in testing for explosive bubbles in asset prices](#). *American Economic Review*, 81(4), 922–930.
- ▣ Fama, E.F. (2014). [Two pillars of asset pricing](#). *American Economic Review*, 104(6), 1467–1485.

References (2/4)

- ▣ Filimonov, V., Sornette, D. (2013). A stable and robust calibration scheme of the log-periodic power law model. *Physica A*, 392(17), 3698–3707.
- ▣ Franke, J., Härdle, W.K., Hafner, C.M. (2019). *Statistics of Financial Markets: An Introduction*, 5th ed. Springer.
- ▣ Garber, P.M. (1990). Famous first bubbles. *Journal of Economic Perspectives*, 4(2), 35–54.
- ▣ Geraskin, P., Fantazzini, D. (2013). Everything you always wanted to know about log-periodic power laws for bubble modeling but were afraid to ask. *European Journal of Finance*, 19(5), 366–391.
- ▣ Greenwood, R., Shleifer, A., You, Y. (2019). Bubbles for Fama. *Journal of Financial Economics*, 131(1), 20–43.
- ▣ Hamilton, J.D. (1989). A new approach to the economic analysis of nonstationary time series and the business cycle. *Econometrica*, 57(2), 357–384.
- ▣ Hamilton, J.D. (1990). Analysis of time series subject to changes in regime. *Journal of Econometrics*, 45(1–2), 39–70.
- ▣ Hansen, B.E. (1992). The likelihood ratio test under nonstandard conditions: testing the Markov switching model of GNP. *Journal of Applied Econometrics*, 7(S1), S61–S82.
- ▣ Harvey, D.I., Leybourne, S.J., Sollis, R. (2015). Recursive right-tailed unit root tests for an explosive asset price bubble. *Journal of Financial Econometrics*, 13(1), 166–187.
- ▣ Harvey, D.I., Leybourne, S.J., Sollis, R., Taylor, A.M.R. (2016). Tests for explosive financial bubbles in the presence of non-stationary volatility. *Journal of Empirical Finance*, 38, 548–574.
- ▣ Homm, U., Breitung, J. (2012). Testing for speculative bubbles in stock markets: a comparison of alternative methods. *Journal of Financial Econometrics*, 10(1), 198–231.
- ▣ Johansen, A., Ledoit, O., Sornette, D. (2000). Crashes as critical points. *International Journal of Theoretical and Applied Finance*, 3(2), 219–255.

References (3/4)

- ▣ Kim, C.-J. (1994). [Dynamic linear models with Markov-switching](#). *Journal of Econometrics*, 60(1–2), 1–22.
- ▣ Kindleberger, C.P., Aliber, R.Z. (2005). [Manias, Panics and Crashes: A History of Financial Crises](#), 5th ed. Palgrave Macmillan.
- ▣ Pástor, L., Veronesi, P. (2009). [Technological revolutions and stock prices](#). *American Economic Review*, 99(4), 1451–1483.
- ▣ Pele, D.T. (2025). [Dogecoin and speculative bubbles: a study using LPPL and sentiment analysis](#). Quantinar course.
- ▣ Pele, D.T., Mazurencu, M., Nijkamp, P. (2013). [Herding behaviour, bubbles and log periodic power laws in illiquid stock markets: a case study on the Bucharest Stock Exchange](#). SSRN Working Paper.
- ▣ Pele, D.T., Mazurencu-Marinescu, M. (2012). [Modelling stock market crashes: the case of Bucharest Stock Exchange](#). *Procedia – Social and Behavioral Sciences*, 58, 533–542.
- ▣ Pele, D.T., Mazurencu-Marinescu-Pele, M. (2019). [Metcalf's law and log-period power laws in the cryptocurrencies market](#). *Economics*, 13(1), 2019–29.
- ▣ Pele, D.T., Wesselhöfft, N., Härdle, W.K., Kolossiatis, M., Yatracos, Y.G. (2023). [Are cryptos becoming alternative assets?](#). *European Journal of Finance*, 29(10), 1064–1105.
- ▣ Phillips, P.C.B., Magdalinos, T. (2007). [Limit theory for moderate deviations from a unit root](#). *Journal of Econometrics*, 136(1), 115–130.
- ▣ Phillips, P.C.B., Shi, S. (2018). [Financial bubble implosion and reverse regression](#). *Econometric Theory*, 34(4), 705–753.
- ▣ Phillips, P.C.B., Shi, S. (2020). [Real time monitoring of asset markets: bubbles and crises](#). In *Handbook of Statistics: Financial, Macro and Micro Econometrics Using R*, Elsevier, 61–80.
- ▣ Phillips, P.C.B., Shi, S., Yu, J. (2014). [Specification sensitivity in right-tailed unit root testing for explosive behaviour](#). *Oxford Bulletin of Economics and Statistics*, 76(3), 315–333.

References (4/4)

- ▣ Phillips, P.C.B., Shi, S., Yu, J. (2015a). Testing for multiple bubbles: historical episodes of exuberance and collapse in the S&P 500. *International Economic Review*, 56(4), 1043–1078.
- ▣ Phillips, P.C.B., Shi, S., Yu, J. (2015b). Testing for multiple bubbles: limit theory of real-time detectors. *International Economic Review*, 56(4), 1079–1134.
- ▣ Phillips, P.C.B., Wu, Y., Yu, J. (2011). Explosive behavior in the 1990s Nasdaq: when did exuberance escalate asset values?. *International Economic Review*, 52(1), 201–226.
- ▣ Scheinkman, J.A., Xiong, W. (2003). Overconfidence and speculative bubbles. *Journal of Political Economy*, 111(6), 1183–1220.
- ▣ Shi, S., Phillips, P.C.B. (2023). Diagnosing housing fever with an econometric thermometer. *Journal of Economic Surveys*, 37(1), 159–186.
- ▣ Shiller, R.J. (2015). *Irrational Exuberance*, revised and expanded 3rd ed. Princeton University Press.
- ▣ Shu, M., Zhu, W. (2020). Detection of Chinese stock market bubbles with LPPLS confidence indicator. *Physica A*, 557, 124892.
- ▣ Sornette, D. (2017). *Why Stock Markets Crash: Critical Events in Complex Financial Systems*. Princeton University Press.
- ▣ Whitehouse, E.J., Harvey, D.I., Leybourne, S.J. (2023). Real-time monitoring of bubbles and crashes. *Oxford Bulletin of Economics and Statistics*, 85(3), 482–513.
- ▣ Whitehouse, E.J., Harvey, D.I., Leybourne, S.J. (2025). Real-time monitoring procedures for early detection of bubbles. *International Journal of Forecasting*, 41(3), 1260–1277.