



Modelling Financial Markets

Chapter 2: Market Efficiency — From EMH to Adaptive Markets



Daniel Traian PELE

Bucharest University of Economic Studies

IDA Institute Digital Assets

Blockchain Research Center

AI4EFin Artificial Intelligence for Energy Finance

Romanian Academy, Institute for Economic Forecasting

MSCA Digital Finance

Acronyms used in this material (1/2)

- ▣ ACF: AutoCorrelation Function
- ▣ AMH: Adaptive Markets Hypothesis
- ▣ BDS: Brock–Dechert–Scheinkman (test)
- ▣ BET: Bucharest Exchange Trading (index)
- ▣ BIST: Borsa İstanbul (BIST 100 index) (the Istanbul Stock Exchange (BIST 100 index))
- ▣ BNR: Banca Națională a României (the National Bank of Romania)
- ▣ BUX: Budapesti Értéktőzsde index (the Budapest Stock Exchange index)
- ▣ BVB: Bursa de Valori București (the Bucharest Stock Exchange)
- ▣ CAPM: Capital Asset Pricing Model
- ▣ CD: Chow–Denning (multiple variance-ratio test)
- ▣ CME: Chicago Mercantile Exchange
- ▣ DFA: Detrended Fluctuation Analysis
- ▣ EMH: Efficient Market Hypothesis
- ▣ FTSE: Financial Times Stock Exchange (FTSE Russell, index provider)
- ▣ FWER: Family-Wise Error Rate
- ▣ GMM: Generalized Method of Moments
- ▣ HAC: Heteroskedasticity and Autocorrelation Consistent (standard errors)
- ▣ HK: Hong Kong
- ▣ IPC: Índice de Precios y Cotizaciones (the Mexican Stock Exchange index)
- ▣ MIT: Massachusetts Institute of Technology
- ▣ ML: Machine Learning
- ▣ OLS: Ordinary Least Squares
- ▣ PX: Prague Stock Exchange index (index Burzy cenných papírů Praha)
- ▣ RW1: Random Walk 1 (i.i.d. increments)
- ▣ RW2: Random Walk 2 (independent increments)
- ▣ RW3: Random Walk 3 (uncorrelated increments)

Acronyms used in this material (2/2)

- SE: **Standard Error**
- TOM: **Turn Of the Month**
- TSMOM: **Time-Series MOMentum**
- US: **United States**
- VR: **Variance Ratio**
- WIG20: **Warszawski Indeks Giełdowy 20 (the Warsaw Stock Exchange index of the 20 largest companies)**

Outline

Motivation

The Efficient Market Hypothesis

Testing Weak-Form Efficiency

Long Memory: Hurst, R/S and DFA

Adaptive Markets and Time-Varying Efficiency

Semi-Strong Efficiency: Event Studies

Anomalies

Behavioural Finance and Limits to Arbitrage

Efficiency and Machine Learning

Conclusions

References

Can Anyone Beat the Market?

The question of this chapter


- If past prices could predict future prices, traders would exploit the pattern until it disappeared
- A market in which this has already happened is called **efficient**
- The claim is testable: it restricts the statistical behaviour of returns

What we do in this chapter

- Define efficiency precisely (Fama's three forms)
- Test it: autocorrelation, runs, variance ratios, long memory
- Ask whether efficiency changes over time (adaptive markets)
- Examine anomalies, behavioural finance and machine learning

A Game: Which Series Is the Real Market?

One of these is the S&P 500 (2010-2026); three are simulated random walks with the same drift and volatility



- One panel is the S&P 500 (2010–2026); three are simulated random walks with the same mean and volatility
- Vote before the next slide: A, B, C or D?

The Game: Answer and Lesson

- The real series is **D**; most audiences cannot tell
- **Roberts (1959)** made the same point: random walks produce “patterns” (trends, heads and shoulders) by chance
 - ▶ Chart patterns alone are no evidence of predictability
- A **random walk** is a price whose changes are unpredictable from its own past (defined formally in Section 2)
- We need statistics, not eyes: the rest of the chapter builds them

Pioneers: Bachelier and Samuelson



Louis Bachelier (1870–1946)

Photo: unknown author; public domain; Wikimedia Commons



Paul A. Samuelson

Photo: Bernard Gotfryd (1970–1975); public domain; Wikimedia Commons

- Bachelier (1900): prices of French government bonds move like a random walk
 - ▶ “The mathematical expectation of the speculator is zero”
- Samuelson (1965): if prices are properly anticipated, their changes are unpredictable
 - ▶ Unpredictability is a sign of a well-functioning market, not of chaos
- Both results are the ancestors of the Efficient Market Hypothesis

Data Used in This Chapter

Group	Series	Period
Developed equity	S&P 500, Euro Stoxx 50, Nikkei 225, Hang Seng	2000–2026
Emerging/frontier equity	BET, WIG20, BUX, PX, BIST 100, Bovespa, IPC, Nifty 50, Shanghai	2000–2026
Crypto-assets	Bitcoin, Ethereum	2014/2016–2026
Exchange rate	EUR/RON, BNR reference rate	2005–2026

- Daily closing values up to 18 September 2026; returns are daily log returns $r_t = \ln P_t - \ln P_{t-1}$
- Equity indices: weekdays only; days with an unchanged close (holidays filled with the previous price) are removed
- Crypto trades 7 days a week: 365 observations per year
- Each series is analysed on its own calendar; no series is joined to another in this chapter

Key Terms

- ▣ **ACF**: $\hat{\rho}_k = \widehat{\text{corr}}(r_t, r_{t-k})$ as a function of the lag k
- ▣ **i.i.d.**: independent and identically distributed
- ▣ **Heteroskedasticity**: variance that changes over time (volatility clustering, Chapter 1)
- ▣ **bp**: $1 \text{ bp} = 0.01\%$
- ▣ **FWER**: the probability of at least one false rejection among many tests
- ▣ **FTSE Russell**: index provider that classifies countries as frontier or emerging

Eugene Fama and the Definition of Efficiency



Eugene F. Fama, Nobel Prize 2013

Photo: [Bengt Nyman \(2013\)](#); CC BY 2.0; [Wikimedia](#)

[Commons](#)

- [Fama \(1970\)](#): a market is **efficient** if prices “fully reflect” all available information
 - ▶ Information set $\mathcal{I}_t$: everything known at time t
- Formally: no strategy using $\mathcal{I}_t$ earns returns above the fair (risk-adjusted) return
- Nobel Prize 2013, shared with Robert Shiller (sceptic, Section 7) and Lars Peter Hansen
- Update and survey: [Fama \(1991\)](#); accessible critique: [Malkiel \(2003\)](#)

Three Forms of Efficiency

Form	Information set $\mathcal{I}_t$	Typical test
Weak	Past prices and returns	Autocorrelation, runs, variance ratios (Sections 3–5)
Semi-strong	All public information (news, reports)	Event studies (Section 6)
Strong	Public and private (insider) information	Returns of insiders and fund managers

- Each form contains the previous one: strong $\Rightarrow$ semi-strong $\Rightarrow$ weak
- This chapter focuses on the weak form; Chapter 3 tests risk-adjusted returns with factor models

Efficiency as a Fair Game: the Martingale

- ▣ A price is a **martingale** if the best forecast of tomorrow's price is today's price
 - ▶ $\mathbb{E}[P_{t+1} | \mathcal{I}_t] = P_t$ (adding a required return μ : $\mathbb{E}[r_{t+1} | \mathcal{I}_t] = \mu$)
- ▣ Equivalently, the excess return $\varepsilon_{t+1} = r_{t+1} - \mu$ is a **fair game**: $\mathbb{E}[\varepsilon_{t+1} | \mathcal{I}_t] = 0$
- ▣ Consequence: $\text{corr}(\varepsilon_{t+1}, g(\mathcal{I}_t)) = 0$ for any function g of the past
 - ▶ In particular all autocorrelations $\rho_k = \text{corr}(r_t, r_{t-k})$, $k \geq 1$, are zero
- ▣ The martingale says nothing about the variance: volatility may be predictable (Chapter 1) without contradicting efficiency

Random Walk Hypotheses RW1, RW2, RW3

- Log price $p_t = \ln P_t$ with $p_t = \mu + p_{t-1} + \varepsilon_t$; the three versions differ in what they assume about ε_t [Campbell, Lo & MacKinlay \(1997\)](#)
- **RW1:** ε_t i.i.d. (the strongest; rules out volatility clustering)
 - ▶ Rejected by the stylised facts of Chapter 1
- **RW2:** ε_t independent but not identically distributed (variance may change)
- **RW3:** ε_t uncorrelated: $\text{Cov}(\varepsilon_t, \varepsilon_{t-k}) = 0$, while $\text{Cov}(\varepsilon_t^2, \varepsilon_{t-k}^2) \neq 0$ is allowed
 - ▶ The relevant hypothesis for real returns: tests must be robust to heteroskedasticity

The Joint-Hypothesis Problem

- ▣ “Fair return” requires a model of expected returns (e.g. CAPM, Chapter 3)
- ▣ Every test of efficiency is a **joint** test of efficiency and of the asset-pricing model Fama (1991)
 - ▶ A rejection may mean an inefficient market **or** a wrong model of risk
- ▣ Example: a strategy earns 5% per year above the index; it may simply carry more risk than the index
- ▣ At daily horizons expected returns are tiny, so the choice of model matters little: weak-form tests are the cleanest
- ▣ Efficiency can never be “proved”, only not rejected by a given test on given data

The Grossman–Stiglitz Paradox

- Gathering information is costly (analysts, data, computing)
- If prices reflected **all** information, nobody would be paid for collecting it [Grossman & Stiglitz \(1980\)](#)
 - ▶ Then nobody would collect it, and prices could not reflect it
- Resolution: an **equilibrium degree of inefficiency**, just large enough to reward informed traders for their costs
- Markets with cheap information and low costs (large, liquid) should be closer to efficiency
- A testable prediction for our comparison of developed, emerging and crypto markets (Section 3)

Worked Example: How Much Predictability Is “Large”?

- Regress r_t on r_{t-1} : the slope equals $\hat{\rho}_1$ and $R^2 = \hat{\rho}_1^2$
 - ▶ R^2 : share of the variance of r_t explained by the regression
- S&P 500, 2000–2026: $\hat{\rho}_1 = -0.099$, so $R^2 = 0.97\%$
- BET, 2000–2026: $\hat{\rho}_1 = 0.109$, so $R^2 = 1.19\%$
- About 1% of the daily variance is “predictable”: small, but applied every day it can matter
 - ▶ Whether it can be exploited depends on trading costs: statistical and economic efficiency differ

What the EMH Does Not Say

- It does not say prices are “correct” at every moment, only that errors are not predictable
- It does not say nobody beats the market: some will, by luck; the question is whether it persists
- It does not forbid predictable volatility: RW3 allows volatility clustering
- It does not forbid predictable **expected** returns if they compensate time-varying risk
- It does not say bubbles are impossible; it says they are hard to time (Chapter 17)


Recap: the Efficient Market Hypothesis

- Efficient market: prices fully reflect the information set $\mathcal{I}_t$ (weak, semi-strong, strong)
- Martingale / fair game: excess returns are unpredictable from $\mathcal{I}_t$
- RW3 is the version to test; RW1 is already rejected
- Every test is joint with a risk model; costly information implies some inefficiency
- Small autocorrelations can be statistically significant and economically irrelevant

Autocorrelation and Its Standard Error

- ▣ Sample autocorrelation: $\hat{\rho}_k = \sum_{t=k+1}^T e_t e_{t-k} / \sum_{t=1}^T e_t^2$, with $e_t = r_t - \bar{r}$
- ▣ Under RW1 (i.i.d.): $SE(\hat{\rho}_k) \approx 1/\sqrt{T}$; 95% band $\pm 1.96/\sqrt{T}$
 - ▶ SE: standard error, the standard deviation of an estimator
- ▣ Under RW3 with volatility clustering: $SE(\hat{\rho}_k) \approx \sqrt{\hat{\tau}_k}$
 - ▶ $\hat{\tau}_k = \sum_t e_t^2 e_{t-k}^2 / (\sum_t e_t^2)^2$ (robust variance)
 - ▶ When large moves cluster, $\hat{\tau}_k > 1/T$: the i.i.d. band is too narrow
- ▣ S&P 500: i.i.d. $SE = 0.012$, robust $SE = 0.027$, more than twice as large

Lag-1 Autocorrelation Across Markets



□ Dots: $\hat{\rho}_1$ with robust 95% intervals (bars); grey segments: the naive i.i.d. band

Lag-1 Autocorrelation: Interpretation

- ▣ Positive and significant: BET 0.109 (robust SE 0.028), IPC 0.070, EUR/RON 0.170
 - ▶ Thin trading and slow diffusion of information (BET); a managed exchange rate (EUR/RON)
- ▣ Negative and significant: S&P 500 -0.099
 - ▶ Short-term overreaction and liquidity provision; concentrated in crises (Seminar B7)
- ▣ Bitcoin -0.022 and Ethereum -0.012 : not significant with robust errors
- ▣ Several i.i.d. “rejections” disappear with robust intervals: always use robust inference

Portmanteau Tests: Ljung–Box and Its Robust Version

- ▣ Ljung & Box (1978): $Q(m) = T(T+2) \sum_{k=1}^m \hat{\rho}_k^2 / (T-k) \sim \chi_m^2$ under i.i.d. returns
- ▣ Robust version: $\tilde{Q}(m) = \sum_{k=1}^m \hat{\rho}_k^2 / \hat{\tau}_k \sim \chi_m^2$ under RW3 (Chapter 1)
- ▣ $m = 10$, 5% critical value 18.31:
 - ▶ S&P 500: $Q = 96.3$ but $\tilde{Q} = 19.9$ ($p = 0.031$)
 - ▶ BET: $Q = 108.0$, $\tilde{Q} = 24.4$ ($p = 0.007$)
 - ▶ Bitcoin: $Q = 20.2$ ($p = 0.028$) but $\tilde{Q} = 11.9$ ($p = 0.294$)
- ▣ The classical test rejects too often; the robust test keeps S&P 500 and BET, but not Bitcoin

The Runs Test

- ▣ Nonparametric: uses only the **signs** of returns, so it is immune to heavy tails [Wald & Wolfowitz \(1940\)](#)
- ▣ A **run** is a maximal sequence of equal signs: ++-+++ has 3 runs
- ▣ With n_1 positive and n_2 negative signs, $n = n_1 + n_2$, under independence:
 - ▶ $\mathbb{E}[R] = \frac{2n_1n_2}{n} + 1$, $\text{Var}[R] = \frac{2n_1n_2(2n_1n_2 - n)}{n^2(n - 1)}$
 - ▶ $z = (R - \mathbb{E}[R]) / \sqrt{\text{Var}[R]} \approx N(0, 1)$
- ▣ Too **few** runs ($z < 0$): signs persist, positive autocorrelation; too **many** ($z > 0$): reversals

Worked Example: The Runs Test, Step by Step

- ▣ Twelve daily signs: $+ - + - + - + - + - + - +$
- ▣ $n_1 = 7, n_2 = 5, n = 12$; observed runs $R = 11$
- ▣ $\mathbb{E}[R] = 2 \cdot 7 \cdot 5 / 12 + 1 = 6.83$; $\text{Var}[R] = 2.563$
- ▣ $z = (11 - 6.83) / \sqrt{2.563} = 2.60$, two-sided $p = 0.009$
- ▣ $z > 1.96$: reject independence at 5%; too many runs, i.e. signs alternate (reversal)
 - ▶ With $n = 12$ the approximation by the Normal distribution is rough: exact tables of the runs distribution are preferable

Runs Test on Real Markets

- ▣ S&P 500: $z = 4.34$: **more** runs than expected, consistent with $\hat{\rho}_1 < 0$
- ▣ BET: $z = -6.05$: **fewer** runs, signs persist, consistent with $\hat{\rho}_1 > 0$
- ▣ Nifty 50: $z = -5.46$; IPC: $z = -3.27$: persistence in emerging markets
- ▣ Bitcoin $z = 2.68$, Ethereum $z = 3.91$: significant although $\hat{\rho}_1$ is not
 - ▶ Signs and magnitudes carry different information: small reversals, large moves uncorrelated
- ▣ Caveat: the runs test assumes a constant probability of a positive day

The Variance Ratio: Idea

- Under a random walk, variance grows linearly with the horizon: $\text{Var}(r_t + \dots + r_{t-q+1}) = q \text{Var}(r_t)$
 - ▶ q : the horizon in days (e.g. $q = 5$ is one trading week)
- **Variance ratio:** $\text{VR}(q) = \frac{\text{Var}(r_t + \dots + r_{t-q+1})}{q \text{Var}(r_t)}$, equal to 1 under RW1–RW3
- It is a weighted sum of autocorrelations:
 - ▶ $\text{VR}(q) = 1 + 2 \sum_{k=1}^{q-1} \left(1 - \frac{k}{q}\right) \rho_k$
- $\text{VR}(q) > 1$: momentum (positive autocorrelation); $\text{VR}(q) < 1$: mean reversion
- Worked check: S&P 500 $1 + \hat{\rho}_1 = 0.901$ vs estimated $\text{VR}(2) = 0.901$

The Lo–MacKinlay Test

- Lo & MacKinlay (1988): overlapping q -day sums, with bias corrections

$$\blacktriangleright \hat{\sigma}_a^2 = \frac{1}{T-1} \sum_t (r_t - \hat{\mu})^2, \quad \hat{\sigma}_c^2(q) = \frac{1}{m} \sum_{t=q}^T \left(\sum_{j=0}^{q-1} r_{t-j} - q\hat{\mu} \right)^2$$

$$\blacktriangleright m = q(T - q + 1)(1 - q/T); \quad \widehat{VR}(q) = \hat{\sigma}_c^2(q) / \hat{\sigma}_a^2$$

- Under RW1 (homoskedastic):


$$\blacktriangleright z(q) = \frac{\widehat{VR}(q) - 1}{\sqrt{2(2q-1)(q-1)/(3qT)}} \approx N(0, 1)$$

- Homoskedastic: constant variance; this z over-rejects when volatility clusters

The Heteroskedasticity-Robust Statistic z^*

- Under RW3, $\hat{\rho}_k$ has variance $\hat{\delta}_k / T$ with
 - ▶ $\hat{\delta}_k = T \sum_{t=k+1}^T e_t^2 e_{t-k}^2 / \left(\sum_{t=1}^T e_t^2 \right)^2$
- Asymptotic variance of $\widehat{VR}(q)$ and the test statistic:
 - ▶ $\hat{\theta}(q) = \sum_{k=1}^{q-1} \left(\frac{2(q-k)}{q} \right)^2 \hat{\delta}_k, \quad z^*(q) = \frac{\sqrt{T} (\widehat{VR}(q) - 1)}{\sqrt{\hat{\theta}(q)}} \approx N(0, 1)$
- z^* tests RW3: uncorrelated increments with any (bounded) pattern of volatility
- S&P 500, $q = 2$: $\widehat{VR} = 0.901$, $z = -8.12$ but $z^* = -3.64$
 - ▶ Still significant, but the homoskedastic statistic exaggerates the evidence more than twice

Variance-Ratio Profiles



□ $\widehat{VR}(q)$ for $q = 2, \dots, 60$ days; grey: robust 95% band around 1 (from $\hat{\theta}(q)$)


Variance-Ratio Profiles: Interpretation

- ▣ S&P 500: $VR = 0.901, 0.830, 0.753, 0.674$ at $q = 2, 5, 20, 60$: mean reversion at all horizons
- ▣ BET: 1.108, 1.173, 1.377, 1.644: persistence that accumulates with the horizon
- ▣ Bitcoin: 0.977, 0.991, 1.094, 1.261: inside the band up to about one month
- ▣ EUR/RON: 1.170, 1.157, 1.111: short-run persistence of a managed float
- ▣ The band widens with q : long horizons are informative about direction but tests there have low power

Multiple Horizons: Chow–Denning and Choi

- ▣ Testing $q = 2, 5, 10, 20$ separately inflates the probability of a false rejection
 - ▶ Four tests at 5% each: up to $1 - 0.95^4 = 18.5\%$ if independent
- ▣ [Chow & Denning \(1993\)](#): use $CD = \max_i |z^*(q_i)|$ and the studentised maximum modulus distribution
 - ▶ For $m = 4$ horizons, the 5% critical value is 2.49 instead of 1.96
- ▣ [Choi \(1999\)](#): an automatic VR test that chooses the horizon from the data (spectral estimate at frequency zero)
- ▣ Wild-bootstrap versions for small samples: [Kim \(2006\)](#); applications to Asian markets: [Kim & Shamsuddin \(2008\)](#)

Variance Ratio at One Week, Across Markets



Robust $z^*(5)$ of the Lo-MacKinlay test for all 16 series; dashed lines: ± 1.96

Variance Ratio Across Markets: Interpretation

- ▣ Reject at 5% with $z^*(5)$: BET (2.98), EUR/RON (2.19), S&P 500 (-2.77), Euro Stoxx 50 (-2.08)
- ▣ Chow–Denning (horizons 2, 5, 10, 20) rejects for 5 of 16 series
 - ▶ BET $p = 0.001$, S&P 500 $p = 0.001$, IPC $p = 0.001$, EUR/RON $p = 0.000$, Ethereum $p = 0.027$
- ▣ Bitcoin: $z^*(5) = -0.19$, Chow–Denning $p = 0.835$: no evidence against RW3 over 2014–2026
- ▣ No simple ranking “developed = efficient, emerging = inefficient”: the direction differs (reversal vs persistence)

Summary Table: Weak-Form Tests, 2000–2026

Market	T	$\hat{\rho}_1$	robust SE	$\widehat{VR}(5)$	$z^*(5)$	CD p	Runs z
S&P 500 (US)	6 714	−0.099	0.027	0.830	−2.77	0.001	4.34
Euro Stoxx 50	6 836	−0.029	0.019	0.910	−2.08	0.097	3.41
Nikkei 225 (Japan)	6 545	−0.038	0.024	0.923	−1.48	0.317	1.97
Hang Seng (HK)	6 583	−0.004	0.024	0.967	−0.64	0.872	−0.17
BET (Romania)	6 670	0.109	0.028	1.173	2.98	0.001	−6.05
WIG20 (Poland)	6 685	0.018	0.018	1.009	0.24	0.777	2.25
BUX (Hungary)	6 666	0.037	0.024	1.013	0.26	0.427	−0.42
PX (Czechia)	6 682	0.052	0.032	1.041	0.59	0.350	−2.53
BIST 100 (Turkey)	6 692	0.005	0.024	1.033	0.64	0.949	−0.63
Bovespa (Brazil)	6 622	−0.028	0.025	0.928	−1.29	0.521	0.88
IPC (Mexico)	6 689	0.070	0.019	1.039	0.93	0.001	−3.27
Nifty 50 (India)	6 606	0.048	0.024	1.048	0.91	0.178	−5.46
Shanghai (China)	6 474	0.021	0.019	1.046	1.11	0.409	1.02
Bitcoin	4 384	−0.022	0.026	0.991	−0.19	0.835	2.68
Ethereum	3 913	−0.012	0.027	1.067	1.17	0.027	3.91
EUR/RON (reference rate)	5 352	0.170	0.036	1.157	2.19	0.000	−1.66

□ T : number of daily returns; CD: Chow–Denning over $q = 2, 5, 10, 20$; EUR/RON from July 2005, crypto on 365 days per year

Recap: Testing Weak-Form Efficiency

- ▣ Autocorrelations, Ljung–Box, runs and variance ratios all test “no linear predictability from the past”
- ▣ Volatility clustering makes classical standard errors too small: use $\hat{\tau}_k$, $\tilde{Q}$ and z^*
- ▣ Several horizons need a joint test (Chow–Denning); several markets need care in reading “significance”
- ▣ S&P 500 shows reversal, BET and EUR/RON persistence; Bitcoin is not rejected on the full sample
- ▣ Statistical rejection is not yet a profitable strategy: trading costs and risk decide

Harold Hurst and the Nile



Harold Edwin Hurst (1880–1978)

Photo: Elliott & Fry (1953); public domain; Wikimedia

[Commons](#)

- Hurst (1951) designed Nile reservoirs: wet years followed wet years more often than chance allows, measured with the rescaled range



Nilometer on Elephantine Island, Aswan

Photo: Olaf Tausch (2011); CC BY 3.0; Wikimedia Commons

The Rescaled Range (R/S) Statistic

- For a window of n returns with mean $\bar{r}_n$ and standard deviation s_n :
 - ▶ Cumulative deviations $Y_k = \sum_{i=1}^k (r_i - \bar{r}_n)$, $k = 1, \dots, n$
 - ▶ Range $R_n = \max_k Y_k - \min_k Y_k$; rescaled range R_n/s_n
- Scaling law: $\mathbb{E}[R_n/s_n] \approx c n^H$, where H is the **Hurst exponent**
 - ▶ Estimate: slope of $\ln(R/S)$ on $\ln n$, averaging R/S over non-overlapping windows
- $H = 0.5$: no memory; $H > 0.5$: persistence (long memory); $H < 0.5$: anti-persistence
 - ▶ **Long memory**: autocorrelations decay so slowly that their sum diverges, $\rho_k \sim k^{2H-2}$


Hurst Exponent and Variance Ratio

- ▣ For self-similar increments (fractional Gaussian noise): $\text{Var}(r_t + \dots + r_{t-q+1}) = q^{2H} \text{Var}(r_t)$
- ▣ Hence $\text{VR}(q) = q^{2H-1}$ and $H = 0.5 + \ln \text{VR}(q) / (2 \ln q)$
- ▣ Worked example, Bitcoin: $\widehat{\text{VR}}(20) = 1.094$
 - ▶ $\hat{H} = 0.5 + 0.0900/5.991 = 0.515$, close to 0.5
- ▣ Same relation for BET ($\widehat{\text{VR}}(20) = 1.377$) is solved in Seminar A5
- ▣ The relation holds only for exact self-similarity: short-memory processes give $H(q)$ that depends on q

The Small-Sample Bias of R/S

- ▣ Even for i.i.d. returns, the slope of $\ln(R/S)$ on $\ln n$ exceeds 0.5 for small n
- ▣ Anis & Lloyd (1976): exact $\mathbb{E}[R_n/s_n]$ under i.i.d. Gaussian returns
 - ▶ $\mathbb{E}[R_n/s_n] = \frac{\Gamma((n-1)/2)}{\sqrt{\pi} \Gamma(n/2)} \sum_{i=1}^{n-1} \sqrt{\frac{n-i}{i}}$ (Γ : the gamma function)
- ▣ Corrected exponent: $H_{AL} = 0.5 + \text{slope of } \ln(R/S) - \ln \mathbb{E}[R_n/s_n] \text{ on } \ln n$
- ▣ Uncorrected estimates overstate memory by about 0.04–0.05 with daily data (next chart)

R/S Analysis: S&P 500 and BET



□ Dots: average R/S for window lengths n ; grey line: the Anis-Lloyd expectation under i.i.d. returns

R/S Analysis: Interpretation

- ▣ S&P 500: raw $\hat{H} = 0.530$, corrected $\hat{H}_{AL} = 0.486$: no long memory, slight anti-persistence
- ▣ BET: raw $\hat{H} = 0.578$, corrected $\hat{H}_{AL} = 0.533$: persistence remains after the correction
- ▣ Without the correction, the S&P 500 would look “persistent” ($0.530 > 0.5$): a pure small-sample artefact
- ▣ Open question: is BET's $H > 0.5$ **long** memory or just the short-run autocorrelation $\hat{\rho}_1 = 0.109$?
 - ▶ Classical R/S cannot tell them apart: next slide


Lo's Modified R/S Test

- Lo (1991): short-run autocorrelation inflates R/S and mimics long memory
- Replace s_n by a long-run (HAC) standard deviation with ℓ lags:
 - ▶ $\hat{\sigma}_\ell^2 = \hat{\gamma}_0 + 2 \sum_{j=1}^{\ell} \left(1 - \frac{j}{\ell+1}\right) \hat{\gamma}_j$, $\hat{\gamma}_j$: autocovariance at lag j
 - ▶ $V = \frac{\max_k Y_k - \min_k Y_k}{\hat{\sigma}_\ell \sqrt{T}}$; bandwidth ℓ chosen as in Andrews (1991)
- Under short memory, V lies in $[0.809, 1.862]$ with probability 95%
- Full samples: S&P 500 $V = 1.379$, Bitcoin 1.530, PX 1.750, EUR/RON 1.429: not rejected
 - ▶ BET $V = 1.961$ ($\ell = 7$) and Ethereum $V = 1.968$: just above 1.862, weak evidence of long memory

Detrended Fluctuation Analysis (DFA)

- Peng et al. (1994): robust to slow trends and non-stationary means
- Algorithm:
 - ▶ Profile $y_k = \sum_{i=1}^k (r_i - \bar{r})$; split into boxes of length n
 - ▶ In each box fit a linear trend and keep the residuals
 - ▶ $F(n)$ = root mean square of all residuals; repeat for many n
- $F(n) \propto n^\alpha$: the DFA exponent α plays the role of H ($\alpha = 0.5$: no memory)
- Significance by **shuffling**: random permutations destroy any memory but keep the distribution
 - ▶ The 2.5% and 97.5% quantiles of α over 100 shuffles form a 95% band

DFA Exponent Across Markets



□ Dots: DFA exponent of daily log returns; grey bars: 95% band from shuffled series (no memory)


DFA Across Markets: Interpretation

- ▣ Inside the band: S&P 500 0.494, Euro Stoxx 50 0.488, Nikkei 0.503, Bovespa 0.503, IPC 0.500
- ▣ Above the band: BET 0.580 (band up to 0.551), Ethereum 0.581, Bitcoin 0.576, Shanghai 0.554, PX 0.552
 - ▶ Shuffling destroys **all** dependence, including volatility clustering, which also raises α
- ▣ Cross-check with Lo's V : Bitcoin ($V = 1.530$) and PX ($V = 1.750$) are not rejected, BET and Ethereum marginally are
- ▣ Lesson: long memory in returns is weak and fragile; long memory in volatility (Chapter 1) is strong

Recap: Long Memory

- ▣ The Hurst exponent measures how the range of cumulative returns scales with the horizon: $H = 0.5$ means no memory
- ▣ Classical R/S is biased upward in small windows: always use the Anis–Lloyd correction
- ▣ Short memory mimics long memory: Lo's V separates them
- ▣ DFA with shuffled bands flags BET and crypto, but part of the signal is volatility clustering
- ▣ Developed indices show no long memory in returns

Andrew Lo and the Adaptive Market Hypothesis



Andrew W. Lo, MIT

Photo: David Shankbone (2012); CC BY 3.0;

Wikimedia Commons

- Lo (2004); book-length version Lo (2017)
- Markets are an ecology of competing species (traders, funds, algorithms)
 - ▶ Species adapt by trial and error, not by perfect optimisation
- Efficiency depends on the number of competitors, the profit opportunities and the environment
- Prediction: efficiency **varies over time**, and anomalies appear, weaken and may reappear

EMH versus AMH


	EMH	AMH
Investors	Rational, optimising	Bounded rationality, heuristics
Efficiency	A state: yes or no	A degree that changes with conditions
Risk–return	Stable trade-off	Changes with the population of investors
Anomalies	Mispriced risk or data mining	Transient profit opportunities
Empirical tool	Full-sample tests	Rolling-window tests

- Evidence of time variation: survey [Lim & Brooks \(2011\)](#); long-run indices [Urquhart & McGroarty \(2016\)](#)

Measuring Time-Varying Efficiency

- Compute a statistic on a **rolling window**: 500 trading days (about two years), moved forward by 21 days (one month)
 - ▶ Statistics: $z^*(5)$ of the variance-ratio test and the DFA exponent
- Null band for DFA: simulate 300 i.i.d. Student- t_4 series of 500 observations
 - ▶ 95% band [0.378, 0.614]: much wider than for the full sample
- Caveats
 - ▶ Overlapping windows are strongly correlated: runs of rejections are not independent evidence
 - ▶ Even under the null, about 5% of windows reject: compare the share of rejections with 5%

Rolling Variance Ratio: S&P 500, BET, Bitcoin




□ $z^*(5)$ on rolling 500-day windows; dashed lines ± 1.96

Rolling Variance Ratio: Interpretation

- ▣ Share of windows with $|z^*(5)| > 1.96$: S&P 500 6.4%, BET 22.4%, Bitcoin 0.0%
- ▣ S&P 500: close to the 5% expected by chance; the full-sample rejection is concentrated in a few turbulent windows
- ▣ BET: rejections cluster in episodes, then fade: the pattern the AMH predicts
 - ▶ Compare the pre- and post-2020 periods in Seminar C1 (FTSE upgrade)
- ▣ Bitcoin, 2014–2026: no 500-day window rejects at 5%

Rolling DFA Exponent: S&P 500, BET, Bitcoin



- DFA exponent on rolling 500-day windows; grey: 95% band without memory


Rolling DFA: Interpretation

- ▣ Share of windows outside $[0.378, 0.614]$: S&P 500 6.4%, BET 12.9%, Bitcoin 1.1%
- ▣ The S&P 500 exponent drifts below 0.5 (anti-persistence) in several windows, matching its negative $\hat{\rho}_1$
- ▣ BET moves in and out of the band: efficiency is a state that changes
- ▣ With 500 observations, the band is wide: rolling DFA detects only strong episodes
 - ▶ Rolling tests trade precision for time resolution

Is Bitcoin Efficient? The Literature

- [Urquhart \(2016\)](#): Bitcoin inefficient over 2010–2016; some tests indicate efficiency in the later subperiod
- [Nadarajah & Chu \(2017\)](#): with a power transformation of returns, Bitcoin is weak-form efficient
- [Kristoufek \(2018\)](#): Bitcoin markets mostly inefficient in 2010–2017, with efficiency changing over time
- [Tran & Leirvik \(2020\)](#): time-varying efficiency across many crypto-assets, increasing over time
- [Pele et al. \(2023\)](#): crypto-assets have become a distinct asset class; their returns share the stylised facts of other markets

Crypto Efficiency Year by Year



- Lag-1 autocorrelation of daily returns for each calendar year, with robust 95% intervals; Bitcoin from 2011

Crypto Year by Year: Interpretation

- ▣ Only 1 of the 27 yearly $\hat{\rho}_1$ has $|t| > 1.96$ with robust errors: Ethereum 2023, $\hat{\rho}_1 = -0.107$ (SE 0.054)
 - ▶ Chance alone would produce about $0.05 \times 27 = 1.35$ such years
- ▣ Bitcoin 2011–2013: $\hat{\rho}_1 = -0.002, -0.071, 0.069$; the largest $|z^*(5)|$ in any year is 1.71
- ▣ This differs from [Urquhart \(2016\)](#), who rejects efficiency in early years
 - ▶ Different tests (Ljung–Box, runs, Bartels, automatic VR, BDS, R/S), a different price source and robust vs classical errors
 - ▶ A single year of 365 returns gives a robust SE of about 0.06–0.13: small effects are invisible
- ▣ The evidence against crypto efficiency depends strongly on the test and on the inference

Romania: Frontier, then Emerging

- ▣ FTSE Russell (2019): Romania reclassified from Frontier to Secondary Emerging, effective 21 September 2020
- ▣ Expected channels: more foreign investors, more analysts, more liquidity $\Rightarrow$ faster price discovery
- ▣ Earlier BVB evidence: crashes and log-periodic bubbles [Pele & Mazurencu-Marinescu \(2012\)](#); herding in an illiquid market [Pele, Mazurencu-Marinescu & Nijkamp \(2013\)](#)
- ▣ Did efficiency improve? Seminar C1 answers with a before/after test and a block bootstrap
 - ▶ Block bootstrap: resamples blocks of consecutive days to keep the dependence [Künsch \(1989\)](#)

Recap: Adaptive Markets

- ▣ The AMH replaces “efficient or not” with “how efficient, when and why”
- ▣ Rolling tests reveal episodes: BET rejects in 22.4% of windows, the S&P 500 near the 5% chance level
- ▣ Rolling statistics need proper null bands and must be read as correlated evidence
- ▣ Crypto efficiency is test-dependent: our robust yearly tests do not reject
- ▣ Market-structure events (FTSE upgrade) are natural experiments for efficiency

The Event-Study Method

- Fama, Fisher, Jensen & Roll (1969): how fast do prices absorb public news (stock splits)?
- Market model on an estimation window before the event: $r_{i,t} = a_i + b_i r_{m,t} + \varepsilon_{i,t}$
 - $r_{m,t}$: market return; b_i : sensitivity of asset i to the market
- Abnormal return $AR_{i,t} = r_{i,t} - \hat{a}_i - \hat{b}_i r_{m,t}$; cumulative $CAR_i[\tau_1, \tau_2] = \sum_{t=\tau_1}^{\tau_2} AR_{i,t}$
- Test: $t = CAR_i / (\hat{\sigma}_\varepsilon \sqrt{L})$, with L the length of the event window MacKinlay (1997)
- Efficiency predicts a jump on day 0 and no drift or reversal afterwards

Worked Example: the Romanian Bank Tax of December 2018

- ▣ Seminar 0, Exercise 7: tax announced on the evening of 18 Dec 2018; day 0 = 19 Dec; Banca Transilvania vs BET
- ▣ Market model on days $[-250, -11]$: $\hat{b} = 1.18$, $\hat{\sigma}_\varepsilon = 0.83\%$
- ▣ Day 0: $AR_0 = -8.3\%$ ($t = -10.0$); days 1–5 are positive; $CAR[0, +5] = -1.1\%$, $t = -0.54$
- ▣ Most of the day-0 fall reverses within three days: an **overreaction**, against semi-strong efficiency
 - ▶ Or new information (the tax was later softened): the joint-hypothesis problem again

How Fast Is “Fast”?

- Daily data can only show that news is absorbed within a day
- At high frequency, futures prices react to scheduled macro news within microseconds; [Tak, Schlamp, Osterrieder & Pele \(2026\)](#) measure this race at Eurex and CME
- Crypto events: [Pele, Lin, Wang & Gaman \(2025\)](#) study market responses to Ethereum development milestones
- Speed of adjustment is itself a measure of efficiency, and it depends on technology (Chapter 10, market microstructure)

What Is an Anomaly?

- An **anomaly** is a return pattern that the asset-pricing model cannot explain
- Three families
 - ▶ Calendar: day of the week, January, turn of the month
 - ▶ Time-series: momentum and reversal of an index
 - ▶ Cross-sectional: size, value, momentum across stocks; the “factor zoo” is covered in **Chapter 3**
- Three explanations: mispriced risk (joint hypothesis), behavioural bias, or data mining
- Anomalies weaken once known: portfolio returns are 26% lower out of sample and 58% lower after publication
McLean & Pontiff (2016)


Calendar Anomalies

- **Weekend effect:** negative average returns on Mondays in the US before 1980 French (1980)
- **January effect:** higher returns in January, mostly small stocks Rozeff & Kinney (1976)
- **Turn of the month (TOM):** the last trading day of a month and the first three of the next Ariel (1987); Lakonishok & Smidt (1988)
 - ▶ Proposed channel: salary and pension flows invested at the start of the month
- Test each with a regression on dummy variables (1 on the special days, 0 otherwise)

Regression with HAC Standard Errors

- Day-of-week model without intercept: $r_t = \sum_{d=1}^5 \beta_d D_{d,t} + u_t$
 - ▶ $D_{d,t} = 1$ if day t is weekday d ; β_d is the mean return of weekday d
 - ▶ Wald test of $H_0 : \beta_1 = \dots = \beta_5$ (no weekday effect)
- Residuals u_t are heteroskedastic and autocorrelated: OLS standard errors are wrong
 - ▶ OLS: ordinary least squares
- Newey & West (1987) HAC covariance with L lags (here $L = 5$ days, 3 months for monthly data):
 - ▶ $\hat{S} = \hat{\Gamma}_0 + \sum_{j=1}^L (1 - \frac{j}{L+1})(\hat{\Gamma}_j + \hat{\Gamma}_j^\top)$, $\hat{\Gamma}_j = \frac{1}{T} \sum_t \hat{u}_t \hat{u}_{t-j} x_t x_{t-j}^\top$

Day-of-the-Week Effect: S&P 500 and BET



□ Mean daily log return by weekday (bp), 2000–2026, with HAC 95% intervals

Day of the Week: Interpretation

- ▣ S&P 500: means between 0.1 bp (Friday) and 5.2 bp (Tuesday); equal-means $p = 0.84$
- ▣ No Monday effect since 2000: the anomaly of French (1980) has disappeared
- ▣ BET: Thursday 11.2 bp ($t = 3.10$), Monday 0.2 bp; yet the joint test gives $p = 0.29$
- ▣ A single large t among five days is expected by chance: test the joint hypothesis
 - ▶ Individual t tests against zero also mix the “day effect” with the positive average return

January and Turn-of-the-Month Effects


Market	January extra (%/month)	t_{HAC}	TOM extra (bp/day)	t_{HAC}	p
S&P 500 (US)	-0.66	-0.79	3.3	0.95	0.3397
BET (Romania)	3.50	1.49	17.8	3.74	0.0002
Euro Stoxx 50	-0.29	-0.28	5.0	1.18	0.2398
WIG20 (Poland)	0.53	0.40	8.1	1.71	0.0866
BUX (Hungary)	2.66	2.25	14.8	3.58	0.0003

- TOM: BET +17.8 bp per day and BUX +14.8 bp, both with $|t| > 3.5$; S&P 500 only +3.3 bp
- January: large but imprecise for BET ($t = 1.49$); BUX $t = 2.25$ is the only one below $p = 0.05$
- We ran 15 tests (5 markets $\times$ 3 effects): which survive a correction for multiple testing? Next slides

Multiple Testing: Bonferroni and Holm

- With M independent tests at level α , $\text{FWER} = 1 - (1 - \alpha)^M$
 - ▶ $M = 15$, $\alpha = 5\%$: $\text{FWER} = 53.7\%$, a coin flip
- **Bonferroni**: reject only if $p_i < \alpha/M$; guarantees $\text{FWER} \leq \alpha$ for any dependence
- **Holm**: sort $p_{(1)} \leq \dots \leq p_{(M)}$; reject while $p_{(j)} < \alpha/(M - j + 1)$, stop at the first failure
 - ▶ Same guarantee, never less powerful than Bonferroni
- Our 15 calendar tests: Bonferroni threshold 0.0033; 3 raw rejections, 2 survive Holm (BET and BUX turn of the month)
- Seminar B6 carries out the full correction

How Many “Anomalies” Does Pure Chance Produce?



- 2000 meaningless rules on the S&P 500: each labels a random 20% of days as “good” and tests good minus other days


Pure Chance: Interpretation

- 4.9% of the random rules have $|t| > 1.96$, exactly the 5% the test promises; the largest $|t|$ is 3.19
- A researcher who tries many rules and reports the best one will always find a “significant anomaly”
 - ▶ Data snooping in technical trading rules: [Sullivan, Timmermann & White \(1999\)](#)
- [Harvey, Liu & Zhu \(2016\)](#): after hundreds of published factors, a new one should have $|t| > 3.0$; here 0.25% of random rules pass
- BET and BUX turn of the month ($|t| > 3.5$) survive even this stricter threshold

Momentum and Reversal

- **Reversal:** past long-term losers (3–5 years) outperform past winners De Bondt & Thaler (1985)
- **Cross-sectional momentum:** stocks that rose most over 3–12 months keep outperforming Jegadeesh & Titman (1993) (Chapter 3)
- **Time-series momentum (TSMOM)** of a single index Moskowitz, Ooi & Pedersen (2012):
 - ▶ Signal $s_t = \text{sign}(\sum_{j=1}^{12} r_{t-j})$ from the past 12 monthly log returns
 - ▶ Strategy return $s_t r_t$: long after a positive year, short after a negative one
 - ▶ Test: HAC t of the mean of $s_t r_t$ (6 lags); Sharpe ratio $\sqrt{12} \bar{x} / s_x$

Index-Level Time-Series Momentum



□ HAC t -statistic of the mean monthly TSMOM return, 2000–2026 (crypto from 2014/2016)

Time-Series Momentum: Interpretation

- ▣ Significant at 5%: BET ($t = 2.56$, 1.33% per month) and S&P 500 ($t = 2.19$)
- ▣ But the Sharpe ratio barely beats buy-and-hold: BET 0.62 vs 0.61, S&P 500 0.48 vs 0.44
 - Much of the TSMOM return is the equity premium earned while long
- ▣ BET's monthly autocorrelation is 0.19: the same persistence found in daily data
- ▣ Bitcoin $t = 1.77$ with only 308 months for equities and far fewer for crypto: low power
- ▣ 15 markets tested: the multiple-testing caution applies here too

Recap: Anomalies

- ▣ Test calendar effects with regressions on dummies and HAC standard errors; test all days jointly
- ▣ The Monday effect is gone; the turn of the month survives in BET and BUX even after Holm correction
- ▣ Pure chance produces 5% “anomalies”: correct for the number of tests (Bonferroni, Holm, $|t| > 3$)
- ▣ Index momentum is statistically visible in BET and S&P 500 but adds little over buy-and-hold
- ▣ Cross-sectional anomalies and the factor zoo: Chapter 3

Robert Shiller and Richard Thaler



Robert J. Shiller, Nobel Prize 2013

Photo: Bengt Nyman (2013); CC BY 2.0; Wikimedia Commons



Richard H. Thaler, Nobel Prize 2017

Photo: Bengt Nyman (2017); CC BY 2.0; Wikimedia Commons

- Shiller (1981): stock prices move far more than the dividends that should justify them (excess volatility)
- De Bondt & Thaler (1985): investors overreact; extreme losers become winners over the next 3–5 years

Psychology in Prices

- **Prospect theory** [Kahneman & Tversky \(1979\)](#): outcomes are judged against a reference point and losses loom larger than gains (loss aversion)
 - ▶ Leads to the disposition effect: selling winners too early, holding losers too long
- **Overconfidence**: too much trading and too narrow forecasts
- **Herding**: imitating others, which amplifies booms and crashes [Pele, Mazurencu-Marinescu & Nijkamp \(2013\)](#)
- **Anchoring** and **limited attention**: slow reaction to news, a candidate cause of momentum
- Biases alone do not break efficiency: rational arbitrageurs could trade against them. Can they?

Limits to Arbitrage



Andrei Shleifer, Harvard

Photo: Manuel Castells (2018); CC BY-SA 2.0;

[Wikimedia Commons](#)

- **Shleifer & Vishny (1997)**: real arbitrage is risky and needs capital
- **Noise-trader risk**: mispricing can get worse before it corrects
 - ▶ Noise traders: investors trading on non-information (sentiment, rumours)
- Fund managers lose clients after losses and must close positions at the worst time
- Costs: short-selling limits, margins, trading costs, no perfect substitutes
- Hence anomalies can persist where arbitrage is hard: small, illiquid, frontier markets

Trading Floors and Crowds



New York Stock Exchange trading floor, 1963

Photo: Thomas J. O'Halloran (1963); public domain; [Wikimedia Commons](#)

- Price discovery used to happen among people in one room: information spread by voice
- Today: electronic order books, algorithms and microsecond latencies (Chapter 10)
- Crowds remain: herding and sentiment now travel through social media
- The AMH view: technology changes the “species” and hence the degree of efficiency

Recap: Behavioural Finance

- ▣ Excess volatility and overreaction challenge the EMH; prospect theory and herding offer mechanisms
- ▣ Biases matter for prices only when arbitrage is limited by risk, capital and costs
- ▣ Where arbitrage is hardest (small, illiquid markets like BET) we indeed find the strongest persistence
- ▣ The AMH reconciles both views: rational and biased behaviour coexist and evolve

Can Machine Learning Beat Efficient Markets?

- ▣ ML models capture nonlinear patterns that autocorrelation tests miss
 - ▶ ML: machine learning, algorithms that learn a prediction rule from data (Chapter 13)
- ▣ [Gu, Kelly & Xiu \(2020\)](#): trees and neural networks give large economic gains over linear regressions in the US cross-section
- ▣ Yet their monthly out-of-sample R^2 is below 1%: consistent with an almost efficient market
- ▣ Large language models read news and filings: [Tak & Pele \(2025\)](#) forecast stock trends with LLaMA
- ▣ AMH reading: every successful model attracts competitors, and its edge decays

ML and Efficiency: Pitfalls

- ▣ **Data snooping:** many models on one dataset produce a “winner” by chance (as in our random-rules experiment)
- ▣ **Look-ahead bias:** using information not available at the time of the forecast
- ▣ **Costs:** high-turnover strategies lose their edge after trading costs
- ▣ **Non-stationarity:** a pattern found in 2000–2015 may be gone by 2026 ([McLean & Pontiff \(2016\)](#))
- ▣ Chapter 13 shows walk-forward validation and the deflated Sharpe ratio to guard against these

Conclusions

- Efficiency means unpredictable excess returns given the information set; weak-form tests are the cleanest
- Robust inference is essential: volatility clustering makes classical tests reject too often
- 2000–2026: S&P 500 shows mild reversal, BET and EUR/RON persistence, Bitcoin no robust rejection
- Long memory in returns is weak; apparent memory is often short memory or volatility clustering
- Efficiency varies over time (AMH); anomalies must survive multiple-testing corrections and costs
- Statistical rejection $\neq$ exploitable profit $\neq$ irrational market

Further Study on Quantinar

Advanced courses on quantinar.com

-  Efficiency of cryptocurrency markets - A GMM-based analysis
-  Generalized Method of Moments

Code, data and textbooks

- All charts and tables: github.com/danpele/MFM/tree/main/Quantlets/Ch_02
- Textbooks: Campbell, Lo & MacKinlay (1997), Ch. 2; Franke, Härdle & Hafner (2019)

References (1/5)

- ▣ Andrews, D.W.K. (1991). Heteroskedasticity and autocorrelation consistent covariance matrix estimation. *Econometrica*, 59(3), 817–858.
- ▣ Anis, A.A., Lloyd, E.H. (1976). The expected value of the adjusted rescaled Hurst range of independent normal summands. *Biometrika*, 63(1), 111–116.
- ▣ Ariel, R.A. (1987). A monthly effect in stock returns. *Journal of Financial Economics*, 18(1), 161–174.
- ▣ Bachelier, L. (1900). Théorie de la spéculation. *Annales scientifiques de l'École Normale Supérieure*, 17, 21–86.
- ▣ Campbell, J.Y., Lo, A.W., MacKinlay, A.C. (1997). *The Econometrics of Financial Markets*. Princeton University Press.
- ▣ Choi, I. (1999). Testing the random walk hypothesis for real exchange rates. *Journal of Applied Econometrics*, 14(3), 293–308.
- ▣ Chow, K.V., Denning, K.C. (1993). A simple multiple variance ratio test. *Journal of Econometrics*, 58(3), 385–401.
- ▣ De Bondt, W.F.M., Thaler, R. (1985). Does the stock market overreact?. *Journal of Finance*, 40(3), 793–805.
- ▣ Fama, E.F. (1970). Efficient capital markets: a review of theory and empirical work. *Journal of Finance*, 25(2), 383–417.
- ▣ Fama, E.F. (1991). Efficient capital markets: II. *Journal of Finance*, 46(5), 1575–1617.
- ▣ Fama, E.F., Fisher, L., Jensen, M.C., Roll, R. (1969). The adjustment of stock prices to new information. *International Economic Review*, 10(1), 1–21.

References (2/5)

- ▣ Franke, J., Härdle, W.K., Hafner, C.M. (2019). *Statistics of Financial Markets: An Introduction*, 5th ed. Springer.
- ▣ French, K.R. (1980). *Stock returns and the weekend effect*. *Journal of Financial Economics*, 8(1), 55–69.
- ▣ FTSE Russell (2019). *FTSE Russell announces results of country classification review* (press release, 26 September 2019).
- ▣ Grossman, S.J., Stiglitz, J.E. (1980). *On the impossibility of informationally efficient markets*. *American Economic Review*, 70(3), 393–408.
- ▣ Gu, S., Kelly, B., Xiu, D. (2020). *Empirical asset pricing via machine learning*. *Review of Financial Studies*, 33(5), 2223–2273.
- ▣ Harvey, C.R., Liu, Y., Zhu, H. (2016). *... and the cross-section of expected returns*. *Review of Financial Studies*, 29(1), 5–68.
- ▣ Hurst, H.E. (1951). *Long-term storage capacity of reservoirs*. *Transactions of the American Society of Civil Engineers*, 116(1), 770–799.
- ▣ Jegadeesh, N., Titman, S. (1993). *Returns to buying winners and selling losers: implications for stock market efficiency*. *Journal of Finance*, 48(1), 65–91.
- ▣ Kahneman, D., Tversky, A. (1979). *Prospect theory: an analysis of decision under risk*. *Econometrica*, 47(2), 263–291.
- ▣ Kim, J.H. (2006). *Wild bootstrapping variance ratio tests*. *Economics Letters*, 92(1), 38–43.
- ▣ Kim, J.H., Shamsuddin, A. (2008). *Are Asian stock markets efficient? Evidence from new multiple variance ratio tests*. *Journal of Empirical Finance*, 15(3), 518–532.

References (3/5)

- ▣ Kristoufek, L. (2018). On Bitcoin markets (in)efficiency and its evolution. *Physica A*, 503, 257–262.
- ▣ Künsch, H.R. (1989). The jackknife and the bootstrap for general stationary observations. *Annals of Statistics*, 17(3), 1217–1241.
- ▣ Lakonishok, J., Smidt, S. (1988). Are seasonal anomalies real? A ninety-year perspective. *Review of Financial Studies*, 1(4), 403–425.
- ▣ Lim, K.-P., Brooks, R. (2011). The evolution of stock market efficiency over time: a survey of the empirical literature. *Journal of Economic Surveys*, 25(1), 69–108.
- ▣ Ljung, G.M., Box, G.E.P. (1978). On a measure of lack of fit in time series models. *Biometrika*, 65(2), 297–303.
- ▣ Lo, A.W. (1991). Long-term memory in stock market prices. *Econometrica*, 59(5), 1279–1313.
- ▣ Lo, A.W. (2004). The adaptive markets hypothesis. *Journal of Portfolio Management*, 30(5), 15–29.
- ▣ Lo, A.W. (2017). *Adaptive Markets: Financial Evolution at the Speed of Thought*. Princeton University Press.
- ▣ Lo, A.W., MacKinlay, A.C. (1988). Stock market prices do not follow random walks: evidence from a simple specification test. *Review of Financial Studies*, 1(1), 41–66.
- ▣ MacKinlay, A.C. (1997). Event studies in economics and finance. *Journal of Economic Literature*, 35(1), 13–39.
- ▣ Malkiel, B.G. (2003). The efficient market hypothesis and its critics. *Journal of Economic Perspectives*, 17(1), 59–82.

References (4/5)

- ▣ McLean, R.D., Pontiff, J. (2016). [Does academic research destroy stock return predictability?](#). *Journal of Finance*, 71(1), 5–32.
- ▣ Moskowitz, T.J., Ooi, Y.H., Pedersen, L.H. (2012). [Time series momentum](#). *Journal of Financial Economics*, 104(2), 228–250.
- ▣ Nadarajah, S., Chu, J. (2017). [On the inefficiency of Bitcoin](#). *Economics Letters*, 150, 6–9.
- ▣ Newey, W.K., West, K.D. (1987). [A simple, positive semi-definite, heteroskedasticity and autocorrelation consistent covariance matrix](#). *Econometrica*, 55(3), 703–708.
- ▣ Pele, D.T., Lin, M.-B., Wang, R., Gaman, S. (2025). [Market responses to ETH development milestones](#). IDA Institute Digital Assets, Bucharest University of Economic Studies.
- ▣ Pele, D.T., Mazurencu-Marinescu, M. (2012). [Modelling stock market crashes: the case of Bucharest Stock Exchange](#). *Procedia – Social and Behavioral Sciences*, 58, 533–542.
- ▣ Pele, D.T., Mazurencu-Marinescu, M., Nijkamp, P. (2013). [Herding behaviour, bubbles and log periodic power laws in illiquid stock markets: a case study on the Bucharest Stock Exchange](#). SSRN Working Paper.
- ▣ Pele, D.T., Wesselhöfft, N., Härdle, W.K., Kolossiatis, M., Yatracos, Y.G. (2023). [Are cryptos becoming alternative assets?](#). *European Journal of Finance*, 29(10), 1064–1105.
- ▣ Peng, C.-K., Buldyrev, S.V., Havlin, S., Simons, M., Stanley, H.E., Goldberger, A.L. (1994). [Mosaic organization of DNA nucleotides](#). *Physical Review E*, 49(2), 1685–1689.
- ▣ Roberts, H.V. (1959). [Stock-market “patterns” and financial analysis: methodological suggestions](#). *Journal of Finance*, 14(1), 1–10.
- ▣ Rozeff, M.S., Kinney, W.R. (1976). [Capital market seasonality: the case of stock returns](#). *Journal of Financial Economics*, 3(4), 379–402.

References (5/5)

- ▣ Samuelson, P.A. (1965). [Proof that properly anticipated prices fluctuate randomly](#). *Industrial Management Review*, 6(2), 41–49; reprinted 2015, World Scientific.
- ▣ Shiller, R.J. (1981). [Do stock prices move too much to be justified by subsequent changes in dividends?](#). *American Economic Review*, 71(3), 421–436 (NBER Working Paper 456).
- ▣ Shleifer, A., Vishny, R.W. (1997). [The limits of arbitrage](#). *Journal of Finance*, 52(1), 35–55.
- ▣ Sullivan, R., Timmermann, A., White, H. (1999). [Data-snooping, technical trading rule performance, and the bootstrap](#). *Journal of Finance*, 54(5), 1647–1691.
- ▣ Tak, R., Pele, D.T. (2025). [LLM-driven stock prediction: capturing market trends with LLaMA](#). *Proceedings of the International Conference on Business Excellence*, 19(1), 529–540.
- ▣ Tak, R., Schlamp, S., Osterrieder, J., Pele, D.T. (2026). [Racing the news: nanosecond market efficiency at Eurex and CME](#). SSRN Working Paper.
- ▣ Tran, V.L., Leirvik, T. (2020). [Efficiency in the markets of crypto-currencies](#). *Finance Research Letters*, 35, 101382.
- ▣ Urquhart, A. (2016). [The inefficiency of Bitcoin](#). *Economics Letters*, 148, 80–82.
- ▣ Urquhart, A., McGroarty, F. (2016). [Are stock markets really efficient? Evidence of the adaptive market hypothesis](#). *International Review of Financial Analysis*, 47, 39–49.
- ▣ Wald, A., Wolfowitz, J. (1940). [On a test whether two samples are from the same population](#). *Annals of Mathematical Statistics*, 11(2), 147–162.