1. Extended Trigonometric function:

$$f(x) = \sum_{i=1}^{n} \left((n - \sum_{j=1}^{n} \cos(x_j)) + i (1 - \cos(x_i)) - \sin(x_i) \right)^2,$$
$$x_0 = [0.2, 0.2, \dots, 0.2].$$

2. Generalized Rosenbrock function:

$$f(x) = \sum_{i=1}^{n-1} \left(c(x_{i+1} - x_i^2)^2 + (1 - x_i)^2 \right),$$

$$x_0 = [-1.2, 1, -1.2, 1, \dots, -1.2, 1], \quad c = 100.$$

3. Extended Penalty function:

$$f(x) = \sum_{i=1}^{n-1} (x_i - 1)^2 + \left(\sum_{j=1}^n x_j^2 - 0.25\right)^2,$$
$$x_0 = [1, 2, \dots, n].$$

4. Perturbed Quadratic function:

$$f(x) = \sum_{i=1}^{n} ix_i^2 + \frac{1}{100} \left(\sum_{i=1}^{n} x_i \right)^2$$
$$x_0 = [0.5, 0.5, \dots, 0.5].$$

5. Generalized Tridiagonal 1 function:

$$f(x) = \sum_{i=1}^{n-1} (x_i + x_{i+1} - 3)^2 + (x_i - x_{i+1} + 1)^4,$$
$$x_0 = [2, 2, \dots, 2].$$

6. Generalized White & Holst function:

$$f(x) = \sum_{i=1}^{n-1} c(x_{i+1} - x_i^3)^2 + (1 - x_i)^2, \quad c = 100,$$
$$x_0 = [-1.2, 1, -1.2, 1, \dots, -1.2, 1].$$

7. Generalized PSC1 function:

$$f(x) = \sum_{i=1}^{n-1} (x_i^2 + x_{i+1}^2 + x_i x_{i+1})^2 + \sin^2(x_i) + \cos^2(x_i),$$
$$x_0 = [3, 0.1, \dots, 3, 0.1].$$

8. Full Hessian FH1 function:

$$f(x) = (x_1 - 3)^2 + \sum_{i=2}^n \left(x_1 - 3 - 2 \left(\sum_{j=1}^i x_j \right)^2 \right)^2,$$
$$x_0 = [0.01, 0.01, \dots, 0.01].$$

9. Full Hessian FH2 function:

$$f(x) = (x_1 - 5)^2 + \sum_{i=2}^{n} \left(\sum_{j=1}^{i} x_j - 1\right)^2,$$

$$x_0 = [0.01, 0.01, \dots, 0.01].$$

10. Perturbed Quadratic Diagonal function:

$$f(x) = \left(\sum_{i=1}^{n} x_i\right)^2 + \sum_{i=1}^{n} \frac{i}{100} x_i^2,$$
$$x_0 = [0.5, 0.5, \dots, 0.5].$$

11. Quadratic QF1 function:

$$f(x) = \frac{1}{2} \sum_{i=1}^{n} ix_i^2 - x_n,$$

$$x_0 = [1, 1, 1, \dots, 1]$$

12. Extended quadratic penalty QP1 function:

$$f(x) = \sum_{i=1}^{n-1} (x_i^2 - 2)^2 + \sum_{i=1}^{n} (x_i^2 - 0.5)^2$$
$$x_0 = [1, 1, 1, \dots, 1]$$

13. Extended quadratic penalty QP2 function:

$$f(x) = \left(\sum_{i=1}^{n} x_i^2 - 100\right)^2 + \sum_{i=1}^{n-1} \left(x_i^2 - \sin x_i\right)^2$$
$$x_0 = [1, 1, 1, \dots, 1]$$

14. Quadratic QF2 function:

$$f(x) = \frac{1}{2} \sum_{i=1}^{n} i (x_i^2 - 1)^2 - x_n$$
$$x_0 = [0.5, 0.5, 0.5, \dots, 0.5]$$

15. Extended Tridiagonal 2 function:

$$f(x) = \sum_{i=1}^{n-1} (x_i x_{i+1} - 1)^2 + c(x_i + 1)(x_{i+1} + 1)$$
$$x_0 = [1, 1, 1, \dots, 1], \quad c = 0.1$$

16. FLETCBV3 function (CUTE):

$$f(x) = \frac{1}{2}p(x_1^2 + x_n^2) + \frac{p}{2}\sum_{i=1}^{n-1}(x_i - x_{i+1})^2 - \sum_{i=1}^n \left(\frac{p(h^2 + 2)}{h^2}x_i + \frac{cp}{h^2}\cos(x_i)\right),$$

where:

$$p = \frac{1}{10^8}, \quad h = \frac{1}{n+1}, \quad c = 1,$$
 $x_0 = [h, 2h, \dots, nh].$

17. FLETCHCR function (CUTE):

$$f(x) = \sum_{i=1}^{n-1} c(x_{i+1} - x_i + 1 - x_i^2)^2$$
$$x_0 = [0, 0, 0, \dots, 0], \quad c = 100$$

18. BDQRTIC function (CUTE):

$$f(x) = \sum_{i=1}^{n-4} (-4x_i + 3)^2 + \left(x_i^2 + 2x_{i+1}^2 + 3x_{i+2}^2 + 4x_{i+3}^2 + 5x_n^2\right)^2,$$

$$x_0 = [1, 1, \dots, 1].$$

19. TRIDIA function (CUTE):

$$f(x) = \gamma (\delta x_1 - 1)^2 + \sum_{i=2}^{n} i (\alpha x_i - \beta x_{i-1})^2$$

where:

$$\alpha = 2$$
, $\beta = 1$, $\gamma = 1$, $\delta = 1$
 $x_0 = [1, 1, 1, \dots, 1]$

20. ARWHEAD function (CUTE):

$$f(x) = \sum_{i=1}^{n-1} (-4x_i + 3) + \sum_{i=1}^{n-1} (x_i^2 + x_n^2)^2$$
$$x_0 = [1, 1, 1, \dots, 1]$$

21. NONDIA function (CUTE):

$$f(x) = (x_1 - 1)^2 + \sum_{i=2}^{n} 100 (x_1 - x_{i-1}^2)^2,$$

$$x_0 = [-1, -1, -1, \dots, -1]$$

22. NONDQUAR function (CUTE):

$$f(x) = (x_1 - x_2)^2 + \sum_{i=1}^{n-2} (x_i + x_{i+1} + x_n)^4 + (x_{n+1} + x_n)^2,$$

$$x_0 = [1, -1, \dots, 1, -1]$$

23. EG2 function (CUTE):

$$f(x) = \sum_{i=1}^{n-1} \sin(x_1 + x_i^2 - 1) + \frac{1}{2} \sin(x_n^2)$$
$$x_0 = [1, 1, 1, \dots, 1]$$

3

24. CURLY20 function (CUTE):

$$f(x) = \sum_{i=1}^{n} (q_i^4 - 20q_i - 0.1q_i)$$

where:

$$q_i = \begin{cases} x_i + x_{i+1} + x_{i+2} + \dots + x_{i+k}, & \text{if } i \le n - k \\ x_i + x_{i+1} + x_{i+2} + \dots + x_n, & \text{if } i > n - k \end{cases}$$
$$k = 20, \quad x_0 = \left[\frac{0.001}{n+1}, \dots, \frac{0.001}{n+1} \right].$$

25. Partially Perturbed Quadratic function:

$$f(x) = x_1^2 + \sum_{i=1}^n \left[ix_i^2 + \frac{1}{100} \left(\sum_{j=1}^i x_j \right)^2 \right],$$

$$x_0 = [0.5, 0.5, \dots, 0.5].$$

26. Broyden Tridiagonal function:

$$f(x) = \left(3x_1 - 2x_1^2\right)^2 + \sum_{i=2}^{n-1} \left(3x_i - 2x_i^2 - x_{i-1} - 2x_{i+1} + 1\right)^2 + \left(3x_n - 2x_n^2 - x_{n-1} + 1\right)^2,$$

$$x_0 = [-1, -1, \dots, -1].$$

27. Perturbed Tridiagonal Quadratic function:

$$f(x) = x_1^2 + \sum_{i=2}^{n-1} ix_i^2 + (x_{i-1} + x_i + x_{i+1})^2,$$
$$x_0 = [0.5, 0.5, \dots, 0.5].$$

28. Staircase 1 function:

$$f(x) = \sum_{i=1}^{n} \left(\sum_{j=1}^{i} x_j \right)^2,$$
$$x_0 = [1, 1, \dots, 1].$$

29. Staircase 2 function:

$$f(x) = \sum_{i=1}^{n} \left[\left(\sum_{j=1}^{i} x_j \right) - i \right]^2,$$
$$x_0 = [0, 0, \dots, 0].$$

30. LIARWHD function (CUTE):

$$f(x) = \sum_{i=1}^{n} 4(-x_1 + x_i^2)^2 + \sum_{i=1}^{n} (x_i - 1)^2$$
$$x_0 = [4, 4, \dots, 4].$$

4

31. ENGVAL1 function (CUTE):

$$f(x) = \sum_{i=1}^{n-1} (x_i^2 + x_{i+1}^2)^2 + \sum_{i=1}^{n-1} (-4x_i + 3),$$
$$x_0 = [2, 2, \dots, 2].$$

32. EDENSCH function (CUTE):

$$f(x) = 16 + \sum_{i=1}^{n-1} \left[(x_i - 2)^4 + (x_i x_{i+1} - 2x_{i+1})^2 + (x_{i+1} + 1)^2 \right]$$
$$x_0 = [0, 0, \dots, 0].$$

33. INDEF function (CUTE):

$$f(x) = \sum_{i=2}^{n-1} \cos(2x_i - x_n - x_1) + \sum_{i=1}^{n} x_i,$$
$$x_0 = \left[\frac{1}{n+1}, \frac{2}{n+1}, \dots, \frac{n}{n+1}\right].$$

34. CUBE function (CUTE):

$$f(x) = (x_1 - 1)^2 + \sum_{i=2}^{n} 100 (x_i - x_{i-1}^3)^2,$$

$$x_0 = [-1.2, 1, -1.2, 1, \dots].$$

35. EXPLIN1 function (CUTE):

$$f(x) = \sum_{i=1}^{n} \exp(0.1x_i x_{i+1}) - 101 \sum_{i=1}^{n} i x_i,$$
$$x_0 = [0, 0, \dots, 0].$$

36. BDEXP function (CUTE):

$$f(x) = \sum_{i=1}^{n-2} (x_i + x_{i+1}) \exp(-x_{i+2}(x_i + x_{i+1}))$$
$$x_0 = [1, 1, \dots, 1].$$

37. HARKERP2 function (CUTE):

$$f(x) = \left(\sum_{i=1}^{n} x_i\right)^2 - \sum_{i=1}^{n} (x_i + \frac{1}{2}x_i^2) + 2\sum_{i=2}^{n} \left(\sum_{i=j}^{n} x_i\right)^2,$$
$$x_0 = [1, 2, ..., n].$$

38. GENHUMPS function (CUTE):

$$f(x) = \sum_{i=1}^{n-1} \left(\sin(2x_i)^2 \sin(2x_{i+1})^2 + 0.05(x_i^2 + x_{i+1}^2) \right),$$
$$x_0 = [-506, 506.2, \dots, 506.2].$$

39. MCCORMCK function (CUTE):

$$f(x) = \sum_{i=1}^{n-1} \left(-1.5x_i + 2.5x_{i+1} + 1 + (x_i - x_{i+1})^2 + \sin(x_i + x_{i+1}) \right)$$
$$x_0 = [1, 1, \dots].$$

40. NONSCOMP function (CUTE):

$$f(x) = (x_1 - 1)^2 + \sum_{i=2}^{n} 4(x_i - x_{i-1}^2)^2$$
$$x_0 = [3, 3, \dots].$$

41. SINQUAD function (CUTE):

$$f(x) = (x_1 - 1)^4 + \sum_{i=2}^{n-1} \left(\sin(x_i - x_n) - x_1^2 + x_i^2 \right)^2 + (x_n^2 - x_1^2)^2,$$
$$x_0 = [0.1, 0.1, \dots].$$

42. LIARWHD function (CUTE):

$$f(x) = \sum_{i=1}^{n} 4(x_i^2 - x_1)^2 + \sum_{i=1}^{n} (x_i - 1)^2$$
$$x_0 = [4, 4, 4, \dots, 4]$$

43. DIXON3DQ function (CUTE):

$$f(x) = (x_1 - 1)^2 + \sum_{i=1}^{n-1} (x_i - x_{i+1})^2 + (x_n - 1)^2,$$

$$x_0 = [-1, -1, \dots, -1].$$

44. COSINE function (CUTE):

$$f(x) = \sum_{i=1}^{n-1} \cos(-0.5x_{i+1} + x_i^2),$$
$$x_0 = [1, 1, \dots, 1].$$

45. SINE function:

$$f(x) = \sum_{i=1}^{n-1} \sin(-0.5x_{i+1} + x_i^2),$$

$$x_0 = [1, 1, \dots, 1].$$

46. BIGGSB1 function (CUTE):

$$f(x) = (x_1 - 1)^2 + \sum_{i=1}^{n-1} (x_{i+1} - x_i)^2 + (1 - x_n)^2,$$
$$x_0 = [0, 0, \dots].$$

47. Generalized Quartic function:

$$f(x) = \sum_{i=1}^{n-1} x_i^2 + (x_{i+1} + x_i^2)^2,$$
$$x_0 = [1, 1, \dots].$$

48. Full Hessian FH3 function:

$$f(x) = \left(\sum_{i=1}^{n} x_i\right)^2 + \sum_{i=1}^{n} (x_i \exp(x_i) - 2x_i - x_i^2),$$
$$x_0 = [1, 1, \dots, 1].$$