SO11HosotaniDummyCase Failed-Global-Constr

November 19, 2019

Statistics for SO11HosotaniDummyCase attributes. The following is for points that Failed-Global-Constr the constraints:

The following are the statistics for ${\bf Param}$:

k(GeV):

- The average value for k(GeV) is : 128860.13578913895
- Standard deviation for k(GeV) is : 62627.43653276483
- Minimum value for k(GeV) is : 23684.801448552284
- Maximum value for k(GeV) is : 568436.9874120001

z_L :

- \bullet The average value for z_L is : 35.64398353452242
- \bullet Standard deviation for z_L is : 3.4611712725505837
- Minimum value for z_L is : 17.43649508024567
- Maximum value for z_L is: 51.226730749863854

c_0 :

- \bullet The average value for c_0 is : 0.27008100193585954
- \bullet Standard deviation for c_0 is : 0.16798143116442213
- Minimum value for c_0 is : 0.0014
- Maximum value for c_0 is : 1.3829290111473

c_1 :

- The average value for c_1 is : 0.13159445124548727
- Standard deviation for c_1 is: 0.10668681937736385

- Minimum value for c_1 is : 1.9287109375015765e-05
- Maximum value for c_1 is: 0.6766512788619184

 c_2 :

- \bullet The average value for c_2 is : -0.7188293055362515
- Standard deviation for c_2 is : 0.18820195925026947
- Minimum value for c_2 is : -1.2471465930399999
- Maximum value for c_2 is : -0.1545541855833397

 $c'_{0}:$

- \bullet The average value for c_0' is : 0.5657991760509633
- Standard deviation for c'_0 is : 0.1983136324508851
- \bullet Minimum value for c_0' is : 0.062000923215999953
- \bullet Maximum value for c_0' is : 3.4910387209040272

 μ_1 :

- The average value for μ_1 is : 14.479954305439783
- Standard deviation for μ_1 is : 4.129599880119856
- Minimum value for μ_1 is : 6.144251796106855
- Maximum value for μ_1 is : 64.49975233857032

 μ_{11} :

- The average value for μ_{11} is : 0.29371407391485044
- Standard deviation for μ_{11} is : 0.22921755168759816
- Minimum value for μ_{11} is : 0.00016414231999992146
- Maximum value for μ_{11} is : 2.23977

 μ'_{11} :

- \bullet The average value for μ'_{11} is : 0.35051725305405623
- Standard deviation for μ'_{11} is : 0.2873724789746884
- \bullet Minimum value for μ'_{11} is : 0.0005893571040000156
- Maximum value for μ'_{11} is : 2.2649599043224953

 $\tilde{\mu_2}$:

- \bullet The average value for $\tilde{\mu_2}$ is : 1.600336291939635
- Standard deviation for $\tilde{\mu_2}$ is : 1.0381237690855574
- Minimum value for $\tilde{\mu_2}$ is : 0.004511999999998495
- \bullet Maximum value for $\tilde{\mu_2}$ is : 9.44110403644189

The following are the statistics for **Attr**:

$m_H(\text{GeV})$:

- The average value for $m_H(\text{GeV})$ is: 160.82194335022572
- Standard deviation for $m_H(\text{GeV})$ is : 216.30610748522133
- Minimum value for $m_H(\text{GeV})$ is : 6.035070957702646
- Maximum value for $m_H(\text{GeV})$ is : 3569.183086071825

$m_{\psi_D}({\rm GeV})$:

- \bullet The average value for $m_{\psi_D}({\rm GeV})$ is : 2790.6132254060462
- Standard deviation for $m_{\psi_D}(\text{GeV})$ is : 1321.9968380393786
- Minimum value for $m_{\psi_D}(\text{GeV})$ is : 539.2456808043827
- Maximum value for $m_{\psi_D}(\text{GeV})$ is : 30817.778632083326

$m_{\tau}(\text{GeV})$:

- The average value for $m_{\tau}(\text{GeV})$ is : 14.981132512273035
- Standard deviation for $m_{\tau}(\text{GeV})$ is : 172.40606478208676
- Minimum value for $m_{\tau}(\text{GeV})$ is : 2.7271938653701917e-07
- Maximum value for $m_{\tau}(\text{GeV})$ is : 5353.710492830509

$m_{\tau}^{(1)}(\text{GeV})$:

- The average value for $m_{\tau}^{(1)}(\text{GeV})$ is : 1239.3195799451237
- Standard deviation for $m_{\tau}^{(1)}(\mathrm{GeV})$ is : 1711.8940577859205
- Minimum value for $m_{\tau}^{(1)}(\text{GeV})$ is: 0.39981220509084303
- Maximum value for $m_{\tau}^{(1)}(\text{GeV})$ is : 26727.41983603022 $m_{\nu}(eV)$:
 - The average value for $m_{\nu}(eV)$ is : 7.586811408060578

- Standard deviation for $m_{\nu}(eV)$ is : 222.91610387151354
- Minimum value for $m_{\nu}(eV)$ is : 4.2801281026368174e-17
- \bullet Maximum value for $m_{\nu}(eV)$ is : 20070.359124082406 $m_b({\rm GeV}) :$
 - The average value for $m_b(\text{GeV})$ is : 22.488043431315354
 - Standard deviation for $m_b(\text{GeV})$ is : 304.1026486041843
 - Minimum value for $m_b(\text{GeV})$ is : 2.799992332437624e-07
- \bullet Maximum value for $m_b({\rm GeV})$ is : 8986.845743286196 $m_b^{(1)}({\rm GeV}):$
 - The average value for $m_b^{(1)}(\text{GeV})$ is: 3960.830199126924
 - Standard deviation for $m_h^{(1)}(\text{GeV})$ is : 2124.297820850276
 - Minimum value for $m_h^{(1)}(\text{GeV})$ is : 79.42419523485768
- - The average value for $m_t(\text{GeV})$ is : 254.8745531327395
 - Standard deviation for $m_t(\text{GeV})$ is: 893.2374627921027
 - Minimum value for $m_t(\text{GeV})$ is: 8.883477218365486e-06
- Maximum value for $m_t(\text{GeV})$ is : 27948.000246701922 $\langle \theta_H \rangle (\text{rad})$:
 - The average value for $\langle \theta_H \rangle$ (rad) is: 0.1866890939468647
 - Standard deviation for $\langle \theta_H \rangle$ (rad) is: 0.39123421971840666
 - Minimum value for $\langle \theta_H \rangle$ (rad) is : 5.5389874692659366e-09
- Maximum value for $\langle \theta_H \rangle$ (rad) is : 3.141592653524363 $m_Z({\rm GeV})$:
 - The average value for $m_Z(\text{GeV})$ is : 109.05438930641026
 - Standard deviation for $m_Z(\text{GeV})$ is : 315.9799638762224
 - Minimum value for $m_Z(\text{GeV})$ is : 1.2121014312745615e-07
 - Maximum value for $m_Z(\text{GeV})$ is : 29797.464985761995

$m_{W^{\pm}}(\mathrm{GeV})$:

- The average value for $m_{W^{\pm}}(\text{GeV})$ is : 95.62024176393332
- Standard deviation for $m_{W^{\pm}}(\text{GeV})$ is : 277.055153218187
- Minimum value for $m_{W^{\pm}}(\text{GeV})$ is : 1.0627855755098015e-07
- \bullet Maximum value for $m_{W^\pm}({\rm GeV})$ is : 26126.787046465266 $m_{Z'}({\rm GeV})$:
 - The average value for $m_{Z'}(\text{GeV})$ is : 13407.553276133642
 - Standard deviation for $m_{Z'}(\text{GeV})$ is : 6526.743074777152
 - Minimum value for $m_{Z'}(\text{GeV})$ is : 2406.1721144785306
 - Maximum value for $m_{Z'}(\text{GeV})$ is : 62589.662924720586

T:

- The average value for T is : 0.0
- Standard deviation for T is: 0.0
- Minimum value for T is : 0
- Maximum value for T is : 0

y_t :

- The average value for y_t is: 0.8653775759927009
- Standard deviation for y_t is : 0.450235801070716
- Minimum value for y_t is : -0.9913292142098233
- \bullet Maximum value for y_t is : 0.9913292142098233

τ_H :

- The average value for τ_H is : 32.43880219995017
- Standard deviation for τ_H is : 39.56995695998936
- Minimum value for τ_H is : 1.3514550664823795e-09
- Maximum value for τ_H is : 656.4358702272674

$\sigma(hh)(fb)$:

- The average value for $\sigma(hh)(fb)$ is : 830.5934096645314
- Standard deviation for $\sigma(hh)(fb)$ is : 20471.38943801215

- \bullet Minimum value for $\sigma(hh)(fb)$ is : 9.769117128787467e-19
- Maximum value for $\sigma(hh)(fb)$ is : 2108484.05431032

Δ_{HH} :

- \bullet The average value for Δ_{HH} is : 8.278625264938224
- \bullet Standard deviation for Δ_{HH} is : 229.63030293306423
- Maximum value for Δ_{HH} is : 24842.93813309167

The following are the statistics for **Calc**:

χ_G^2 :

- \bullet The average value for χ^2_G is : 122925343.55314432
- • Standard deviation for χ_G^2 is : 1880122053.4827085
- \bullet Maximum value for χ^2_G is : 90824743137.21648