SO11HosotaniDummyCase Passed-Global-Constr

July 7, 2020

Statistics for SO11HosotaniDummyCase attributes. The following is for points that **Passed-Global-Constr** the constraints:

The following are the statistics for **Param** :

k(GeV) :

- The average value for k(GeV) is : 108545.54913646114
- Standard deviation for k(GeV) is : 33810.07560221113
- Minimum value for k(GeV) is : 55445.246882626576
- Maximum value for k(GeV) is : 257388.06076967347

z_L :

- The average value for z_L is : 33.68042190888927
- Standard deviation for z_L is : 2.961857696960879
- Minimum value for z_L is : 27.190748623708306
- Maximum value for z_L is : 37.91522304445407

c_0 :

- The average value for c_0 is : 0.2916377982302256
- Standard deviation for c_0 is : 0.07715815789209247
- Minimum value for c_0 is : 0.10509088
- Maximum value for c_0 is : 0.361

c_1 :

- The average value for c_1 is : 0.07537444045054158
- Standard deviation for c_1 is : 0.07772814007771128

- Minimum value for c_1 is : 0.013383665466308509
- Maximum value for c_1 is : 0.33233057182169856

c_2 :

- The average value for c_2 is : -0.588156068564607
- Standard deviation for c_2 is : 0.08607103037166765
- Minimum value for c_2 is : -0.845352
- Maximum value for c_2 is : -0.385170518272

c_0' :

- The average value for c_0' is : 0.526033611546817
- Standard deviation for c_0' is : 0.041579576810386
- Minimum value for c_0' is : 0.40862289943999996
- Maximum value for c_0' is : 0.5897

μ_1 :

- The average value for μ_1 is : 15.161263629941828
- Standard deviation for μ_1 is : 2.834296873228901
- Minimum value for μ_1 is : 10.286653277462635
- Maximum value for μ_1 is : 24.34001746864883

μ_{11} :

- The average value for μ_{11} is : 0.21140616562157574
- Standard deviation for μ_{11} is : 0.08848749947383942
- Minimum value for μ_{11} is : 0.1162980146214366
- Maximum value for μ_{11} is : 0.3896164149785195

μ_{11}' :

- The average value for μ_{11}' is : 0.18826679704753163
- Standard deviation for μ_{11}' is : 0.058364737718231315
- Minimum value for μ_{11}' is : 0.11117737733801236
- Maximum value for μ_{11}' is : 0.37802739375647987

$\tilde{\mu_2}$:

- The average value for $\tilde{\mu_2}$ is : 1.8657068661438574
- Standard deviation for $\tilde{\mu_2}$ is : 1.2557016218382653
- Minimum value for $\tilde{\mu_2}$ is : 0.8471479999999998
- Maximum value for $\tilde{\mu_2}$ is : 6.416193034836342

The following are the statistics for **Attr** :

m_H(GeV) :

- The average value for m_H(GeV) is : 127.23467500553723
- Standard deviation for m_H(GeV) is : 2.0227347355446725
- Minimum value for m_H(GeV) is : 122.3673385421512
- Maximum value for m_H(GeV) is : 129.80513509684775

m_{ψ_D}(GeV) :

- The average value for m_{ψ_D}(GeV) is : 2596.615244772521
- Standard deviation for m_{ψ_D}(GeV) is : 786.8524258940382
- Minimum value for m_{ψ_D}(GeV) is : 1371.6746227479453
- Maximum value for m_{ψ_D}(GeV) is : 5354.988490529566

m_τ(GeV) :

- The average value for m_τ(GeV) is : 1.75900319541381
- Standard deviation for m_τ(GeV) is : 0.02612048926116398
- Minimum value for m_τ(GeV) is : 1.7167560943085807
- Maximum value for m_τ(GeV) is : 1.8302559924229869

$m_\tau^{(1)}$(GeV) :

- The average value for $m_\tau^{(1)}$(GeV) is : 1407.381088170731
- Standard deviation for $m_\tau^{(1)}$(GeV) is : 426.39846229929907
- Minimum value for $m_\tau^{(1)}$(GeV) is : 727.3069068822812
- Maximum value for $m_\tau^{(1)}$(GeV) is : 2551.0692462747534

$m_\nu(eV)$:

- The average value for $m_\nu(eV)$ is : 0.08628744049129752

- Standard deviation for $m_\nu(eV)$ is : 0.035877619826273084
- Minimum value for $m_\nu(eV)$ is : 0.020601423117924678
- Maximum value for $m_\nu(eV)$ is : 0.1330574871341866

m_b(GeV) :

- The average value for m_b(GeV) is : 4.159058019275146
- Standard deviation for m_b(GeV) is : 0.07308771322187126
- Minimum value for m_b(GeV) is : 3.9917906958817246
- Maximum value for m_b(GeV) is : 4.384711470085788

$m_b^{(1)}$(GeV) :

- The average value for $m_b^{(1)}$(GeV) is : 3574.9531654274992
- Standard deviation for $m_b^{(1)}$(GeV) is : 1283.2272545550404
- Minimum value for $m_b^{(1)}$(GeV) is : 1495.2767699310994
- Maximum value for $m_b^{(1)}$(GeV) is : 8613.456653862164

m_t(GeV) :

- The average value for m_t(GeV) is : 172.79878565924486
- Standard deviation for m_t(GeV) is : 3.043403644653775
- Minimum value for m_t(GeV) is : 167.15526346429266
- Maximum value for m_t(GeV) is : 178.92299178539824

$\langle\theta_H\rangle$(rad) :

- The average value for $\langle\theta_H\rangle$(rad) is : 0.12610642317016404
- Standard deviation for $\langle\theta_H\rangle$(rad) is : 0.0366503776497081
- Minimum value for $\langle\theta_H\rangle$(rad) is : 0.050170164720943586
- Maximum value for $\langle\theta_H\rangle$(rad) is : 0.2222597944309811

m_Z(GeV) :

- The average value for m_Z(GeV) is : 91.72318037459327
- Standard deviation for m_Z(GeV) is : 1.3123667804972343
- Minimum value for m_Z(GeV) is : 88.8937820474113
- Maximum value for m_Z(GeV) is : 94.65471272418216

$m_{W^{\pm}}$(GeV) :

- The average value for $m_{W^{\pm}}$(GeV) is : 80.42402271524095
- Standard deviation for $m_{W^{\pm}}$(GeV) is : 1.1506994778680046
- Minimum value for $m_{W^{\pm}}$(GeV) is : 77.94317115289397
- Maximum value for $m_{W^{\pm}}$(GeV) is : 82.9944266557819

$m_{Z'}$(GeV) :

- The average value for $m_{Z'}$(GeV) is : 11938.646555640813
- Standard deviation for $m_{Z'}$(GeV) is : 3689.9859766090863
- Minimum value for $m_{Z'}$(GeV) is : 6262.967650411356
- Maximum value for $m_{Z'}$(GeV) is : 27541.267472358228

T :

- The average value for T is : 0.0
- Standard deviation for T is : 0.0
- Minimum value for T is : 0
- Maximum value for T is : 0

y_t :

- The average value for y_t is : 0.9827979213782879
- Standard deviation for y_t is : 0.005270102671480639
- Minimum value for y_t is : 0.9669443037702264
- Maximum value for y_t is : 0.9900818655456609

τ_H :

- The average value for τ_H is : 29.842453204286205
- Standard deviation for τ_H is : 1.265210356414497
- Minimum value for τ_H is : 27.20407111212093
- Maximum value for τ_H is : 31.632099263565543

$\sigma(hh)(fb)$:

- The average value for $\sigma(hh)(fb)$ is : 17.521110092751105
- Standard deviation for $\sigma(hh)(fb)$ is : 0.8308867640492298

- Minimum value for $\sigma(hh)(fb)$ is : 16.124911402304566
- Maximum value for $\sigma(hh)(fb)$ is : 19.67112228470861

Δ_{HH} :

- The average value for Δ_{HH} is : 0.12144985645422239
- Standard deviation for Δ_{HH} is : 0.005161119851057237
- Minimum value for Δ_{HH} is : 0.11339357454058306
- Maximum value for Δ_{HH} is : 0.13496472214819547

The following are the statistics for **Calc** :

χ^2_G :

- The average value for χ^2_G is : 14.577460916596705
- Standard deviation for χ^2_G is : 3.602677140800299
- Minimum value for χ^2_G is : 3.776936935524515
- Maximum value for χ^2_G is : 20.50197661986195

$\Lambda_{\rm Max}$(GeV) :

- The average value for $\Lambda_{\rm Max}$(GeV) is : 2474499.529858133
- Standard deviation for $\Lambda_{\rm Max}$(GeV) is : 815716.4682828547
- Minimum value for $\Lambda_{\rm Max}$(GeV) is : 1227909.5415017125
- Maximum value for $\Lambda_{\rm Max}$(GeV) is : 6099480.268647853

$\sin^2\theta_W(\Lambda_{\rm Max})$:

- The average value for $\sin^2\theta_W(\Lambda_{\rm Max})$ is : 0.27236584710148554
- Standard deviation for $\sin^2\theta_W(\Lambda_{\rm Max})$ is : 0.00207607356283229
- Minimum value for $\sin^2\theta_W(\Lambda_{\rm Max})$ is : 0.26747675576628577
- Maximum value for $\sin^2\theta_W(\Lambda_{\rm Max})$ is : 0.27895218960547224

$\sin^2\theta_W(M_{\rm KK_5})$:

- The average value for $\sin^2\theta_W(M_{\rm KK_5})$ is : 0.2536385638541903
- Standard deviation for $\sin^2\theta_W(M_{\rm KK_5})$ is : 0.0016463480706800885
- Minimum value for $\sin^2\theta_W(M_{\rm KK_5})$ is : 0.24997099723234426

- Maximum value for $\sin^2\theta_W(M_{\mathrm{KK}_5})$ is : 0.258474461310401

$(\alpha)_{1Y}^{-1}$:

- The average value for $(\alpha)_{1Y}^{-1}$ is : 54.95496738539193
- Standard deviation for $(\alpha)_{1Y}^{-1}$ is : 0.3055160451553476
- Minimum value for $(\alpha)_{1Y}^{-1}$ is : 54.057335943654344
- Maximum value for $(\alpha)_{1Y}^{-1}$ is : 55.809266537214555

$(\alpha)_{2L}^{-1}$:

- The average value for $(\alpha)_{2L}^{-1}$ is : 31.10843571817086
- Standard deviation for $(\alpha)_{2L}^{-1}$ is : 0.17678643177465017
- Minimum value for $(\alpha)_{2L}^{-1}$ is : 30.785636550232486
- Maximum value for $(\alpha)_{2L}^{-1}$ is : 31.688861208011264

$(\alpha)_{3C}^{-1}$:

- The average value for $(\alpha)_{3C}^{-1}$ is : 13.45144906615464
- Standard deviation for $(\alpha)_{3C}^{-1}$ is : 0.33667777627817574
- Minimum value for $(\alpha)_{3C}^{-1}$ is : 12.702416153920822
- Maximum value for $(\alpha)_{3C}^{-1}$ is : 14.441544565004364

$(\alpha)_{4C}^{-1}$:

- The average value for $(\alpha)_{4C}^{-1}$ is : 5.462569580501
- Standard deviation for $(\alpha)_{4C}^{-1}$ is : 0.2270794310744844
- Minimum value for $(\alpha)_{4C}^{-1}$ is : 5.032293236583637
- Maximum value for $(\alpha)_{4C}^{-1}$ is : 5.986124543872324

$(\alpha)_{2L}^{-1}$:

- The average value for $(\alpha)_{2L}^{-1}$ is : 30.084725848167885
- Standard deviation for $(\alpha)_{2L}^{-1}$ is : 0.15474990405488667
- Minimum value for $(\alpha)_{2L}^{-1}$ is : 29.686716281981436
- Maximum value for $(\alpha)_{2L}^{-1}$ is : 30.362121714324516

$(\alpha)_{3C}^{-1}$:

- The average value for $(\alpha)_{3C}^{-1}$ is : 76.85791332287042
- Standard deviation for $(\alpha)_{3C}^{-1}$ is : 0.7322312387910583
- Minimum value for $(\alpha)_{3C}^{-1}$ is : 74.60081857916595
- Maximum value for $(\alpha)_{3C}^{-1}$ is : 78.85169733326639